



Technical data sheet
**Dégrippant Lubrifiant Polyvalent
ECO**

Reference : 6699 - 6700



1. General description

Lubricates and frees seized and rusted metal parts (bolts, screws). Reduces wear; facilitates future dismantling. Biodegradability OECD 301B: 89% (readily).

2. Features

- Loosens metal parts seized by dirt, corrosion or dried-up grease.
- Does not contain silicones.
- Penetrates quickly.
- Displaces and seals out water and moisture.
- Safe on all metal surfaces, does not stain.
- Protects metals and alloys.
- Convenient 360° (including inverted position) spray valve for aerosols.
- Readily biodegradable according to OECD 301B.

3. Applications

- General disassembly.
- Seized and corroded parts.

4. Directions

- Spray liberally and allow to run off.
- Use extension tube for more precise application.
- Allow a few minutes for good penetration.
- Repeat if necessary.
- To remove residues or excess product, use one of the CRC cleaners.
- Do not use on energized equipment.
- Test before use on sensitive materials.



Manufactured by :
CRC Industries Europe bvba
Touwslagerstraat 1
9240 Zele Belgium
Tél.: (32)(0) 52/45.60.11 Fax : (32)(0) 52/45.00.34
www.crcind.com





Technical data sheet
**Dégrippant Lubrifiant Polyvalent
ECO**

Reference : 6699 - 6700

- A safety data sheet (MSDS) according to EC Regulation N° 1907/2006 Art.31 and amendments is available for all CRC products.

5. Typical product data (without propellant)

	Aerosol	Bulk
Appearance	Not available.	Liquid.
Color	Amber.	Amber.
Odor	Neutral.	Neutral.
Density	0.899 g/cm ³ (@ 20°C).	0.899 g/cm ³ (@ 20°C).
Flash Point	30 °C	30 °C

6. Packaging

Aerosol	12x500 ML
Bulk	2x5 L

All statements in this publication are based on service experience and/or laboratory testing. Because of the wide variety of equipment, conditions of use and the unpredictable human factors involved, we recommend that our products are tested on-the-job prior to use. All information is given in good faith but without warranty neither expressed nor implied. This Technical Data Sheet may already have been revised as a result of a change in legislation, availability of components or newly acquired experiences. The latest and only valid version of this Technical Data Sheet will be sent to you upon simple request or can be found on our website: www.crcind.com We recommend that you register on our website for this product, thus enabling you to automatically receive any future updates.

Version KCF-DEGRIPPANT_LUBRIF_POLYV_ECO-20130205

Date



Manufactured by :
CRC Industries Europe bvba
Touwslagerstraat 1
9240 Zele Belgium
Tél.: (32)(0) 52/45.60.11 Fax : (32)(0) 52/45.00.34
www.crcind.com



2/1