

Aimpoint®

MILITARY & LAW ENFORCEMENT



Red Dot Sights

Content

Why Aimpoint®?	5
50 years with Aimpoint	6
Ready for any platform	10
System of Systems™	13
Aimpoint® Acro™ P-2	16
Aimpoint® Duty RDS™	22
Aimpoint® Micro™	24
Aimpoint® Comp™	26
Aimpoint® PRO™	32
Aimpoint® MPS™ 3	33
Aimpoint® Magnifiers	34
Aimpoint® CEU™	38
Accessories	40
Mounting solutions	42
Technical specs	46



WHY AIMPOINT® ?

Aimpoint® red dot sights enable you to hit moving targets faster and safer. That's a proven fact. Being able to shoot with both eyes open, fully aware of your surroundings, gives you the edge and confidence you need in high-speed situations.

When your life depends on your equipment

When the time comes to take the shot, there should be no doubt, you must be able to count on your sight to perform. We design and test our products to stand up to any condition you are likely to encounter. Our products are designed to operate in harsh conditions constantly for years on a single battery, so your sight will be ready when you are.

Superior situational awareness

Dangerous situations happen suddenly. With both eyes open, you see the target as well as the surroundings. You instinctively place the red dot on the target, and you're ready to pull the trigger. When your life depends on it, don't settle for anything less.

Aimpoint® - the original

Aimpoint is the recognized worldwide leader and originator of red dot sighting technology. After 50 years of working closely with experienced marksmen and military weapons experts around the world, AIMPOINT red dot sights remain the number one choice for combining ruggedness, speed and accuracy.

AIMPOINT sights are in service with most NATO countries, the US Army, US Air Force, US Navy, US Marine Corps, and numerous other military forces, police agencies, and special teams worldwide.

50 YEARS WITH AIMPOINT

There are many famous companies that got their start in garages and basements. Aimpoint might be unique. You can track our genesis back to a bathroom, and its first prototype back to a toilet paper roll.

Arne Ekstrand was shaving in a concave mirror one morning, and there was a light on a shelf behind him. When moving his head around, he realized he could see the flame of the candle no matter the position of his head, and he was doing it all with both eyes open. Ekstrand was a hunter and a sport shooter who had done his military service and thought this might be a good way of aiming.

Ekstrand constructed a prototype using a toilet paper roll, using a lens in front, a diode inside, and a battery to power it, on the outside of the tube. When searching for an investor in Sweden, he eventually joined up with Gunnar Sandberg, an entrepreneur, investor and the founder of Elektro-Sandberg. Gunnar Sandberg was also a hunter and sport shooter, and he was convinced Ekstrand created something unique, a winning concept. The two gentlemen patented the optic in 1974, and Aimpoint AB was founded in February 1975. And from there on the success story of Aimpoint started.





THE FIRST YEARS

That first optic developed was the AIMPOINT® Electronic. This was the world's first commercial electronic red dot sight. In Sweden hunting is often done on moving game, and having an optic that is simpler and faster than iron sights, that allows you to keep both your eyes open while aiming was a definite advantage. Three generations of the Electronic red dot sight were produced: the models G1, G2, and G3.

In 1987, the Electronic sight model was replaced by the newest model of Aimpoint optics, the AIMPOINT 1000 model. The 1000 sight was smaller and had a longer-lasting battery. Just as AIMPOINT worked to improve the sight through its various generations, they did so with the 1000 model. Subsequent models such as the ones in the AIMPOINT 3000 and 5000 series offered increased durability and battery life.



AIMPOINT® ELECTRONIC
RELEASED IN 1975

MILITARY ACKNOWLEDGEMENT

Aimpoint's roots are in hunting. It was Sweden's hunting traditions, and the active, moving style of hunting that proved the necessity of a red dot, but as our optics grew tougher and battery life longer, the use began to spread. Not just into the practical IPSC/3-Gun "combat-style" shooting popular in America and around the world, but with elite military units.

In 1991, around the time of the first Gulf War, a photo emerged that got Aimpoint a lot of attention. General Norman Schwarzkopf was photographed visiting Riyadh, Saudi Arabia, with his protection detail, men believed to be with the U.S. Army's most elite unit, SFOD-D (Special Forces Operational Detachment—Delta), otherwise known as Delta Force. The carbines those men were carrying sported AIMPOINT 3000 and 5000 red dot sights atop their carry handles. Prior to that, many people didn't think electronic optics were durable enough for military use, but sure enough, Delta Force was using them.



In 1997, after a procurement process that took several years with exhaustive trials, Aimpoint won a government tender. Aimpoint were to supply 80,000 new Comp™ M model optics to the U.S. military. In 1998, a new factory was opened in Malmö to increase manufacturing capacity of the COMP series.

The COMP M2 model was designated by the U.S. military the M68 CCO (Close Combat Optic), and with the Global War on Terror beginning in 2001, AIMPOINT red dot sights on military M4 carbines became common. In 2007, Aimpoint won another U.S. military procurement for red dot sights, this time for 565,000 units of the new COMP M4 model, with an advertised run time of 8 years. Soon, optics became the rule rather than the exception on military rifles as they replaced iron sights on the modern battlefield.

HUNTERS AND MILITARY

In 2004, Brügger & Thomet (B&T), a Swiss-based arms company, bought the rights for the Steyr MP9. B&T asked Aimpoint to design an OEM optic for them. Something smaller than the COMP series, but with the same level of durability and quality as the COMP sight models. At the same time the developers at Aimpoint noticed that the Blaser rifle was becoming popular in Europe amongst hunters, and people using Blaser wanted a red dot optic that was smaller than the COMP sight models. The development of a new series of red dot sights began.

The decision was made to develop a smaller red dot optic using new diode technology and an advanced controller chip. Aimpoint brought the Micro™ series to the market in 2007, a smaller red dot optic for the TP9 and Blaser rifles. The MICRO sight model was tough and had excellent battery life, becoming a standard for carbine optics and hunters all over the world. In 2014 Aimpoint released the updated version of the MICRO series, with enhancements that made a great product an even better one.

A NEW STANDARD IS BORN

Several years later, Karl Brügger of B&T once again reached out to Aimpoint. B&T was developing their Universal Service Weapon and asked Aimpoint to develop an optic smaller than the MICRO models. About the same time, the popularity of slide-mounted pistol optics began to increase. Enter the AIMPOINT ACRO™ series. At the time of its introduction, the AIMPOINT ACRO model was the first enclosed sight specifically built to mount on a pistol slide.


A redesign of the ACRO series, a few years later, resulted in a second generation of the ACRO series, the models C-2 and P-2. It addressed a few consumer requests that resulted in a new design, longer battery life, even better durability and the ability to mount flip-up lens covers. The successful ACRO series of sights has been expanded to include the ACRO S-2 designed specifically for shotgun ribs and the alternative version of the ACRO C-2, US only, for carbines.

FUTURE IN SIGHT

Even after 50 years, Aimpoint continues to innovate, which is why it is still considered the leader in red dot optics. Our commitment to quality and advancement has ensured that we stay ahead of the competition, constantly setting new standards in the industry. By investing in cutting-edge technology and listening to the needs of our customers, Aimpoint has maintained its reputation for excellence. This dedication to progression guarantees that our products are not only reliable but also at the forefront of optical innovation, meeting the demands of both professionals and enthusiasts alike. As we look to the future, Aimpoint remains focused on delivering superior performance and durability, ensuring that our red dot sights continue to be the preferred choice for shooters around the world.

READY FOR ANY PLATFORM

Aimpoint offers a complete line of sighting solutions for a wide range of platforms. High-quality mounts and accessories allow the sights to be customized and adapted for specific needs. Aimpoint® magnifiers work perfectly with our red dot sights, utilizing the red dot in the optic as the aiming reticle.







ACRO
P-2 3.0MPA
#W921101

2021

DE

CIP
N

VERRES
CIP
N

9mm x 19
FDI0234
DE
2021

FDI0234

GSG 2021

DE 2021

TLR-2 HL-G
STREIFLIGHT
Patented

SYSTEM OF SYSTEMS™

Integrated combat optics solution

Aimpoint supplies rugged and battle tested modular sighting systems and offers end users not just stand-alone products but complete modular optical solutions. Although the primary focus for Aimpoint has always been the electronic reflex collimator (red dot) sight, we also offer a choice of accessories and modular mounting solutions that enhance operators' capabilities.

Customize your sight

Aimpoint sights can be customized with a wide range of mounts, accessories, spacers and lens covers to meet the demands of your specific mission and equipment. If you want to upgrade your sight, see page 40-45.

FEATURES ON ALL AIMPOINT® SIGHTS

- Increased aiming confidence and hit probability
- Unlimited field of view
- Absence of parallax — No centering needed
- Unlimited eye relief
- Operational in all extreme weather conditions
- Extremely rugged, durable construction
- No hazardous materials
- No laser emission that could be harmful to your eyes
- Reduced training time and ammunition consumption
- Battery life measured in years





ACRO™

ACRO is the one of the smallest, professional grade, enclosed red dot series of sights for pistols and other platforms. The ACRO series features the latest LED technology, new electric circuitry, a battery solution that provides 50,000 hours of continuous-on and a wide range of mounting solutions for most pistols, carbines and hunting rifles.



KEY FEATURES

- Lightweight, low-profile optic
- Fully enclosed housing protects electronic components
- CR2032 battery provides 5 years of continuous-on operation
- Designed for direct integration on optic ready pistol slides
- Can be mounted on any AIMPOINT MICRO sight mount via the ACRO mount plate with MICRO interface
- Can be used as a secondary sight on magnifying rifle scopes
- Battery installation while optic is still mounted on weapon
- NVD Compatible








ACRO™ P-2

The Acro™ P-2 model is also now available in two Cerakote® editions: Sniper Grey and FDE. Cerakote® finishes are known worldwide for their corrosion and chemical resistance, UV and thermal stability, and durability under extreme conditions.






ACRO™ P-2



-  Dot size 3.5 MOA
-  Battery life 50,000 h
-  Battery type CR2032 (3V)
-  Power switch Push buttons
-  Weight (sight only) 61 g / 2.2 oz






ACRO™ P-2 SNIPER GREY



-  Dot size 3.5 MOA
-  Battery life 50,000 h
-  Battery type CR2032 (3V)
-  Power switch Push buttons
-  Weight (sight only) 61 g / 2.2 oz

ACRO™ P-2 FDE



-  Dot size 3.5 MOA
 -  Battery life 50,000 h
 -  Battery type CR2032 (3V)
 -  Power switch Push buttons
 -  Weight (sight only) 61 g / 2.2 oz
-

Accessories



Flip-up Front Cover Solid / black

With ARD filter.
For ACRO P-2

ITEM NO. 200751



Flip-up Front Cover Transparent

With ARD filter.
For ACRO P-2

ITEM NO. 200752



Flip-up Front Cover Solid / black

For ACRO P-2

ITEM NO. 200747



Flip-up Rear Cover Solid / black

For ACRO P-2

ITEM NO. 200748



Flip-up Front Cover Transparent

For ACRO P-2

ITEM NO. 200749



Flip-up Rear Cover Transparent

For ACRO P-2

ITEM NO. 200750

The availability of different mounts and mounting plates makes it possible to mount the ACRO sight on several weapon platforms.

For information about more ACRO mounting solutions adapted for specific weapon types please see page 44.



BB

WARNING / AVERTISSEMENT **AIR SUSPENSION**
DO NOT OPERATE THE VEHICLE FOR
LONGER THAN 10 MINUTES WITH
THE AIR SUSPENSION SYSTEM
OFF. FOR MORE INFORMATION,
SEE THE OWNER'S MANUAL FOR
PROPER CARE AND MAINTENANCE.
NE PAS FAIRE FONCTIONNER LE VEHICULE PLUS
LONGUEMENT QUE 10 MINUTES AVEC
LE CIRCUIT DE LA SUSPENSION A L'ETAT
D'ARRÊT. POUR PLUS D'INFORMATIONS,
VOUS CONSULTER LE MANUEL D'UTILISATION
DU VEHICULE.





DUTY RDS™

The Duty RDS™ offers a bright, crisp 2 MOA dot that's ideal for short to medium range target engagements. Windage and elevation adjustments are flush mounted and waterproof. The turrets provide audible "clicks" when zeroing the optic. The dot brightness intensity switch is a keypad with tactile push buttons.









KEY FEATURES

- Compact, high-grade red dot reflex optic with a bright, crisp 2 MOA dot
- One-piece Torsion Nut Mount - Integral Picatinny style base allows easy attachment to any picatinny rail
- Flip-up lens covers included, front solid and rear transparent
- Windage and elevation adjustments are flush mounted and waterproof - eliminating the need for protective caps
- Keypad with intuitive push buttons for dot brightness that can easily be manipulated while wearing gloves
- NVD Compatible

DUTY RDS™



-  **Dot size** 2 MOA
-  **Battery Life** 30,000 h
-  **Battery Type** CR2032 (3V)
-  **Power switch** Push buttons
-  **Weight (sight only)** 110 g / 3.9 oz
-  **Mounting solution std. config**
DUTY RDS one-piece torsion
nut mount 39 mm

Also available with a one-piece
torsion nut mount for 30 mm
optical axis height.



MICRO™

The Aimpoint® Micro™ series delivers exceptional optical performance, while adding negligible size and weight. Unparalleled in mounting solutions, the MICRO series is the top choice for speed and accuracy for virtually any application. The MICRO sights are built to handle heavy recoil and is extremely user-friendly for any skill level.






KEY FEATURES

- Extremely rugged, durable construction
- Flip-up lens covers included, front solid and rear transparent
- Fully submersible (up to 25 meters)
- Reinforced turret protection for even greater ruggedness
- 12 intensity settings for use in daylight and low light conditions
- Fits most firearms – there are plenty of mounting solutions available
- Can be used as a secondary sight on magnifying rifle scopes
- Compatible with all AIMPOINT magnifiers
- NVD Compatible

MICRO™ T-2



-  Dot size 2 MOA
-  Battery Life 50,000 h
-  Battery Type CR2032 (3 V)
-  Power switch Rotary switch
-  Weight (sight only) 94 g / 3.3 oz
-  Weight (std. config) 130 g / 4.6 oz
-  Mounting solution std. config
Micro™ standard mount for Weaver / Picatinny (20 mm optical axis height)



COMP™

The Aimpoint® Comp™ series of reflex sights is combat-proven and widely recognized by professional users as the highest quality red dot optic available. The COMP series of sights are the standard infantry soldier sight in many NATO countries. There are more than 2 million COMP series sights in use worldwide.



KEY FEATURES

- Constant-on models of the COMP series can achieve 5 to 8 years of constant-on use with one AA or AAA battery
- For use at longer range - compatible with AIMPOINT magnifiers
- Fully submersible (up to 45 meters / 150 feet)
- Compatible with all generations NVD
- 2 MOA red dot size, suitable for both close and long ranges.
- Offered in a standard ready to use configuration including mounts and lens cover, but with plenty of alternative mounting solutions and accessories available for specific weapon platforms and needs
- NVD Compatible

COMP™ M4 / COMP™ M4s



Dot size 2 MOA



Battery Life 80,000 h



Battery Type AA, Alk./Lit.



Power switch Rotary switch



Weight (sight only) 268g / 9.5 oz



Weight (std. config) 375 g / 13.2 oz



Mounting solution std. config
QRP2 mount and standard spacer
(39 mm optical axis height)



More tech details on page 46 - 47. Specifications are subject to change without notice.

Standard configuration

BAM Mount for Aimpoint® Comp™ M4








BAM (Ballistic Adjustable Mount) is an ambidextrous quick-detachable Aimpoint® Comp™ M4 mount used by European NATO forces. It features built-in ballistic compensation for 5.56 NATO or 7.62 NATO ammunition, offering high repeatability for specific distances. The BAM allows aiming with the COMP M4 beyond 200 meters without hold-overs. Designed for use with AIMPOINT® COMP M4, it can also accommodate AIMPOINT 3XMAG™-1 magnifiers. To operate, use the lowest setting up to 200 meters; for longer distances, adjust the knobs forward to the desired range.





COMP™ M5 / COMP™ M5s



-  **Dot size** 2 MOA
-  **Battery Life** 50,000 h
-  **Battery Type** AAA, Alk./Lit. (1,5V)
-  **Power switch** Rotary switch
-  **Weight (sight only)**
148 g / 5.2 oz (COMP M5)
165 g / 5.8 oz (COMP M5s)
-  **Weight (std. config)**
238 g / 8.4 oz (COMP M5)
235 g / 8.3 oz (COMP M5s)
-  **Mounting solution std. config**
LRP Mount and spacer
(39 mm optical axis height)

Optimized for Aimpoint® magnifiers and CEU™ (see page 34 - 39) and with all generations NVDs (Night Vision Devices).

Powered by a single AAA battery, and weighing just 148 g (5.2 oz), the COMP M5 takes its place as the most compact optic in the AIMPOINT COMP series. The COMP M5 model has a top-mounted battery compartment while the COMP M5s has a low battery compartment - this is the only difference between these two sights.














PRO™

The rugged PRO™ (Patrol Rifle Optic) sight comes in a ready-to-go kit at a budget friendly price. It has a 2 MOA red dot that allows for fast target acquisition. The hard anodized, high strength aluminum housing provides unmatched protection. The PRO sight contains a QRP2 mount and a standard AR15 spacer.

PRO™



More tech details on page 46 - 47. Specifications are subject to change without notice.

-  **Dot size** 2 MOA
-  **Battery Life** 30,000 h
-  **Battery Type** DL1/3N
-  **Power switch** Rotary switch
-  **Weight (sight only)** 194 g / 6.8 oz
-  **Weight (std. config)** 366 g / 12.9 oz
-  **Mounting solution std. config** QRP2 Mount, base & top ring and standard spacer (39 mm optical axis height)









MPS™ 3

Aimpoint® MPS™ 3 (Multi Purpose Sight) is a passive electronic reflex collimator sight designed for use on medium and heavy weapons. The MPS 3 is ideal for use on land vehicles, helicopters or fast attack boats and ships. Export license / End-user certificate is required for this product.

MPS™ 3



-  **Dot size** 2 MOA
-  **Battery Life** 80,000 h
-  **Battery Type** AA, Alk./Lit.
-  **Power switch** Rotary switch
-  **Weight (sight only)** 736 g / 26.0 oz
-  **Weight (std. config)** 1230 g / 43.4 oz

MGMOUNT for MPS™ 3

AIMPOINT MGMount contains a user friendly 3-step ballistic compensator with preset range adjustments which can be quickly changed by the operator without losing eye contact with the target. The MGMount is compatible with all MIL-STD-1913 Picatinny rails. A separate QD rail adaptor for M2 HMG is also available.



MAGNIFIERS

Aimpoint® magnifiers utilize the red dot in AIMPOINT sights as the aiming reticle, eliminating the need for re-zeroing when shifting between non-magnified and magnified aiming. They are encased in a shock-absorbing rubber cover that also creates an ideal ergonomic grip. Internal adjustments make aligning the magnifier and sight quick and easy.



KEY FEATURES




- Compatible with AIMPOINT red dot sights for longer range aiming or observation
- No re-zeroing needed when shifting between non-magnified and magnified aiming
- Can quickly be detached from the TwistMount™ or flipped to the side with the FlipMount™
- Can also be used as a handheld monocular
- Legendary AIMPOINT ruggedness





3X-P™



Optical system

-  Magnification 3X
-  Field of view (FOV) 7°
-  Dioptric adjustment ± 2.0 D

Physical specification




-  Length 103 mm / 4.1 in
-  Weight 203 g / 7.2 oz

The Aimpoint® 3X-P™ magnifier is a professional grade premium military standard approved optic designed to increase capabilities for observation or target acquisition at longer distances. Featuring a variable dioptric setting (-2 to +2), allowing the magnifier to be adjusted to the individual user's eye. Whether it is paired with a red dot sight by Aimpoint or used as a hand-held monocular, the 3X-P provides a crisp sight picture with a generous field of view. 3X-P is submersible to 25 m (80 feet).



3X-C™



Optical system

-  Magnification 3X
-  Field of view (FOV) 6°
-  Dioptric adjustment ± 2.0 D

Physical specification




-  Length 103 mm / 4.1 in
-  Weight 203 g / 7.2 oz

Aimpoint® 3X-C was developed for both civilian end user and law enforcement. It can be used in conjunction with all AIMPOINT sights for long-range aiming or observation. A variable (-2 to +2) dioptric setting allows this magnifier to be adapted to the individual shooter's eye. The 3X-C can also be used as a handheld 3X monocular. 3X-C is submersible to 0.5 m (2 feet).



3XMAG™-1



Optical system

-  Magnification 3X
-  Field of view (FOV) 7°
-  Dioptic adjustment ± 3.0 D

Physical specification




-  Length 117 mm / 4.6 in
-  Weight 230 g / 8.1 oz

The 3XMAG™-1 is for the professional user that needs a more rugged and military standard proven product. It can be used in conjunction with all AIMPOINT sights for long-range aiming or observation. Variable (-3 to +3) dioptic setting allows it to be adapted to the individual operator's eye. It can also be used as a handheld 3X monocular. 3XMAG-1 is submersible to 25 m (80 feet).



6XMAG™-1



Optical system

-  Magnification 6X
-  Field of view (FOV) 3°
-  Dioptic adjustment ± 3.0 D

Physical specification

-  Length 151 mm / 6.0 in
-  Weight 250 g / 8.8 oz

Aimpoint® 6XMAG™-1 was designed for use with the AIMPOINT Micro™ T-2, Comp™ M5, and Comp™ M5s models. It gives professional users enhanced capability for long-range aiming and observation. A variable (-3 to +3) dioptic setting allows it to be adapted to the individual operator's eye. It can also be used as a handheld 6X monocular. 3XMAG-1 is submersible to 25 m (80 feet).

Mechanical interface

The Aimpoint® FlipMount™ can be used with AIMPOINT magnifiers and is a quick attach/detach mount that can be quickly flipped in or out of the optical axis. Another recommended mount is the AIMPOINT TwistMount™, which allows for quick attachment on any MIL-STD 1913 Picatinny rail.

See page 43 for more details on FlipMount™ and TwistMount™ options.

CEU™

Aimpoint® CEU™ (Concealed Engagement Unit) gives the operator the ability to observe and/or engage a threat from a concealed or covered position. It easily rotates from side to side, so an operator can safely look around corners, over barricades and under vehicles. It can also be quickly removed in order to rapidly return to direct engagement.





CEU™






See page 43 for more details about the TwistMount™ base and CEU rings




Optical system

-  **Operating Principle** Dual mirror reflective device for true target viewing
-  **Magnification** 1X (unlimited eye relieve)

Physical specification

-  **Size x W x H** 87 x 103 x 43 mm / 3.4 x 4.0 x 1.7 in
-  **Weight** 130 g / 4.6 oz
-  **Material housing** High strength glass fiber reinforced polymer, black, non-glare finish

Environmental specifications

-  **Temperature Range (Storage)** -45 °C to + 71 °C / -49 °F to + 160 °F
-  **Temperature Range (Operation)** +5 °C to + 55 °C / + 41 °F + 131 °F
-  **Water resistance** 25 m / 80 ft.

Mechanical interface

The AIMPOINT CEU rotates a full 260° allowing the operator to safely look around either right or left-hand corners, up staircases or down tunnels from almost any angle. To mount the CEU, use the AIMPOINT TwistMount™ base and choose the CEU ring which allows co-witnessing with the AIMPOINT sight.



See page 43 for more details about TwistMount™ base and CEU rings.

Accessories



**Flip-up Front Cover
Solid / Black**
For PRO & COMP sights*
ITEM NO. 12223



**Flip-up Rear Cover
Solid / Black**
For PRO & COMP sights*
ITEM NO. 12224



**Flip-up Front Cover
Transparent**
For PRO & COMP sights*
ITEM NO. 12241



**Flip-up Rear Cover
Transparent**
For PRO & COMP sights*
ITEM NO. 12240



**Flip-up Front Cover
Solid / Black**
For MPS 3 sights
ITEM NO. 200101



**Flip-up Rear Cover
Transparent**
For MPS 3 sights
ITEM NO. 200102



**Flip-up Front Cover
Transparent**
For MICRO T-2, DUTY RDS
& COMP M5 / M5s
ITEM NO. 200192



KillFlash* ARD Filter
ARD filter (Anti Reflection
Device) for PRO &
COMP sights*
ITEM NO. 12239



**Flip-up Front Cover
Solid / Black**
For MICRO T-2, DUTY RDS
& COMP M5 / M5s
ITEM NO. 200191



**Flip-up Rear Cover
Solid / Black**
For MICRO T-2, DUTY RDS
& COMP M5 / M5s
ITEM NO. 200202



Lens Cover Bikini Rubber
For MICRO T-1 sights
ITEM NO. 12204



Lens Cover Bikini Rubber
For PRO and COMP M3
mounted with quick
release
ITEM NO. 12228



**Flip-up Rear Cover
Transparent**
For MICRO T-2, DUTY RDS
& COMP M5 / M5s
ITEM NO. 200193



**Front Cover with Flip-up
ARD Solid / Black**
(closed & open)
For PRO & COMP sights*
ITEM NO. 12462



**Flip-Up Front Cover
with ARD Transparent**
(closed & open)
For PRO & COMP sights*
ITEM NO. 200122



Rubber Bikini Lens Cover
For COMP M4 / M4s sights

ITEM NO. 12205



Flip-Up Front Cover with ARD Transparent
(closed & open). For MICRO T-2, DUTY RDS & COMP M5 / M5s sights

ITEM NO. 200195



Flip-up Cover with ARD Solid / Black
For MICRO T-2, DUTY RDS & COMP M5 / M5s

ITEM NO. 200194



Flip-up Front Cover Solid / Black
For ACRO P-2 sights

ITEM NO. 200747



Flip-up Rear Cover Solid / Black
For ACRO P-2 sights

ITEM NO. 200748



Flip-up Front Cover Transparent
For ACRO P-2 sights

ITEM NO. 200749



Flip-up Rear Cover Transparent
For Acro P-2 sights

ITEM NO. 200750



Flip-Up Front Cover with ARD Solid / Black
For ACRO P-2 sights

ITEM NO. 200751



Flip-up Front cover with ARD Transparent
For ACRO P-2 sights

ITEM NO. 200752



AAA Battery Alkaline 4 pcs
For COMP M5 / M5s sights

ITEM NO. 200443



AA Battery Alkaline 4 pcs
For COMP M4 / M4s & MPS 3 sights

ITEM NO. 12242



Outer Rubber Cover Dark Earth Brown
2. Fits COMP M3 & PRO sights

ITEM NO. 12226



Outer Rubber Cover Black
Fits COMP M3 & PRO sights

ITEM NO. 12225



DL1/3N Lithium Battery 10 pcs
For COMP M3 & PRO sights

ITEM NO. 10903



CR 2032 Lithium Battery 2 pcs
For MICRO & ACRO P-2 sights

ITEM NO. 12211



CR 1225 Lithium Battery 10 pcs
For ACRO P-1 sights

ITEM NO. 13851



Aimpoint* Tool
Universal tool with T10 for AIMPOINT products

ITEM NO. 12207

Mounting solutions



GRP2 Mount

Quick Release Picatinny (MIL-STD 1913) Mount for COMP M4 / M4s & PRO with base & top ring. Return to zero after dismounting

ITEM NO. 12195*



TNP Mount

Torsion Nut Picatinny (MIL-STD 1913) Mount for COMP M4 / M4s & PRO with base & top ring

ITEM NO. 12197*



LRP Mount

Lever Release Picatinny Mount for COMP M4 / M4s & PRO with base & top ring. Return to zero after dismounting. Screws, Allen key and thread sealer included

ITEM NO. 12198



Base & Top Ring

Ø 30 mm ring for PRO with COMP interface. Fits QRP2, QRW2, LRP & TNP mounts

ITEM NO. 12194*



Spacer - Standard

Spacer for CompM4 and PRO. Spacer raises height of optical axis from 30 to 39 mm

ITEM NO. 12192*



Spacer - Forward Extension

Spacer for CompM4 and PRO. Spacer raises height of optical axis from 30 to 39 mm and brings sight 40 mm forwards

ITEM NO. 12193*



GRP3 Mount

Quick Release Picatinny (MIL-STD 1913) Mount 30 mm. For CompM3 or PRO

ITEM NO. 12923*



Ring 30 mm

Low Wide Ring, 30 mm Black. For CompM3 or PRO. Fits on Weaver and Picatinny rail

ITEM NO. 200286*



Spacer

Spacer for Ø 30 mm ring. Fits base & top ring, QRP3 mount & TwistMount™. Raises optical axis from 30 to 39 mm

ITEM NO. 12227*



Micro™ LRP Mount

Lever Release Picatinny mount for MICRO & COMP M5 / M5s sights. Returns to zero after dismounting. Screws, Aimpoint® tool and thread sealer included

ITEM NO. 12905



Micro™ Standard Mount

Picatinny rail (MIL-STD 1913) mount for MICRO & COMP M5 / M5s sights. Returns to zero after dismounting. Screws, thread lock and Aimpoint® tool included

ITEM NO. 200388



Spacer 39 mm

Spacer for the COMP M5s sight model. Raises optical axis to 39 mm. Incl. Screws, thread sealer and Aimpoint® tool included

ITEM NO. 200662

**Micro™ Spacer 30 mm**

For MICRO T-2 & COMP M5 sights. Raises optical axis to 30 mm. Four screws (torx), Aimpoint® tool and thread sealer included

ITEM NO. 12357

**Micro™ Spacer 33 mm**

For MICRO T-2 & COMP M5 sights. Raises optical axis to 33 mm. Four screws (torx), Aimpoint® tool and thread sealer included

ITEM NO. 200348

**Micro™ Spacer 39 mm**

For MICRO T-2 & COMP M5 sights. Raises optical axis to 39 mm for cowitness with AR15. Four screws (torx), Aimpoint® tool and thread sealer included

ITEM NO. 12358

**CEU™ Ring - High Rise**

Top ring for CEU with 39 mm optical axis. Require TwistMount™ base.

ITEM NO. 12203

**CEU™ Ring - Low Rise**

Top ring for CEU with 30 mm optical axis. Require TwistMount™ base.

ITEM NO. 12202

**Picatinny Adapter Ring 30 mm**

For mounting a secondary sight on magnifying scope with 30 mm tube

ITEM NO. 200152*

**Picatinny Adapter Ring 34 mm**

For mounting a secondary sight on magnifying scope with 34 mm tube

ITEM NO. 200153*

**FlipMount™ 30 mm - Top ring**

FlipMount™ ring with 30 mm optical axis for AIMPOINT magnifiers. Require TwistMount™ base

ITEM NO. 200248*

**FlipMount™ 39 mm - Top ring**

FlipMount™ ring with 39 mm optical axis for AIMPOINT magnifiers. Require TwistMount™ base

ITEM NO. 200249*

**TwistMount™ Base**

Separate base for CEU top rings, TwistMount™ & FlipMount™. Fits on Picatinny rail (MIL-STD 1913)

ITEM NO. 12236

**TwistMount™ - Complete**

Quick release mount with 30 mm optical axis for AIMPOINT magnifiers. Fits on Picatinny rail (MIL-STD 1913)

ITEM NO. 12234*

**TwistMount™ - Top Ring**

Separate top ring require TwistMount™ base. For AIMPOINT magnifiers.

ITEM NO. 12238*

FlipMount™

A quick attach/detach mount that can be quickly flipped in or out of the optical axis. Complete with TwistMount™ base. For AIMPOINT magnifiers or other optical equipment with a 30 mm tube. Aimpoint® tool included.

**FlipMount™ 30 mm - Complete**

30 mm optical axis

ITEM NO. 200250

**FlipMount™ 39 mm - Complete**

39 mm optical axis

ITEM NO. 200251

*Screws and Allen key included

Mounting solutions for the Acro™ series



Acro™ QD Mount 22 mm
Quick detachable mount for ACRO sights. Raises optical axis to 22 mm. Fits Weaver and Picatinny rail.

ITEM NO. 200517



Acro™ Mount 22 mm
Fixed mount for ACRO sights. Raises optical axis to 22 mm. Fits Weaver and Picatinny rail.

ITEM NO. 200666



Acro™ QD Mount 30 mm
Quick detachable mount for ACRO sights. Raises optical axis to 30 mm. Fits on Weaver and Picatinny rail.

ITEM NO. 200518



Acro™ 45° Angle Mount
Mounts on a Picatinny rail (MIL-STD 1913). Gives the Aimpoint Acro sight a 45° angle. Can be mounted either to the right or to the left.

ITEM NO. 200697



Acro™ QD Mount 39 mm
Quick detachable mount for ACRO sights. Raises optical axis to 39 mm. Fits on Weaver and Picatinny rail.

ITEM NO. 200519



Acro™ Mount Plate for Micro™ Interface
This mount plate for ACRO sights allows for compatibility with all MICRO interface mounting solutions.

ITEM NO. 200526



Acro™ Rear Sight Mount Plate for Glock
For mounting ACRO sights on Glock handguns without the optic ready system.

ITEM NO. 200622



Acro™ Rear Sight Mount Plate for Beretta APX
For mounting ACRO sights on Beretta APX handguns without the optic ready system.

ITEM NO. 200614



Acro™ Mount Plate for RMR Interface
For mounting ACRO sights on RMR interface.

ITEM NO. 200602



Acro™ Rear Sight Mount Plate for CZ P-10
For mounting ACRO sights on CZ P-10 handguns without the optic ready system.

ITEM NO. 200663



Acro™ Rear Sight Mount Plate for CZ Shadow 2
For mounting ACRO Sights on optic ready CZ Shadow 2 handguns.

ITEM NO. 200698



Acro™ Adapter Ring 30 mm
For mounting an ACRO sight as a secondary sight on magnifying scope with 30 mm tube.

ITEM NO. 200681



Acro™ Adapter Ring 34 mm
For mounting an ACRO sight as a secondary sight on magnifying scope with 34 mm tube.

ITEM NO. 200682

Additional Acro™ mount plates available for optic ready handguns only

Acro™ Mount Plate for Glock MOS

For mounting ACRO sights on optic ready Glock MOS handguns.

ITEM NO. **200520**

Acro™ Mount Plate for HK SFP9

For mounting Acro sights on optic ready HK SFP9 handguns.

ITEM NO. **200521**

Acro™ Mount Plate for CZ-P10 C OR

For mounting ACRO sights on optic ready CZ P-10 C OR handguns.

ITEM NO. **200522**

Acro Mount Plate for S&W M&P9

For mounting ACRO sights on optic ready Smith & Wesson M&P9 gen 1 handguns.

ITEM NO. **200523**

Acro™ Mount Plate for Beretta APX

For mounting ACRO sights on optic ready Beretta APX handguns.

ITEM NO. **200524**

Acro™ Mount Plate for Sig Sauer P320

For mounting ACRO sights on optic ready Sig Sauer P320 handguns.

ITEM NO. **200525**

Acro™ Mount Plate for Sig Sauer X-Five

For mounting ACRO sights on optic ready Sig Sauer X-Five handguns.

ITEM NO. **200576**

Acro™ Mount Plate for CZ Shadow 2 OR

For mounting ACRO sights on optic ready CZ Shadow 2 OR handguns.

ITEM NO. **200577**

Acro™ Mount Plate for Walther Q5 Match

For mounting Acro sights on optic ready Walther Q5 Match handguns.

ITEM NO. **200578**

Acro™ Mount Plate for FNX-45 Tactical

For mounting ACRO sights on optic ready FNX-45 Tactical handguns.

ITEM NO. **200579**

Acro™ Mount Plate for Silencerco Maxim 9

For mounting ACRO sights on optic ready Silencerco Maxim 9 handguns.

ITEM NO. **200580**

Acro™ Mount Plate for Sig Sauer P320/M17

For mounting ACRO sights on optic ready Sig Sauer P320/M17 handguns.

ITEM NO. **200665**

TECHNICAL SPECS

SPECIFICATION	ACRO™ P-2	MICRO™ T-2	COMP™ M4 / COMP™ M4s
Dot size	3.5 MOA	2 MOA	2 MOA
Battery life	50,000 h ^D	50,000 h ^A	80,000 h ^C
Battery type	CR2032 (3V)	CR2032 (3V)	AA, Alk. / Lit.
Power switch	Push buttons	Rotary switch	Rotary switch
Night Vision Device (NVD) settings	4	4	7
Daylight (DL) settings	6	8	9
Water resistance	35 m 115 ft.	25 m 80 ft.	45 m 150 ft.
Adjustment 1 click =	20 mm at 100 m 0.7 in at 100 yds	13 mm at 100 m 0.5 in at 100 yds	16 mm at 100 m 0.6 in at 100 yds
Size L x W x H (sight only)	47 x 33 x 31 mm 1.9 x 1.3 x 1.2 in	68 x 41 x 36 mm 2.7 x 1.6 x 1.4 in	COMP M4: 120 x 51 x 57 mm 4.7 x 2.0 x 2.2 in COMP M4s: 120 x 53 x 60 mm 4.7 x 2.1 x 2.4 in
Weight (sight only)	61 g 2.2 oz	94 g 3.3 oz	268 g 9.5 oz
Lens covers (std config.)	Flip-up lens covers available	Flip-up lens covers	Bikini lens cover (Flip-up lens covers available)

SPECIFICATION	3X-C™	3X-P™	3XMAG™-1	6XMAG™-1
Magnification	3X	3X	3X	6X
Field of view (FOV)	6°	7°	7°	3°
Dioptric adjustment	± 2.0 D	± 2.0 D	± 3.0 D	± 3.0 D
Water resistance	0.5 m 1.6 ft.	25 m 80 ft.	25 m 80 ft.	25 m 80 ft.
Size L x W x H	103 x 45 x 45 mm 4.1 x 1.8 x 1.8 in	103 x 46 x 46 mm 4.1 x 1.8 x 1.8 in	117 x 47 x 43 mm 4.6 x 1.9 x 1.7 in	151 x 47 x 43 mm 6.0 x 1.9 x 1.7 in
Weight	203 g 7.16 oz	203 g 7.16 oz	230 g 8.1 oz	250 g 8.8 oz
Mechanical interface	Ø30 mm ring	Ø30 mm ring	Ø30 mm ring	Ø30 mm ring
Mounting options	TwistMount™ FlipMount™	TwistMount™ FlipMount™	TwistMount™ FlipMount™	TwistMount™

COMP™ M5 / COMP™ M5s	PRO™	DUTY RDS™	MPS™ 3
2 MOA	2 MOA	2 MOA	2 MOA
50 000 h ^B	30 000 h ^B	30 000 h ^D	80 000 h ^C
AAA, Alk. / Lit. (1.5V)	DL1/3N (3V)	CR2032 (3V)	AA, Alk. / Lit.
Rotary switch	Rotary switch	Push buttons	Rotary switch
4	4	4	7
6	6	6	9
45 m 150 ft.	45 m 150 ft.	25 m 80 ft.	1 m 3 ft.
10 mm at 100 m 0.4 in at 100 yds	16 mm at 100 m 0.6 in at 100 yds	14 mm at 100 m ≈ 0.5 in at 100 yds	50 mm at 100 m 2.0 in in at 100 yds
COMP M5: 83 × 40 × 41 mm 3.3 × 1.6 × 1.6 in COMP M5s: 83 × 40 × 48 mm 3.3 × 1.6 × 1.9 in	120 × 49 × 49 mm 4.7 × 1.9 × 1.9 mwm	68 × 37 × 43 mm 2.7 × 1.5 × 1.7 in	175 × 86 × 82 mm 6.9 × 3.4 × 3.2 in
COMP M5: 148 g / 5.2 oz COMP M5s: 165 g / 5.8 oz	194 g 6.8 oz	110 g 3.9 oz	736 g 26.0 oz
Flip-up lens covers	Flip-up lens covers	Flip-up lens covers	Bikini lens cover (Flip-up lens covers available)

BATTERY LIFE

- A: At daylight setting 8 (15,000 Lux, room temperature)
- B: At daylight setting 7 (15,000 Lux, room temperature)
- C: At daylight setting 12 (15,000 Lux, room temperature)
- D: At daylight setting 6 (15,000 Lux, room temperature)

DOT SIZE (MOA)

MOA (minute of angle) 1 MOA ≈ 30 mm at 100 meters ≈ 1 in at 100 yards.

WARRANTY INFORMATION

Aimpoint® products are guaranteed to be free from original manufacturer defects in material and/or workmanship under normal use from the date of purchase for two (2) years for professional users.

GENERAL TECHNICAL DATA

	Acro™ P-2	Comp™ M5 Comp™ M5s	Micro™ T-2	Comp™ M4 Comp™ M4s	PRO™	MPS™ 3	Duty RDS™
APPLICATION AREAS							
Law Enforcement	●	●	●	●	●	-	●
Armed Forces - Special Units	●	●	●	●	○	●	○
APPLICATION FIREARMS							
Handgun	●	-	○	-	-	-	-
Carbine/tactical rifle	○	●	●	●	●	-	●
PDW (personal defence weapon)	●	●	●	○	○	-	●
LMG (light machine gun)	-	●	○	●	-	-	○
MMG (medium machine gun)	-	●	○	●	-	●	○
HMG (heavy machine gun)	-	-	-	-	-	●	-

● primary use ○ secondary use - not recommended

TECHNOLOGY

- Working principle: Reflex collimator sight — red dot sight

OPTICAL DATA

- LED (Light Emitting Diode) totally eye-safe
- Light source wavelength, 650 nm red light
- Operationally parallax free - No centering required
- Unlimited eye relief
- Anti-reflex coating all surfaces & multi-layer coating objective lens
- No magnification (1X)

MECHANICAL DATA

- Material housing and tube, high strength aluminium
- Surface finish housing, anodized, semi-matte

ENVIRONMENTAL DATA

- Temperature range -45 °C to +71 °C (-50 °F to +160 °F)
- Submersible, for more details see page 46-47
- No radioactive material used
- No laser emission

Specifications are subject to change without notice.

SPEED MEETS ACCURACY

In summary, an Aimpoint® sight allows you to do what comes naturally - shoot with both eyes open while remaining focused on the target. Even in bad light and when the target is moving. When you look through an AIMPOINT sight, a red dot appears in the lens. When the red dot is on target, so are you, with no centering required.

It is this combination of simplicity, speed, and accuracy that makes AIMPOINT sights the ideal choice for beginners and experts alike.




ZEROING WITH A TARGET FROM AIMPOINT®

Our zeroing target helps you to easily zero your sight while you're at the shooting range. Compared to standard shooting targets, zeroing with the Aimpoint® zeroing target is more precise.

You no longer have to estimate the number of clicks needed to zero the sight. Each square equals a predetermined number of click adjustments at a given distance (25m, 50m or 100m).

This is the easiest way to zero your sight, and it will save you a lot of time and ammunition at the shooting range.



Aimpoint®



Notes

CUSTOMER SERVICE & DEALERSHIP ELIGIBILITY

Jägershillgatan 15
SE- 213 75 Malmö, Sweden
Phone +46 (0)40 671 50 20
Fax +46 (0)40 21 92 38
E-mail: info@aimpoint.se
aimpoint.com

Unless otherwise indicated, displayed trademarks, logos, and service marks are subject to the trademark rights of either Aimpoint AB or third parties. Art. No. 013192