

SCHOOLHOUSE

Otis 6", 14" Belt Shade



Application: Surface Mount

Product Origin: Processed and assembled in Portland, Oregon using ethically-sourced domestic and global components.

UL Listed: Yes

Max Wattage: 100 W

Voltage: 120/220 V

Location Rating: Damp

Dimensions:

Width: 13.5"


Depth: 13.5"

Canopy Width: 9.5"

Fitter Size: 6"

Materials: Brass, Glass

One year guarantee



Finish Options



Natural Brass
(NB)



Polished Nickel
(PN)



True Black
(TB)



Satin Nickel
(SN)

Glass Options



Opal Glass
(OP)

SCHOOLHOUSE

Otis 6", 14" Traditional Schoolhouse Shade

Application: Surface Mount

Product Origin: Processed and assembled in Portland, Oregon using ethically-sourced domestic and global components.

UL Listed: Yes

Max Wattage: 100 W

Voltage: 120/220 V

Location Rating: Damp

Dimensions:

Width: 13.75"


Depth: 13.75"

Canopy Width: 9.5"

Fitter Size: 6"

Materials: Brass, Glass

One year guarantee



Finish Options



Satin Nickel
(SN)



Polished Nickel
(PN)



True Black
(TB)



Natural Brass
(NB)

Glass Options



Black Pinstripe
(BPS)



Opal Glass
(OP)

SCHOOLHOUSE

Otis 6", 16" Belt Shade



Application: Surface Mount

Product Origin: Processed and assembled in Portland, Oregon using ethically-sourced domestic and global components.

UL Listed: Yes

Max Wattage: 100 W

Voltage: 120/220 V

Location Rating: Damp

Dimensions:

Width: 15.625"


Depth: 15.625"

Canopy Width: 9.5"

Fitter Size: 6"

Materials: Brass, Glass

One year guarantee



Finish Options



Satin Nickel
(SN)



Polished Nickel
(PN)



Natural Brass
(NB)



True Black
(TB)

Glass Options



Opal Glass
(OP)

SCHOOLHOUSE

Otis 6", 16" Traditional Schoolhouse Shade



Application: Surface Mount

Product Origin: Processed and assembled in Portland, Oregon using ethically-sourced domestic and global components.

UL Listed: Yes

Max Wattage: 100 W

Voltage: 120/220 V

Location Rating: Damp

Dimensions:

Width: 15.75"


Depth: 15.75"

Canopy Width: 9.5"

Fitter Size: 6"

Materials: Brass, Glass

One year guarantee



Finish Options



Polished Nickel
(PN)



Natural Brass
(NB)



Satin Nickel
(SN)



True Black
(TB)

Glass Options



Black Pinstripe
(BPS)



Opal Glass
(OP)

SCHOOLHOUSE

Otis 6", Drum Shade



Application: Surface Mount

Product Origin: Processed and assembled in Portland, Oregon using ethically-sourced domestic and global components.

UL Listed: Yes

Max Wattage: 100 W

Voltage: 120/220 V

Location Rating: Damp

Dimensions:

Width: 11.625"


Depth: 11.625"

Canopy Width: 9.5"

Fitter Size: 6"

Materials: Brass, Glass

One year guarantee



Finish Options



Satin Nickel
(SN)



Polished Nickel
(PN)



True Black
(TB)



Natural Brass
(NB)

Glass Options



Black Pinstripe
(BPS)



Gray Bands
(GB)



Opal Glass
(OP)



Multicolor
(MULT)

SCHOOLHOUSE

Otis 6", Ellipse Shade



Application: Surface Mount

Product Origin: Processed and assembled in Portland, Oregon using ethically-sourced domestic and global components.

UL Listed: Yes

Max Wattage: 100 W

Voltage: 120/220 V

Location Rating: Damp

Dimensions:

Width: 12.5"


Depth: 12.5"

Canopy Width: 9.5"

Fitter Size: 6"

Materials: Brass, Glass

One year guarantee



Finish Options



Natural Brass
(NB)



True Black
(TB)



Satin Nickel
(SN)



Polished Nickel
(PN)

Glass Options



Clear Glass
(CL)



Opal Glass
(OP)

SCHOOLHOUSE

Otis 6", Fluted Deco Shade



Application: Surface Mount

Product Origin: Processed and assembled in Portland, Oregon using ethically-sourced domestic and global components.

UL Listed: Yes

Max Wattage: 100 W

Voltage: 120/220 V

Location Rating: Damp

Dimensions:

Width: 16.5"


Depth: 16.5"

Canopy Width: 9.5"

Fitter Size: 6"

Materials: Brass, Glass

One year guarantee



Finish Options



Polished Nickel
(PN)



True Black
(TB)



Natural Brass
(NB)



Satin Nickel
(SN)

Glass Options



Clear Glass
(CL)



Opal Glass
(OP)

SCHOOLHOUSE

Otis 6", Ogee Shade



Application: Surface Mount

Product Origin: Processed and assembled in Portland, Oregon using ethically-sourced domestic and global components.

UL Listed: Yes

Max Wattage: 100 W

Voltage: 120/220 V

Location Rating: Damp

Dimensions:

Width: 11"


Depth: 11"

Canopy Width: 9.5"

Fitter Size: 6"

Materials: Brass, Glass

One year guarantee



Finish Options



Natural Brass
(NB)



Polished Nickel
(PN)



Satin Nickel
(SN)



True Black
(TB)

Glass Options



Gray Bands
(GB)



Opal Glass
(OP)