

Specifications

Eaton LJ215C4U

Eaton Cooper Power series loadbreak junction, Loadbreak, EPDM rubber external/insulation, copper internal current-carrying parts, SS U-straps, 15 kV, BIL: 95 kV, 200 A, Positions: 4



General specifications

PRODUCT NAME	Eaton Cooper Power series loadbreak junction
CATALOG NUMBER	LJ215C4U
UPC	194006014519
PRODUCT LENGTH/DEPTH	12.5 in
PRODUCT HEIGHT	7 in
PRODUCT WIDTH	2.7 in
PRODUCT WEIGHT	8.239 lb
COMPLIANCES	Not Applicable
CERTIFICATIONS	IEEE Std 386

Application

APPLICATION	Loadbreak
-------------	-----------

Descriptions

MATERIAL	EPDM rubber external/insulation, copper internal current-carrying parts
NUMBER OF INTERFACES	4
TYPE	Loadbreak junction

Electrical Ratings

BASIC IMPULSE LEVEL	95 kV
CURRENT RATING	200 A
VOLTAGE RATING	15 kV

Mounting

MOUNTING	SS U-straps
----------	-------------

Resources

SPECIFICATIONS AND DATASHEETS

[Eaton Specification Sheet -
LJ215C4U](#)
[Line installation and protective
equipment specifiers guide](#)

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2025 Eaton. All Rights
Reserved.

Eaton is a registered trademark.

All other trademarks are property of
their respective owners.

Follow us on social media to get the latest
product and support information.

