

Version 1.3	SDS Number: 400000005190	Revision Date: 09/29/2017

## SECTION 1. IDENTIFICATION

Product name	:	PURELL™ HEALTHCARE SURFACE DISINFECTANT – FINISHED PRODUCT USE ONLY
Manufacturer or supplier's	deta	ils
Company name of supplier	:	GOJO Industries, Inc.
Address	:	One GOJO Plaza, Suite 500 Akron, Ohio 44311
Telephone	:	1 (330) 255-6000
Emergency telephone number	:	1-800-424-9300 CHEMTREC
Recommended use of the c	hem	ical and restrictions on use

: Disinfectants and general biocidal products

### **SECTION 2. HAZARDS IDENTIFICATION**

Recommended use

GHS Classification Flammable liquids	: Category 3
GHS label elements Hazard pictograms	
Signal word	: Warning
Hazard statements	: H226 Flammable liquid and vapour.
Precautionary statements	<ul> <li>Prevention:</li> <li>P210 Keep away from heat/sparks/open flames/hot surfaces No smoking.</li> <li>P233 Keep container tightly closed.</li> <li>P242 Use only non-sparking tools.</li> <li>P243 Take precautionary measures against static discharge.</li> <li>Response:</li> <li>P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.</li> <li>Storage:</li> <li>P403 + P235 Store in a well-ventilated place. Keep cool.</li> <li>Disposal:</li> <li>P501 Dispose of contents/ container to an approved waste disposal plant.</li> </ul>



Version 1.3

SDS Number: 400000005190

Revision Date: 09/29/2017

#### Other hazards

None known.

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Hazardous components

Chemical name	CAS-No.	Concentration (%)
Ethyl Alcohol	64-17-5	>= 20 - < 35
Isopropyl Alcohol	67-63-0	>= 1 - < 5

#### **SECTION 4. FIRST AID MEASURES**

General advice	: In the case of accident or if you feel unwell, seek medical advice immediately.
If inhaled	: If sensitivity occurs, remove to fresh air. If symptoms persist, call a physician.
In case of skin contact	: If sensitivity occurs, wash with soap and water. Get medical attention if irritation develops and persists.
In case of eye contact	<ul> <li>In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.</li> <li>If easy to do, remove contact lens, if worn.</li> <li>Seek medical advice.</li> </ul>
If swallowed	: Rinse mouth with water. Obtain medical attention.
Protection of first-aiders	: First Aid responders should pay attention to self-protection and use the recommended protective clothing

#### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during firefighting	:	Do not use a solid water stream as it may scatter and spread fire. Cool closed containers exposed to fire with water spray. Flash back possible over considerable distance. May form explosive mixtures in air. Exposure to decomposition products may be a hazard to



Version 1.3	SI	OS Number: 400000005190	Revision Date: 09/29/2017
		health.	
Specific extinguishing methods	:	Use extinguishing measures that a circumstances and the surrounding Use water spray to cool unopened	genvironment.
Further information	:	Fire residues and contaminated fire be disposed of in accordance with	
Special protective equipment for firefighters	:	In the event of fire, wear self-conta Use personal protective equipment	<b>e</b>

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Material can create slippery conditions.
Environmental precautions	:	Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.
Methods and materials for containment and cleaning up	:	Non-sparking tools should be used. Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Clean contaminated floors and objects thoroughly while observing environmental regulations.

#### SECTION 7. HANDLING AND STORAGE

Advice on safe handling	:	Avoid contact with eyes.
Conditions for safe storage	:	No smoking. Take measures to prevent the build up of electrostatic charge. Keep container tightly closed in a dry and well-ventilated place. Store in accordance with the particular national regulations.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ethyl Alcohol	64-17-5	TWA	1,000 ppm 1,900 mg/m3	NIOSH REL



Version 1.3	SDS Number:	SDS Number: 400000005190		te: 09/29/2017
		TWA	1,000 ppm 1,900 mg/m3	OSHA Z-1
		STEL	1,000 ppm	ACGIH
Isopropyl Alcohol	67-63-0	TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
		TWA	400 ppm 980 mg/m3	NIOSH REL
		ST	500 ppm 1,225 mg/m3	NIOSH REL
		TWA	400 ppm 980 mg/m3	OSHA Z-1

### **Biological occupational exposure limits**

Components	CAS-No.	parameters		Samplin g time	Permissible concentratio n	Basis
Isopropyl Alcohol	67-63-0	Acetone	Urine	End of shift at end of workwee k	40 mg/l	ACGIH BEI
Personal protective equ	ipment					
Respiratory protection		personal resp juired.	iratory prote	ctive equipr	ment normally	
Eye protection	: No special measures necessary provided product is used correctly.					
Skin and body protection	: No special measures necessary provided product is used correctly.					
Protective measures	CO	oose body pro ncentration and specific work	d amount of		type, to the substances, ai	nd to
Hygiene measures	pra	ndle in accord octice. oid contact wit	Ū	od industria	al hygiene and	safety

#### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: colourless
Odour	: alcohol-like



sion 1.3	SDS Number: 40000005190         Revision Date: 09/29/2017
Odour Threshold	: No data available
рН	: 12.6 - 12.9, (24 °C)
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: 77 °C
Flash point	: 30.8 °C Method: Pensky-Martens closed cup
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Flammability (liquids)	: No data available
Upper explosion limit	: 19 %(V)
Lower explosion limit	: 3.3 %(V)
Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: No data available
Density	: 0.952 g/cm3
Solubility(ies) Water solubility	: soluble
Partition coefficient: n- octanol/water	: Not applicable
Auto-ignition temperature	: not determined
Thermal decomposition	: The substance or mixture is not classified self-reactive.
Viscosity Viscosity, dynamic	: 2.6 mPa.s
Explosive properties	: Not explosive
Oxidizing properties	: The substance or mixture is not classified as oxidizing.

#### SECTION 10. STABILITY AND REACTIVITY

Reactivity	Not classified as a reactivity hazard.	
Possibility of hazardous reactions	Vapours may form explosive mixture	with air.



Version 1.3	SDS Number: 400000005190	Revision Date: 09/29/2017
Conditions to avoid	: Heat, flames and sparks.	
Incompatible materials	: Oxidizing agents	
Hazardous decomposition products	: No hazardous decomposition p	roducts are known.

## SECTION 11. TOXICOLOGICAL INFORMATION

<b>Information on likely routes</b> Inhalation Skin contact Eye contact	of exposure
Acute toxicity Not classified based on availa	able information.
Components: Ethyl Alcohol: Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	: LC50 (Rat): 124.7 mg/l Exposure time: 4 h Test atmosphere: vapour
<b>Isopropyl Alcohol:</b> Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg
Acute oral toxicity	. LD30 (Nat). > 3,000 mg/kg
Acute inhalation toxicity	: LC50 (Rat): 72.6 mg/l Exposure time: 4 h Test atmosphere: vapour
Acute dermal toxicity	: LD50 (Rat): > 5,000 mg/kg

#### Skin corrosion/irritation

Not classified based on available information.

## Product:

Result: No skin irritation

#### **Components:**

Ethyl Alcohol: Species: Rabbit Method: OECD Test Guideline 404 Result: No skin irritation

### **Isopropyl Alcohol:**

Species: Rabbit Result: No skin irritation

## Serious eye damage/eye irritation

Not classified based on available information.



Version 1.3

SDS Number: 40000005190

Revision Date: 09/29/2017

## Components:

Ethyl Alcohol: Species: Rabbit Result: Irritation to eyes, reversing within 21 days Method: OECD Test Guideline 405

### Isopropyl Alcohol:

Species: Rabbit Result: Irritation to eyes, reversing within 21 days

#### Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information.

## Components:

#### Ethyl Alcohol:

Test Type: Local lymph node assay (LLNA) Exposure routes: Skin contact Species: Mouse Result: negative

#### Isopropyl Alcohol:

Test Type: Buehler Test Exposure routes: Skin contact Species: Guinea pig Method: OECD Test Guideline 406 Result: negative

#### Germ cell mutagenicity

Not classified based on available information.

#### Components:

Ethyl Alcohol: Genotoxicity in vitro :	Test Type: In vitro mammalian cell gene mutation test Result: negative
Genotoxicity in vivo :	Test Type: Rodent dominant lethal test (germ cell) (in vivo) Test species: Mouse Application Route: Ingestion Result: negative
Isopropyl Alcohol:	
	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
Genotoxicity in vivo :	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Test species: Mouse Application Route: Intraperitoneal injection Result: negative

## Carcinogenicity

Not classified based on available information.



# PURELL<sup>™</sup> HEALTHCARE SURFACE DISINFECTANT

Version 1.3	SDS Number: 400000005190	Revision Date: 09/29/2017
<b>Components:</b> Isopropyl Alcohol: Species: Rat Application Route: inhalation ( Exposure time: 104 weeks Method: OECD Test Guideline Result: negative		
IARC	No component of this product preser equal to 0.1% is identified as probab human carcinogen by IARC.	
	No component of this product preser equal to 0.1% is identified as probab human carcinogen by IARC.	
OSHA	No component of this product preser equal to 0.1% is identified as a carcin carcinogen by OSHA.	
	No component of this product preser equal to 0.1% is identified as a carcin carcinogen by OSHA.	
NTP	No component of this product preser equal to 0.1% is identified as a know by NTP.	
	No component of this product preser equal to 0.1% is identified as a know by NTP.	
<b>Reproductive toxicity</b> Not classified based on availa	ble information.	
Components:		
Ethyl Alcohol: Effects on fertility	: Test Type: Two-generation reprod Species: Mouse Application Route: Ingestion Method: OECD Test Guideline 41 Result: negative	
<b>Isopropyl Alcohol:</b> Effects on fertility	: Test Type: Two-generation reprod Species: Rat Application Route: Ingestion Result: negative	luction toxicity study
Effects on foetal development	: Test Type: Embryo-foetal develop Species: Rat Application Route: Ingestion Result: negative	oment



Version 1.3

SDS Number: 40000005190

Revision Date: 09/29/2017

#### STOT - single exposure

Not classified based on available information.

#### Components:

#### **Isopropyl Alcohol:**

Assessment: May cause drowsiness or dizziness.

### STOT - repeated exposure

Not classified based on available information.

#### **Repeated dose toxicity**

#### Components:

Ethyl Alcohol: Species: Rat NOAEL: 2,400 mg/kg Application Route: Ingestion Exposure time: 2 y

#### **Isopropyl Alcohol:**

Species: Rat NOAEL: 5000 ppm Application Route: inhalation (vapour) Exposure time: 104 w Method: OECD Test Guideline 413

#### Aspiration toxicity

Not classified based on available information.

## SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

Components:	
Ethyl Alcohol: Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 48 h
Toxicity to algae	: EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 9.6 mg/l Exposure time: 9 d
Toxicity to bacteria	: EC50 (Photobacterium phosphoreum): 32.1 mg/l Exposure time: 0.25 h
<b>Isopropyl Alcohol:</b> Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): 10,000 mg/l Exposure time: 96 h



# PURELL<sup>™</sup> HEALTHCARE SURFACE DISINFECTANT

sion 1.3	SDS Number: 400000005190	Revision Date: 09/29/2
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water Exposure time: 24 h	flea)): > 10,000 mg/l
Toxicity to bacteria	: EC50 (Pseudomonas putida): : Exposure time: 16 h	> 1,050 mg/l
Persistence and degradabilit	у	
Components: Ethyl Alcohol: Biodegradability	: Result: Readily biodegradable.	
Diodogradability	Biodegradation: 84 % Exposure time: 20 d	
Isopropyl Alcohol: Biodegradability	: Result: rapidly degradable	
Bioaccumulative potential		
Components:		
Ethyl Alcohol:		
Partition coefficient: n- octanol/water	: log Pow: -0.35	
Isopropyl Alcohol:		
Partition coefficient: n- octanol/water	: log Pow: 0.05	
Mobility in soil		
No data available		
<b>Other adverse effects</b> No data available		
Product:		
Regulation	40 CFR Protection of Environn Stratospheric Ozone - CAA Se	
Remarks	This product neither contains, Class I or Class II ODS as defi Section 602 (40 CFR 82, Subp	ned by the U.S. Clean Air Ac

## SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	

: Dispose of in accordance with local regulations.

### **SECTION 14. TRANSPORT INFORMATION**

#### International Regulation



Version 1.3	SDS Number: 400000005190	Revision Date: 09/29/2017		
<b>IAT A-DGR</b> UN/ID No.	: UN 1987			
Proper shipping name	: Alcohols, n.o.s. (Ethanol, Propan-2-ol)			
Class	: 3			
Packing group	: 111			
Packing instruction (cargo aircraft)	: 366			
Packing instruction (passenger aircraft)	: 355			
IMDG-Code				
UN number	: UN 1987			
Proper shipping name	: ALCOHOLS, N.O.S. (Ethanol, Propan-2-ol)			
Class	: 3			
Packing group	: 111			
Labels	: 3			
EmS Code	: F-E, S-D			
Marine pollutant National Regulations	: no			
49 CFR				
UN/ID/NA number	: UN 1987			
Proper shipping name	: Alcohols, n.o.s.			
	(Ethanol, Propan-2-ol)			
Class	: 3			
Packing group	: 111			
ERG Code	: 127			
Marine pollutant	: no			
	-			

#### SECTION 15. REGULATORY INFORMATION

## EPCRA - Emergency Planning and Community Right-to-Know Act

#### **CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Potassium Hydroxide	1310-58-3	1000	*

\*: Calculated RQ exceeds reasonably attainable upper limit.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	: Fire Hazard
SARA 302	: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	: The following components are subject to reporting levels established by SARA Title III, Section 313:



sion 1.3	SE	OS Number: 400000005190	Revision	Date: 09/29/2
		Isopropyl Alcohol	67-63-0	1.42 %
Clean Air A	ct			
		hazardous air pollutants (H	AP), as defined by	y the U.S. Clea
This produc	ion 12 (40 CFR 61). t does not contain anv	chemicals listed under the	U.S. Clean Air Ac	t Section 112()
Accidental F	Release Prevention (4	0 CFR 68.130, Subpart F).		
	g chemical(s) are liste e or Final VOC's (40 C	ed under the U.S. Clean Air	Act Section 111 S	OCMI
	Ethyl Alcohol	64-17-5	29.4 %	
I	sopropyl Alcohol	67-63-0	1.42 %	
This produc 450.	t does not contain any	VOC exemptions listed und	ler the U.S. Clean	Air Act Sectio
Clean Wate	r Act			
307		toxic pollutants listed under		
The followin Table 116.4		ces are listed under the U.S	. CleanWater Act,	, Section 311,
F	Potassium Hydroxide	1310-58-3	0.35 %	
	g Hazardous Chemica	als are listed under the U.S.	CleanWater Act, S	Section 311, T
117.3: F	Potassium Hydroxide	1310-58-3	0.35 %	
	etts Right To Know			
massaonas	Ethyl Alcohol		64-17-5	20 - 35 %
	Isopropyl Alcoho	I	67-63-0	1 - 5 %
Massachus	etts Right To Know			
	Ethyl Alcohol		64-17-5	20 - 30 %
	Isopropyl Alcoho	I	67-63-0	1 - 5 %
Pennsylvar	nia Right To Know			
•	Water (Aqua)		7732-18-5	70 - 90 %
	Ethyl Alcohol		64-17-5	20 - 35 %
	Isopropyl Alcoho	l	67-63-0	1 - 5 %
	Potassium Hydro	oxide	1310-58-3	0.1 - 1 %
Pennsylvar	nia Right To Know			
	Water (Aqua)		7732-18-5	70 - 90 %
	Ethyl Alcohol		64-17-5	20 - 30 %
	Isopropyl Alcoho	I	67-63-0	1 - 5 %
	Potassium Hydro	oxide	1310-58-3	0.1 - 1 %
New Jersey	Right To Know			
	Water (Aqua)		7732-18-5	70 - 90 %
	Ethyl Alcohol		64-17-5	20 - 35 %
	Isopropyl Alcoho	l	67-63-0	1 - 5 %
New Jersey	Right To Know			
	Water (Aqua)		7732-18-5	70 - 90 %
	Ethyl Alcohol		64-17-5	20 - 30 %
			• • • • •	

**California Prop 65** 

This product does not contain any chemicals known to State




## PURELL<sup>™</sup> HEALTHCARE SURFACE DISINFECTANT

Version 1.3	SE	OS Number: 400000005190	Revision Date: 09/29/2017			
		of California to cause cancer, birth reproductive harm.	defects, or any other			
The components of this product are reported in the following inventories:						
CH INV	:	On the inventory, or in compliance	with the inventory			
TSCA	:	On TSCA Inventory				
DSL	:	All components of this product are of	on the Canadian DSL.			
AICS	:	On the inventory, or in compliance	with the inventory			
NZIoC	:	On the inventory, or in compliance	with the inventory			
ENCS	:	On the inventory, or in compliance	with the inventory			
ISHL	:	On the inventory, or in compliance	with the inventory			
KECI	:	On the inventory, or in compliance	with the inventory			
PICCS	:	On the inventory, or in compliance	with the inventory			
IECSC	:	On the inventory, or in compliance	with the inventory			

#### Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

#### **SECTION 16. OTHER INFORMATION**



### Further information

Revision Date : 09/29/2017

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release



Version 1.3

SDS Number: 40000005190

Revision Date: 09/29/2017

and is not to be considered a vvarranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.