



ENHANCE™

BY EMSER TILE®



ENHANCE

BY EMSER TILE®

DESIGN BEYOND LIMITS


A curated collection offering enhanced looks and features that provides endless opportunities to design beyond limits.

Design is a work of passion. Creating spaces that are as beautiful as they are functional does not happen by accident. Careful thought and planning must take place to ensure the proper mix of form and functionality is achieved. Even then, the results may not always come out as expected.

Enhance™ by Emser Tile was inspired by this challenge. This collection offers a vast selection of colors and styles making every installation as unique as its owner. Each series is a remarkable example of functionality fusing with design.

Take a look inside and become inspired by a small selection of the countless possibilities available. There are truly no limits to the level of design and personalization that can be achieved with Enhance™ by Emser Tile®.


Lead time may apply, contact your local rep for more information.



Enhance™ Collection

Acuta is meticulously crafted to replicate the organic elegance of natural stone. The intricate swirls and patterns bring this tile to life and complement the soft color palette. With its flawless resemblance and durable composition, this glazed porcelain embodies the timeless allure of nature while offering the practicality and resilience of porcelain.

ACUTA™
Glazed Porcelain



Enhance™

FLOOR / WALL

RESIDENTIAL

COMMERCIAL


INDOOR

OUTDOOR


Light Gray



3x3 Mosaic




12x24 Mosaic with Metal Accent Bar



Dark Gray



3x3 Mosaic




12x24 Mosaic with Metal Accent Bar



Greige



3x3 Mosaic




12x24 Mosaic with Metal Accent Bar



Mink










3x3 Mosaic



12x24 Mosaic with Metal Accent Bar



							
Sizes	32"x32"	24"x24"	24"x48"	12"x24" Mosaic	3"x3" Mosaic on 12x12 Mesh	4"x31", 3"x24" Bullnose	
Thickness	9mm	9mm	9mm	9mm	9mm	9mm	
Faces	Check Website	Check Website	Check Website	Check Website	Check Website	Check Website	
Finish	Matte	Matte	Matte	Matte	Matte	Check Website	
Edge	Rectified	Rectified	Rectified	Rectified	Rectified	Check Website	
Grout Joint Recommendation	Check Website	Check Website	Check Website	Check Website	Check Website	Check Website	
Testing	Abrasion Resistance C1027	Breaking Strength C648	Chemical Resistance C650	Water Absorption C373	DCOF ANSI A1371	Scratch Hardness MOHS	Shade Variation Rating
Results*	Max. 175 mm ³	>750 lbf	Check Website	Avg. Ev 0.5 %	≥0.42	7-8	V3

 **EmGuard & EmGuard+**
Anti-Microbial Technology Available**

Product and Installation Details | ANSI A108.02 Section 4.3.8.2 - For running bond/brick jointing patterns utilizing tiles (square or rectangular) where the side being offset is greater than 18" (nominal dimension), the running bond offset will be a maximum of 33% unless otherwise specified by the tile manufacturer. If an offset greater than 33% is specified, specifier and owner must approve mock-up and lippage.



 Sustainability Attributes

- Red List Free
- Health Product Declaration (HPD) provided upon request
- Product Packaging is 100% recyclable

*For more information visit www.emser.com. Always consult a professional for proper usage and installation.



Enhance™ Collection

Discover the serene sensibilities of Agio™, a tile that artfully depicts the weathered wonder of clay in wilderness-inspired hues. Featuring a wide variety of alluring colors, four sizes, including an on-trend 2" x 47", and three fashion-forward deco's, this collection is sure to enliven any space. Mix and match for endless possibilities for floor and wall designs that soothe the soul.



AGIO™
Glazed Porcelain



Enhance™



Frassino



Corda



Equ Deco




Menta*




Vaso



Ovale Deco



Bianco




Senape*



Impianti Deco



Affum



Turchino*



All Decos available in 24x47 Slim Only

*Menta, Senape & Turchino available in 24x47 Slim and 2x47 Slim Only

Sizes	47" x 47" 47.09" x 47.09"	24" x 47" 23.50" x 47.09"	24" x 47" Slim 23.50" x 47.09"	2" x 47" Slim 2.09" x 47.09"	2.4" x 47" Bullnose		
Thickness	10mm	10mm	6.5mm	6.5mm	Check Website		
Faces	N/A	N/A	N/A	N/A	N/A		
Finish	Matte	Matte	Matte	Matte	Matte		
Edge	Rectified	Rectified	Rectified	Rectified	Check		
Grout Joint Recommendation	Check Website	Check Website	Check Website	Check Website	Check Website		
Testing	Abrasion Resistance C1027	Breaking Strength C648	Chemical Resistance C650	Water Absorption C373	DCOF ANSI A1371	Scratch Hardness MOHS	Shade Variation Rating
Results*	Check Website	Check Website	Check Website	Check Website	Check Website	Check Website	V1

Product and Installation Details | ANSI A108.02 Section 4.3.8.2 - For running bond/brick joint patterns utilizing tiles (square or rectangular) where the side being offset is greater than 18" (nominal dimension), the running bond offset will be a maximum of 33% unless otherwise specified by the tile manufacturer. If an offset greater than 33% is specified, specifier and owner must approve mock-up and lippage.



Sustainability Attributes

- Red List Free
- Health Product Declaration (HPD) provided upon request
- Product Packaging is 100% recyclable

*For more information, or to see other available options for this series, please visit emser.com. Always consult a professional for proper usage and installation.

Enhance™ Collection

Immerse your space in a world of color and creativity with our eye-catching Corrazzo ceramic tile. Each piece is a harmonious blend of stunning hues and textures, adding a touch of modern elegance to any space. Elevate your décor with our colorful Corrazzo collection and let your personal style shine through.

CORRAZZO™

Glazed Ceramic



Enhance™

WALL  RESIDENTIAL  COMMERCIAL  INDOOR 



Blanco



Negro



Gris



Hueso



Verde




Carlata



Rosa



Stuci





Azul



Erizzo

All Colors Available in Glossy Finish

Sizes					
	2" x 10" 1.97" x 9.8"	5" x 5" 5.11" x 5.11"			
Thickness	9mm	9mm			
Grout Joint Recommendation	Check Website	Check Website			
Testing	Breaking Strength C648	Chemical Resistance C650	Water Absorption C373	Scratch Hardness MOHS	Shade Variation Rating
	Results* Check Website	Check Website	Check Website	Check Website	V1

-  Sustainability Attributes
- Health Product Declaration (HPD) provided upon request
 - Product Packaging is 100% recyclable
 - VOC Free

*For more information visit www.emser.com. Always consult a professional for proper usage and installation.

Enhance™ Collection

A collection of on trend looks designed to coordinate perfectly with one another to create a one-of-a-kind look. Combine Fixt stone, cement, wood and metal together to create a stylish, yet highly functional space, for any application.

FIXT™
Glazed Porcelain



Enhance™

FLOOR / WALL

RESIDENTIAL

COMMERCIAL


INDOOR

OUTDOOR


WARM

COOL

STONE





CEMENT



WOOD



METAL



Sizes							
	31" x 31" 31.38" x 31.38" Cement & Stone Only	24" x 24" 23.50" x 23.50"	24" x 47" 23.50" x 47.13" Cement & Stone Only	16" x 31" 15.63" x 31.38" Cement & Stone Only	12" x 24" 11.69" x 23.50"	8" x 48" 7.76" x 47.13" Wood Only	
Thickness	9mm	9mm	9mm	9mm	9mm	10mm	
Faces	Random 10 (Stone)	Random 10 (Stone)	Random 9 (Stone)	Random 20 (Stone)	Random 20 (Stone)	12	
Finish	Matte	Matte Lappato (Metal)	Matte	Matte	Matte Lappato (Metal)	Matte	
Edge	Rectified	Rectified	Rectified	Rectified	Rectified	Rectified	
Grout Joint Recommendation	1/8"	1/8"	1/8"	1/8"	1/8"	1/8"	
Testing	Deep Abrasion Max	Breaking Strength C648	Chemical Resistance C650	Water Absorption C373	DCOF ANSI A1371	Scratch Hardness MOHS	Shade Variation Rating
Results*	175MM3	>250 lbf	Resistant	TIP	>0.42	TIP	V2-V3

Mosaics & Trim

- Stone: 2x2 Mosaic, 12x24 Linear Mosaic
- Cement: 2x2 Mosaic, 12x24 Brick Mosaic
- Wood: 1.5x8 Chevron Mosaic
- Metal: 2x2 Mosaic, 12x24 Brick Mosaic

EmGuard & EmGuard+
Anti-Microbial Technology Available**

Product and Installation Details | ANSI A108.02 Section 4.3.8.2 - For running bond/brick jointing patterns utilizing tiles (square or rectangular) where the side being offset is greater than 18" (nominal dimension), the running bond offset will be a maximum of 33% unless otherwise specified by the tile manufacturer. If an offset greater than 33% is specified, specifier and owner must approve mock-up and lippage.



Sustainability Attributes

- Red List Free
- Health Product Declaration (HPD) provided upon request
- Product Packaging is 100% recyclable
- VOC Free

*For more information check with your Emser representative. Always consult a professional for proper usage and installation.

**EmGuard is applicable to FIXT Stone & Cement 12x24, 24x24, 16x32, 32x32. EmGuard+ is applicable to FIXT Stone & Cement 12x24, 24x24, 16x32, 32x32, FIXT Wood 8x48.

Enhance™ Collection

Planet earth and all its beauty is the inspiration for the new Levata™ series. An essential, earthy style that conjures up nature's intrinsic characteristics, resilience, irregularity, and uniqueness. Levata is available in multiple sizes, thicknesses, and matte and brushed finishes. The four natural, subdued colors provide a perfect backdrop for creative and unique designs. Combined with the matching deco, Levata is sure to create a truly magical space.

LEVATA™
Unglazed Porcelain



Enhance™

FLOOR / WALL

RESIDENTIAL

COMMERCIAL

INDOOR



Lake



Gravel



Beach








Forest



Mista*

*Mista is not available in 24"x24" and 12"x24" sizes.

Sizes							
	47"x98"	47"x47"	24"x47"	24"x24"	12"x24"		
Thickness	6mm	12mm (Matte Only) 6mm	12mm (Matte Only) 6mm	12mm (Matte Only) 6mm	12mm (Matte Only) 6mm		
Faces	2	2	2	2	2		
Finish	Brushed, Matte, R11	Brushed, Matte, R11	Brushed, Matte, R11	Brushed, Matte, R11	Brushed, Matte, R11		
Edge	Rectified	Rectified	Rectified	Rectified	Rectified		
Grout Joint Recommendation	Check Website	Check Website	Check Website	Check Website	Check Website		
Testing	Abrasion Resistance C1027	Breaking Strength C648	Chemical Resistance C650	Water Absorption C373	DCOF ANSI A1371	Scratch Hardness MOHS	Shade Variation Rating
Results*	Check Website	Check Website	Check Website	Check Website	Check Website	Check Website	V2

Product and Installation Details | ANSI A108.02
 Section 4.3.8.2 - For running bond/brick jointing patterns utilizing tiles (square or rectangular) where the side being offset is greater than 18" (nominal dimension), the running bond offset will be a maximum of 33% unless otherwise specified by the tile manufacturer. If an offset greater than 33% is specified, specifier and owner must approve mock-up and lippage.



Sustainability Attributes

- Red List Free
- Health Product Declaration (HPD) provided upon request
- Product Packaging is 100% recyclable

*For more information visit www.emser.com. Always consult a professional for proper usage and installation.

Enhance™ Collection


Martel is an enchanting collection of handmade scallop tiles where their graceful curves evoke the gentle undulations of the natural world. Each handmade tile is truly unique, ensuring no two pieces will be alike, and reflects the artisan's individual touch and attention to detail. The four earth inspired tones bring a sense of warmth and serenity to any space. Available in two sizes, Martel offers a versatile range of design possibilities, ensuring endless creative potential for any space.

MARTEL™
Extruded Porcelain



Enhance™

WALL RESIDENTIAL COMMERCIAL INDOOR OUTDOOR





Snow

River

Bark

Garden

Sizes					
	4" x 4" 4.33" x 3.94"	2" x 4" 2.17" x 3.94"			
Thickness	12mm	14mm			
Grout Joint Recommendation	Check Website	Check Website			
Testing	Breaking Strength C648	Chemical Resistance C650	Water Absorption C373	Scratch Hardness MOHS	Shade Variation Rating
	Results*	Check Website	Check Website	Check Website	4 - Snow & River 5 - Garden & Bark

Scan QR Code for more product details.



- Sustainability Attributes**
- Health Product Declaration (HPD) provided upon request
 - Product Packaging is 100% recyclable
 - VOC Free



*For more information visit www.emser.com. Always consult a professional for proper usage and installation.

Enhance™ Collection

A blend of gradient color ranging from warm to cool offers a one-of-a-kind look. Mix stone, terrazzo, wood and concrete together to create a stylish, yet highly functional space, for any commercial application.

MIXT™
Glazed Porcelain



Enhance™

FLOOR / WALL

RESIDENTIAL

COMMERCIAL

INDOOR

OUTDOOR

WARM

COOL


Light Greige




Light Gray




Greige




Gray



Dark Greige



Dark Gray



BRUSHED

TEXTURE

SPECK

MINERAL

FLAKE

BRUSHED

TEXTURE

SPECK

MINERAL

FLAKE

Speck and Flake Available in 31"x31" and 24"x24"
Brushed, Texture, and Mineral Available in 31"x31", 24"x24", and 12"x24"

Sizes Thickness Faces Finish Edge Grout Joint Recommendation	 31"x31" 31.38"x31.38"	 24"x24" 23.50"x23.50"	 12"x24" 11.69"x23.50"
	9mm	9mm	9mm
	5-8	5-8	12
	Matte	Matte	Matte
	Rectified	Rectified	Rectified
	1/8"	1/8"	1/8"

Testing Results*	Deep Abrasion Max 175MM3	Breaking Strength C648 >250 lbf	Chemical Resistance C650 Resistant	Water Absorption C373 TIP	DCOF ANSI A1371 >0.42	Scratch Hardness MOHS TIP	Shade Variation Rating V2-V3
---------------------------------------	-----------------------------	---------------------------------------	--	---------------------------------	-----------------------------	---------------------------------	------------------------------------

EmGuard & EmGuard+ Anti-Microbial Technology Available**	Product and Installation Details ANSI A108.02 Section 4.3.8.2 - For running bond/brick joint patterns utilizing tiles (square or rectangular) where the side being offset is greater than 18" (nominal dimension), the running bond offset will be a maximum of 33% unless otherwise specified by the tile manufacturer. If an offset greater than 33% is specified, specifier and owner must approve mock-up and lippage.
--	---

Recommended 33% Offset*

Sustainability Attributes

- Red List Free
- Health Product Declaration (HPD) provided upon request
- Product Packaging is 100% recyclable
- VOC Free

*For more information check with your Emser representative. Always consult a professional for proper usage and installation.
**EmGuard and EmGuard+ are applicable to the entire MIXT series.

Enhance™ Collection

Perenne™ is a sophisticated synergy of urban elegance and natural splendor. A harmonious marriage of stone and terrazzo looks with vibrant botanical and geometric deco's. A versatile medley of shapes, sizes, and shades, illustrating the enchanting dance between Mother Nature and modernity. With Perenne, experience the captivating compatibility of organic charm and contemporary innovation.


PERENNE™
Color Body Porcelain




Enhance™




*Grey | Matte & R11




*Mist | Matte, Polished & R11



*Cookie | Matte & R11



*Pecan | Matte, Polished & R11



*Sugar | Matte & R11




*Flour | Matte, Polished & R11



Available Sizes: 47x110, 47x94, 47x47, 24x47, 24x24, 12x24, Mosaics

* Available For Outdoor Use: 20mm 24x47 with R11 & Matte Finish

Ink | Matte & R11



Dye | Matte & R11




Espresso | Matte & R11



Java | Matte & R11



Amber | Matte & R11



Blue | Matte & R11



Available Sizes: 24x47, 24x24, 12x24, Mosaic

Wynd | Matte



Twist | Matte




Available Sizes: 24x47, 47x110

Up Deco



Oblique Deco



Rhythm Deco



Customizable Decos: All Decos available in any combination of the field colors

Sizes													
	47" x 47" 47.24" x 47.24"	47" x 110" 47.24" x 110.23"	47" x 94" 47.24" x 94.48"	24" x 47" 23.62" x 47.24"	24" x 24" 23.62" x 23.62"	12" x 24" 11.81" x 23.62"	18.8" x 9.44"	19" x 19"	15.62" x 15.62"	3" x 3" on 12" x 12" Mesh	1" x 1" on 12" x 12" Mesh	3" x 6" Offset 12" x 12" Mesh	2" x 12" Bullnose
Thickness	6mm	6mm	6mm	6mm, 9mm, 20mm (Outdoor)	9mm	9mm	9mm	9mm	9mm	6mm	9mm	6mm	6mm, 9mm
Faces	Check Website	Check Website	Check Website	Check Website	Check Website	Check Website	Check Website	Check Website	Check Website	Check Website	Check Website	Check Website	Check Website
Finish	Matte, Polished	Matte, Polished	Matte, Polished	Matte, Polished, R11	Matte	Matte	Matte	Matte	Matte	Matte, Polished	Matte	Matte, Polished	Matte, Polished (6mm)
Edge	Rectified	Rectified	Rectified	Rectified	Rectified	Rectified	Check Website	Check Website	Check Website	Check Website	Check Website	Check Website	Check Website
Grout Joint Recommendation	Check Website	Check Website	Check Website	Check Website	Check Website	Check Website	Check Website	Check Website	Check Website	Check Website	Check Website	Check Website	Check Website
Testing	Abrasion Resistance C1027	Breaking Strength C648	Chemical Resistance C650	Water Absorption C373	DCOF ANSI A1371	Scratch Hardness MOHS	Shade Variation Rating						
Results*	Check Website	Check Website	Check Website	Check Website	Check Website	Check Website	Check Website						


- Sustainability Attributes**
- Red List Free
 - Health Product Declaration (HPD) provided upon request
 - Product Packaging is 100% recyclable

*For more information, or to see other available options for this series, please visit emser.com. Always consult a professional for proper usage and installation.

Enhance™ Collection

Radiant™ integrates porcelain tiles with LED lighting to create a stunning and creative look. Emser Tile introduces a new patented system developed from its 3D extruded designs. Completely transform your space with this fun, innovative, up-tempo tile.


RADIANT™
Extruded Glazed Porcelain



Enhance™



Pyramid White



Stries Calacata




Wave Black



Flexible LED strips are inserted into the channels of the porcelain tiles. Lights sold separately. Emser Tile suggests installation by a professional electrician.*

Sizes	Profile View		
Thickness	26mm		
Grout Joint Recommendation	Check Website		



Testing	Breaking Strength C648	Chemical Resistance C650	Water Absorption C373	Scratch Hardness MOHS	Shade Variation Rating
Results*	Check Website	Check Website	Check Website	Check Website	V2


- Sustainability Attributes**
- Health Product Declaration (HPD) provided upon request
 - Product Packaging is 100% recyclable
 - VOC Free

*For more information visit www.emser.com. Always consult a professional for proper usage and installation.

Enhance™ Collection

Radiant™ integrates porcelain tiles with LED lighting to create a stunning and creative look. Emser Tile introduces a new patented system developed from 3D extruded designs. Completely transform your space with this fun, innovative, up-tempo tile.

RADIANT™
Extruded Glazed Porcelain



FLOOR / WALL

RESIDENTIAL


COMMERCIAL

INDOOR

OUTDOOR

POOL

CLADDING



Pearl



Gray



Moon



Sand



Beach








Oak



DUAL APPLICATION CHANNELS - LED INTEGRATION & WATER DRAINAGE SYSTEM

Dual application of flexible LED strips can be inserted into the channels of the porcelain tiles. Lights sold separately. Emser Tile suggests installation by a professional electrician.

Built-in Water Drainage System 

Sizes							
	8"x18" (Floor) 7.87"x17.72"	8"x35" (Floor) 7.87"x35.43"	8"x18" Angle Trim 7.87"x17.72"	8"x35" Angle Trim 7.87"x35.43"	3"x8" Triangular Trim 2.56"x7.87"		
Thickness	26mm	26mm	26mm	26mm	26mm		
Faces	Check Website	10	10	10	10		
Finish	Matte, R11	Matte, R11	Matte	Matte	Matte		
Edge	Rectified	Rectified	Rectified	Rectified	Rectified		
Grout Joint Recommendation	Check Website	Check Website	Check Website	Check Website	Check Website		
Testing	Abrasion Resistance C1027	Breaking Strength C648	Chemical Resistance C650	Water Absorption C373	DCOF ANSI A1371	Scratch Hardness MOHS	Shade Variation Rating
Results*	Check Website	Check Website	Check Website	Check Website	Check Website	Check Website	V2

 Sustainability Attributes

- Red List Free
- Health Product Declaration (HPD) provided upon request
- Product Packaging is 100% recyclable

*For more information visit www.emser.com. Always consult a professional for proper usage and installation.

Enhance™ Collection

Radiant Plain Floor is the epitome of timeless elegance and versatility and designed to coordinate with our Radiant LED floor system. The Plain version offers a sleek and understated design, that effortlessly complements any style, from modern to traditional. Available with an indoor R11 rating and five colors, two sizes, plus a matching stair tread/pool coping. Radiant Plain floor tile is sure to elevate any space.

RADIANT™
Glazed Porcelain



R11
• ANTI-SLIP FINISH •
INDOOR & OUTDOOR RATED

Enhance™

FLOOR / WALL

RESIDENTIAL


COMMERCIAL

INDOOR

OUTDOOR

POOL

CLADDING



Pearl



Gray



Moon



Beach



Oak

8x47 Available in: Beach, Moon & Oak

18x27 Available in: Pearl and Grey

Category	8" x 47"	18" x 26"	Stair Tread/Pool Coping
Sizes	8" x 47" 7.87" x 47.24"	18" x 26" 17.72" x 26.38"	13" x 47" 12.60" x 47.24"
Thickness	9mm	12mm	11.5mm
Faces	18	6	12
Finish	Indoor R11	Indoor R11	Indoor R11
Edge	Rectified	Extruded	Extruded
Grout Joint Recommendation	Check Website	Check Website	Check Website
Testing	Abrasion Resistance C1027	Breaking Strength C648	Chemical Resistance C650
Results*	Check Website	Check Website	Check Website
	Water Absorption C373	DCOF ANSI A1371	Scratch Hardness MOHS
	Check Website	Check Website	Check Website
	Shade Variation Rating		
			V2

Scan QR Code for more product details.



Sustainability Attributes

- Red List Free
- Health Product Declaration (HPD) provided upon request
- Product Packaging is 100% recyclable


*For more information, or to see other available options for this series, please visit emser.com. Always consult a professional for proper usage and installation.



Enhance™ Collection

Ruvida was meticulously designed to mirror the authentic beauty of natural stone. With its remarkable realism, each tile captures the intricate textures, veining, and hues found in genuine stone, creating a striking visual impact in any space. Offering versatility and elegance, Ruvida is available in four rich colors and two sizes, making it the ideal choice for any project, large or small.

RUVIDA™
Glazed Porcelain



Enhance™

FLOOR / WALL

RESIDENTIAL

COMMERCIAL

INDOOR

OUTDOOR

Gray



Ash





Mink




Cream




Sizes							
	24" x 24"	12" x 24"					
Thickness	9mm	9mm					
Faces	Check Website	Check Website					
Finish	Matte	Matte					
Edge	Rectified	Rectified					
Grout Joint Recommendation	Check Website	Check Website					
Testing	Abrasion Resistance C1027	Breaking Strength C648	Chemical Resistance C650	Water Absorption C373	DCOF ANSI A1371	Scratch Hardness MOHS	Shade Variation Rating
	Results* Max. 175 mm ³	>250 lbf (12x24) >750 lbf (24x24)	Check Website	Avg. Ev 0.5 %	≥.42	8-9 (12x24) 7-8 (24x24)	V4

 **EmGuard & EmGuard+**
Anti-Microbial Technology Available**

Product and Installation Details | ANSI A108.02 Section 4.3.8.2 - For running bond/brick jointing patterns utilizing tiles (square or rectangular) where the side being offset is greater than 18" (nominal dimension), the running bond offset will be a maximum of 33% unless otherwise specified by the tile manufacturer. If an offset greater than 33% is specified, specifier and owner must approve mock-up and lippage.



-  Sustainability Attributes
- Red List Free
 - Health Product Declaration (HPD) provided upon request
 - Product Packaging is 100% recyclable

*For more information visit www.emser.com. Always consult a professional for proper usage and installation.



Enhance™ Collection

A unique collection of shapes, sizes, patterns and colors. These exquisite 3-dimensional ceramic tiles bring the essence of a Mediterranean paradise to any space, evoking the warmth of sun-soaked landscapes and the beauty of flourishing botanicals. Transform any space with the timeless charm and vivid hues of Triveni, turning any area into a captivating, exotic retreat.

TRIVENI™
Glazed Ceramic




Enhance™



Geyser Blade Pattern
2x8 (Available in all colors)




Geyser Jet Pattern
2x8 (Available in all colors)



Rift 2x6

Axis 2x8

Habitat 2x8



Zen 2x12

Eco 2x12

Serene 2x12



Ocean 2x12


Peak 2x12




Zen Curve 2x12

Eco Curve 2x12


Serene Curve 2x12



Nexus 8x8 | Porcelain (Floor Rated)



Vortex 8x8 | Porcelain (Floor Rated)



Whirl 8x8 | Porcelain (Floor Rated)

Sizes	2" x 12" Curve	2" x 12"	2" x 8"	2" x 8" Jet	2" x 8" Blade	2" x 6"	8" x 8"
	1.89" x 11.81"	1.89" x 11.81"	1.89" x 7.87"	1.89" x 7.87"	1.89" x 7.87"	1.89" x 5.91"	7.87" x 7.87"
Thickness	10mm	8mm	8mm	8mm	8mm	8mm	8mm
Grout Joint Recommendation	Check Website	Check Website	Check Website	Check Website	Check Website	Check Website	Check Website
Testing	Breaking Strength C ₆₄₈	Chemical Resistance C ₆₅₀	Water Absorption C ₃₇₃	Scratch Hardness MOHS	Shade Variation Rating		
Results*	Check Website	Check Website	Check Website	Check Website	V3		

Triveni Available in
Matte & Glossy Finish.


Scan QR Code for
more product details.



- Sustainability Attributes**
- Health Product Declaration (HPD) provided upon request
 - Product Packaging is 100% recyclable
 - VOC Free



*For more information visit www.emser.com. Always consult a professional for proper usage and installation.



www.emser.com

8431 Santa Monica Boulevard | Los Angeles, California 90069
Tel: 323. 650. 2000 | Fax: 323. 654. 3190 | www.emser.com