



ONE SOURCE
Foodservice Supplies

Commercial

Countertop Equipment

We have the tools, you make the magic!



KATTEX™

SPECTRUM™

**BENCH
MARK★USA™**





HASSLE FREE Warranty and Service

WINCO® appreciates your confidence and trust that our equipment will provide the highest quality & value in the industry. If and when any equipment failures occur requiring service and/or warranty repair, we are ready to help.

If your equipment fails, **DON'T WAIT.**
Contact WINCO EQUIP SERVICE immediately!

New Claim Registration:

<https://www.winco.us/contact-us/product-technical-support/>


Phone: 1-973-295-3899



SCAN FOR SUPPORT

That's it! The Winco Service Team will take it from here and contact the location, diagnose the issue, and initiate any required corrective action to Service, Repair, or Replace.

WE STOCK ALL THE PARTS!



Restaurant Countertop Equipment Essentials

Equipment is the cornerstone of any commercial kitchen.

When choosing equipment for your restaurant, it's important to understand your needs.

A few key factors to consider:

What type(s) of food do you plan to serve?	Budget?
How much space is available in your kitchen?	Power source - Gas or Electric? Confirm voltages.

Winco® offers a wide selection of commercial kitchen equipment for your Clean, Prep, Cook, Hold, and Merchandising needs.

Contents

- | | |
|------------------------|----------------------------|
| 4) Gas Equipment | 18) Induction Cookers |
| 7) Electric Griddles | 19) Food Cookers & Warmers |
| 8) Glass Washers | 22) Electric Ovens |
| 10) Flatware Polishers | 23) Sandwich Grills |
| 12) Mixers & Blenders | 24) Deep Fryers |
| 14) Microwaves | 25) Sous Vide Equipment |
| 14) Waffle Maker | 26) Manual Food Prep |
| 15) Toasters | 32) Merchandisers |
| 16) Strip Heaters | 34) Concession Equipment |
| 17) Heat Lamps | 42) Beverage Dispensers |

HEAVY-DUTY GAS EQUIPMENT

Gas Stock Pot Stove - Floor Use

	ITEM	DESCRIPTION	FEATURES	UNIT DIMENSIONS L" X D" X H" (mm)	POWER	SHIPPING CARTON L" X D" X H" (mm)
						SHIPPING WEIGHT
	NGSP-1	Single Grate Gas Stock Pot Stove	- High performance single (1) grate with three (3) concentric ring burners - Dual infinite heat controls - Stainless steel body, legs and drip pan - Heavy duty cast iron grate - Standing pilot ignition system with stainless steel pilots and pilot tubes 3/4" rear gas connection with regulator - Convenient storage area in cabinet - Conversion kit allows the use of propane or natural gas	18 x 22.4 x 22.4 (462 x 570 x 570)	80,000 BTU/HR	19.7 x 25.2 x 21.7 (500 x 640 x 550)
						99 lbs (45 kgs)
	NGSP-2	Double Grate Gas Stock Pot Stove	- High performance single (1) grate with three (3) concentric ring burners - Dual infinite heat controls - Stainless steel body, legs and drip pan - Heavy duty cast iron grate - Standing pilot ignition system with stainless steel pilots and pilot tubes 3/4" rear gas connection with regulator - Convenient storage area in cabinet - Conversion kit allows the use of propane or natural gas 	18 x 43 x 22.4 (462 x 1090 x 570)	160,000 BTU/HR	19.7 x 45.3 x 21.7 (500 x 1150 x 550)
						183 lbs (83 kgs)

Gas Deep Fryers - Floor Use

	ITEM / DESCRIPTION	FEATURES	UNIT DIMENSIONS L" X D" X H" (mm)	POWER	SHIPPING CARTON L" X D" X H" (mm)
					SHIPPING WEIGHT
	NGGF-40-NG 40lb, 3-tube, Natural Gas	- Stainless steel front, sides, top - Welded stainless steel tank	15.5 x 31.3 x 45.3 (394 x 794 x 1150)	90,000 BTU	16.6 x 32.3 x 33.5 (420 x 820 x 850)
	NGGF-40-LP 40lb, 3-tube, Liquid Propane	- Heavy-duty burners with standing flame, standby pilots - High quality thermostat maintains select temperature automatically between 200°F (93°C) to 400°F (204°C)			145 lbs (66 kg)
	NGGF-50-NG 50lb, 4-tube, Natural Gas	- Oil cooling zone in bottom of tank captures food particles and extends oil life - Safety valve with an automatic voltage stabilizing function	15.5 x 31.3 x 45.3 (394 x 794 x 1150)	120,000 BTU	16.6 x 32.3 x 33.5 (420 x 820 x 850)
	NGGF-50-LP 50lb, 4-tube, Liquid Propane	- Self-reset high temperature limiting device 2 nickel-plated baskets with coated handles standard - Wire mesh crumb screen and basket hanger standard 3/4" NPT rear gas connection with regulator			156 lbs (71 kg)
	NGGF-70-NG 70lb, 5-tube, Natural Gas	Casters standard, (2) locking and (2) non-locking 	21 x 34.4 x 45.3 (53.4 x 87.3 x 1150)	150,000 BTU	22.5 x 36.3 x 33.3 (570 x 920 x 850)
	NGGF-70-LP 70lb, 5-tube, Liquid Propane				204 lbs (93 kg)

Accessories

ITEM	DESCRIPTION	ITEM	DESCRIPTION
SFSG-2018	18/8 Stainless Steel Fryer Splash Guard	CST-KIT	Caster Kit for NGGF
SFCR-30	Stainless Steel Cleanout Rod, 30"L	ADJFOOT-KIT	Foot Kit for NGGF
SFCS-21	Fryer Connector Strip, 21-5/8"L, for 3 or 4 Tube Fryers	GF-CLNKIT	Fryer Tank Cleaning Kit
SFCS-25	Fryer Connector Strip, 25-5/8"L, for 5 Tube Fryers	TNK-CVR	Tank Cover for NGGF-40 & NGGF-50
FFBN-2	Winco Prime French Fryer Bagger, Dual Handles, NSF	TNK-CVR70	Tank Cover for NGGF-70
DRG-10	Stainless Steel Dredge - 10 oz	CNT-STP	Connecting Strip for NGGF-40 & NGGF-50
HFC-375	KATTEX Quick Slice French Fry Cutter - 3/8" Cut	CNT-STP70	Connecting Strip for NGGF-70


HEAVY-DUTY GAS EQUIPMENT

Gas Griddles, Manual

	ITEM / DESCRIPTION	FEATURES	UNIT DIMENSIONS L" X D" X H" (mm)	POWER	SHIPPING CARTON L" X D" X H" (mm)
					SHIPPING WEIGHT
  NGGD-24M	NGGD-12M 12" Gas Griddle, 1 Heat Zone	- Heavy-duty 3/4" thick x 20-1/2" deep polished steel griddle plate, brushed cast zinc knobs, and 4" adjustable legs - Independent infinite heat control valves every 12" section with 30,000 BTU U-shaped burners providing even heat distribution	12 x 30.3 x 15.4 (305 x 769 x 392)	30,000 BTU	15.75 x 33.5 x 19.25 (400 x 850 x 490) 125 lbs (57 kg)
	NGGD-24M 24" Gas Griddle, 2 Heat Zones	Heavy-duty all-welded body construction with stainless steel front, bull nose and 3-1/2" high tapered splash guard	24 x 30.3 x 15.4 (610 x 769 x 392)	60,000 BTU	27.6 x 33.5 x 19.3 (700 x 850 x 490) 203 lbs (92 kg)
	NGGD-36M 36" Gas Griddle, 3 Heat Zones	- Cool-touch stainless steel front rail provides knob protection for a safe, comfortable work zone 3-1/4" spatula width grease trough and grease chute for easy cleaning - Large 4-1/2 quart stainless steel grease drawer	36 x 30.3 x 15.4 (915 x 769 x 392)	90,000 BTU	39.4 x 33.5 x 19.3 (1000 x 850 x 490) 284 lbs (129 kg)
	NGGD-48M 48" Gas Griddle, 4 Heat Zones	Ships Natural Gas ready with LP conversion kit and reversible regulator, 3/4" NPT rear gas connection 	48 x 30.3 x 15.4 (1220 x 769 x 392)	120,000 BTU	51.2 x 33.5 x 19.3 (1300 x 850 x 490) 360 lbs (163 kg)

Gas Griddles, Thermostatic

	ITEM / DESCRIPTION	FEATURES	UNIT DIMENSIONS L" X D" X H" (mm)	POWER	SHIPPING CARTON L" X D" X H" (mm)
					SHIPPING WEIGHT
  NGGD-24T	NGGD-12T 12" Gas Griddle	- Heavy-duty 1" thick x 20-1/2" deep polished steel griddle plate, cast zinc brushed finish knobs, and 4" adjustable stainless steel legs - High-performance modulating thermostat inserted into the griddle plate 3/16" from the cooking surface adjusts from 200°F (93°C) to 450°F (232°C), providing optimal response to surface temperature change	12 x 28.7 x 15.4 (304 x 728 x 394)	28,000 BTU	15.75 x 33.5 x 19.25 (400 x 850 x 490) 143 lbs (65 kg)
	NGGD-24T 24" Gas Griddle	28,000 BTU U-shaped burners every 12" section provide even heat distribution - Heavy-duty all-welded body construction with stainless steel front, bull nose and 3-1/2" high tapered splash guard	24 x 28.7 x 15.4 (609 x 728 x 394)	56,000 BTU	27.5 x 33.5 x 19.25 (700 x 850 x 490) 240 lbs (109 kg)
	NGGD-36T 36" Gas Griddle	- Cool-touch stainless steel front rail provides knob protection for a safe, comfortable work zone 3-1/4" spatula width grease trough and grease chute for easy cleaning - Large 4-1/2 quart stainless steel grease drawer	36 x 28.7 x 15.4 (914 x 728 x 394)	84,000 BTU	39.5 x 33.5 x 19.25 (1000 x 850 x 490) 338 lbs (154 kg)
	NGGD-48T 48" Gas Griddle	Ships Natural Gas ready with LP conversion kit and reversible regulator, 3/4" NPT rear gas connection 	48 x 28.7 x 15.4 (1220 x 728 x 394)	112,000 BTU	51.25 x 33.5 x 19.25 (1300 x 850 x 490) 424 lbs (193 kg)



Accessories

ITEM	DESCRIPTION
SCRP-14	16" Heavy-duty Aluminum Grill Scraper
SCRP-16	16" Aluminum Grill Scraper
SCRP-12	12" Aluminum Grill Scraper
GSH-1	Griddle Screen Holder

ITEM	DESCRIPTION
GSN-4	Grill Screen, fits with GSH-1
GBH-2	Griddle Brick Holder
GBK-348	Grill Brick, fits with GBH-2
SWA-5	1 lb Cast Aluminum Steak Weight

ITEM	DESCRIPTION
SWA-2	2 lb Cast Iron Steak Weight
SWA-9	2.5 lb Cast Iron Steak Weight
SWS-6	6" Smashed Burger Press

HEAVY-DUTY GAS EQUIPMENT

Gas Hot Plates, Natural / LP

  NGHP-2	ITEM / DESCRIPTION	FEATURES	UNIT DIMENSIONS L" X D" X H" (mm)	POWER	SHIPPING CARTON L" X D" X H" (mm) SHIPPING WEIGHT
	NGHP-2 12" Hot Plate, 2 Burners	- High performance burners, each with output of 25,000 BTU - Infinite heat controls - Stainless steel body, removable drip pan, and adjustable legs (4" to 6"); non-skid feet - Heavy-duty 12" x 12" cast iron grates	12 x 34-1/8 x 15 (305 x 87 x 381)	50,000 BTU	15.7 x 33.5 x 17.3 (400 x 850 x 440) 79 lbs (36 kgs)
	NGHP-4 24" Hot Plate, 4 Burners	5" wide cool-touch stainless front steel plate rail provides safety and knob protection - Standing pilot ignition system with stainless steel pilots and pilot tubes, one per burner 3/4" rear gas connection with regulator	24 x 34-1/8 x 15 (610 x 87 x 381)	100,000 BTU	27.6 x 33.5 x 17.3 (700 x 850 x 440) 132 lbs (60 kgs)
	NGHP-6 36" Hot Plate, 6 Burners	Conversion kit allows the use of propane or natural gas 	36 x 34-1/8 x 15 (915 x 87 x 381)	150,000 BTU	39.4 x 33.5 x 17.3 (1000 x 850 x 440) 198 lbs (90 kgs)

Gas Charbroilers, Natural / LP

  NGCB-24R	ITEM / DESCRIPTION	FEATURES	UNIT DIMENSIONS L" X D" X H" (mm)	POWER	SHIPPING CARTON L" X D" X H" (mm) SHIPPING WEIGHT
	NGCB-12R 12" Gas Broiler, 2 Burners	- Heavy-duty reversible cast iron grates, adjustable to three (3) height positions - Independent infinite heat control valves, standing pilots, and high performance 35,000 BTU U-shaped burners every 12" section with	12 x 29.1 x 15.4 (305 x 728 x 392)	35,000 BTU	16.1 x 35 x 19.3 (410 x 890 x 490) 101 lbs (46 kg)
	NGCB-24R 24" Gas Broiler, 2 Burners	- Heavy-duty brushed cast zinc knobs and 4" adjustable stainless steel legs - Heavy-duty 10 gauge stainless steel burner radiants contoured for even heat distribution - Cool-touch stainless steel front rail provides knob protection for a safe, comfortable work zone	24 x 29.1 x 15.4 (610 x 728 x 392)	70,000 BTU	28 x 35 x 19.3 (710 x 890 x 490) 157 lbs (71.5 kg)
	NGCB-36R 36" Gas Broiler, 3 Burners	- Stainless steel tapered splash guard 3-1/2" full-width grease trough - Ships Natural Gas ready with LP conversion kit and reversible regulator, 3/4" NPT rear gas connection - Field convertible lava rock kits (sold separately)	36 x 29.1 x 15.4 (915 x 728 x 392)	105,000 BTU	40 x 35 x 19.3 (1010 x 890 x 490) 212 lbs (96.5 kg)
	NGCB-48R 48" Gas Broiler, 4 Burners		48 x 29.1 x 15.4 (1220 x 728 x 392)	140,000 BTU	51.6 x 35 x 19.3 (1310 x 890 x 490) 268 lbs (122 kg)

Portable Butane Gas Stove

  PGS-1K	ITEM	FEATURES	UNIT DIMENSIONS L" X D" X H" (mm)	POWER	SHIPPING CARTON L" X D" X H" (mm)
	PGS-1K	- Single, top-quality solid brass burner, built-in pot support and wide base for stability - Manually adjustable heat range with up to 9,500 BTU of power - Comes with a black impact-resistant hard plastic carrying case for easy transport - Automatic gas shut-off safety feature - Uses standard 8 oz Butane DOT-2P canister (sold separately) 	13-3/8 x 10-3/4 x 4-1/4 (340 x 273 x 108)	9,500 BTUs	13.4 x 11 x 4.5 (340 x 280 x 115)
					SHIPPING WEIGHT 5.2 lbs (2.4 kgs)

HEAVY-DUTY ELECTRIC EQUIPMENT

Electric Griddles

ITEM / DESCRIPTION	FEATURES	UNIT DIMENSIONS L" X D" X H" (mm)	POWER / PLUG	SHIPPING CARTON L" X D" X H" (mm)	
				SHIPPING WEIGHT	
 EGD-24M	EGD-16M 16" Griddle, 1 Heat Zone	16 x 19-1/8 x 12-7/8 (406 x 486 x 327)	120V 50/60 Hz 1750W 14.6A, NEMA 5-15P or NEMA 5-20P (Canada)	24 x 19.3 x 12.3 (610 x 490 x 312)	53 lbs (24 kgs)
	*EGD-24M 24" Griddle, 2 Heat Zones			21.8 x 24.5 x 11.1 (554 x 621 x 281)	116.84 lbs (53 kg)
	*EGD-36M 36" Griddle, 3 Heat Zones	36 x 21-3/4 x 12-7/8 (913 x 551 x 327)	*208/240V~ 50/60 Hz, 4200/5600W, 20.2/23.4A, 1-phase, NEMA L6-30P	38.6 x 24 x 11.8 (980 x 610 x 300)	159.6 lbs (72.4 kg)



EQUIPMENT STANDS

Stainless Steel Equipment Stands

ITEM / DESCRIPTION	FEATURES	UNIT DIMENSIONS L" X D" X H" (mm)	SHIPPING CARTON L" X D" X H" (mm)	
			SHIPPING WEIGHT	
 ES-3630	ES-2430 • Top shelf: 16-gauge stainless steel, 900lb capacity • 1-1/2" high raised edges on 3 sides prevent items from slipping off	24 x 30 x 25.75 (610 x 762 x 655)	31.5 x 28.75 x 5.5 (800 x 730 x 140)	42.8 lbs (19.4 kgs)
	ES-3630 • Bottom shelf: galvanized steel, 700lb capacity • Sturdy legs with adjustable non-skid feet		37.4 x 31.5 x 5.5 (950 x 800 x 140)	59.7 lbs (27.1 kgs)
	ES-4830 • Easy-clean smooth surfaces promote hygiene and sanitation, reducing risk of cross-contamination to ensure compliance with health & safety regulations	48 x 30 x 25.75 (1220 x 762 x 655)	49.2 x 31.5 x 5.5 (1250 x 800 x 140)	76.7 lbs (34.8 kgs)
	ES-6030 • Designed to stand at a comfortable height to reduce strain and fatigue for improved productivity and overall well-being 	60 x 30 x 25.75 (1525 x 762 x 655)	61.5 x 31.5 x 5.5 (1560 x 800 x 140)	93.5 lbs (42.4 kgs)

* Rated for 220V use

GLASS WASHERS

Bar Maid® Glass Washers

	ITEM	FEATURES	UNIT DIMENSIONS L" X D" X H" (mm)	POWER / PLUG	SHIPPING CARTON L" X D" X H" (mm)
					SHIPPING WEIGHT
	A-200	- Five spinning brushes clean inside and out simultaneously for crystal clear glassware - Quiet, powerful 1/3 HP enclosed motor with sealed lower bearing and exclusive Splashgard canopy, with automatic overload safety and ground fault protection plug - Heavy bronze bearings and stainless construction	12 x 8 x 18 (305 x 203 x 457)	115V-60Hz, 440W, 4.3A, NEMA 5-15P, G.F.C.I. included	16 x 11 x 20 (406 x 279 x 508)
	*A-205-230	    Specialty brushes available	12 x 8 x 18 (305 x 203 x 457)	*220-230V- 50/60Hz, Type E, G.F.C.I. not included	16 x 11 x 20 (406 x 279 x 508)
	SS-100	- Compact design fits under bars even if space is tight - Convenient inline switch - Heavy-duty stainless construction and bronze bearings deliver outstanding performance and reliability - Submersible 1/3 HP motor with automatic overload and ground fault protection plug	12 x 8 x 12 (305 x 203 x 305)	115V-60Hz, 440W, 4.3A, NEMA 5-15P, G.F.C.I. included	16 x 11 x 14 (406 x 279 x 356)
		    Specialty brushes available			27 lbs (12.2 kgs)

**Specialty brushes
for Bar Maid® glass
washers**



**NOTHING CLEANS
GLASSWARE FASTER
OR BETTER**

Glass Pro Electric Glass Washers

	ITEM	FEATURES	UNIT DIMENSIONS L" X D" X H" (mm)	POWER / PLUG	SHIPPING CARTON L" X D" X H" (mm)
					SHIPPING WEIGHT
	AA	- Heavy duty stainless steel construction - Four 6" brushes and one 6 3/4" center brush 1/3 HP motor with automatic overload and ground fault protection plug	12 x 8 x 17-3/4 (305 x 203 x 450)	115V-60Hz, 440W, 4.3A, NEMA 5-15P, G.F.C.I. included	16 x 11 x 20 (406 x 279 x 508)
		  			27 lbs (12.2 kgs)
	AA-SUB	- Heavy duty stainless steel construction - Four 6" brushes and one 6 3/4" center brush 1/3 HP motor with automatic overload safety and ground fault protection plug	12 x 8 x 11 (305 x 203 x 280)	115V-60Hz, 440W, 4.3A, NEMA 5-15P, G.F.C.I. included	16 x 11 x 14 (406 x 279 x 356)
		  			27 lbs (12.2 kgs)

GLASS STEAMERS & POLISHERS

Bar Maid® Glass Steamers

ITEM	FEATURES	UNIT DIMENSIONS L" X D" X H" (mm)	POWER / PLUG	SHIPPING CARTON L" X D" X H" (mm)
				SHIPPING WEIGHT
 GSS-04	- Durable heavy-duty stainless-steel construction built to withstand heavy use in demanding environments - Continuous vertical steam output once water in unit reaches temperature - Accommodates various sizes and types of glassware, from wine to pint glasses	10.5 x 9.13 x 11.25 (267 x 232 x 285)	110V-60Hz, 350W, 3.18A, NEMA 5-15P	13.6 x 13.75 x 15.75 (345 x 350 x 400)
	- Large 4.25qt reservoir for less filling and more steaming - Compact footprint ideal for where space is limited 		*220-50/60Hz, 350W, 1.59A, CEE 7/7	15.5 lbs (7.03 kgs)

Bar Maid® Glass Polishers

ITEM	FEATURES	UNIT DIMENSIONS L" X D" X H" (mm)	POWER / PLUG	SHIPPING CARTON L" X D" X H" (mm)
				SHIPPING WEIGHT
 GP-3MINI	- Dries while polishing... warm air blower dries glassware and polishing heads - Polish 290 (GP-3MINI) or 350 (GP-100) glasses per hour - More sanitary than hand polishing... reduce potential for contamination by unhygienic hands and towels - Virtually eliminate glass breakage... reduce glassware costs and hand injuries & claims	10.63 x 9.25 x 20.9 (270 x 235 x 530)	110V-50/60Hz, 1300W, 12.5 A, NEMA 5-15P	14.6 x 12.8 x 24 (371 x 325 x 610)
	- Use anywhere... small footprint, lightweight and completely portable - Removable, washable polishing heads... replacement heads and champagne flute polishing head available 		*220V-50/60 Hz, CEE 7/7	33 lbs (14.8 kgs)
 GP-100	- Use anywhere... small footprint, lightweight and completely portable - Removable, washable polishing heads... replacement heads and champagne flute polishing head available 	12.8 x 11.8 x 19.7 (325 x 300 x 500)	120V-50/60Hz, 1350W, 12.5 A, NEMA 5-15P	16 x 15 x 22 (406 x 381 x 559)
				38 lbs (17.3 kgs)



FLATWARE POLISHERS

Bar Maid® Flatware Polishers

	ITEM	FEATURES	UNIT DIMENSIONS L" X D" X H" (mm)	POWER / PLUG	SHIPPING CARTON L" X D" X H" (mm)
					SHIPPING WEIGHT
 CP-3000-D	CP-3000-D	- Efficient and easy to use... Dry and polish warm, wet flatware right out of the dishwasher - Fast payback... The CP-7000 dries and polishes up to 7,000 pieces per hour and the CP-3000-D up to 3,000 pieces per hour, significantly reducing labor and other costs associated with hand-polishing - More sanitary... Reduces the potential for contact with unhygienic hands and towels - Safe UV-C light sanitize cutlery killing any germs, viruses and bacteria	22.4 x 20.5 x 17 (569 x 521 x 432)	120V~ 50/60 Hz, 550W, 4.6 A, NEMA 5-15P	36 x 28 x 25 (914 x 711 x 635)
	CP-7000	- Portable... Both the CP-7000 and CP-3000-D have a compact footprint that fits most work tables or the optional CP7C wheeled cart for easy portability and storage - Spotless reputation... Maintain customer confidence in cleanliness, as spotty or streaky flatware can give the impression it is not clean			130 lbs (59 kgs)
			25.6 x 24.5 x 19 (650 x 623 x 483)	120V~ 50/60 Hz, 750W, 6.25 A, NEMA 5-15P	35 x 30 x 27 (889 x 762 x 686)
					177 lbs (80.3 kgs)



Flatware travels through hot organic granulates to dry and polish flatware and then exposed to UV-C Light



All natural ground corn granulate
#CP-REFILL

SPECIALTY CLEANERS

Bar Maid® Chip Champion™ Game Chip Cleaners

	ITEM	FEATURES	UNIT DIMENSIONS L" X D" X H" (mm)	POWER / PLUG	SHIPPING CARTON L" X D" X H" (mm)
					SHIPPING WEIGHT
  CP-7000 CC  CP-7000-S CC	CP-3000-D CC	• Quaternary Tablet Sanitizer... Economical tablet sanitizer (sold separately) is easy to store, dissolve in water according to label directions to prepare sanitizing solution on demand • Fast payback... CHIP CHAMPION models process thousands of chips, dice and tiles per hour. Significantly reducing labor costs of cleaning by hand or expensive chip cleaning services	22.4 x 20.5 x 17 (569 x 521 x 432)	120V~ 50/60 Hz, 550W, 4.6 A, NEMA 5-15P	36 x 28 x 25 (914 x 711 x 635) 130 lbs (59 kgs)
	CP-7000 CC	• Increased hygiene... Routine cleaning reduces potential spread of pathogens and increases chip life as chips look newer longer • Portable... All CHIP CHAMPION models have a relatively small footprint that fits most work tables or use the optional wheeled cart for easy portability and storage. • CP-3000-D CC: 3,000-4,000 chips per hour or 60+ chips per minute	25.6 x 24.5 x 19 (650 x 623 x 483)	120V~ 50/60 Hz, 750W, 6.25 A, NEMA 5-15P	35 x 30 x 27 (889 x 762 x 686) 177 lbs (80.3 kgs)
	CP-7000-S CC	• CP-7000 CC: 7000-9,000 chips per hour or 140+ chips per minute • CP-7000-S CC with automatic feeder will process more than 10,000 chips per hour or 160+ chips per minute   Intertek	25.6 x 28 x 31 (650 x 711 x 787)	120V-60 Hz, 750W, 6.25 A, NEMA 5-15P	35 x 30 x 35 (889 x 762 x 889) 192 lbs (87.1 kgs)





by **winco**

- ✓ **GAIN SPEED & COST SAVINGS**
- ✓ **MORE SANITARY**
- ✓ **MAINTAIN CUSTOMER CONFIDENCE**

PLANETARY MIXERS

Commercial Planetary Mixers

 EMP-20	ITEM	DESCRIPTION	FEATURES	UNIT DIMENSIONS L" X D" X H" (mm)	POWER / PLUG	SHIPPING CARTON L" X D" X H" (mm)
	EMP-10	10 Qt	- Heavy-duty die cast iron construction - Gear-driven, high torque transmission - Large capacity 304 stainless steel bowl with safety guard and interlock bowl lift	15 ⁻¹ / ₈ x 18 x 24 ⁻¹ / ₈ (383 x 456 x 612)	110V 50/60 Hz 750W 1HP 7A, NEMA 5-15P	19.9 x 18.7 x 29.9 (505 x 475 x 760)
	EMP-20	20 Qt	(3) three fixed mixing speeds - Manual resettable thermal overload protection - Industry standard #12 attachment hub (EMP-20 & EMP-30) - Wire whip, aluminum flat beater, & spiral dough hook attachments included - Non-slip rubber feet	19 ⁻⁷ / ₈ x 21 ⁻¹¹ / ₁₆ x 29 ⁻³ / ₄ (505 x 550 x 735)	110V 50/60 Hz 1100W 1.5HP 10A, NEMA 5-15P	24 x 22.6 x 35.6 (610 x 575 x 905)
	EMP-30	30 Qt		23 ⁻¹³ / ₁₆ x 24 ⁻¹ / ₂ x 44 ⁻¹³ / ₁₆ (605 x 620 x 1138)	110V 50/60 Hz 1500W 2HP 14A, NEMA 5-15P	28 x 26.4 x 50 (710 x 670 x 1270)
						99.2 lbs (45 kgs)
						188.5 lbs (85.5 kgs)
						345.1 lbs (156.5 kgs)

Accessories

ITEM	DESCRIPTION
EMP-P2	Flat Beater for EMP-10
EMP-P3	Spiral Dough Hook for EMP-10
EMP-P4	Whisk (Wire Whip) for EMP-10
EMP-P7	Mixing Bowl for EMP-10

ITEM	DESCRIPTION
EMP-P29	Flat Beater for EMP-20
EMP-P28	Spiral Dough Hook for EMP-20
EMP-P27	Whisk (Wire Whip) for EMP-20
EMP-P34	Mixing Bowl for EMP-20

ITEM	DESCRIPTION
EMP-P51	Flat Beater for EMP-30
EMP-P50	Spiral Dough Hook for EMP-30
EMP-P52	Whisk (Wire Whip) for EMP-30
EMP-P58	Mixing Bowl for EMP-30

Meat Grinder Attachment

			ITEM	FEATURES	UNIT DIMENSIONS L" X D" X H" (mm)	SHIPPING CARTON L" X D" X H" (mm)
	EMP-MG12	• Fits standard #12 hub • 1/4" and 5/16" stainless steel grinder plates • 5/8" sausage stuffer tube for making sausages • Includes: feeder pan, meat stomper, sausage stuffer, and (2) grinding plates			9.8 x 4.7 x 9.8 (25 x 12 x 25)	17.2 x 9.8 x 15 (435 x 250 x 380)
						SHIPPING WEIGHT
						21.6 lbs (9.8 kgs)

Vegetable Slicer/Grater Attachment

		ITEM	FEATURES	UNIT DIMENSIONS L" X D" X H" (mm)	SHIPPING CARTON L" X D" X H" (mm)
	EMP-VS12	• Fits standard #12 hub • Create uniform slices with the "S" knife slicer for cuts up to 1/2" thickness • Grater / shredder plates with 1/8", 3/16", 1/4", 5/16", and 1/2" cut holes included	17 x 14.2 x 11.8 (43 x 36 x 30)	19.7 x 15.2 x 13.4 (500 x 385 x 340)	
				SHIPPING WEIGHT	
				28.7 lbs (13 kgs)	

MIXER STAND

Stainless Steel Mixer Stand with Marine Edge

 	ITEM	FEATURES	UNIT DIMENSIONS L" X D" X H" (mm)	SHIPPING CARTON L" X D" X H" (mm)
	EMT-2424	- Top shelf: 16-gauge stainless steel, 900lb capacity - Marine top-edge contains spills - Bottom shelf: galvanized steel, 700lb capacity - Sturdy legs with adjustable non-skid feet - Stable support for a heavy mixer with no wobble when operating equipment - Optimize space and free up valuable countertops - Durable & corrosion-resistant to withstand busy kitchens 	24 x 24 x 24 (610 x 610 x 610)	28.75 x 24.8 x 4.1 (730 x 630 x 105)
				SHIPPING WEIGHT
				34.6 lbs (15.7 kgs)

BLENDERS

68 oz (2 L) Large Capacity Commercial Blender

 	ITEM	FEATURES	UNIT DIMENSIONS L" X D" X H" (mm)	POWER / PLUG	SHIPPING CARTON L" X D" X H" (mm)
	XLB-1000	68 oz (2 L), break-resistant and BPA-free Tritan™ container - High-performance 2 hp motor; unique high-impact blades - Metal-to-metal coupling; easy to operate "PULSE" "ON/OFF" paddle controls & variable speed control dial - Container/pitcher is heat-resistant up to 226°F (108°C); reduce pressure by removing cap in the lid - Removable container cover and cap for adding/blending ingredients mid-cycle 11-1/2" tamper included – fits through lid opening and reaches full length of container to blend/stir while mixing - All parts [except bases & blade fixing block] are dishwasher safe    Tritan™ container	8- ¹¹ / ₁₆ x 9- ¹³ / ₁₆ x 19- ¹⁵ / ₁₆ (220 x 249 x 490)	120V~60Hz, 1450W, 12.1A, NEMA 5-15P	12.8 x 10.4 x 14.5 (325 x 265 x 368)
					SHIPPING WEIGHT
					10.4 lbs (4.7 kgs)

44 oz (1.25 L) 2-Speed Quiet Bar Blender


 	ITEM	FEATURES	UNIT DIMENSIONS L" X D" X H" (mm)	POWER / PLUG	SHIPPING CARTON L" X D" X H" (mm)
	XLB-44	44 oz (1.25 L), break-resistant and BPA-free Tritan™ container - Quiet, high-performance 1/2 hp self-lubricating motor; uniquely designed high-impact blades - HIGH/LOW toggle switch for precise consistency control - Blade is removable for easy cleaning - Non-skid feet securely grip the surface for stable operation - Removable container cover and cap for adding/blending ingredients mid-cycle    Tritan™ container	7 x 7- ⁷ / ₁₆ x 15- ⁷ / ₁₆ (178 x 189 x 392)	120V~60Hz, 400W, 3.5A, NEMA 5-15P	6.5 x 8 x 15.25 (165 x 203 x 387)
					SHIPPING WEIGHT
					5.5 lbs (2.5 kgs)

MICROWAVES

Heavy-Duty Touch Control Microwaves

ITEM	FEATURES	UNIT DIMENSIONS L" X D" X H" (mm)	POWER / PLUG	SHIPPING CARTON L" X D" X H" (mm)
				SHIPPING WEIGHT
 *EMW-1800AT	- Stainless steel with glass door and lighted interior provides visibility during operation - Large capacity 1.2 cubic feet (34L) accommodates a 14" (356mm) platter 5 power levels for consistent results - Manual time and power option, plus 2X quantity button for multiple portions	22-5/8 x 20-3/4 x 14-1/2 (574 x 526 x 368)	*208/230V-60Hz, 1800W, 8.6A, NEMA 6-20P	25.2 x 22 x 17.8 (641 x 559 x 451)
 *EMW-2100BT	10 pre-programmed cooking options, storing up to 100 cooking programs 3-stage cooking with one-touch programming		*208/230V-60Hz, 2100W, 10A, NEMA 6-20P	75.6 lbs (34.3 kgs)

Microwaves - 1000 Watts

ITEM / DESCRIPTION	FEATURES	UNIT DIMENSIONS L" X D" X H" (mm)	POWER / PLUG	SHIPPING CARTON L" X D" X H" (mm)
				SHIPPING WEIGHT
 EMW-1000ST Touch Control Microwave	1,000 watts of cooking power for quick heating - Motor driven bottom antenna for efficient energy distribution and consistent results - Engineered for commercial kitchen use - Stainless steel interior with bottom ceramic plate - Ample 0.9 cubic feet (25 L) oven capacity	20-1/8 x 17 x 12-1/4 (511 x 432 x 311)	120V-60Hz, 1000W, 12A, NEMA 5-15P	22.9 x 18.8 x 15 (581 x 478 x 380)
 EMW-1000SD Dial Control Microwave	- Accommodates 12" (30.5 cm) diameter platter - Backlit LED display - Interior oven light			35.7 lbs (16.2 kgs)
		20-1/2 x 18 x 12-5/16 (521 x 457 x 313)	120V-60Hz, 1000W, 12A, NEMA 5-15P	20.5 x 17.9 x 12.3 (521 x 455 x 312)
				44.1 lbs (20 kgs)

WAFFLE MAKER

Belgian Waffle Maker

ITEM	DESCRIPTION	FEATURES	UNIT DIMENSIONS L" X D" X H" (mm)	POWER / PLUG	SHIPPING CARTON L" X D" X H" (mm)
					SHIPPING WEIGHT
 BMW-07	Single Waffle Baker	- Produces up to 35, 1-inch thick waffles per hour - Non-stick cooking plates for quick release, easy-to-clean - Audible signal alerts when temperature reached, and again when waffle is ready - Rotates 180° to evenly distribute batter for perfect waffles every time - Space-saving, compact design	10 x 17-3/4 x 12 (255 x 450 x 305)	120V ~ 50/60Hz, 1000W, NEMA 5-15P	22 x 13.4 x 14.8 (560 x 340 x 375)
					26 lbs (11.8kgs)

Conveyor Toasters

	ITEM / DESCRIPTION	FEATURES	UNIT DIMENSIONS L" X D" X H" (mm)	POWER / PLUG	SHIPPING CARTON L" X D" X H" (mm)
	ECT-300 300 Slices per Hour	- Heavy-duty all stainless steel "Cool-Touch" exterior - Large 2-1/2" high feeder opening with a 10-3/8" (2 slice) wide conveyor accepts over-sized bagels and Texas toast - Rounded, extra-wide curved return chute prevents larger foods items from getting caught - Variable conveyor-speed dial control for optimal doneness - Choose between independent or dual-heating elements for added flexibility	14-5/8" x 16-9/16" x 16-3/8" (370 x 420 x 415)	120V~ 50/60Hz, 1700W, 14.16A, NEMA 5-15P or NEMA 5-20P (Canada)	21.7 x 17.5 x 18.7 (550 x 445 x 475)
	*ECT-700 700 Slices per Hour	- Energy Saver hold mode saves up to 75 percent energy during slow periods when unit is not in use and allows quick recovery to temperature - Removable crumb tray - Adjustable legs with non-skid foot for stability		*208/240V~ 50/60Hz, 1800/2400W, 8.6/10A, NEMA 6-15P	SHIPPING WEIGHT 44.5 lbs (20.2 kgs)
		 			



STRIP HEATERS

Electric Strip Heaters

	ITEM / DESCRIPTION	FEATURES	UNIT DIMENSIONS L" X D" X H" (mm)	POWER / PLUG	SHIPPING CARTON L" X D" X H" (mm)
					SHIPPING WEIGHT
 ESH-24	ESH-24 24"L	Heavy-duty one piece extruded aluminum body for durability and cleanliness	24 x 6 x 2- ⁹ / ₁₆ (610 x 153 x 67)	120V-50/60Hz, 500W, 4.2A, NEMA 5-15P	24.3 x 6.3 x 2.8 (617 x 160 x 71) 11 lbs (5 kgs)
	ESH-36 36"L	- Aluminum heat reflectors with focused heat pattern to maximize holding times - On/off toggle switch and 180° full view indicator light for easy operation	36 x 6 x 2- ⁹ / ₁₆ (915 x 153 x 67)	120V-50/60Hz, 750W, 6.3A, NEMA 5-15P	36.3 x 6.3 x 2.8 (922 x 160 x 71) 15.4 lbs (7 kgs)
	ESH-48 48"L	- Ideal for pass-through stations or under shelf installations - Includes undermount bracket set with screws and hanging chains	48 x 6 x 2- ⁹ / ₁₆ (1220 x 153 x 67)	120V-50/60Hz, 1000W, 8.3A, NEMA 5-15P	48.3 x 6.3 x 2.8 (1227 x 160 x 71) 17.6 lbs (8 kgs)
	ESH-60 60"L	Can be wired in a daisy chain up to 6-ft long per single power cord	60 x 6 x 2- ⁹ / ₁₆ (1524 x 153 x 67)	120V-50/60Hz, 1400W, 12A, NEMA 5-15P	60.3 x 6.3 x 2.8 (1532 x 160 x 71) 22 lbs (10 kgs)
	ESH-72 72"L		72 x 6 x 2- ⁹ / ₁₆ (1829 x 153 x 67)	120V-50/60Hz, 1800W, 15A, NEMA 5-15P	72.3 x 6.3 x 2.8 (1836 x 160 x 71) 24.3 lbs (11 kgs)

Freestanding Electric Strip Heater

	ITEM / DESCRIPTION	FEATURES	UNIT DIMENSIONS L" X D" X H" (mm)	POWER / PLUG	SHIPPING CARTON L" X D" X H" (mm)
					SHIPPING WEIGHT
 ESH-1 24"L		- Heavy-duty one piece extruded aluminum body for durability and cleanliness - Aluminum heat reflectors with focused heat pattern to maximize holding times - On/off toggle switch and 180° full view indicator light for easy operation - Heavy-duty steel stand with powder-coated painted exterior and rust resistant interior coating - Stand adjusts to three heights above work surface to control heat intensity 	26- ¹ / ₈ x 14- ¹ / ₄ (664 x 362)	120V-50/60Hz, 500W, 4.2A, NEMA 5-15P	27.8 x 19.3 x 9.8 (705 x 490 x 250)
			ADJUSTABLE HEIGHT" (mm)		
			18 (457mm) 20- ³ / ₈ (524mm) 22- ⁷ / ₈ (581mm)		6.61 lbs (3 kgs)



Utilize the universal
dump station pan
holder #**EHL-PH-G**
with heat lamps for
cohesive
presentation.

HEAT LAMPS

3-Position Electric Steel Tubing Heat Lamps

 EHL-2C	ITEM / DESCRIPTION	FEATURES	UNIT DIMENSIONS L" X D" X H" (mm)	POWER / PLUG	SHIPPING CARTON L" X D" X H" (mm)
	EHL-3C Black	- Compatible with most standard-size food trays - Heavy-duty frame with 13 gauge aluminum bulb hoods - Two (2) clear, infrared shatter-resistant 250W/120V bulbs included	19-½ x 22-½ (495 x 571)	120V-50/60Hz, 500W, 4.2A, NEMA 5-15P	24.4 x 21.3 x 10.2 (620 x 540 x 260)
	EHL-2C Gray	- Easy-clean, durable, scratch-resistant electrostatic powder-coated finished hoods and frame 3-position adjustable height to control heat intensity 	ADJUSTABLE HEIGHT* (mm) 23-5/8 (600mm) 26-1/8 (664mm) 28-5/8 (727mm)		SHIPPING WEIGHT 6.6 lbs (3 kgs)



4-Position Electric Aluminum Tubing Heat Lamp

 EHL-2	ITEM / DESCRIPTION	FEATURES	UNIT DIMENSIONS L" X D" X H" (mm)	POWER / PLUG	SHIPPING CARTON L" X D" X H" (mm)
	EHL-2 Aluminum	- Compatible with most standard-size food trays - Heavy-duty frame with 13 gauge aluminum bulb hoods - Two (2) clear, infrared shatter-resistant 250W/120V bulbs included 14 gauge heavy-duty aluminum tubing frame - Easy-clean brushed aluminum finish 4-position adjustable height to control heat intensity 	19-½ x 22-½ (495 x 571)	120V-50/60Hz, 500W, 4.2A, NEMA 5-15P	21.9 x 15.7 x 11 (556 x 400 x 279)
			ADJUSTABLE HEIGHT* (mm) 29-3/8 (746mm) 27-1/2 (699mm) 25-1/2 (648mm) 23-3/4 (603mm)		SHIPPING WEIGHT 7.5 lbs (3.45 kgs)

INDUCTION COOKERS

Drop-In Induction Cookers

	ITEM	FEATURES	UNIT DIMENSIONS L" X D" X H" (mm)	POWER / PLUG	SHIPPING CARTON L" X D" X H" (mm) SHIPPING WEIGHT
	EIDS-18	- Powder-coated steel body construction - Compact drop-in-counter design that can be flush, recessed, or mounted with optional trim ring - Easy to use digital control with ten (10) power wattage levels from warming to cooking for optimal cooking efficiency, control & speed - Remote control panel provided with 36" (915mm) quick connect cord	12 ^{-5/8} x 13 ^{-7/16} x 3 ^{-7/8} (320 x 340 x 98)	120V-60Hz, 1800W, 15A, NEMA 5-15P	13.4 x 12.6 x 3.9 (340 x 320 x 100)
	EIDS-18C (Canada)	- High-impact and high-heat resistant 11-13/16" x 11-13/16" (299mm x 299mm) glass-ceramic cooking surface - Accommodates pan sizes between 4-1/2" (114 mm) to 10-1/2" (267mm) - Small-article and pan detection		120V-60Hz, 1800W, 15A, NEMA 5-20P	
	*EIDS-34 	- Timer up to 150 min (2-1/2 hours) - Auto safety shut-off  		*240V-60Hz, 3400W, 14A, NEMA 6-20P	27.7 lbs (12.6 kgs)

Freestanding Induction Cookers

	ITEM	FEATURES	UNIT DIMENSIONS L" X D" X H" (mm)	POWER / PLUG	SHIPPING CARTON L" X D" X H" (mm) SHIPPING WEIGHT
	EICS-18	- Stainless steel body construction - Compact, easy-to-clean, portable - Easy to use digitally controlled wattage and temperature from warming to cooking for optimal cooking efficiency, control & speed	14 ^{-3/16} x 18 ^{-1/8} x 5 ^{-1/8} (360 x 460 x 129)	120V-60Hz, 1800W, 15A, NEMA 5-15P	17.7 x 14.2 x 5.1 (450 x 360 x 129)
	EICS-18C (Canada)	- High-impact and high-heat resistant 11-13/16" x 11-13/16" (299mm x 299mm) glass-ceramic cooking surface - Accommodates pan sizes between 4-1/2" (114 mm) to 10-1/2" (267mm) - Small-article and pan detection - Timer up to 150 min (2-1/2 hours)		120V-60Hz, 1800W, 15A, NEMA 5-20P	
	*EICS-34 	Auto safety shut-off  		*240V-60Hz, 3400W, 14A, NEMA 6-20P	37.5 lbs (17 kgs)

Economy Freestanding Induction Cooker

	ITEM	FEATURES	UNIT DIMENSIONS L" X D" X H" (mm)	POWER / PLUG	SHIPPING CARTON L" X D" X H" (mm)
	EIC-400E	- Up to 1800 watts of continuous heat to cook everything from a low simmer to a rolling boil - Easy-touch controls with adjustable power levels (1-10) - Ceramic glass surface with small-article and pan detection, 4-3/4"-10-1/4" induction cookware - Durable stainless steel and plastic body construction - Timer up to 180 min. (3 Hours)  	11 ^{-3/4} x 15 ^{-3/4} x 2 ^{-3/4} (299 x 400 x 70)	120V-60Hz, 1800W, 15A, NEMA 1-15P	18.1 x 13.6 x 4.6 (460 x 345 x 117)
					SHIPPING WEIGHT 13.3 lbs (6 kgs)

FOOD WARMERS

Electric Kettle Soup Warmers

 	ITEM / DESCRIPTION	FEATURES	UNIT DIMENSIONS L" X D" X H" (mm)	POWER / PLUG	SHIPPING CARTON L" X D" X H" (mm) SHIPPING WEIGHT
	ESW-66 Black	- Up to 10-quart capacity - Adjustable heat control keeps contents at a safe serving temperature without overcooking - Stainless steel hinged lid features extra-large ladle slot; hinges allow cover to remain attached while opened and closed when in service with no drips	13 ^{-1/4} x 14 ^{-1/2} x 14 ^{-1/2} (337 x 368 x 368)	110V-50/60Hz, 400W, 3.6A, NEMA 5-15P	13.4 x 13.4 x 15.5 (340 x 340 x 395) 12.4 lbs (5.6 kgs)
	*ESW-66-I Black	- Sets include a removable stainless steel bain marie inner pot - Double-wall insulated construction allows outer surface to stay cool-to-touch		*220V-50/60Hz, 500W, 2.5A, CEE 7/7	13.4 x 13.4 x 15.5 (340 x 340 x 395) 12.4 lbs (5.6 kgs)
	ESW-70 Stainless Steel	ESW-70: - Includes suction-grip label holder ESW-66 & ESW-66-I: - Includes customizable magnetic label holder, plus a variety of pre-printed soup name labels   ESW-66 ESW-70  ESW-66-I	13 ^{-3/16} x 13 ^{-3/16} x 15 (335 x 335 x 381)	110V-50/60Hz, 400W, 3.6A, NEMA 5-15P	14.2 x 14.2 x 15.3 (360 x 360 x 390) 13.14 lbs (5.9 kgs)

Benchmark USA™ Stainless Steel Food Warmers

 	ITEM / DESCRIPTION	FEATURES	UNIT DIMENSIONS L" X D" X H" (mm)	POWER / PLUG	SHIPPING CARTON L" X D" X H" (mm) SHIPPING WEIGHT
	51096 Warmer	- Mirror finish 18/8 stainless steel body - Precise control adjustable thermostat - Includes two-hole adaptor plate for 7 Qt inserts - Accepts all standard pans, adaptors and lids - Water-resistant covered power switch 3-1/2" adjustable legs  	13 ^{-1/4} x 21 ^{-1/2} x 12 ^{-1/2} (336 x 546 x 318)	120V-60Hz, 1200W, 10A, NEMA 5-15P	16 x 26 x 12 (406 x 660 x 305) 22 lbs (10 kgs)
	51072P Warmer with 2 Ladles/Lids		21 ^{-1/2} x 13 ^{-1/4} x 17 (546 x 336 x 432)	120V-60Hz, 1200W, 10A, NEMA 5-15P	16.25 x 25.5 x 13 (413 x 648 x 330) 27 lbs (12.3 kgs)
	51073P Warmer with 1 Pump & 1 Ladle/Lid		21 ^{-1/2} x 13 ^{-1/4} x 20 (546 x 336 x 508)	120V-60Hz, 1200W, 10A, NEMA 5-15P	16.25 x 25.5 x 13 (413 x 648 x 330) 28 lbs (12.7 kgs)
	51074P Warmer with 2 Pumps		21 ^{-1/2} x 13 ^{-1/4} x 20 (546 x 336 x 508)	120V-60Hz, 1200W, 10A, NEMA 5-15P	16.25 x 25.5 x 13 (413 x 648 x 330) 30 lbs (13.6 kgs)

Themed Warmers also available



#51074A



#51073H



#51072S



#51072W

FOOD COOKERS & WARMERS

Food Warmers

  FW-7R250	ITEM / DESCRIPTION	FEATURES	UNIT DIMENSIONS L" X D" X H" (mm)	POWER / PLUG	SHIPPING CARTON L" X D" X H" (mm) SHIPPING WEIGHT
	FW-11R250 11 Qt Warmer	- Insulated heating compartment for maximum efficiency - No-drip rim keeps serving area clean	12- ¹ / ₂ x 12- ¹ / ₂ x 9- ⁵ / ₈ (518 x 318 x 245)	120V-50/60Hz, 750W, NEMA 5-15P	14.6 x 14.6 x 12 (371 x 371 x 305) 13.5 lbs (6.1 kgs)
	FW-7R250 7 Qt Warmer	3 settings: Low / Medium / High  	11 x 11 x 9- ¹ / ₂ (280 x 280 x 241)	120V-50/60Hz, 550W, NEMA 5-15P	14.6 x 14.6 x 12 (371 x 371 x 305) 9.48 lbs (4.3 kgs)
 FW-S500	FW-L600 4/3 Size	- Energy-efficient design for fast heating - Heavy-duty stainless steel welded body - Reliable temperature control for graduated heat settings	14- ⁵ / ₈ x 29- ³ / ₄ x 10- ⁵ / ₈ (370 x 755 x 270)	120V-50/60Hz, 1500W, 12.5A, NEMA 5-15P	35 x 18 x 10.75 (889 x 457 x 273) 29.4 lbs (13.4 kgs)
	FW-S500 Full-Size	Dedicated indicator light to easily monitor heating status  	14- ⁵ / ₈ x 22- ¹ / ₂ x 9- ³ / ₈ (370 x 572 x 238)	120V-50/60Hz, 1200W, 10A, NEMA 5-15P	23.2 x 14.6 x 10.4 (590 x 370 x 265) 23.2 lbs (10.5 kgs)

Food Cookers/Warmers

  FW-11R500	ITEM / DESCRIPTION	FEATURES	UNIT DIMENSIONS L" X D" X H" (mm)	POWER / PLUG	SHIPPING CARTON L" X D" X H" (mm) SHIPPING WEIGHT
	FW-11R500 11 Qt Warmer	- Insulated heating compartment for maximum efficiency - No-drip rim keeps serving area clean	12- ¹ / ₂ x 12- ¹ / ₂ x 9- ⁵ / ₈ (518 x 318 x 245)	120V-50/60Hz, 1250W, NEMA 5-15P	14.6 x 14.6 x 12 (371 x 371 x 305) 12.6 lbs (5.7 kgs)
	FW-7R500 7 Qt Warmer	Heats up to 212°F (100°C)  	11 x 11 x 9- ¹ / ₂ (280 x 280 x 241)	120V-50/60Hz, 1050W, NEMA 5-15P	14.6 x 14.6 x 12 (371 x 371 x 305) 9.1bs (4.3 kgs)
 FW-S600	FW-S600 Full-Size	- Energy-efficient design for fast heating - Heavy-duty stainless steel welded body - Reliable temperature control for graduated heat settings - Dedicated indicator light to easily monitor heating status  	14- ⁵ / ₈ x 22- ¹ / ₂ x 10- ⁵ / ₈ (370 x 572 x 270)	120V-50/60Hz, 1500W, 12.5A, NEMA 5-15P	23.23 x 14.57 x 9.25 (590 x 370 x 235) 25 lbs (11.4 kgs)

Electric Water Pan

 	ITEM	FEATURES	UNIT DIMENSIONS L" X D" X H" (mm)	POWER / PLUG	SHIPPING CARTON L" X D" X H" (mm)
	EWP-2	- Stands alone or fits standard full-size chafer frames for an electric alternative (food pan sold separately) - Accommodates full-size steam table pans - Adjustable controls keep contents at safe serving temp - Powerful, efficient 900W heating element heats up fast 	22- ⁵ / ₈ x 13- ⁵ / ₈ x 7 (575 x 346 x 178)	120V-60Hz, 900W, 7.5A, NEMA 5-15P	23.13 x 14.63 x 8.5 (588 x 372 x 216)
					SHIPPING WEIGHT 6 lbs (2.72 kgs)

RICE COOKERS & WARMERS

Electric 30-Cup Rice Cooker

	ITEM	FEATURES	UNIT DIMENSIONS L" X D" X H" (mm)	POWER / PLUG	SHIPPING CARTON L" X D" X H" (mm)
	RC-P301	- Holds up to 30 cups of uncooked rice or up to 60 cups of cooked rice - Removable inner pot seals in moisture - Automatic warming up to 2 hours 	19-7/8 x 17-1/2 x 13-3/8 (505 x 445 x 340)	110V~50/60Hz, 1550W, 13A, NEMA 5-15P	16 x 15.75 x 12.63 (406 x 400 x 321)
					SHIPPING WEIGHT
					18 lbs (8.2 kgs)

Electric 30-Cup Rice Cooker & Warmer with Hinged Lid

	ITEM	FEATURES	UNIT DIMENSIONS L" X D" X H" (mm)	POWER / PLUG	SHIPPING CARTON L" X D" X H" (mm)
	RC-S301	- Holds up to 30 cups of uncooked rice or up to 60 cups of cooked rice - Fingerprint-proof satin finish; heavy-duty stainless steel body - Removable non-stick inner pot seals in moisture - Energy efficient heat absorption system - Automatic warming up to 6 hours 	19 x 15-5/8 x 13-3/4 (483 x 397 x 350)	120V~50/60Hz, 1550W, 13A, NEMA 5-15P	17.9 x 17.9 x 15 (455 x 455 x 380)
					SHIPPING WEIGHT
					24 lbs (10.9 kgs)

Electric 100-Cup Rice Warmer with Hinged Lid

	ITEM	FEATURES	UNIT DIMENSIONS L" X D" X H" (mm)	POWER / PLUG	SHIPPING CARTON L" X D" X H" (mm)
	RW-S451	- Holds up to 100 cups of cooked rice for warming - Fingerprint-proof satin finish; heavy-duty stainless steel body - Removable non-stick inner pot seals in moisture - Energy efficient heat absorption system - Warming up to 12 hours 	19 x 14-7/8 x 17-7/8 (483 x 381 x 378)	120V~60Hz, 103W, 0.8A, NEMA 5-15P	17.8 x 17.8 x 16.1 (451 x 451 x 410)
					SHIPPING WEIGHT
					20.7 lbs (9.4 kgs)



ELECTRIC OVENS

Electric Convection Ovens

 ECO-250 ECO-500	ITEM	DESCRIPTION	FEATURES	UNIT DIMENSIONS L" X D" X H" (mm)	POWER / PLUG	SHIPPING CARTON L" X D" X H" (mm) SHIPPING WEIGHT
	ECO-250	Quarter-Size, 0.8 Cubic Ft	- Stainless steel construction - Heat settings range from 150°F to 500°F (65°C to 260°C) - Built-in 120 minute timer with "Stay On" feature - Dual pane tempered glass door	18- ³ / ₄ x 19- ⁷ / ₈ x 15 (477 x 505 x 381)	120V-60Hz, 1440W, 12A, NEMA 5-15P	18.7 x 21.3 x 14.6 (475 x 540 x 370) 34.83 lbs (15.8 kgs)
	ECO-500	Half-Size, 1.5 Cubic Ft	- Spacious interior includes 3 chrome wire shelves - Whisper quiet circulation for even heating  	22- ¹ / ₂ x 22- ³ / ₄ x 17- ³ / ₄ (572 x 579 x 451)	120V-60Hz, 1600W, 13.3A, NEMA 5-15P	22.8 x 22.6 x 15.9 (580 x 575 x 405) 39.68 lbs (18 kgs)

Electric Pizza Oven

 EPO-1	ITEM	DESCRIPTION	FEATURES	UNIT DIMENSIONS L" X D" X H" (mm)	POWER / PLUG	SHIPPING CARTON L" X D" X H" (mm) SHIPPING WEIGHT
	EPO-1		- Heats up to 600°F (315°C); dual independently controlled heating elements 60-minute timer with bell includes "Stay On" feature - Pizza tray handle folds for storage - Includes crumb tray - Fits up to 12" diameter pizza  	20- ⁷ / ₈ x 14- ³ / ₄ x 9- ¹ / ₄ (530 x 375 x 235)	120V-50/60Hz, 1500W, 12.5A, NEMA 5-15P	23.2 x 21.7 x 9.3 (590 x 550 x 235) SHIPPING WEIGHT 26.9 lbs (12.2 kgs)

Multi-Function Ovens (Salamander / Baker / Oven)

 54012	ITEM	DESCRIPTION	FEATURES	UNIT DIMENSIONS L" X D" X H" (mm)	POWER / PLUG	SHIPPING CARTON L" X D" X H" (mm) SHIPPING WEIGHT
	54012	12"x 3" Opening	- Adjustable thermostat with temperature range of 90°-550°F - Fully insulated stainless steel construction - Independent top & bottom heater switches 60 minute timer with "Stay On" feature - Adjustable 3" legs	23 x 17 x 11- ¹ / ₄ (584 x 432 x 254)	120V-60Hz, 1750W, 14.6A, NEMA 5-15P	20 x 25 x 12 (508 x 635 x 305) 40 lbs (18.1 kgs)
	54016	16"x 3" Opening	Fits 12" pizza (54012), or 16" pizza (54016)  	27 x 17 x 11- ¹ / ₄ (686 x 432 x 254)	120V-60Hz, 1750W, 14.6A, NEMA 5-15P	24 x 29 x 12 (610 x 737 x 305) 55 lbs (25 kgs)



**Adjustable thermostat
with temperature range of
90°-550°F (32°-288°C)**

Adjustable 3" legs

**60 minute timer with
"Stay On" feature**

**Independent top &
bottom heater switches**


SANDWICH GRILLS

Electric Sandwich Grills with Flat Plates

 ESG-1	ITEM	DESCRIPTION	FEATURES	UNIT DIMENSIONS L" X D" X H" (mm)	POWER / PLUG	SHIPPING CARTON L" X D" X H" (mm)
						SHIPPING WEIGHT
	ESG-1	Single Grill	- Stainless steel construction; flat cast iron grill surface - Hinged balanced top plate adjusts to food thickness - Removable crumb and grease tray - Power and ready light(s)	17 x 12 x 8 (432 x 305 x 203)	120V~50/60Hz, 1750W, 15A, NEMA 5-15P	22 x 18.4 x 12.8 (559 x 467 x 324)
	ESG-2	Double Grill	- Includes steel-bristle brush w/wooden handle for cleaning - Adjustable thermostat up to 600°F (315°C)  	22-1/2 x 12 x 8 (572 x 305 x 203)	120V~50/60Hz, 1750W, 15A (x2), NEMA 5-15P (x2)	27.75 x 18.5 x 13 (705 x 470 x 330)
						46.6 lbs (21.2 kgs)
						57 lbs (25.9 kgs)

Electric Panini Grills with Ribbed Plates

 EPG-1C	ITEM	DESCRIPTION	FEATURES	UNIT DIMENSIONS L" X D" X H" (mm)	POWER / PLUG	SHIPPING CARTON L" X D" X H" (mm)
						SHIPPING WEIGHT
	EPG-1C	Single Grill	- Stainless steel construction; ribbed cast iron grill surface - Hinged balanced top plate adjusts to food thickness - Removable crumb and grease tray - Power and ready light(s)  	16-1/8 x 14-3/4 x 9-3/4 (410 x 375 x 248)	120V~50/60Hz, 1750W, 14.6A, NEMA 5-15P	14.75 x 16.1 x 9.75 (375 x 410 x 248)
	EPG-2	Double Grill	EPG-1C: - Includes steel-bristle brush w/plastic handle for cleaning - Adjustable temperature up to 570°F (298°C) EPG-2: - Includes steel-bristle brush w/wooden handle for cleaning - Adjustable thermostat up to 600°F (315°C)	22-1/2 x 12 x 8 (572 x 305 x 203)	120V~50/60Hz, 1750W, 15A (x2), NEMA 5-15P (x2)	27.75 x 18.5 x 13 (705 x 470 x 330)
						63.3 lbs (28.7 kgs)
						64 lbs (29 kgs)



DEEP FRYERS

Single & Double Deep Fryers

	ITEM / DESCRIPTION	FEATURES	UNIT DIMENSIONS L" X D" X H" (mm)	POWER / PLUG	SHIPPING CARTON L" X D" X H" (mm)
					SHIPPING WEIGHT
 EFS-16	EFS-16 Single Well Fryer	- Commercial fry basket(s) with safe and secure handle - Expedient heat-up - Removable stainless steel fry well(s) for easy cleaning; fry well cover(s) included - Removable power head(s) 	11 ⁻³ / ₄ x 16 x 13 ⁻⁵ / ₈ (298 x 406 x 346)	120V~50/60Hz, 1750W, 14.6A, NEMA 5-15P	19.5 x 14.3 x 16.5 (495 x 362 x 419)
					19.9 lbs (9 kgs)
 EFT-32	EFT-32 Double Well Fryer	EFS-16: 16 lb oil capacity (8 liters = 16 lbs = 2.11 gallons) EFT-32: 32 lb oil capacity (2 x 8 liters (16 liters combined) = 32 lbs; total = 4.22 gallons)	21 ⁻¹ / ₄ x 16 x 13 ⁻⁵ / ₈ (616 x 406 x 346)	120V~50/60Hz, 1750W, 14.6A (x2), NEMA 5-15P (x2)	24.9 x 20.1 x 16.5 (632 x 511 x 419)
					34.8 lbs (15.8 kgs)

SEALING EQUIPMENT

Impulse Bag Sealer

	ITEM	FEATURES	UNIT DIMENSIONS L" X D" X H" (mm)	POWER / PLUG	SHIPPING CARTON L" X D" X H" (mm)
					SHIPPING WEIGHT
	EBS-400M	- Seals in 0.2 to 3 seconds - Compatible with rolled, embossed, flat or zipper vacuum bags with a thickness up to 1/32" (0.5mm) - Adjustable timer with indicator light lets you know when seal is ready - No warm-up time making it easy to seal as needed - Made of durable aluminum and iron 	20 ⁻⁷ / ₈ x 3 ⁻⁵ / ₈ x 12 (530 x 92 x 305)	120V~50/60Hz, 480W, 4A, NEMA 5-15P	22.7 x 4.1 x 7.3 (577 x 104 x 185)
	*EBS-400M-I			*220V~50/60Hz, 480W, 2.2A, CEE 7/7	15 lbs (6.8 kgs)

Vacuum Sealer

	ITEM	FEATURES	UNIT DIMENSIONS L" X D" X H" (mm)	POWER / PLUG	SHIPPING CARTON L" X D" X H" (mm)
					SHIPPING WEIGHT
	EVPM-12	- Compact design with large 3-gallon capacity vacuum chamber - Dry vacuum pump and easy-to-use touch controls with adjustable vacuum & seal times, or instant-seal function - Stainless steel body construction - Heavy-duty transparent lid; dome adds to inner chamber height allowing larger items to fit for sealing 	14 ⁻³ / ₁₆ x 16 ⁻³ / ₄ x 15 ⁻⁷ / ₄ (359 x 425 x 388)	120~60Hz, 630W, 5.25A, NEMA 5-15P	16.9 x 14.1 x 13.6 (429 x 359 x 345)
					59.7 lbs (27.1 kgs)

Accessories

ITEM	DESCRIPTION	ITEM	DESCRIPTION
EVPB-0610	Vacuum Sealer Bags, 6" x 8"	EVPB-0812	Vacuum Sealer Bags, 8" x 12"

SOUS VIDE COOKERS

Immersion Circulators

	ITEM	FEATURES	UNIT DIMENSIONS L" X D" X H" (mm)	POWER / PLUG	SHIPPING CARTON L" X D" X H" (mm)
					SHIPPING WEIGHT
	ESVI-1800	- Precise temperature accuracy: +1°F (0.5°C) - Temperature range: 41°F to 210°F (5°-99°C) - Timer setting range: 5 minutes to 99 hours - LED display: Optional °F / °C, with last temperature and time memory when turned on - Maximum volume capacity: 7.9 gallons (30L) ESVI-1800: - Stainless steel construction - Easy to use solid state digital control panel - IPX7 Waterproof up to -1 meter for 30 minutes - High wattage for faster heating and recovery - Low water level detection and alarm - Quick release fastening screw for fast cleaning CE ETL US NSF Intertek	8-7/8 x 7-1/2 x 13 (174 x 112 x 328)	110-120V-60Hz, 1800W, 15A, NEMA 5-15P or NEMA 5-20P (Canada)	8.5 x 7.9 x 15.2 (215 x 200 x 385)
					7.28 lbs 3.3 kgs
	ESVI-1	ESVI-1: Attached clamp adjusts to fit over container ETL US ETL Intertek Intertek	3-11/16 x 6-9/16 x 12-7/8 (94 x 167 x 326)	110-120V-60Hz, 900W, 7.5A, NEMA 5-15P	7.5 x 4.7 x 14.2 (190 x 120 x 360)
					4.4 lbs (2 kgs)

Thermal Circulator

	ITEM	FEATURES	UNIT DIMENSIONS L" X D" X H" (mm)	POWER / PLUG	SHIPPING CARTON L" X D" X H" (mm)
					SHIPPING WEIGHT
	ESVC-28D	- Wire clip on side conveniently holds lid when open - Built-in faucet and drain for easy water removal - Included tray with 8 slots for cooking multiple vacuum sealed portions - Maximum volume capacity: 7.4 gallons (28L) ETL US ETL Intertek Intertek	22-1/2 x 17-7/16 x 12-3/16 (571 x 442 x 308)	110-120V-60Hz, 1800W, 15A, NEMA 5-15P or NEMA 5-20P (Canada)	26 x 20.5 x 14.4 (660 x 520 x 365)
					18.7 lbs (8.5 kgs)



**Built-in faucet and drain
for easy water removal**

**Wire clip on side
conveniently holds lid**

**Included tray with 8 slots for cooking
multiple vacuum sealed portions**

MANUAL FOOD PREP

Premium Manual Can Opener

	ITEM	FEATURES	UNIT DIMENSIONS L" X D" X H" (mm)	SHIPPING CARTON L" X D" X H" (mm)
	CO-3N	• Includes base, blade, gear and installation kit for mounting on wooden or stainless steel work tables • Easily disassembles for cleaning/sanitizing • Heavy-duty stainless steel construction • Rigid universal mounting base for screw-down or clamp on installation with wooden or stainless steel work tables • 19" (482mm) long bar accommodates various sizes of cans up to 16" (406mm) tall • Quick change dual-sided tempered knife blade and stainless steel gear 	8- ⁷ / ₁₆ x 4 x 25- ¹ / ₂ (214 x 102 x 648)	26 x 7 x 4 (660 x 178 x 102)
				SHIPPING WEIGHT
				5.6 lbs (2.5 kg)



Standard #1 Manual Can Opener

	ITEM	FEATURES	UNIT DIMENSIONS L" X D" X H" (mm)	SHIPPING CARTON L" X D" X H" (mm)
	CO-1	• Includes base, blade, gear and installation kit • Rigid universal mounting base for screw-down to a wooden or stainless steel work table • 13" (330mm) long bar accommodates any size can up to 10" (254mm) tall • Extra-durable dual-sided knife blade and gear are interchangeable with most other can opener brands	9 x 4 x 18 (229 x 102 x 457)	20 x 5 x 10.25 (508 x 127 x 260)
				SHIPPING WEIGHT
				10.4 lbs (4.7 kg)

MANUAL FOOD PREP

Heavy-Duty Cast Iron Meat Grinder

	ITEM	FEATURES	UNIT DIMENSIONS L" X D" X H" (mm)	SHIPPING CARTON L" X D" X H" (mm)
	MG-10	• Large 3" by 4" (76 x 102 mm) hopper opening • Heavy-duty cast iron construction with food-safe tinned coating • Durable cast iron grinding knife • Easy to crank handle with heavy-duty nylon bearing for long life • Two (2) grinding plates: medium grind 3/16" (4mm), coarse grind 5/16" (8mm) • Sausage stuffing kit with three (3) stuffing tubes: 9/16" (14 mm), 3/4" (19 mm), & 15/16" (24 mm), stuffing star, and flange • Clamp base easily secures to countertop or work surface	10 x 4-1/4 x 8-7/8 (254 x 108 x 226)	4.25 x 6.5 x 10.25 (108 x 165 x 260)
				SHIPPING WEIGHT
				5.5 lbs (2.5 kg)

Heavy-Duty Burger Patty Press with Interchangeable Plates

	ITEM	FEATURES	UNIT DIMENSIONS L" X D" X H" (mm)	SHIPPING CARTON L" X D" X H" (mm)
	HBP-3	• Heavy-duty anodized aluminum construction with stainless steel press bowls and press plates • Manual single-lever operation for quick, easy press-and release uniform patties • Interchangeable 4" (100mm) and 5" (130mm) press plates & bowls; removal tool included • Built-in patty paper holder, and includes 500 each of both 4" and 5" diameter patty paper	10 x 9-1/2 x 12-3/4 (254 x 241 x 324)	14.2 x 10.6 x 15.4 (361 x 269 x 391)
				SHIPPING WEIGHT
				18.1 lbs (8.2 kg)



MANUAL FOOD PREP

Quick-Slice Fruit & Vegetable Slicer

	ITEM	FEATURES	UNIT DIMENSIONS L" X D" X H" (mm)	SHIPPING CARTON L" X D" X H" (mm)
	FVS-1	- Aluminum construction with 9-1/4" stainless steel adjustable blade - Adjustable thickness gauge - select from 1/16" (1mm) up to 1/2" (12mm) thick slicing - Accommodates fruits/vegetables up to 4" diameter and 5-1/2" in length - Mounting bracket included - mounts directly to work surface, or on the cutting board mount (CBM-1218)	16 x 8-11/16 x 16 (406 x 220 x 406)	13 x 13.2 x 13.4 (330 x 335 x 340)
				SHIPPING WEIGHT
				12.1 lbs (5.5 kgs)

Accessories

ITEM	DESCRIPTION	ITEM	DESCRIPTION
FVS-1B	2-Pc Replacement Blades	FVS-1SB	Shaft and Blade Turntable Assembly



Add portability with the
cutting board mount
#**CBM-1218**

Precise-Slice Tomato Slicers

	ITEM	DESCRIPTION	FEATURES	UNIT DIMENSIONS L" X D" X H" (mm)	SHIPPING CARTON L" X D" X H" (mm)
	TTS-188	3/16" Cut w/ Straight Blade	- Cast aluminum frame with stainless steel blades for even, clean cuts; blades are replaceable - Ergonomic vertical handle provides smooth, effortless slicing - Cuts 2 dozen tomatoes in only 1 minute! - HDPE slicing surface for safe & durable food processing - Rubber non-slip feet ensure maximum stability - Slicers come standard with a stop/hold bracket	16-1/2 x 8-1/4 x 9-1/2 (420 x 210 x 240)	16.54 x 8.27 x 9.45 (420 x 210 x 240)
	TTS-188S	3/16" Cut w/ Serrated Blade			
	TTS-250	1/4" Cut w/ Straight Blade			SHIPPING WEIGHT
	TTS-250S	1/4" Cut w/ Serrated Blade			9.3 lbs (4.2 kgs)

Accessories

ITEM	DESCRIPTION	ITEM	DESCRIPTION
TTS-188-B	3/16" Straight Blade Assembly	TTS-250-B	1/4" Straight Blade Assembly
TTS-188S-B	3/16" Serrated Blade Assembly	TTS-250S-B	1/4" Serrated Blade Assembly

MANUAL FOOD PREP

Quick-Slice Cheese Slicers

 	ITEM	DESCRIPTION	FEATURES	UNIT DIMENSIONS L" X D" X H" (mm)	SHIPPING CARTON L" X D" X H" (mm)
	TCT-375	3/8" Cut	• Cast aluminum construction with stainless steel wires • Cutting area accommodates 1/3 of a 5 lb cheese block • Cut cheese sticks, cubes, or slices • Cleaning brush included 	13 1/4 x 6 3/4 x 4 1/2 (335 x 170 x 115)	12.68 x 6.77 x 4.45 (322 x 172 x 113)
	TCT-750	3/4" Cut			SHIPPING WEIGHT 4.2 lbs (1.9 kgs)

Accessories

ITEM	DESCRIPTION	ITEM	DESCRIPTION
TCT-375B	Replacement Bow for TCT-375	TCT-750B	Replacement Bow for TCT-750

Quick-Slice Onion/Fruit/Vegetable Slicers

 	ITEM	DESCRIPTION	FEATURES	UNIT DIMENSIONS L" X D" X H" (mm)	SHIPPING CARTON L" X D" X H" (mm)
	OS-188	3/16" Cut	• Aluminum construction with stainless steel blades • Unique lever-handle allows for quick and easy operation • Sturdy base with non-skid feet • Two blades included can be stacked to create a finer cut • 4-1/2" x 3-3/4" cutting area 	19 x 10 x 19 (483 x 254 x 483)	15.35 x 8.86 x 13.78 (390 x 225 x 350)
	OS-250	1/4" Cut			SHIPPING WEIGHT 17.8 lbs (8.1 kgs)

Accessories

ITEM	DESCRIPTION	ITEM	DESCRIPTION
OS-188B	3/16" Blade Set Assembly	OS-250B	1/4" Blade Set Assembly

Quick-Slice Lettuce Cutter

 	ITEM	DESCRIPTION	FEATURES	UNIT DIMENSIONS L" X D" X H" (mm)	SHIPPING CARTON L" X D" X H" (mm)
	TLC-1	1" x 1" Cut	• Aluminum frame with easy-grip handle • Stainless steel blade with 49 square cuts • Cuts lettuce into 1" x 1" slices in less than 1 minute • Rubber feet prevent slipping/scratching on work surface • 7" x 7" cutting area 	13 x 18 x 20 (330 x 457 x 508)	12.5 x 12 x 15 (318 x 305 x 381)
					SHIPPING WEIGHT 17.8lbs (8.1 kgs)

Accessories

ITEM	DESCRIPTION
TLC-1-B	Replacement Blade for TLC-1

MANUAL FOOD PREP

Quick-Slice Fruit Wedge Slicers

 	ITEM	DESCRIPTION	FEATURES	UNIT DIMENSIONS L" X D" X H" (mm)	SHIPPING CARTON L" X D" X H" (mm)
	FWS-6	6-Wedge	- Aluminum construction with sharp stainless steel blades that minimize squeezing and bruising - Sturdy base with non-skid feet 3-1/2" diameter cutting area 	7- ¹⁵ / ₁₆ x 7- ¹⁵ / ₁₆ x 18- ¹ / ₂ (200 x 200 x 470)	8.5 x 8.5 x 19.9 (215 x 215 x 505)
	FWS-8	8-Wedge			SHIPPING WEIGHT
					5.7 lbs (2.6 kgs)

Accessories

ITEM	DESCRIPTION	ITEM	DESCRIPTION
FWS-6BK	6-Section Wedger & Blade	FWS-6BC	6-Slice Apple Corer Blade
FWS-8BK	8-Section Wedger & Blade	FWS-8BC	8-Slice Apple Corer Blade

Quick-Slice Choppers/Dicers

 	ITEM	DESCRIPTION	FEATURES	UNIT DIMENSIONS L" X D" X H" (mm)	SHIPPING CARTON L" X D" X H" (mm)
	HCD-250	1/4" Cut	- Cast aluminum construction with stainless steel blades - Sturdy base with non-skid feet 3-3/8" x 3-3/8" cutting area 	7- ¹⁵ / ₁₆ x 7- ¹⁵ / ₁₆ x 18- ¹ / ₂ (200 x 200 x 470)	8.5 x 8.5 x 19.9 (215 x 215 x 505)
	HCD-375	3/8" Cut			SHIPPING WEIGHT
	HCD-500	1/2" Cut			7.1 lbs (3.2 kgs)

Accessories

ITEM	DESCRIPTION	ITEM	DESCRIPTION	ITEM	DESCRIPTION
HCD-250BK	1/4" Replacement Blade & Block	HCD-375BK	3/8" Replacement Blade & Block	HCD-500BK	1/2" Replacement Blade & Block



MANUAL FOOD PREP

Quick-Slice French Fry Cutters - Heavy-Duty

	ITEM	DESCRIPTION	FEATURES	UNIT DIMENSIONS L" X D" X H" (mm)	SHIPPING CARTON L" X D" X H" (mm)
	HFC-250	1/4" Cut	- Press down on the short throw handle with comfortable grip for uniform cuts in one smooth stroke - Extremely durable cast iron body with stainless steel components - Affix to counter or wall mount; wall bracket sold separately 3-3/8" x 3-3/8" cutting area - Accessories to modify cut sizes and styles sold separately	8 x 14 x 16 3/4 (203 x 356 x 426)	13.4 x 8.7 x 14.4 (340 x 222 x 365)
	HFC-375	3/8" Cut			12.7 lbs (5.8 kgs)
	HFC-500	1/2" Cut			13.4 x 8.7 x 14.4 (340 x 222 x 365)
					13.6 lbs (6.2 kgs)

Accessories

ITEM	DESCRIPTION
HFC-250R	1/4" Cut Replacement Blade
HFC-375R	3/8" Cut Replacement Blade
HFC-500R	1/2" Cut Replacement Blade

ITEM	DESCRIPTION
HFC-250B	1/4" Cut Blade Assembly
HFC-375B	3/8" Cut Blade Assembly
HFC-500B	1/2" Cut Blade Assembly

ITEM	DESCRIPTION
HFC-250K	Pusher Block for 1/4" and 1/2" Cut Blade
HFC-375K	Pusher Block for 3/8" Cut Blade
HFC-BK	Wall Bracket for HFC series



#HFC-BK



Wall Bracket Mount
available for French
Fry Cutters.

French Fry Cutters - Medium-Duty

	ITEM	DESCRIPTION	FEATURES	UNIT DIMENSIONS L" X D" X H" (mm)	SHIPPING CARTON L" X D" X H" (mm)
	FFC-250	1/4" Cut	- Made of heavy-duty cast iron and fitted with sharp stainless steel blades for even slicing - Ergonomic handle for easy operation, and sturdy legs for stability on countertop/work surfaces	8 x 14 x 16-3/4 (203 x 356 x 426)	19.9 x 8.7 x 8.5 (505 x 220 x 215)
	FFC-375	3/8" Cut			SHIPPING WEIGHT
	FFC-500	1/2" Cut			11.6 lbs (5.3 kg)

Accessories

ITEM	DESCRIPTION
FFC-250B	Blade Assembly for FFC-250
FFC-250K	Pusher Block for FFC-250
FFC-375B	Blade Assembly for FFC-375
FFC-375K	Pusher Block for FFC-375

ITEM	DESCRIPTION
FFC-500B	Blade Assembly for FFC-500
FFC-500K	Pusher Block for FFC-500
FFC-6B	6 Wedge Cut Blade Assembly
FFC-6K	Pusher Block for FFC-6B

ITEM	DESCRIPTION
FFC-8B	8 Wedge Cut Blade Assembly
FFC-8K	Pusher Block for FFC-8B
HFC-BK	Wall Bracket

MERCHANDISERS

Pass-Through Rotating Display Warmers/Merchandisers

  51012	ITEM / DESCRIPTION	FEATURES	UNIT DIMENSIONS L" X D" X H" (mm)	POWER / PLUG	SHIPPING CARTON L" X D" X H" (mm) SHIPPING WEIGHT
	51012 12" Rack	• Two doors for front or rear counter applications • Attractive graphics for point-of-sale merchandising • Heated cabinet with passive humidity control • Stainless steel and tempered glass • Adjustable thermostat with cabinet temperature readout • Dual fixture interior illumination (bulbs not included)	18-1/8 x 22 x 33 (460 x 559 838)	120V-60Hz, 1560W, 13A, NEMA 5-15P	18.5 x 22 x 32.9 (470 x 559 x 835)
					86 lbs (39 kgs)
	51018 18" Rack	• Includes chrome-plated 5-tier round pan rack (pizza) and hook rack (pretzels, churros) • Continuous rotating rack stops when either door opens • Adjustable 4" legs  	24-1/2 x 27 x 33 (622 x 686 x 838)		28 x 29 x 32 (711 x 737 x 813)
					117 lbs (53.1 kgs)

Pass-Through Warmers/Merchandisers

  51040	ITEM / DESCRIPTION	FEATURES	UNIT DIMENSIONS L" X D" X H" (mm)	POWER / PLUG	SHIPPING CARTON L" X D" X H" (mm)
	51040 Fits up to 12" diameter pizza	• Two doors for front or rear counter applications • Attractive graphics for point-of-sale merchandising • Adjustable thermostat • Stainless steel and aluminum construction • Tempered glass panels and doors	16 x 16 x 23 (407 x 407 x 584)	120V~60hz, 600W, 5A, NEMA 5-15P	19 x 19 x 27 (483 x 483 x 686)
	51048 Fits up to 18" diameter pizza	• Chrome-plated racks with adjustable installation - either lay flat or slanted  	23 x 23 x 25-½ (584 x 584 x 648)		40 lbs (18.2 kgs)
		26 x 26 x 27 (660 x 660 x 686)	62 lbs (28.1 kgs)		

Heated & Humidified Holding Display Merchandisers

	ITEM	DESC	FEATURES	UNIT DIMENSIONS L" X D" X H" (mm)	POWER / PLUG	SHIPPING CARTON L" X D" X H" (mm)
 EDM-1PK  EDM-1PT	EDM-1K	1 Door, Pizza Rack	• Powder-coated exterior, stainless steel interior • Clear-view tempered glass on all sides, with server-side easy access swing door • LED interior illumination provides optimal visibility • Digital adjustable thermostat and humidity control • Temperature range: 89°F to 194°F (30°C to 90°C) • Optional pretzel rack insert available, sold separately • Each unit can accommodate rotating pizza rack, shelves, and rotating pretzel rack  	23 ^{-5⁄8} x 25 ^{-3⁄8} x 27 ^{-9⁄16} (600 x 643 x 700)	120V-60Hz, 1500W, 13.1A, NEMA 5-15P	EDM-1K 27.6 x 27.6 x 29.5 (700 x 700 x 750) EDM-1PT 18.5 x 23.6 x 27.6 (470 x 600 x 700)
	EDM-1PT	2 Doors, Shelves	EDM-1K: • Server-side easy access swing door • 4-tier round rack continuously rotates - rotation stops when door is opened • Each shelf fits up to 18" diameter pan EDM-1PT: • 2 pass-through swing doors • Rotating motor to accept optional round rack • 3 display shelves showcase food products	23 ^{-5⁄8} x 26 x 27 ^{-9⁄16} (600 x 660 x 700)		SHIPPING WEIGHT
						85 lbs (38.6 kgs)

MERCHANDISERS

Electric Heated Pizza/Pretzel Merchandiser

	ITEM	FEATURES	UNIT DIMENSIONS L" X D" X H" (mm)	POWER / PLUG	SHIPPING CARTON L" X D" X H" (mm)
	EDM-2	- Interior wire shelves hold four (4) 14" pizzas - Removable water pan to add and control humidity - Optional pretzel rack insert, sold separately - Display tray/rack insert rotates when door is closed - Lighted display panel for branding visuals - Adjustable thermostat from 85°F to 195°F (30°C to 90°C) - Removable crumb tray 	18 ^{-3/8} x 17 ^{-5/8} x 31 (466 x 447 x 785)	110-120V~60Hz, 786W, 7.2A, NEMA 5-15P	21.8 x 21.9 x 33.6 (554 x 557 x 853)
					SHIPPING WEIGHT
					55.2 lbs (25 kgs)

Accessories

ITEM	DESCRIPTION
EDM-2PR	Pretzel Rack Insert
EDM-2PRS	Pretzel Sign
EDM-2PZS	Pizza Sign



Heated Display Merchandisers

	ITEM / DESCRIPTION	FEATURES	UNIT DIMENSIONS L" X D" X H" (mm)	POWER / PLUG	SHIPPING CARTON L" X D" X H" (mm)
	HDM-13 13-1/2"L	- Three (3) adjustable shelves inside, top of unit also functional as a shelf - Removable water pan to add and control humidity - Lighted front display for branding visuals - Visible thermometer gauge to ensure food keeps at proper temperatures - Adjustable thermostat from 85°F to 195°F (30°C to 90°C) 	13 ^{-11/16} x 19 ^{-9/16} x 26 ^{-1/8} (347 x 495 x 663)	110-120V~60Hz, 800W, 7.6A, NEMA 5-15P	17.2 x 22.9 x 28.7 (438 x 581 x 730)
	HDM-26 26-1/2"L	Customer-facing front service and rear access doors 	26 ^{-11/16} x 19 ^{-9/16} x 26 ^{-1/8} (677 x 495 x 663)	110-120V~60Hz, 1000W, 9.5A, NEMA 5-15P	30.1 x 22.9 x 28.7 (764 x 581 x 730)
					SHIPPING WEIGHT
					50.7 lbs (23 kgs)
					79.4 lbs (36 kgs)

Refrigerated Beverage Displays

	ITEM	DESC	FEATURES	UNIT DIMENSIONS L" X D" X H" (mm)	POWER / PLUG	SHIPPING CARTON L" X D" X H" (mm)
	CRD-1	White	- Digital temperature display from 32°F to 42°F (0°C - 6°C) - R-290 environmentally safe refrigerant 360° view of refrigerated product 2 double, curved-glass doors for dual access and easy placement of inner contents 4 LED strips for effective product lighting - Comfortably fits up to 100 cans (standard 12 oz) with 25 cans per shelf	16 ^{3/4} x 16 ^{15/16} x 38 ^{1/2} (425 x 429 x 978)	110-120V~60Hz, 180W, 1.7A, NEMA 5-15P	18.9 x 18.9 x 40.35 (480 x 480 x 1025)
	CRD-1K	Black	4-level merchandising display; three (3) shelves are adjustable to fit multiple product heights - Automatic defrost and ventilated cooling system 			SHIPPING WEIGHT
						85.89 lbs (39 kgs)

CONCESSION EQUIPMENT

Street Vendor™ Popcorn Machines

 11060	ITEM	DESCRIPTION	FEATURES	UNIT DIMENSIONS L" X D" X H" (mm)	POWER / PLUG	SHIPPING CARTON L" X D" X H" (mm)
						SHIPPING WEIGHT
	11040	4 oz Kettle	• Easy to use, simple two-switch operation • Built-in heated warming deck and warmer light (bulb included) • Old maid drawer catches unpopped kernels	21 x 17-1/4 x 33-5/8 (534 x 438 x 853)	120V-60Hz, 1040W, 8.6A, NEMA 5-15P	24.2 x 20.3 x 32.9 (615 x 515 x 835)
	11060	6 oz Kettle	• Stainless steel food-zone • Thick 20 mil non-stick coated popping kettle • Tempered glass panels on front and side • Clear plexiglass doors at rear		120V-60Hz, 1240W, 10.3A, NEMA 5-15P	24.2 x 20.3 x 32.9 (615 x 515 x 835)
	11080	8 oz Kettle			120V-60Hz, 1490W, 12.4A, NEMA 5-15P	24.2 x 20.3 x 32.9 (615 x 515 x 835)
						62 lbs (28.1 kgs)
						64 lbs (29 kgs)
						66 lbs (30 kgs)

Attach decorative element to front or back

Thick 20 mil non-stick coated popping kettle

Tempered glass panels on front and side

Built-in heated warming deck

Clear plexiglass doors at rear



Stainless steel food-zone and catch tray



Easy to use, simple two-switch operation



Old maid drawer catches unpopped kernels



Cart for mobility and storage
#30010

CONCESSION EQUIPMENT

Metropolitan™ Popcorn Machines

 11045	ITEM / DESCRIPTION	FEATURES	UNIT DIMENSIONS L" X D" X H" (mm)	POWER / PLUG	SHIPPING CARTON L" X D" X H" (mm) SHIPPING WEIGHT
4 oz Kettle	11045	• Easy to use, simple two-switch operation • Built-in heated warming deck & warmer light (bulb included) • Old maid drawer catches unpopped kernels • Stainless steel food-zone • Thick 20 mil non-stick coated popping kettle • Tempered glass panels on front and side • Clear plexiglass doors at rear	18-½ x 14 x 30 (470 x 356 x 762)	120V-60Hz, 1040W, 8.6A, NEMA 5-15P	21.7 x 17.3 x 29.5 (550 x 440 x 750) 51 lbs (23.1 kgs)
	11065	• Thick 20 mil non-stick coated popping kettle • Tempered glass panels on front and side • Clear plexiglass doors at rear		120V-60Hz, 1240W, 10.3A, NEMA 5-15P	21.7 x 17.3 x 29.5 (550 x 440 x 750) 52 lbs (23.6 kgs)
6 oz Kettle					

Premiere™ Popcorn Machines

 11068	ITEM / DESCRIPTION	FEATURES	UNIT DIMENSIONS L" X D" X H" (mm)	POWER / PLUG	SHIPPING CARTON L" X D" X H" (mm) SHIPPING WEIGHT
4 oz Kettle	11048	• Easy to use, simple two-switch operation • Warmer light (bulb included) • Old-maid drawer catches unpopped kernels • Stainless steel food-zone for easy cleaning • Thick 20 mil non-stick coated popping kettle • Tempered glass panels on front and side • Clear plexiglass doors at rear	18-½ x 14 x 26-½ (470 x 356 x 673)	120V-60Hz, 940W, 7.8A, NEMA 5-15P	21.7 x 17.3 x 29.5 (550 x 440 x 750) 49 lbs (22.3 kgs)
	11068	• Thick 20 mil non-stick coated popping kettle • Tempered glass panels on front and side • Clear plexiglass doors at rear		120V-60Hz, 1140W, 9.5A, NEMA 5-15P	21.7 x 17.3 x 29.5 (550 x 440 x 750) 50 lbs (22.7 kgs)
6 oz Kettle					

Silver Screen™ Popcorn Machines

 11147	ITEM / DESCRIPTION	FEATURES	UNIT DIMENSIONS L" X D" X H" (mm)	POWER	SHIPPING CARTON L" X D" X H" (mm) SHIPPING WEIGHT
8 oz Kettle	11087	• Stainless steel cabinet and food-zone • Thermostatically controlled serving temperature • Four-switch configuration allows for any operating situation • Built-in warmer light (bulb included) • Old maid drawer catches unpopped kernels	19-¾ x 15-7/8 x 29-1/4 (501 x 401 x 753)	120V-60Hz, 1490W, 12.4A, NEMA 5-15P	23.2 x 19.3 x 32.7 (590 x 490 x 830) 60 lb (27.2 kgs)
	11147	• Superior performance hard-coat anodized, high thermal popping kettle		120V-60Hz, 1740W, 14.5A, NEMA 5-15P or NEMA 5-20P (Canada)	27.6 x 22.6 x 39.4 (700 x 575 x 1000) 95 lb (43.1 kgs)
14 oz Kettle			24-1/8 x 19-1/8 x 36-5/8 (612 x 485 x 928)		

ShowTime!™ Popcorn Machines


 POP-8R	ITEM / DESCRIPTION	FEATURES	UNIT DIMENSIONS L" X D" X H" (mm)	POWER / PLUG	SHIPPING CARTON L" X D" X H" (mm) SHIPPING WEIGHT
8 oz Non-stick Kettle, Red	POP-8R	• Removable stainless steel kettle with twist-lock disconnect • Independent illuminated control switches for Light, Heat, & Motor • Front & side tempered glass panels • Rear clear plexiglass door(s) • Mirror polished stainless steel fold-out tray for easy access	22 x 16-½ x 30 (559 x 420 x 762)	110V-60Hz, 1320W, 12A, NEMA 5-15P	22.8 x 17.9 x 30.7 (580 x 456 x 780) 55.1 lbs (25 kgs)
	POP-8B	• Built-in warmer light • Under-deck warming element • Removable unpopped kernel tray			18.9 x 16.63 x 23.6 (480 x 422 x 600) 40.8 lbs (18.5 kgs)
8 oz Kettle, Black			17-¾ x 14-¾ x 23-½ (450 x 375 x 597)		

- Popcorn accessories and supplies also available -

CONCESSION EQUIPMENT

Snow Cone Machines

	ITEM	FEATURES	UNIT DIMENSIONS L" X D" X H" (mm)	POWER	SHIPPING CARTON L" X D" X H" (mm)
					SHIPPING WEIGHT
  "Snow Bank"	71000	- Heavy-duty 1/3hp 1700RPM motor produces up to 500 lbs (227kg) of shaved ice per hour - Accepts cubed or chunk ice - Cast aluminum horn, cutting head, pusher - Adjustable stainless steel cutting blades for fine or coarse shaved ice - Pulse-type safety reset switch prevents accidental start-up 	16 x 16 x 24 (407 x 407 x 610)	120V-60Hz, 250W, 2.08A, NEMA 5-15P	18 x 19 x 26 (457 x 483 x 660) 62 lbs (28.1 kgs)
	71050	71000: - Tinted tempered glass panels - Stainless steel cabinet with tempered glass panels - Built-in snow cone shaper for perfect snow cones - Plexiglass service door and molded plastic drainage deck with drain hose 71050: - Compact heavy-duty stainless steel construction - Integrated carry handles for easy transport - Includes 1 freezer-safe ice tote	22-7/8 x 18 x 18-1/2 (580 x 456 x 470)	120V-60Hz, 250W, 2.08A, NEMA 5-15P	21 x 26 x 19 (533 x 660 x 483) 58 lb (26.3 kgs)



- Snow Cone accessories and supplies also available -



CONCESSION EQUIPMENT

Zephyr™ Cotton Candy Machine

	ITEM	FEATURES	UNIT DIMENSIONS L" X D" X H" (mm)	POWER	SHIPPING CARTON L" X D" X H" (mm)
	81011A	- Lightweight design with two handles for easy transport - Stainless steel 20-1/2" dia bowl locks securely onto base - Spinner head easily removes for cleaning - Low vibration 1.2hp heavy-duty belt drive motor and replacement belt	21 x 21 x 16 (534 x 534 x 406)	120V-60Hz, 1080W, 9A, NEMA 5-15P	22 x 22 x 22 (559 x 559 x 559)
		 			SHIPPING WEIGHT 28 lbs (12.7 kgs)



ShowTime!™ Cotton Candy Machines

	ITEM	FEATURES	UNIT DIMENSIONS L" X D" X H" (mm)	POWER	SHIPPING CARTON L" X D" X H" (mm)
	CCM-28	- Simple, easy-to-use controls; makes 120 cones per hour - Stainless steel 20-1/2" dia bowl locks securely onto base - Large capacity built-in stainless steel supply drawer - Spinner head holds 4oz of sugar and releases floss vertically, which prevents clogging - Low vibration 1.5hp heavy-duty belt drive motor and two (2) replacement belts - Easy access to voltage meter and fuse for use with generators and power supplies	20½ x 20½ x 18½ ₁₆ (520 x 520 x 480)	110V-60Hz, 1080W, 9A, NEMA 5-15P	21.6 x 21.6 x 16.5 (550 x 550 x 420)
		 			33 lbs (15 kgs)
	CCM-28M	CCM-28M: - High polished push handle and spoked wheels 13" inflatable rubber tires for easy transport - Two (2) side shelves for merchandising product (each shelf measures 11" x 12-5/8"); one side with handle and other with slots to hold cones	37¾ x 20½ x 34½ (959 x 520 x 876)	110V-60Hz, 1080W, 9A, NEMA 5-15P	36.6 x 20.5 x 33.8 (930 x 520 x 860)
					49.6 lbs (22.5 kgs)



- Cotton candy accessories and supplies also available -



CONCESSION EQUIPMENT

"The Dog House" Hot Dog Cooker & Dispenser

	ITEM	FEATURES	UNIT DIMENSIONS L" X D" X H" (mm)	POWER / PLUG	SHIPPING CARTON L" X D" X H" (mm)
	60024	• Easy to follow Point-of-Sale graphic allows for full service or self service operation • Steam cooks up to 24 hot dogs in 20-30 minutes • Holds up to 24 hot dogs and 44 buns • Compact all stainless steel construction - requires only 15" of counter space • No tools required for fast breakdown, easy to clean • Adjustable thermostat for precise cooking • First-in first-out dispensing • Large 10Qt (9.5L) water reservoir, with low-water indicator light and safety shutoff 	15 x 23 x 26 (381 x 584 x 664)	120V-60Hz, 1000W, 8.33A, NEMA 5-15P	13 x 27 x 23 (330 x 686 x 584)
					SHIPPING WEIGHT
					43 lbs (19.5 kgs)

Mini Cart Hot Dog Steamer

BENCH MARK USA		ITEM	FEATURES	UNIT DIMENSIONS L" X D" X H" (mm)	POWER / PLUG	SHIPPING CARTON L" X D" X H" (mm)
	60072	• Holds 60 hot dogs and 30 buns • Mirror finish 18/8 stainless steel body • Adjustable thermostat for cooking and holding • Includes 1 solid half-size pan with domed lid for warming buns and 1 half-size perforated pan with flat lid for steaming hot dogs • Outfitted with Point-of-Sale graphics, umbrella, wheels	21-½ x 13-¼ x 16 (546 x 336 x 406) Umbrella: 35-3/4" H (908mm)	120V~60Hz, 1200W, 10A, NEMA 5-15P	16.25 x 25.5 x 13 (413 x 648 x 330)	
		SHIPPING WEIGHT				
		33 lbs (15 kgs)				



CONCESSION EQUIPMENT

"The Dog Pound" Hot Dog Steamer

ITEM	FEATURES	UNIT DIMENSIONS L" X D" X H" (mm)	POWER / PLUG	SHIPPING CARTON L" X D" X H" (mm)
 60048	• Steams and holds 164 hot dogs and 36 buns • Graphics on each side allow for front or rear counter merchandising • Adjustable thermostat accommodates a variety of products and cooking conditions • 7 Qt (6.6L) water reservoir, with low-water indicator light and safety shutoff • Tempered glass doors and food trays are removable for easy cleaning 	15 x 16 x 19 (381 x 407 x 483)	120V-60hz, 1000W, 8.33A, NEMA 5-15P	17 x 19 x 22 (432 x 483 x 559)
				SHIPPING WEIGHT
				31 lbs (14.1 kgs)



- Hot Dog accessories and supplies also available -



CONCESSION EQUIPMENT

Rollsright™ Hot Dog Roller Grills

  EHDG-11R	ITEM / DESCRIPTION	FEATURES	UNIT DIMENSIONS L" X D" X H" (mm)	POWER/PLUG	SHIPPING CARTON L" X D" X H" (mm) SHIPPING WEIGHT
	EHDG-5R 5 Rollers, holds up to 12 hot dogs	- Easy-to-clean non-stick rollers; sealed ends protect internal parts - Heavy-duty sealed motor - Bike chain and sprocket drive assembly	23 x 10-½ x 7 (585 x 270 x 180)	110V-60Hz, 700W, 6.3A, NEMA 5-15P	23 x 10.6 x 15 (584 x 269 x 381) 17.2 lbs (7.8 kgs)
	EHDG-7R 7 Rollers, holds up to 18 hot dogs	- Two independent thermostatic heat controls (front & rear) - Individual heating element in each roller for end to end temperature consistency - Heavy duty stainless steel body and drip pan - Re-settable fuse for safety	23 x 13-½ x 7 (585 x 345 x 180)	110V-60Hz, 900W, 8.1A, NEMA 5-15P	23 x 13.6 x 15 (584 x 345 x 381) 20.9 lbs (9.5 kgs)
	EHDG-11R 11 Rollers, holds up to 30 hot dogs	Non-skid rubber feet 	23 x 19-¾ x 7 (585 x 505 x 180)	110V-60Hz, 1400W, 12.7A, NEMA 5-15P	23 x 19.9 x 16.5 (584 x 505 x 419) 29.7 lbs (13.5 kgs)



Sneeze Guards Available Separately

ITEM	DESCRIPTION
EHDG-5SG	Fits EHDG-5R
EHDG-7SG	Fits EHDG-7R
EHDG-11SG	Fits EHDG-11R

Benchmark USA™ Hot Dog Roller Grills

  62020	ITEM / DESCRIPTION	FEATURES	UNIT DIMENSIONS L" X D" X H" (mm)	POWER/PLUG	SHIPPING CARTON L" X D" X H" (mm) SHIPPING WEIGHT
	62010 Holds 10 Dogs	- Heavy-duty stainless steel body and removable drip tray for easy cleaning - Heavy-duty sealed high-torque motor with bicycle chain drive	16 x 13 x 8 (407 x 330 x 203)	120V-60Hz, 660W, 5.5A, NEMA 5-15P	16 x 20 x 10 (406 x 508 x 254) 22 lbs (10 kgs)
	62020 Holds 20 Dogs	- Stainless steel non-stick rollers with sealed ends and continuous 360 degree rotation for even cooking - Front and rear heat controllers (on 20 & 30 dog models) for cooking and holding options	22 x 16 x 8 (559 x 406 x 203)	120V-60Hz, 860W, 7.2A, NEMA 5-15P	19 x 26 x 10 (483 x 660 x 254) 29 lbs (13.2 kgs)
	62030 Holds 30 Dogs	Accommodates any size hot dog, also sausage or breakfast links for expanded offerings 	22 x 20 x 8 (559 x 508 x 203)	120V-60Hz, 1160W, 9.7A, NEMA 5-15P	24 x 26 x 10 (610 x 660 x 254) 35 lbs (15.9 kgs)



Sneeze Guards and Bun Drawers Available Separately

ITEM	DESCRIPTION
64010	Sneeze Guard for 10 Dog Roller Grill
64020	Sneeze Guard for 20 Dog Roller Grill
64030	Sneeze Guard for 30 Dog Roller Grill
65010	Bun Box for 10 Dog Roller Grill
65020	Bun Box for 20 Dog Roller Grill
65030	Bun Box for 30 Dog Roller Grill

CONCESSION EQUIPMENT

100 Quart Food Warmer / Merchandiser

	ITEM	FEATURES	UNIT DIMENSIONS L" X D" X H" (mm)	POWER / PLUG	SHIPPING CARTON L" X D" X H" (mm)
	51000	• 100 quart capacity for large or small batch use • Merchandising signs include: "Nacho Chips", "Peanuts", and "Popcorn"; signs mount to front or back of unit • Top-load door with a deflection board that prevents product breakage when refilling • Built-in heating element in the base keeps contents warm & fresh • Aluminum and tempered glass construction for durability & easy cleaning 	15 x 15 x 30 ^{-1/2} (381 x 381 x 775)	120V-60Hz, 100W, 0.83A, NEMA 5-15P	18 x 18 x 32 (457 x 457 x 813)
					SHIPPING WEIGHT
					41 lbs (18.6 kgs)

26 Gallon Tortilla Chip Warmer

	ITEM	FEATURES	UNIT DIMENSIONS L" X D" X H" (mm)	POWER / PLUG	SHIPPING CARTON L" X D" X H" (mm)
	51026	• Large 26 gallon (98L) capacity • Insulated stainless steel construction • Adjustable thermostat with 90°-180°F (32°-82°C) temperature range • Digital temperature indicator • Convection heating fan • Removable front access service door • Top-load double hinged doors • Adjustable 4" legs 	23 x 23 x 29 (584 x 584 x 734)	120V-60Hz, 755W, 6.3A, NEMA 5-15P	25 x 25 x 28 (635 x 635 x 711)
					SHIPPING WEIGHT
					77 lbs (35 kgs)

Top-load double hinged doors

Adjustable thermostat with 90°-180°F (32° - 82°C) temperature range

Insulated stainless steel construction

Digital temperature indicator

Adjustable 4" legs

Removable front-access service door



- Nacho accessories and supplies also available -



BEVERAGE EQUIPMENT

Hot Beverage/Topping Dispenser

 	ITEM	FEATURES	UNIT DIMENSIONS L" X D" X H" (mm)	POWER / PLUG	SHIPPING CARTON L" X D" X H" (mm)
	21011	1.3 gallon (5L) capacity - Removable, clear polycarbonate bowl, safe for refrigerated storage of unused product - Easy-to-disassemble tap - Adjustable thermostat up to 194°F (90°C) - Rotating mixing paddles to prevent product separation - Easy-to-clean removable drip tray - Includes 2 replacement bowl sealing rings 	10 x 13 x 20 (254 x 330 x 508)	120V-60Hz, 1100W, 9.2A, NEMA 5-15P	13.3 x 10.3 x 20.3 (338 x 262 x 516)
					SHIPPING WEIGHT
					15 lbs (6.8 kgs)



BEVERAGE EQUIPMENT

Electric Stainless Steel Coffee Urns

 ECU-50A	ITEM / DESCRIPTION	FEATURES	UNIT DIMENSIONS L" X D" X H" (mm)	POWER / PLUG	SHIPPING CARTON L" X D" X H" (mm)
					SHIPPING WEIGHT
	ECU-50A 50-Cup (8L)	- Polished #304 stainless steel construction - Twist-locking lid design - Cool touch handles - Dripless faucet with protected level indicator	12 x 8 ^{-11/16} x 16 ^{-3/8} (304 x 220 x 415)	110-120V-60Hz, 950W, 8A, NEMA 5-15P	11.8 x 11.8 x 17.5 (300 x 300 x 445)
	ECU-100A 100-Cup (16L)	- Waterproof ON/OFF switch with protective cover - Stainless steel percolator pipe and plastic filter basket - Heating and holding indicator lights - Automatic shut-off safety feature	13 ^{-15/16} x 10 ^{-5/8} x 19 ^{-11/16} (353 x 270 x 500)	110-120V-60Hz, 1500W, 12.5A, NEMA 5-15P	13.4 x 13.4 x 21.3 (340 x 340 x 540)
	*ECU-100A-I 100-Cup (16L), International	 ECU-50A ECU-100A  ECU-100A-I	13 ^{-15/16} x 10 ^{-5/8} x 19 ^{-11/16} (353 x 270 x 500)	*220-240V-50Hz, 1650W, 6.9-7.5A, VDE	13.4 x 13.4 x 21.3 (340 x 340 x 540)
					7.1 lbs (3.2 kgs)
					9.7 lbs (4.4 kgs)
					9.7 lbs (4.4 kgs)

Electric Stainless Steel Water Boilers

 EWB-50A	ITEM / DESCRIPTION	FEATURES	UNIT DIMENSIONS L" X D" X H" (mm)	POWER / PLUG	SHIPPING CARTON L" X D" X H" (mm)
					SHIPPING WEIGHT
	EWB-50A 2.1 Gallon (8L)	- Polished #304 stainless steel construction - Twist-locking lid design - Cool touch handles	12 x 8 ^{-11/16} x 16 ^{-3/8} (304 x 220 x 415)	110-120V-60Hz, 1300W, 10.8A, NEMA 5-15P	11.8 x 11.8 x 17.5 (300 x 300 x 445)
	EWB-100A 4.2 Gallon (16L)	- Dripless faucet with protected level indicator - Waterproof ON/OFF switch with protective cover - Heating and holding indicator lights - Automatic shut-off safety feature	13 ^{-15/16} x 10 ^{-5/8} x 19 ^{-11/16} (353 x 270 x 500)	110-120V-60Hz, 1500W, 12.5A, NEMA 5-15P	13.4 x 13.4 x 21.3 (340 x 340 x 540)
	*EWB-100A-I 4.2 Gallon (16L), International	 EWB-50A EWB-100A  EWB-100A-I	13 ^{-15/16} x 10 ^{-5/8} x 19 ^{-11/16} (353 x 270 x 500)	*220-240V-50Hz, 2250W, 9.4A, VDE	13.4 x 13.4 x 21.3 (340 x 340 x 540)
					6 lbs (2.7 kgs)
					8.4 lbs (3.8 kgs)
					8.4 lbs (3.8 kgs)

Explore our FOOD TRUCK CATALOG for Mobile Kitchen Product Solutions

A **Winco**® Buying Guide
of food equipment and supplies
for food truck kitchens.

- Industry snapshot
- Anatomy of a food truck kitchen
- Product solutions

View online: wincous.com/pages/catalogs



#WIN-FT-NP



**Contact your sales
representative and
get on the road to
success.**

TRIED & TRUE

Cleaning, Prepping, Cooking, Holding & Merchandising

EQUIPMENT CATEGORIES



EMW-1000ST



ESW-66



FW-S500



GP-100



ESH-24



EICS-18



ECT-300



A-200



EFT-32



CO-1



EMP-20

Winco®
Foodservice
Supplies

CFS BRANDS

Phone: 1-888-946-2682
Fax: 1-973-916-9959
Email: cs@wincous.com
Web: www.wincous.com

**FLORIDA SHOWROOM &
DISTRIBUTION CENTER**

10800 NW 103rd Street,
Bldg 22, Ste 11, Miami, FL 33178

**NEW JERSEY
HEADQUARTERS**
65 Industrial Road,
Lodi, NJ 07644

**NEVADA
DISTRIBUTION CENTER**

3777 Marion Drive,
Las Vegas, NV 89115

WIN-EQUIP
WINCO EQUIPMENT BROCHURE



8 42169 15826 6

07/2025