



Convergence

Glass Tile


Available Colors - Neutrals




CON01 ▶ Pearl



CON02 ▶ Chardonnay




CON03 ▶ Sepia




CON04 ▶ Pigeon


Available Colors - Brights




CON06 ▶ Indigo



CON05 ▶ Orchid



CON07 ▶ Currant



CON08 ▶ Peacock



Features and Benefits

- Edge-grain woods are awash in vibrant color and cast in polished glass mosaics for an earth shattering look of wood grain with a lustrous sheen
- Four neutral tone and four bright tone colors are available
- Aligns with the ever popular wood-look in a unique glass format
- Part of the Common Thread for the Cure program
- Globally Sourced

CON06 ▶ 4 x 4 Indigo


CON08 ▶ 4 x 4 Peacock



Convergence

Glass Tile

Sizes (Shown in CON03)



4 x 4 Mosaics
UPS Finish
(Mounted on an
298 x 298 sheet.)

Crossville® Sample Express

Complimentary Samples are available at CrossvilleInc.com/products/convergence/

Samples may also be ordered through customer service by email or phone.

Sample fulfilment & Help Line

Samples@CrossvilleInc.com
1 800 221.9093

Loose Samples for
Architects & Designers

Loose Tile Samples

Sizes may vary depending on product series

Max. of 4 large field tile per order

Replacement Chips for PSS Rack

Max. of 5, 2 x 2 chips per color

Standard Shipping

UPS Ground



A percentage of the profits donated to this organization.

As part of Crossville's glass tile program, with every purchase of Convergence glass tile, Crossville contributes to Common sThread for the Cure. This program offers care and support to families affected by breast cancer.

Mosaics

Available in all colors

Nominal (in)	Actual (mm)	Thickness (mm)	Finish
4 x 4 Mosaic	298 x 298	6	P0

*Mesh mounted on 298 x 298 sheet with 2mm grout joint.

Product Performance

Breaking Strength	>400 lbf	ASTM C648
Bond Strength	>200 psi	ASTM C482
Bond Strength (Submerged)	>160 psi	ASTM C482
Thermal Shock Resistance	Pass	

Shade & Texture Index

Convergence has a shade variation of V2.



This glass tile product is produced with a V2 variation. Differences among pieces from the same production run are minimal. Inspect the product upon delivery and for best results, blend tile from several cartons during installation.



CON07 ▶ 4 x 4 Currant

CON02 ▶ 4 x 4 Chardonnay



Convergence

Crossville, Inc.

PO Box 1168
Crossville, TN
38557

Phone 931.484.2110
Fax 931.456.2956
E-Mail Crossc@CrossvilleInc.com
Web CrossvilleInc.com

Recommended Use

Convergence may be used for interior walls in wet or dry locations.

Care and Maintenance

Regular cleaning is the best way to keep Convergence tile looking good for years to come. Use clean, hot water (combined with a household cleaner for more aggressive cleaning). Rinse thoroughly and dry with a soft cloth to prevent water spots. No waxes or sealers are needed. More information regarding the care and maintenance of Crossville products is available at CrossvilleInc.com.

Our Warranty

Crossville Inc guarantees that its products will meet or exceed the performance specifications outlined in ANSI A137.1-2012 and in the performance data section of the Crossville, Inc. general product catalog. For complete details check our website at CrossvilleInc.com.

Information listed here is subject to change. Please refer to CrossvilleInc.com for the latest, most accurate information.



National Accounts

For over 20 years we have been offering Porcelain tile to commercial customers at National Accounts pricing programs with special discounts. The National Accounts department provides materials forecasting, sales support and samples.

Exterior Cladding

Crossville's Porcelain Stone® Exterior Cladding Systems are suitable for virtually any conventional masonry application. When used in conjunction with our exterior cladding systems, Crossville's Porcelain Stone offers clear advantages: decreased construction costs, less site disturbance, low-to-zero maintenance after installation, accelerated construction schedules and greater strength than traditional masonry.

Information listed here is subject to change. Please refer to CrossvilleInc.com for the latest, most accurate information.

Backsplash: **CON01** ▶ 4 x 4 Pearl
Island front: **CON04** ▶ 4 x 4 Pigeon
Floor: **L5578** ▶ Laminam 5.6 Statuario Venato Unpolished

Trade Organizations



Environmentally Aware

