




FRONT VIEW




SIDE VIEW



TOP VIEW



CROSS SECTION OF THRESHOLD



SPECIFICATION SHEET


This shower enclosure shall be model SST 3838 TR RRF .75 left, or right. Finished surface shall be of a sanitary grade solid surface. The base shall be attached to the sump in such manner to form an integral part with an inner and outer coating of polyester resin. Unit construction shall be of a molded reinforced fiberglass with a 15% minimum fiberglass content.

The unit shall have outside dimensions of 38 1/2" x 37 3/16" x 79", (41 1/2" at front).

The unit shall meet ANSI Z124.1.2, CSA B45.5, ADA, and ICC/ANSI A117.1.

HANDED BY THE VALVE

The enclosure shall be equipped with the following accessories:
1) One 18" x 33 1/2" x 1 1/4" diameter stainless steel horizontal L-grab bar, 2) One 24" x 1 1/4" diameter stainless steel vertical grab bar on the valve wall, both with 1 1/2" statute clearance, mounted with stainless steel bolts, and secured from the rear with 3" x 3" x 11 gauge metal mounting plates, 3) 32" x 21" frameless wood grain phenolic fold up seat, 4) One inch diameter, 18 gauge stainless steel curtain rod with receiver cups, 5) Subway tile pattern, 6) Molded ledge low on the back wall, 7) Molded recessed receiver flanges on both sides, 8) Integral front trench drain, 9) Factory installed Armor Core Easy Base, 10) 3/4" threshold.



THIS UNIT FEATURES THE OUTSIDE DIMENSION OF 38 1/2" OF OVERALL WIDTH. THIS DOES NOT ALLOW FOR FULL ENCLOSURE OF THE BOLTS AND NUTS USED TO SECURE THE BARS AND SEAT IN PLACE. THE BOLT AND NUT COMBINATION SHOULD NOT PROTRUDE MORE THAN 3/4" ON EITHER SIDE OF THE SHOWER WALLS. THIS MAY REQUIRE THE NEED TO NOTCH STUDS TO ALLOW BOLT CLEARANCE FOR A DRYWALL ENCLOSED FIRE WALL INSTALLATION. ADJUSTMENT OF THE WALL BOARD MAY BE NECESSARY TO PROVIDE CLEARANCE OF THE BOLT(S) WHILE MAINTAINING THE INTEGRITY OF THE DRYWALL ENCLOSED FIRE WALL ENCLOSURE.

NOTE: THIS UNIT WILL NOT ACCEPT A DOOR.

Job Name	Approved By Print Name		Date	COMFORT DESIGNS	
Project No	Approved by Signature			Model No. SST 3838 TR .75 RRF L-Bar-I	
Comfort Designs 435 Industrial Road Savannah, TN 38372 tel 800.443.7269 fax 731.925.4290 www.comfortdesignsbathware.com	Architect			Drawing No. SST 3838 TR RRF .75 SLB VB WGPB CR VP Easy Base	
	Engineer			Date Issued, 4-3-12	Drawing Rev. 7-6-20
	Rep			Material, Solid surface	
	Wholesaler			Color,	
	Comments			Dimensions are in inches. Due to the nature of the materials dimensions may vary ± 1/2"	