

ChemDrain® CPVC

List Price Schedule CD-812
Effective August 27, 2012
Supersedes Price Schedule CD-910

Possession of this price list shall not be construed as an offer to sell the products listed.
ChemDrain, Charlotte Pipe and "You can't beat the system" are registered trademarks of Charlotte Pipe and Foundry Company.
© 2005-2012 Charlotte Pipe and Foundry Company.



>> ChemDrain® CPVC Schedule 40 Pipe, Type IV, Grade 1

For Non-Pressure Applications

ASTM D 1784 & ASTM F 2618

CPVC SCHEDULE 40 (LIGHT GRAY)			PLAIN END				CPVC 4120	
PART NO.	NOM. SIZE	UPC # 611942-	TRUCKLOAD PERCENT PER SKID	QTY. PER SKID	AVG. OD (IN.)	MIN. WALL (IN.)	WT. PER 100 FT. (LBS.)	LIST PRICE PER 100 FT.
AW 14015	1½" x 10'	10732	2.083	1720'	1.900	.145	55.3	\$683.00
AW 14002	2" x 10'	10733	1.780	990'	2.375	.154	74.3	\$923.00
AW 14003	3" x 10'	10734	4.160	1040'	3.500	.216	154.2	\$1,669.00
AW 14004	4" x 10'	10735	4.160	600'	4.500	.237	219.6	\$2,369.00
AW 14006	6" x 10'	10736	4.160	280'	6.625	.280	386.1	\$4,278.00
AW 14008	8" x 10'	11363	4.160	180'	8.625	.322	581.1	\$8,264.00

NOTE: For truckloads of mixed sizes, multiply skids desired by truckload percent per skid.
Full skids of pipe are polyethylene wrapped for cleanliness and UV protection.

Size	UPC# 611942-	List Price Each	Size	UPC# 611942-	List Price Each
------	-----------------	--------------------	------	-----------------	--------------------



**Part No. AW 100C
Coupling**
(H x H)

1½	10442	\$25.45
2	10443	31.77
3	10444	40.65
4	10445	57.85
6	10446	91.68
8	11283	247.26†

H = Hub
SPG = Spigot
MPT = Male Pipe Thread
FPT = Female Pipe Thread

† Different discount applies. Please contact sales office.

NSF Listed. Meets All Requirements of ASTM D 1784 and ASTM F 2618.



**Part No. AW 101C
Female Adapter**
(FPT x H)

1½	10447	\$20.02
2	10448	27.27
3	10449	45.01
4	10450	86.52
6	10694	144.94



You can't beat the system.®

CPVC piping products are not recommended for use with compressed air or gases.

Size	UPC# 611942-	List Price Each	Size	UPC# 611942-	List Price Each
------	-----------------	--------------------	------	-----------------	--------------------



Part No. AW 102C
Pipe Increaser-Reducer
(H x H)

1½ x 2	10451	\$49.81
1½ x 3	10452	52.58
2 x 3	10453	57.85
2 x 4	10454	63.58
3 x 4	10455	69.37
3 x 6	10924	97.46
4 x 6	10925	117.29



Part No. AW 103PC
Trap Adapter - Male
(SPG x SLIP with Plastic Nut)

1½	11994	\$21.17
----	-------	----------------



Part No. AW 103RC
Trap Adapter - Male with 1½" CPVC
Nut and Washers to Fit 1½" and 1¼" Traps
(SPG x SLIP with Plastic Nut)

1½	11002	\$21.17
----	-------	----------------



Part No. AW 104RC
Trap Adapter - Female with 1½" CPVC
Nut and Washers to Fit 1½" and 1¼" Traps
(H x SLIP with Plastic Nut)

1½	10911	\$23.21
----	-------	----------------



Part No. AW 105XC
Fitting Cleanout Adapter with Cleanout
Plug
(Spigot)

1½	10456	\$21.08
2	10433	24.85
3	10434	45.85
4	10435	78.88
6	10436	136.44
8	11286	371.45†



Part No. AW 106C
Cleanout Plug
(MPT)

1½	10695	\$7.29
2	10696	7.97
3	10697	13.92
4	10698	15.61
6	10699	36.43



Part No. AW 107C
Flush Bushing
(SPG x H)

2 x 1½	10437	\$27.14
3 x 1½	10438	28.69
3 x 2	10439	31.28
4 x 2	10440	69.41
4 x 3	10441	71.03
6 x 3	10926	130.28
6 x 4	10462	124.25
8 x 4	11287	451.59†
8 x 6	11288	471.13†



Part No. AW 109C
Male Adapter
(H x MPT)

1½	10463	\$19.80
2	10464	23.97
3	10465	39.41
4	10466	82.16
6	10701	136.92

Shaded area indicates new item.

† Different discount applies. Please contact sales office.

NSF Listed. Meets All Requirements of ASTM D 1784 and ASTM F 2618.

CPVC piping products are not recommended for use with compressed air or gases.

Size	UPC# 611942-	List Price Each	Size	UPC# 611942-	List Price Each
------	-----------------	--------------------	------	-----------------	--------------------



Part No. AW 116C
Cap Socket
(Socket)

1½	10467	\$19.80
2	10468	23.69
3	10469	40.93
4	10457	83.44
6	10458	137.42
8	11289	238.55†



Part No. AW 300C
1/4 Bend
(H x H)

1½	10459	\$32.58
2	10460	40.48
3	10461	68.73
4	10472	109.37
6	10473	283.02
8	11302	394.48†



Part No. AW 302C
1/4 Bend, Street
(SPG x H)

1½	10474	\$38.26
2	10475	48.56
3	10476	65.01
4	10477	103.28
6	10702	250.60



Part No. AW 304C
Long Sweep 1/4 Bend
(H x H)

1½	10478	\$33.71
2	10479	45.96
3	10480	78.62
4	10481	113.00



Part No. AW 321C
1/8 Bend
(H x H)

1½	10482	\$32.01
2	10483	39.00
3	10484	71.57
4	10485	81.11
6	10486	236.92
8	11303	341.61†



Part No. AW 323C
1/8 Bend, Street
(SPG x H)

1½	10487	\$24.25
2	10488	27.54
3	10489	61.04
4	10490	62.64
6	10491	225.06
8	11304	259.23†



Part No. AW 324C
1/16 Bend
(H x H)

1½	10470	\$32.66
2	10471	38.94
3	10492	70.40
4	10493	86.72
6	10703	234.68
8	11305	254.73†



Part No. AW 326C
1/16 Bend, Street
(SPG x H)

1½	10494	\$29.05
2	10495	38.94
3	10496	70.40
4	10497	86.72
6	10704	201.94
8	11306	244.71†

† Different discount applies. Please contact sales office.

NSF Listed. Meets All Requirements of ASTM D 1784 and ASTM F 2618.

CPVC piping products are not recommended for use with compressed air or gases.

Size	UPC# 611942-	List Price Each	Size	UPC# 611942-	List Price Each
------	-----------------	--------------------	------	-----------------	--------------------



Part No. AW 327C
Double 1/4 Bend
(H x H x H)

1½	10498	\$65.76
2	10499	114.93
3	10500	146.92



Part No. AW 400C
Sanitary Tee
(All Hub)

1½	10501	\$40.48
2	10502	48.48
3	10503	97.04
4	10504	145.34
6	10505	484.46
8	11307	675.07†



Part No. AW 401C
Sanitary Tee, Reducing
(All Hub)

2 x 1½ x 1½	10506	\$48.40
2 x 2 x 1½	10507	48.40
2 x 1½ x 2	10508	50.59
3 x 3 x 1½	10509	84.22
3 x 3 x 2	10510	90.55
4 x 4 x 2	10511	129.86
4 x 4 x 3	10512	135.68
6 x 6 x 4	10513	339.24
8 x 8 x 4	11308	1149.63†



Part No. AW 428C
Double Sanitary Tee
(All Hub)

1½	10514	\$60.99
2	10515	71.91
3	10516	96.18
4	10517	128.36



Part No. AW 429C
Double Sanitary Tee, Reducing
(All Hub)

2 x 2 x 1½ x 1½	10518	\$80.33
3 x 3 x 1½ x 1½	10519	124.78
3 x 3 x 2 x 2	10520	135.17
4 x 4 x 2 x 2	10705	135.56
4 x 4 x 3 x 3	10930	149.66



Part No. AW 444XC
Cleanout Tee with Plug
(H x H)

1½	10521	\$48.20
2	10522	53.25
3	10523	111.65
4	10524	152.05
6	10706	410.65



Part No. AW 501C
Combination Wye and 1/8 Bend
(One Piece)
(All Hub)

1½	10707	\$53.87
2	10708	71.88
3	10709	114.76
4	10710	162.99



Part No. AW 502C
Combination Wye and 1/8 Bend, Reducing
(One Piece)
(All Hub)

2 x 1½ x 1½	10712	\$58.23
2 x 2 x 1½	10713	64.71
3 x 3 x 1½	10714	95.45
3 x 3 x 2	10715	103.40
4 x 4 x 2	10716	143.17
4 x 4 x 3	10717	150.22

† Different discount applies. Please contact sales office.

NSF Listed. Meets All Requirements of ASTM D 1784 and ASTM F 2618.

CPVC piping products are not recommended for use with compressed air or gases.

Size	UPC# 611942-	List Price Each	Size	UPC# 611942-	List Price Each
------	-----------------	--------------------	------	-----------------	--------------------



**Part No. AW 503C
Combination Wye and 1/8 Bend**

(Two Pieces)
(All Hub)

6	10711	\$440.54
8	11309	810.59†



**Part No. AW 504C
Combination Wye and 1/8 Bend,
Reducing**

(Two Pieces)
(All Hub)

6 x 6 x 3	10718	\$333.45
6 x 6 x 4*	10719	346.29



**Part No. AW 507C
Double Combination Wye and 1/8 Bend**

(Three Pieces)
(All Hub)

1½	10720	\$113.67
2	10721	142.11
3	10722	244.23
4	10723	462.81
6	10927	1047.58



**Part No. AW 507C
Double Combination Wye and 1/8 Bend,
Reducing**

(Three Pieces)
(All Hub)

2 x 2 x 1½ x 1½	10724	\$122.83
3 x 3 x 2 x 2	10725	204.75
4 x 4 x 2 x 2	10726	256.39
4 x 4 x 3 x 3	10727	256.39
6 x 6 x 3 x 3	10928	543.99
6 x 6 x 4 x 4	10929	620.78

* One Piece Short Pattern

† Different discount applies. Please contact sales office.

NSF Listed. Meets All Requirements of ASTM D 1784 and ASTM F 2618.



**Part No. AW 600C
Wye**

(All Hub)

1½	10525	\$41.26
2	10526	57.88
3	10527	103.16
4	10528	150.37
6	10529	381.74
8	11311	415.51†



**Part No. AW 601C
Reducing Wye**

(All Hub)

2 x 1½ x 1½	10530	\$58.62
2 x 2 x 1½	10531	57.88
3 x 3 x 1½	10532	88.82
3 x 3 x 2	10533	96.17
4 x 4 x 1½	10534	130.59
4 x 4 x 2	10535	138.41
4 x 4 x 3	10536	144.34
6 x 6 x 4	10537	247.89
8 x 8 x 4	11312	288.77†
8 x 8 x 6	11313	321.38†



**Part No. AW 611C
Double Wye**

(All Hub)

1½	10538	\$77.43
2	10539	81.85
3	10540	147.96
4	10541	337.53
6	10542	586.97



**Part No. AW 612C
Double Wye, Reducing**

(All Hub)

2 x 2 x 1½ x 1½	10543	\$122.81
3 x 3 x 2 x 2	10544	151.13
4 x 4 x 3 x 3	10545	299.00
6 x 6 x 4 x 4	10923	505.99

CPVC piping products are not recommended for use with compressed air or gases.

Size	UPC# 611942-	List Price Each	Size	UPC# 611942-	List Price Each
------	-----------------	--------------------	------	-----------------	--------------------



Part No. AW 706XC
P-Trap with Solvent Weld Joint
(H x H)

1½	10546	\$63.53
2	10547	88.66
3	10548	160.93
4	10552	286.06
6	11314	849.08



Part No. AW 707XC
P-Trap with Solvent Weld Joint & Cleanout
(H x H)

1½	10550	\$71.09
2	10551	129.26



Part No. AW 708PC
P-Trap with Union and Plastic Nut
(H x H)

1½	10728	\$55.32
2	10729	95.82



Part No. AW 711PC
P-Trap with Union and 1½" Nut
(SLIP x H with Plastic Nut)

1½	10837	\$120.93
----	-------	-----------------

Part No. AW 712C has been moved to page seven.

Part No. AW 712PC has been moved to page eight.

Part No. 1512PC has been moved to page eight.



Part No. AW 8530C
Van Stone Flange
(H)

1½	10563	\$40.95
2	10564	49.59
3	10565	107.56
4	10566	145.25
6	10567	247.51
8	11362	744.72†

† Different discount applies. Please contact sales office.

NSF Listed. Meets All Requirements of ASTM D 1784 and ASTM F 2618.

WARNING

Testing with or use of compressed air or gas in PVC / ABS / CPVC pipe or fittings can result in explosive failures and cause severe injury or death.

AIR/GAS



- NEVER test with or transport/store compressed air or gas in PVC / ABS / CPVC pipe or fittings.
- NEVER test PVC / ABS / CPVC pipe or fittings with compressed air or gas, or air over water boosters.
- ONLY use PVC / ABS / CPVC pipe for water or approved chemicals.
- Refer to warnings in PPFA User Bulletin 4-80 and ASTM D 1785.

CPVC piping products are not recommended for use with compressed air or gases.

>> **Specialty Items and Drains**

Different Discount Applies to these items.

Size	UPC# 611942-	List Price Each	Size	UPC# 611942-	List Price Each
------	-----------------	--------------------	------	-----------------	--------------------



Part No. AW 1A †
Waste Assembly, Sink Outlet

1½	11284	\$48.83
----	-------	---------



Part No. AW 1C †
ChemDrain Low-VOC Solvent Cement

Quart	10693	\$37.84
-------	-------	---------



Part No. AW 95C †
Transition Coupling - ChemDrain CPVC to Steel, Cast Iron, Plain-end Glass or Any Other Schedule 40 or 80 IPS Size Plastic or Metallic Pipe
300 Series Stainless Steel with Fluoroelastomer Gasket

1½	10583	\$300.00
2	10586	315.79
3	10587	345.26
4	10588	375.79
6	10691	680.00
8	11622	950.53



Part No. AW 96C †
Transition Coupling - ChemDrain CPVC to Plain-end High-silicon Iron
300 Series Stainless Steel with Fluoroelastomer Gasket

2	10688	\$315.79
3	10690	345.26
4	10689	375.79

† Different discount applies. Please contact sales office.

** Stainless Steel drain tops and grates on floor drains and floor cleanouts are purchased items and not of domestic manufacture.

NSF Listed. Meets All Requirements of ASTM D 1784 and ASTM F 2618.

CPVC piping products are not recommended for use with compressed air or gases.



Part No. AW 150MC †
Floor Drain with CPVC Adjustable Top with 5" Round Grate & Membrane Collar

1½ x 5"	11290	\$432.41
2 x 5"	11291	432.41
3 x 5"	11292	432.41
4 x 5"	11293	432.41



Part No. AW 160MS †**
Floor Drain with Stainless Steel Adjustable Top with 6" Round Grate & Membrane Collar

1½ x 6"	11294	\$473.57
2 x 6"	11295	473.57
3 x 6"	11296	473.57
4 x 6"	11297	473.57



Part No. AW 180MS †**
Floor Drain with Stainless Steel Adjustable Top with 8" Round Grate & Membrane Collar

1½ x 8"	11298	\$641.24
2 x 8"	11299	641.24
3 x 8"	11300	641.24
4 x 8"	11301	641.24



Part No. AW 712C †
Jar Trap
(SPG x H)

1½	10838	\$109.33
----	-------	----------

NOTICE

Floor drains with CPVC tops are rated as "Light Duty" per ASME A 112.6.3. Any metallic screws or hardware are 304 SS. All floor drains are supplied with 1/2" FPT tapped connection for a trap primer. All drains and clean-outs are based on 4" body with smaller connection sizes factory bushed.

Size	UPC# 611942-	List Price Each	Size	UPC# 611942-	List Price Each
------	-----------------	--------------------	------	-----------------	--------------------



Part No. AW 712PC †
Jar Trap with Tail Piece Adaptor
(SLIP x HUB)

1½	10839	\$130.49
----	-------	----------



Part No. AW 1500C †
Floor Drain with CPVC Adjustable Top with 5" Round Grate

1½ x 5"	11316	\$389.75
2 x 5"	10972	389.75
3 x 5"	10973	389.75
4 x 5"	10975	389.75



Part No. AW 1510S †**
Floor Cleanout with Stainless Steel Adjustable Round Top & Solid Access Cover

1½ x 5"	11317	\$441.22
2 x 5"	11319	441.22
3 x 5"	11320	441.22
4 x 5"	11318	441.22



Part No. AW 1512PC †
CPVC Tail Piece with Nut
(May be cut to length)

1½ x 12	10636	\$71.04
---------	-------	---------

NOTICE

Floor drains with CPVC tops are rated as "Light Duty" per ASME A 112.6.3. Any metallic screws or hardware are 304 SS. All floor drains are supplied with 1/2" FPT tapped connection for a trap primer. All drains and clean-outs are based on 4" body with smaller connection sizes factory bushed.

† Different discount applies. Please contact sales office.
** Stainless Steel drain tops and grates on floor drains and floor cleanouts are purchased items and not of domestic manufacture.

NSF Listed. Meets All Requirements of ASTM D 1784 and ASTM F 2618.



Part No. AW 1520C †
Floor Drain with CPVC Adjustable Top with 5" Round Grate & Strainer

1½ x 5"	11321	\$445.64
2 x 5"	11324	445.64
3 x 5"	11322	445.64
4 x 5"	11323	445.64



Part No. AW 1600S †**
Floor Drain with Stainless Steel Adjustable Top with 6" Round Grate

1½ x 6"	11325	\$430.93
2 x 6"	11326	430.93
3 x 6"	11327	430.93
4 x 6"	11328	430.93



Part No. AW 1800S †**
Floor Drain with Stainless Steel Adjustable Top with 8" Round Grate

1½ x 8"	11329	\$598.59
2 x 8"	11330	598.59
3 x 8"	11331	598.59
4 x 8"	11332	598.59

! WARNING

Testing with or use of compressed air or gas in PVC / ABS / CPVC pipe or fittings can result in explosive failures and cause severe injury or death.

AIR/GAS



- NEVER test with or transport/store compressed air or gas in PVC / ABS / CPVC pipe or fittings.
- NEVER test PVC / ABS / CPVC pipe or fittings with compressed air or gas, or air over water boosters.
- ONLY use PVC / ABS / CPVC pipe for water or approved chemicals.
- Refer to warnings in PPSA User Bulletin 4-80 and ASTM D 1785.

CPVC piping products are not recommended for use with compressed air or gases.