

COMMERCIAL

SURFACES

INSIDE

INSPIRATION



VITL

MIAMI

INSPIRATION

INSIDE

SURFACES

COMMERCIAL

# MIAMI

Whether you're looking for tiles for your home or business, Miami is the perfect option for you.



Miami Vanilla 8x47


## Colors



Vanilla | VTL MMVA



Mocha | VTL MMMO



Natural | VTL MMNA



Sand Dune | VTL MMSD

# MIAMI

Story has always been important to us. It is what has driven us from the very beginning and it is what continues to inspire us today. Our story begins with porcelain tiles, surfaces that are both technically excellent and beautifully satisfying to the eye. Miami is a testament to our commitment to creating products that are both functional and aesthetic.

The Miami collection from VITL brings the beauty of wood to life, following the unpredictable paths and surprising colors that oxidization creates on its surface. Captivating and contemporary, the precision of the wood look meets the experimentation and transformations visualized by high-level design, resulting in a porcelain tile collection with extraordinary visual power. The collection is available in a variety of sizes and shapes, making it easy to create unique and stylish spaces. Whether you're looking for a simple accent or a complete overhaul, this collection has something for everyone. So take a walk on the wild side and explore the possibilities today.

VITL

COMMERCIAL

SURFACES



Miami Vanilla 8" x 47"

# MIAMI



Made in Italy



Frost Resistant



Recommend an offset pattern  
≤33%



Import



DCOF >0.42



Water Absorption:  
≤0.1%



LEED Certified



V3 Moderate Variation

## Vanilla



## Mocha



## Shapes & Sizes



8" x 47" Rectified  
Matte 9mm



8" x 47" Grip Rectified  
Bush-Hammered 9mm



8" x 47" Chevron Rectified  
Matte 9mm

## Shapes & Sizes



8" x 47" Rectified  
Matte 9mm



8" x 47" Grip Rectified  
Bush-Hammered 9mm



8" x 47" Chevron Rectified  
Matte 9mm

# MIAMI



Made in Italy



Frost Resistant



Recommend an offset pattern  
≤33%



Import



DCOF >0.42



Water Absorption:  
≤0.1%



LEED Certified



V3 Moderate Variation

## Natural



## Sand Dune



## Shapes & Sizes



8" x 47" Rectified  
Matte 9mm



8" x 47" Grip Rectified  
Bush-Hammered 9mm



8" x 47" Chevron Rectified  
Matte 9mm


## Shapes & Sizes



8" x 47" Rectified  
Matte 9mm



8" x 47" Grip Rectified  
Bush-Hammered 9mm



8" x 47" Chevron Rectified  
Matte 9mm



## SIZES

8" x 47" x 9mm  
Grip Rectified Bush-Hammered



- Vanilla
- Mocha
- Natural
- Sand Dune

8" x 47" x 9mm  
Rectified Matte



- Vanilla
- Mocha
- Natural
- Sand Dune

8" x 47" x 9mm  
Chevron Rectified Matte



- Vanilla
- Mocha
- Natural
- Sand Dune

## TRIM



3" x 24" Bullnose

- Vanilla
- Mocha
- Natural
- Sand Dune

# Field Tiles\*

SIZE	ACTUAL	THICKNESS	FINISH
8" x 47" Chevron Rectified	7.875" x 47.25"	9mm	Matte
8" x 47" Grip Rectified	7.875" x 47.25"	9mm	BH
8" x 47" Rectified	7.875" x 47.25"	9mm	Matte

# Mosaics & Coordinating Trims\*

SIZE	ACTUAL	FINISH
3" x 24" Bullnose Rectified	3" x 24"	Matte/Natural

## Product Characteristics

TEST	FIELD	TRIM
Breaking Strength	> 10000 N, ≥ 1300 N	≥ 1300 N
Chemical Resistance	Resistant	Resistant
DCOF	>0.42	>0.42
Deep Scratch Resistance - Unglazed	≤145 mm <sup>3</sup>	≤145 mm <sup>3</sup>
Frost Resistance	Resistant	Resistant
Mohs Hardness - EN101	Not Applicable	Not Applicable
Water Absorption	≤0.1%	≤0.1%
Certifications	LEED	LEED
Country of Origin	Italy	Italy
Shade Variation Code	v3	v3

## Material

Porcelain

## PORCELAIN CARE & MAINTENANCE

### INITIAL CLEANING

Proper cleaning after installation is essential for future maintenance. Remove excess grout using clean water and a sponge. If grout leaves behind a white haze, it can be wiped off using a clean cloth after grout has cured. Stubborn residue may require the use of a grout haze remover solution or neutral detergent. Thoroughly rinse the area with clean water and dry with a clean towel or wet vacuum.

### ROUTINE MAINTENANCE

Immediately wipe up any spills and clean the area using a damp cloth or sponge. Remove loose soil using a broom or vacuum. To remove stubborn surface debris, use a scraper or putty knife. Wipe the area with a PH-neutral and soapless cleaner. Rinse with clear water and wipe dry to prevent residue. Do not use cleaning wax, oil-based cleaners, ammonia, sealants, or products containing acid or bleach for routine maintenance. Avoid using abrasive cleaning products such as steel wool.

WHEN IT MUST BE GREAT.

WHEN IT MUST BE READY.

WHEN IT MUST BE EXTRAORDINARY.

WHEN IT MATTERS MOST.

VITL

Start your journey

Request samples.

www.vitlsurfaces.com  
samples@vitlsurfaces.com



VITL

COMMERCIAL

SURFACES