



FAN24V450T | 3-PHASE MODULAR UPS COOLING FAN

Provides a fan replacement service part for compatible 3-Phase UPS systems and modules

CyberPower FAN24V450T 3-Phase Modular UPS Hardware Replacement Cooling Fans fit power and bypass modules and include a One-Year Limited Warranty.

For CyberPower Smart App Online 3-Phase Modular UPS systems and Power Modules SM020KAMFA, SM040KAMFA, SM10KAPMA.

FEATURES

- Fan Type: Internal
- Operating Voltage: DC
- Warranty: One-Year

SPECIFICATIONS

PHYSICAL	
Color	Black
Material of Construction	Plastic
Mounting Hardware	No

PHYSICAL DIMENSIONS	
Physical Dimensions - Width/Height/Depth (cm)	8.0 x 2.49 x 8.0 cm
Physical Dimensions - Width/Height/Depth (mm)	3.15 x 0.98 x 3.15 in.
Physical Dimensions - Width/Height/Depth (in.)	80 x 25 x 80 mm
Weight (kg)	0.1 kg
Weight (lb)	0.21 lbs.

SHIPPING DIMENSIONS	
Shipping Dimensions - Width/Height/Depth (cm)	10.01 x 4.5 x 11.99 cm
Shipping Dimensions - Width/Height/Depth (mm)	3.94 x 1.77 x 4.72 in.
Shipping Dimensions - Width/Height/Depth (in.)	100.08 x 44.96 x 119.89 mm
Weight (kg)	1.09 kg
Weight (lb)	2.4 lbs.



ENVIRONMENTAL	
Operating Elevation	0 - 10,000 ft (0 - 3,048 m)
Operating Elevation Note	At \leq 1,000m above sea level, de-rate power by 1% per 100m between 1,000m and 3,048m
Operating Relative Humidity	0 - 95 % (non-condensing)
Operating Temperature	32 - 104°F (0 - 40°C)
Operating Temperature Note	Battery life is halved for every 50°F (10°C) increase above 68°F (20°C)
Storage Battery Temperature Note	Optimum battery storage between 5 - 68°F (-15 - 20°C)
Storage Relative Humidity	0 - 95% (non-condensing)
Storage Temperature	-4 - 158 °F (-20 - 70 °C)

CERTIFICATIONS	
Environmental	RoHS Compliant
Safety	EN 60950-1 IEC 60950-1 VDE 1507300

WARRANTY	
Product Warranty	One-Year Limited Warranty