

**PROVON® 3~in~1 Wash Cream**

Version 1.0      Revision Date: 02/26/2015      MSDS Number: 66073-00001      Date of last issue: -  
Date of first issue: 02/26/2015

---

**SECTION 1. IDENTIFICATION**

Product name : PROVON® 3~in~1 Wash Cream

**Manufacturer or supplier's details**

Company name of supplier : GOJO Industries, Inc.  
Address : One GOJO Plaza, Suite 500  
Akron OH 44311  
Telephone : 1 (330) 255-6000  
Emergency telephone : 1-800-424-9300 CHEMTREC

**Recommended use of the chemical and restrictions on use**

Recommended use : Skin-care  
Restrictions on use : This is a personal care or cosmetic product that is safe for consumers and other users under normal and reasonably foreseeable use. Cosmetics and consumer products, specifically defined by regulations around the world, are exempt from the requirement of an SDS for the consumer. While this material is not considered hazardous, this SDS contains valuable information critical to the safe handling and proper use of the product for industrial workplace conditions as well as unusual and unintended exposures such as large spills. This SDS should be retained and available for employees and other users of this product. For specific intended-use guidance, please refer to the information provided on the package or instruction sheet.

---

**SECTION 2. HAZARDS IDENTIFICATION****GHS Classification**

Eye irritation : Category 2A  
Specific target organ systemic toxicity - repeated exposure (Oral) : Category 2 (Gastrointestinal tract)

**GHS Label element**

Hazard pictograms : 

Signal Word : Warning

Hazard Statements : H319 Causes serious eye irritation.

**PROVON® 3~in~1 Wash Cream**

Version 1.0      Revision Date: 02/26/2015      MSDS Number: 66073-00001      Date of last issue: -  
Date of first issue: 02/26/2015

H373 May cause damage to organs (Gastrointestinal tract) through prolonged or repeated exposure if swallowed.

Precautionary Statements : **Prevention:**  
P260 Do not breathe mist or vapors.  
P264 Wash skin thoroughly after handling.  
P280 Wear eye protection/ face protection.  
**Response:**  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P314 Get medical advice/ attention if you feel unwell.  
P337 + P313 If eye irritation persists: Get medical advice/ attention.  
**Disposal:**  
P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards**

None known.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Hazardous ingredients**

Chemical Name	CAS-No.	Concentration (%)
Glycerine	56-81-5	>= 5 - < 10
White mineral oil (petroleum)	8042-47-5	>= 1 - < 5
Petrolatum	8009-03-8	>= 1 - < 5
Behenyltrimethylammonium Methyl Sulfate	81646-13-1	>= 1 - < 5
Hexadecyltrimethyl ammonium chloride	112-02-7	>= 0.1 - < 1

**SECTION 4. FIRST AID MEASURES**

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
Get medical attention if symptoms occur.

In case of skin contact : Wash with water and soap as a precaution.  
Get medical attention if symptoms occur.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention.

If swallowed : If swallowed, DO NOT induce vomiting.

**PROVON® 3~in~1 Wash Cream**

Version	Revision Date:	MSDS Number:	Date of last issue: -
1.0	02/26/2015	66073-00001	Date of first issue: 02/26/2015

---

- Get medical attention if symptoms occur.  
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : Causes serious eye irritation.  
May cause damage to organs through prolonged or repeated exposure if swallowed.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists.
- Notes to physician : Treat symptomatically and supportively.
- 

**SECTION 5. FIRE-FIGHTING MEASURES**

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Dry chemical  
Carbon dioxide (CO<sub>2</sub>)
- Unsuitable extinguishing media : None known.
- Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides  
Nitrogen oxides (NO<sub>x</sub>)  
Sulfur oxides
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.
- Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.
- 

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice and personal protective equipment recommendations.
- Environmental precautions : Discharge into the environment must be avoided.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g. by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.



## PROVON® 3~in~1 Wash Cream

Version	Revision Date:	MSDS Number:	Date of last issue: -
1.0	02/26/2015	66073-00001	Date of first issue: 02/26/2015

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
 For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.  
 Clean up remaining materials from spill with suitable absorbent.  
 Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
 Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Avoid inhalation of vapor or mist.  
 Do not swallow.  
 Do not get in eyes.  
 Avoid prolonged or repeated contact with skin.  
 Handle in accordance with good industrial hygiene and safety practice.  
 Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage : Keep in properly labeled containers.  
 Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:  
 Strong oxidizing agents

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Ingredients	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Glycerine	56-81-5	TWA (mist, respirable fraction)	5 mg/m <sup>3</sup>	OSHA Z-1
		TWA (mist, total dust)	15 mg/m <sup>3</sup>	OSHA Z-1
White mineral oil (petroleum)	8042-47-5	TWA (Mist)	5 mg/m <sup>3</sup>	OSHA Z-1
		TWA (Inhal-)	5 mg/m <sup>3</sup>	ACGIH

## PROVON® 3~in~1 Wash Cream

Version 1.0      Revision Date: 02/26/2015      MSDS Number: 66073-00001      Date of last issue: -  
Date of first issue: 02/26/2015

		able fraction)		
		TWA (Mist)	5 mg/m3	NIOSH REL
		ST (Mist)	10 mg/m3	NIOSH REL
Petrolatum	8009-03-8	TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Inhalable fraction)	5 mg/m3	ACGIH
		TWA (Mist)	5 mg/m3	NIOSH REL
		ST (Mist)	10 mg/m3	NIOSH REL

**Hazardous components without workplace control parameters**

Ingredients	CAS-No.
Behenyltrimethylammonium Methyl Sulfate	81646-13-1
Hexadecyltrimethyl ammonium chloride	112-02-7

**Engineering measures** : Ensure adequate ventilation, especially in confined areas. Minimize workplace exposure concentrations.

**Personal protective equipment**

**Respiratory protection** : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

**Hand protection**  
Material

: Impervious gloves

**Remarks**

: Choose gloves to protect hands against chemicals depending on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

**Eye protection**

: Wear the following personal protective equipment:  
Safety goggles

**Skin and body protection**

: Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.  
Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

**PROVON® 3~in~1 Wash Cream**

Version	Revision Date:	MSDS Number:	Date of last issue: -
1.0	02/26/2015	66073-00001	Date of first issue: 02/26/2015

---

Hygiene measures : Ensure that eye flushing systems and safety showers are located close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.

---

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Color : white, opaque

Odor : floral

Odor Threshold : No data available

pH : 3.0 - 7.5

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flash point : > 100 °C

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Upper explosion limit : No data available

Lower explosion limit : No data available

Vapor pressure : No data available

Relative vapor density : No data available

Density : 0.9960 g/cm<sup>3</sup>

Solubility(ies)  
Water solubility : soluble

Partition coefficient: n-octanol/water : Not applicable

Autoignition temperature : No data available

Decomposition temperature : The substance or mixture is not classified self-reactive.

Viscosity  
Viscosity, kinematic : 2,000 - 30,000 mm<sup>2</sup>/s (20 °C)

Explosive properties : Not explosive


**PROVON® 3~in~1 Wash Cream**

Version	Revision Date:	MSDS Number:	Date of last issue: -
1.0	02/26/2015	66073-00001	Date of first issue: 02/26/2015

---

Oxidizing properties : The substance or mixture is not classified as oxidizing.

---

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Can react with strong oxidizing agents.

Conditions to avoid : None known.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

---

**SECTION 11. TOXICOLOGICAL INFORMATION**
**Information on likely routes of exposure**

Inhalation  
 Skin contact  
 Ingestion  
 Eye contact

**Acute toxicity**

Not classified based on available information.

**Product:**

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg  
 Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg  
 Method: Calculation method

**Ingredients:**
**Glycerine:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

**White mineral oil (petroleum):**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5 mg/l  
 Exposure time: 4 h  
 Test atmosphere: dust/mist  
 Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
 Assessment: The substance or mixture has no acute dermal toxicity

**PROVON® 3~in~1 Wash Cream**

Version 1.0      Revision Date: 02/26/2015      MSDS Number: 66073-00001      Date of last issue: -  
Date of first issue: 02/26/2015

---

**Petrolatum:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 401  
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity  
Remarks: Based on data from similar materials

**Behenyltrimethylammonium Methyl Sulfate:**

Acute oral toxicity : LD50 (Rat): 3,190 mg/kg  
Remarks: Based on data from similar materials

**Hexadecyltrimethyl ammonium chloride:**

Acute oral toxicity : LD50 (Rat): 699 mg/kg  
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rabbit): 528 mg/kg  
Method: OECD Test Guideline 402  
Remarks: Based on data from similar materials

**Skin corrosion/irritation**

Not classified based on available information.

**Product:**

Result: No skin irritation

**Ingredients:****Glycerine:**

Result: No skin irritation

**White mineral oil (petroleum):**

Species: Rabbit

Result: No skin irritation

**Petrolatum:**

Species: Rabbit

Method: OECD Test Guideline 404

Result: No skin irritation

Remarks: Based on data from similar materials

**Behenyltrimethylammonium Methyl Sulfate:**

Species: Rabbit

Method: OECD Test Guideline 404

Result: Skin irritation

Remarks: Based on data from similar materials

**Hexadecyltrimethyl ammonium chloride:**

Species: Rabbit

Result: Corrosive after 1 to 4 hours of exposure

Remarks: Based on data from similar materials



**PROVON® 3~in~1 Wash Cream**

Version	Revision Date:	MSDS Number:	Date of last issue: -
1.0	02/26/2015	66073-00001	Date of first issue: 02/26/2015

---

**Serious eye damage/eye irritation**

Causes serious eye irritation.

**Ingredients:****Glycerine:**

Result: No eye irritation

**White mineral oil (petroleum):**

Species: Rabbit

Result: No eye irritation

**Petrolatum:**

Species: Rabbit

Result: No eye irritation

Method: OECD Test Guideline 405

Remarks: Based on data from similar materials

**Behenyltrimethylammonium Methyl Sulfate:**

Species: Rabbit

Result: Irreversible effects on the eye

Method: OECD Test Guideline 405

Remarks: Based on data from similar materials

**Hexadecyltrimethyl ammonium chloride:**

Species: Rabbit

Result: Irreversible effects on the eye

**Respiratory or skin sensitization**

Skin sensitization: Not classified based on available information.

Respiratory sensitization: Not classified based on available information.

**Product:**

Assessment: Does not cause skin sensitization.

**Ingredients:****White mineral oil (petroleum):**

Test Type: Buehler Test

Routes of exposure: Skin contact

Species: Guinea pig

Result: negative

**Petrolatum:**

Test Type: Buehler Test

Routes of exposure: Skin contact

Species: Guinea pig

Result: negative

Remarks: Based on data from similar materials

**Behenyltrimethylammonium Methyl Sulfate:**

Test Type: Maximization Test (GPMT)

Routes of exposure: Skin contact

Species: Guinea pig

Method: OECD Test Guideline 406

Result: negative

**PROVON® 3~in~1 Wash Cream**

Version	Revision Date:	MSDS Number:	Date of last issue: -
1.0	02/26/2015	66073-00001	Date of first issue: 02/26/2015

---

**Hexadecyltrimethyl ammonium chloride:**

Test Type: Buehler Test  
Routes of exposure: Skin contact  
Species: Guinea pig  
Method: OECD Test Guideline 406  
Result: negative

**Germ cell mutagenicity**

Not classified based on available information.

**Ingredients:****Glycerine:**

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative

**White mineral oil (petroleum):**

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Method: OECD Test Guideline 474  
Result: negative  
Remarks: Based on data from similar materials

**Petrolatum:**

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro  
Result: negative  
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Method: OECD Test Guideline 474  
Result: negative  
Remarks: Based on data from similar materials

**Behenyltrimethylammonium Methyl Sulfate:**

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative  
Remarks: Based on data from similar materials

**Hexadecyltrimethyl ammonium chloride:**

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative


**PROVON® 3~in~1 Wash Cream**

Version	Revision Date:	MSDS Number:	Date of last issue: -
1.0	02/26/2015	66073-00001	Date of first issue: 02/26/2015

---

**Carcinogenicity**

Not classified based on available information.

**Ingredients:**
**Glycerine:**

Species: Rat  
 Application Route: Ingestion  
 Exposure time: 2 Years  
 Result: negative

**White mineral oil (petroleum):**

Species: Rat  
 Application Route: Ingestion  
 Exposure time: 24 Months  
 Result: negative

**Petrolatum:**

Species: Rat  
 Application Route: Ingestion  
 Exposure time: 2 Years  
 Result: negative

**IARC**

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA**

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**NTP**

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**Reproductive toxicity**

Not classified based on available information.

**Ingredients:**
**Glycerine:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
 Species: Rat  
 Application Route: Ingestion  
 Result: negative

Effects on fetal development : Test Type: Embryo-fetal development  
 Species: Rabbit  
 Application Route: Ingestion  
 Result: negative

**White mineral oil (petroleum):**

Effects on fertility : Test Type: One-generation reproduction toxicity study  
 Species: Rat  
 Application Route: Skin contact  
 Result: negative

**PROVON® 3~in~1 Wash Cream**

Version	Revision Date:	MSDS Number:	Date of last issue: -
1.0	02/26/2015	66073-00001	Date of first issue: 02/26/2015

---

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

**Petrolatum:**

Effects on fertility : Test Type: Reproduction/Developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Skin contact  
Result: negative  
Remarks: Based on data from similar materials

**Behenyltrimethylammonium Methyl Sulfate:**

Effects on fertility : Test Type: Reproduction/Developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

**Hexadecyltrimethyl ammonium chloride:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 416  
Result: negative  
Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rabbit  
Application Route: Skin contact  
Result: negative

**STOT-single exposure**

Not classified based on available information.

**STOT-repeated exposure**

May cause damage to organs (Gastrointestinal tract) through prolonged or repeated exposure if swallowed.

**Ingredients:**
**Behenyltrimethylammonium Methyl Sulfate:**

Routes of exposure: Ingestion

Target Organs: Gastrointestinal tract

Assessment: Shown to produce significant health effects in animals at concentrations of >10 to 100 mg/kg bw.

**PROVON® 3~in~1 Wash Cream**

Version	Revision Date:	MSDS Number:	Date of last issue: -
1.0	02/26/2015	66073-00001	Date of first issue: 02/26/2015

---

**Repeated dose toxicity****Ingredients:****Glycerine:**

Species: Rat  
NOAEL: 167 mg/m<sup>3</sup>  
LOAEL: 660 mg/m<sup>3</sup>  
Application Route: inhalation (dust/mist/fume)  
Exposure time: 13 w  
Symptoms: Local irritation

**White mineral oil (petroleum):**

Species: Rat  
LOAEL: 160 mg/kg  
Application Route: Ingestion  
Exposure time: 90 d

Species: Rat  
LOAEL: >= 1 mg/l  
Application Route: inhalation (dust/mist/fume)  
Exposure time: 4 w  
Method: OECD Test Guideline 412

**Petrolatum:**

Species: Rat  
NOAEL: 5,000 mg/kg  
Application Route: Ingestion  
Exposure time: 2 y

**Behenyltrimethylammonium Methyl Sulfate:**

Species: Rat  
NOAEL: 10 mg/kg  
LOAEL: 50 mg/kg  
Application Route: Ingestion  
Exposure time: 28 d  
Method: OECD Test Guideline 407  
Remarks: Based on data from similar materials

**Hexadecyltrimethyl ammonium chloride:**

Species: Rat  
NOAEL: 300 mg/kg  
Application Route: Ingestion  
Exposure time: 28 d

**Aspiration toxicity**

Not classified based on available information.

**Ingredients:****White mineral oil (petroleum):**

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

**PROVON® 3~in~1 Wash Cream**

Version	Revision Date:	MSDS Number:	Date of last issue: -
1.0	02/26/2015	66073-00001	Date of first issue: 02/26/2015

---

**SECTION 12. ECOLOGICAL INFORMATION**
**Ecotoxicity**
**Ingredients:**
**Glycerine:**

- |   |   |  |
|---|---|--|
| Toxicity to fish                                    | : | LC50 (Oncorhynchus mykiss (rainbow trout)): 54,000 mg/l<br>Exposure time: 96 h |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): 1,955 mg/l<br>Exposure time: 48 h           |
| Toxicity to bacteria                                | : | NOEC (Pseudomonas putida): > 10,000 mg/l<br>Exposure time: 16 h                |

**White mineral oil (petroleum):**

- |  |   |  |
|--|---|--|
| Toxicity to fish   | : | LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l<br>Exposure time: 96 h<br>Method: OECD Test Guideline 203         |
| Toxicity to daphnia and other aquatic invertebrates                    | : | EC50 (Daphnia magna (Water flea)): > 100 mg/l<br>Exposure time: 48 h<br>Method: OECD Test Guideline 202                  |
| Toxicity to algae  | : | NOEC (Pseudokirchneriella subcapitata (green algae)): 100 mg/l<br>Exposure time: 72 h<br>Method: OECD Test Guideline 201 |
| Toxicity to fish (Chronic toxicity)                                    | : | NOEC (Oncorhynchus mykiss (rainbow trout)): 1,000 mg/l<br>Exposure time: 28 d  |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | NOEC (Daphnia magna (Water flea)): 1,000 mg/l<br>Exposure time: 21 d   |

**Petrolatum:**

- |   |   |   |
|---|---|---|
| Toxicity to fish                                    | : | LL50 (Pimephales promelas (fathead minnow)): > 100 mg/l<br>Exposure time: 96 h<br>Test substance: Water Accommodated Fraction<br>Method: OECD Test Guideline 203<br>Remarks: Based on data from similar materials           |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): > 10,000 mg/l<br>Exposure time: 48 h<br>Test substance: Water Accommodated Fraction<br>Remarks: Based on data from similar materials   |
| Toxicity to algae                                   | : | NOEL (Pseudokirchneriella subcapitata (green algae)): >= 100 mg/l<br>Exposure time: 72 h<br>Test substance: Water Accommodated Fraction<br>Method: OECD Test Guideline 201<br>Remarks: Based on data from similar materials |

**PROVON® 3~in~1 Wash Cream**

Version	Revision Date:	MSDS Number:	Date of last issue: -
1.0	02/26/2015	66073-00001	Date of first issue: 02/26/2015

---

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 10 mg/l  
 Exposure time: 21 d  
 Test substance: Water Accommodated Fraction  
 Remarks: Based on data from similar materials

**Behenyltrimethylammonium Methyl Sulfate:**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 0.5 - 1 mg/l  
 Exposure time: 96 h  
 Method: OECD Test Guideline 203  
 Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1.39 mg/l  
 Exposure time: 48 h  
 Method: OECD Test Guideline 202  
 Remarks: Based on data from similar materials

Toxicity to algae : EC50 (Desmodesmus subspicatus (green algae)): 3.48 mg/l  
 Exposure time: 72 h  
 Method: OECD Test Guideline 201  
 Remarks: Based on data from similar materials

EC10 (Desmodesmus subspicatus (green algae)): 0.78 mg/l  
 Exposure time: 72 h  
 Method: OECD Test Guideline 201  
 Remarks: Based on data from similar materials

M-Factor (Acute aquatic toxicity) : 1

Toxicity to fish (Chronic toxicity) : NOEC (Danio rerio (zebra fish)): 0.24 mg/l  
 Exposure time: 9 d  
 Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 128 µg/l  
 Exposure time: 21 d  
 Method: OECD Test Guideline 211  
 Remarks: Based on data from similar materials

Toxicity to bacteria : EC50: 43 mg/l  
 Exposure time: 3 h  
 Method: OECD Test Guideline 209  
 Remarks: Based on data from similar materials

**Hexadecyltrimethyl ammonium chloride:**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 0.19 mg/l  
 Exposure time: 96 h  
 Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.09 mg/l  
 Exposure time: 48 h  
 Remarks: Based on data from similar materials

Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (green algae)): 0.05 mg/l

**PROVON® 3~in~1 Wash Cream**

Version	Revision Date:	MSDS Number:	Date of last issue: -
1.0	02/26/2015	66073-00001	Date of first issue: 02/26/2015

---

Exposure time: 72 h  
Method: OECD Test Guideline 201

EC10 (Pseudokirchneriella subcapitata (green algae)): 0.047 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 10

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 32.2 µg/l  
Exposure time: 28 d  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 6.8 µg/l  
Exposure time: 21 d  
Remarks: Based on data from similar materials

M-Factor (Chronic aquatic toxicity) : 1

Toxicity to bacteria : EC50 (Pseudomonas putida): 0.96 mg/l  
Exposure time: 16 h  
Method: DIN 38 412 Part 8

**Persistence and degradability**
**Ingredients:**
**Glycerine:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 94 %  
Exposure time: 1 d

**White mineral oil (petroleum):**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 31 %  
Exposure time: 28 d

**Petrolatum:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 31 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F  
Remarks: Based on data from similar materials

**Behenyltrimethylammonium Methyl Sulfate:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 21 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B  
Remarks: Based on data from similar materials

**Hexadecyltrimethyl ammonium chloride:**

Biodegradability : Result: Readily biodegradable.



**PROVON® 3~in~1 Wash Cream**

Version	Revision Date:	MSDS Number:	Date of last issue: -
1.0	02/26/2015	66073-00001	Date of first issue: 02/26/2015

---

Biodegradation: 93.5 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301D

**Bioaccumulative potential****Ingredients:****Glycerine:**

Partition coefficient: n- : log Pow: -1.76  
octanol/water

**Hexadecyltrimethyl ammonium chloride:**

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Bioconcentration factor (BCF): 33 - 160  
Remarks: Based on data from similar materials

**Mobility in soil**

No data available

**Other adverse effects**

No data available

---

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues : Dispose of in accordance with local regulations.  
Contaminated packaging : Dispose of as unused product.  
Empty containers should be taken to an approved waste handling site for recycling or disposal.

---

**SECTION 14. TRANSPORT INFORMATION****International Regulation****UNRTDG**

Not regulated as a dangerous good

**IATA-DGR**

Not regulated as a dangerous good

**IMDG-Code**

Not regulated as a dangerous good

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**Domestic regulation****49 CFR**

Not regulated as a dangerous good

---



## PROVON® 3~in~1 Wash Cream

Version	Revision Date:	MSDS Number:	Date of last issue: -
1.0	02/26/2015	66073-00001	Date of first issue: 02/26/2015

---

### SECTION 15. REGULATORY INFORMATION

#### EPCRA - Emergency Planning and Community Right-to-Know

##### CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

##### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

**SARA 311/312 Hazards** : Acute Health Hazard  
Chronic Health Hazard

**SARA 302** : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### US State Regulations

##### Pennsylvania Right To Know

Water	7732-18-5	70 - 90 %
Glycerine	56-81-5	5 - 10 %
White mineral oil (petroleum)	8042-47-5	1 - 5 %
C16-C18 Alcohol	67762-27-0	1 - 5 %
Petrolatum	8009-03-8	1 - 5 %

##### New Jersey Right To Know

Water	7732-18-5	70 - 90 %
Glycerine	56-81-5	5 - 10 %
White mineral oil (petroleum)	8042-47-5	1 - 5 %
C16-C18 Alcohol	67762-27-0	1 - 5 %
Petrolatum	8009-03-8	1 - 5 %

**California Prop 65** : This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

#### The ingredients of this product are reported in the following inventories:

REACH : All ingredients (pre-)registered or exempt.

TSCA : All chemical substances in this product are either listed on the TSCA Inventory or are in compliance with a TSCA Inventory exemption.

DSL : All chemical substances in this product comply with the CEPA 1999 and NSNR and are on or exempt from listing on the Canadian Domestic Substances List (DSL).


**PROVON® 3~in~1 Wash Cream**

Version 1.0      Revision Date: 02/26/2015      MSDS Number: 66073-00001      Date of last issue: -  
Date of first issue: 02/26/2015

AICS : All ingredients listed or exempt.

**Inventories**

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

**SECTION 16. OTHER INFORMATION**
**Further information**
**NFPA:**

**HMIS III:**

<b>HEALTH</b>	<b>2*</b>
<b>FLAMMABILITY</b>	<b>1</b>
<b>PHYSICAL HAZARD</b>	<b>0</b>

0 = not significant, 1 = Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

**Full text of other abbreviations**

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
 NIOSH REL : USA. NIOSH Recommended Exposure Limits  
 OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants  
 ACGIH / TWA : 8-hour, time-weighted average  
 NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek  
 NIOSH REL / ST : STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday  
 OSHA Z-1 / TWA : 8-hour time weighted average  
 Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>  
 Revision Date : 02/26/2015

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, in-

# SAFETY DATA SHEET



## PROVON® 3~in~1 Wash Cream

Version	Revision Date:	MSDS Number:	Date of last issue: -
1.0	02/26/2015	66073-00001	Date of first issue: 02/26/2015

---

cluding an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8