WOLVERINEBRASS®

Quarter-Turn Stops & Stainless Steel Connectors

When Quality Matters.™




WB Ceramic Disc Quarter-Turn Stops

The new Wolverine Brass® Ceramic Disc Quarter Turn Stop is the industry's first ever stop designed to have a replaceable ceramic disc cartridge. This cartridge will allow you to repair the quarter turn stop in line (should a leak occur), instead of having to replace the entire quarter turn stop. Our new stop will save you time and money on future call backs. The stops feature:

- **Replaceable ceramic disc cartridge**
- **Made from solid forged brass**
- **Chrome plated brass stem**
- **Unique metal tear drop handle**
- **Low lead compliant**
- **Come individually boxed, 10 per bin box**

NOW AVAILABLE IN SWEAT & PEX CONNECTIONS



Replacing A Cartridge

1 Remove Screw from the handle



2 Take the handle off



3 Turn the cartridge counter clockwise, & remove cartridge



WOLVERINEBRASS

Quarter-Turn Ceramic Disc Stop

• 5/8" com x 3/8" com - NL

• 61-9

Part #	Description	Min	Bx Qty
83470	5/8" Com X 3/8" Com - NL - Angle	1	10
83471	5/8" Com X 3/8" Com - NL - Straight	1	10





WOLVERINEBRASS

Quarter-Turn Ceramic Disc Stop

• 1/2" FIP x 3/8" com - NL

• 61-9

Part #	Description	Min	Bx Qty
83472	1/2" FIP X 3/8" Com - NL - Angle	1	10
83473	1/2" FIP X 3/8" Com - NL - Straight	1	10





WOLVERINEBRASS

Quarter-Turn Ceramic Disc Stop

• 1/2" Nom Sweat x 3/8" Com - NL

• 61-9





	Part #	Description	Min	Bx Qty
NEW	83485	1/2" Nom Sweat X 3/8" Com - NL - Angle	1	10
NEW	83486	1/2" Nom Sweat X 3/8" Com - NL - Straight	1	10

WOLVERINEBRASS

Quarter-Turn Ceramic Disc Angle Stop

• 1/2" Nom Sweat x 1/4" O.D. Com - NL

• 61-9



	Part #	Description	Min	Bx Qty
NEW	83487	1/2" Nom Sweat X 1/4" O.D. Com - NL	1	10

WB Ceramic Disc Quarter-Turn Stops

WOLVERINEBRASS

Quarter-Turn Ceramic Disc Stop



- 3/8" FIP x 3/8" com - NL

• 61-9

Part #	Description	Min	Bx Qty
83476	3/8" FIP X 3/8" Com - NL - Angle	1	10
83477	3/8" FIP X 3/8" Com - NL - Straight	1	10



WOLVERINEBRASS

Quarter-Turn Ceramic Disc Angle Stop



- 5/8" com x 1/2" OD slip joint - NL

• 61-9

Part #	Description	Min	Bx Qty
83474	5/8" Com X 1/2" OD SJ - NL	1	10

WOLVERINEBRASS

Quarter-Turn Ceramic Disc D-Outlet Stop



- com x com x com - NL

• 61-9

Part #	Description	Min	Bx Qty
83479	5/8" Com X 3/8" Com X 3/8" Com - NL	1	10
83480	5/8" Com X 3/8" Com X 1/4" Com - NL	1	10

WOLVERINEBRASS

Quarter-Turn Ceramic Disc Angle Stop



- 5/8" OD com x 1/4" OD com - NL

• 61-9

Part #	Description	Min	Bx Qty
83478	5/8" OD Com X 1/4" OD Com - NL	1	10

WOLVERINEBRASS

Quarter-Turn Ceramic Disc D-Outlet/Shut-off Stop



• 61-9

Part #	Description	Min	Qty
83481	5/8" Com X 3/8" Com X 1/4" Com - NL	1	1
83482	5/8" Com X 3/8" Com X 3/8" Com - NL	1	1
NEW 83496	1/2" FIP X 3/8" Com X 3/8" Com - NL	1	1
NEW 83497	1/2" FIP X 3/8" Com X 1/4" Com - NL	1	1

WOLVERINEBRASS

Quarter-Turn Ceramic Disc Washing Machine Valve



- 5/8" OD com x 3/4" male hose

Part #	Description	Min	Bx Qty
83483	5/8" OD Com X 3/4" Male Hose	1	10

WOLVERINEBRASS

Quarter-Turn Ceramic Disc Replacement Cartridge



- Replacement cartridge for all ceramic disc quarter turn stops

• 61-9

Part #	Description	Min	Qty
83469	Replacement Cartridge	1	1

WOLVERINEBRASS

Quarter-Turn Ceramic Disc Stop



- 1/2" Pex x 3/8" Com - NL

• 61-9

Part #	Description	Min	Bx Qty
NEW 83488	1/2" Pex X 3/8" Com - NL - Angle	1	10
NEW 83489	1/2" Pex X 3/8" Com - NL - Straight	1	10



WOLVERINEBRASS

Quarter-Turn Ceramic Disc Angle Stop



- 1/2" Pex x 1/4" OD Com-NL

• 61-9

Part #	Description	Min	Bx Qty
83490	1/2" Pex X 1/4" OD Com - NL	1	10

WOLVERINEBRASS

Quarter-Turn Ceramic Disc Straight Stop



- 1/2" Pex x 1/2" Pex - NL

• 61-9

Part #	Description	Min	Qty
NEW 83491	1/2" Pex X 1/2" Pex - NL	1	1

WOLVERINEBRASS

Quarter-Turn Ceramic Disc Straight Stop



- 1/2" (F1960) Pex x 3/8" Pex - NL (Expansion Pex)

• 61-9

Part #	Description	Min	Qty
NEW 83492	1/2" (F1960) Pex X 3/8" Pex - NL - Angle	1	1
NEW 83493	1/2" (F1960) Pex X 3/8" Pex - NL - Straight	1	1



WOLVERINEBRASS

Quarter-Turn Ceramic Disc Angle Stop



- 1/2" (F1960) Pex x 1/4" OD Com - NL (Expansion Pex)

• 61-9

Part #	Description	Min	Qty
NEW 83494	1/2" (F1960) Pex X 1/4" OD Com - NL	1	1

WOLVERINEBRASS

Quarter-Turn Ceramic Disc Straight Stop



- 1/2" (F1960) Pex x 1/2" (F1960) Pex - NL (Expansion Pex)

• 61-9

Part #	Description	Min	Qty
NEW 83495	1/2" (F1960) Pex X 1/2" (F1960) Pex - NL	1	1

WOLVERINEBRASS

Quarter-Turn Ceramic Disc Disc D-Outlet Stop



• 61-9

Part #	Description	Min	Qty
83466	1/2" FIP X 3/8" Com X 3/8" Com - NL	1	1
83467	1/2" FIP X 3/8" Com X 1/4" Com - NL	1	1

WB Quarter-Turn Stops

WOLVERINEBRASS

FINALE ULTIMATE heavy-duty

- Solid forged brass heavy body
- Machined rod brass stem
- Chrome plated brass ball w/teflon packing
- Metal tear drop handle design
- Individually boxed /10 per bin box

Unique Tear Drop
Handle Design





WOLVERINEBRASS

PROSERIES

- Solid forged brass body
- Machined rod brass stem
- Chrome plated brass ball w/teflon packing
- Chrome plating
- Metal oval handle
- Individually boxed/ 24 per carton

• 61-9





heavy-duty

Cat. #	Bx Qty
83419	10
83423	10
83437	10
83426	10
83433	10
83434	10
83442	10
83436	10
83465	5
N/A	N/A
N/A	N/A
83420	10
83428	10
83435	10
83443	10
83422	10

ANGLE STOPS

Description
Lead-Free 1/2" NomSwt x 3/8" OD Com
Lead-Free 1/2" FIP x 3/8" OD Com
Lead-Free 1/2" PEX x 3/8" Com
Lead-Free 1/2" FIP x 1/2" OD SJ
Lead-Free 1/2" FIP x 1/4" Com (ice maker)
Lead-Free 1/2" NomSwt x 1/4" Com (ice maker)
1/2" FIP x 3/4" Male Hose (washing machine)
Lead-Free 1/2" PEX x 1/4" Com (ice maker)
Lead-Free 1/2" NomSwt x 3/8" Com (5" extension tube)
1/2" CPVC Solvent Weld x 3/8" Com-NL
1/2" CPVC Solvent Weld x 1/4"Com-NL
Lead-Free 5/8" OD Com x 3/8" Com
Lead-Free 5/8" OD Com x 1/2" OD SJ
Lead-Free 5/8" OD x 1/4" Com (ice maker)
5/8" OD Comp x 3/4" Male Hose (washing machine)
Lead-Free 3/8" FIP x 3/8" Com

PROSERIES

Cat. #	Bx Qty
56310NL	24
56301NL	24
84478NL	24
56302NL	24
84486NL	24
84490NL	24
56380	24
84489NL	24
84481NL	24
84479NL	24
84488NL	24
56320NL	24
56321NL	24
84487NL	24
56381	24
56300NL	24

WOLVERINEBRASS

FINALE ULTIMATE heavy-duty

- Solid forged brass heavy body
- Machined rod brass stem
- Chrome plated brass ball w/teflon packing
- Metal tear drop handle design
- Individually boxed /10 per bin box



WOLVERINEBRASS

PROSERIES

- Solid forged brass body
- Machined rod brass stem
- Chrome plated brass ball w/teflon packing
- Chrome plating
- Metal oval handle
- Individually boxed/ 24 per carton

• 61-9



* Quickly and easily attach the Add-A-Stop to Straight or angled stops, that do not shut off, saving time and labor. No need to remove a stop, Just Add-A-Stop.

heavy-duty

Cat. #	Bx Qty
83460	10
N/A	N/A

ADD-A-STOP

Description
3/8" Ground Joint Com x 3/8" Com
3/4" FHT x 3/4" MHT

PROSERIES

Cat. #	Bx Qty
56002NL	24
83425	24

WOLVERINEBRASS

FINALE ULTIMATE heavy-duty

- Solid forged brass heavy body
- Machined rod brass stem
- Chrome plated brass ball w/teflon packing
- Metal tear drop handle design
- Individually boxed /10 per bin box





LEAD-FREE SP NSF

WOLVERINEBRASS

PROSERIES

- Solid forged brass body
- Machined rod brass stem
- Chrome plated brass ball w/teflon packing
- Chrome plating
- Metal oval handle
- Individually boxed/ 24 per carton





LEAD-FREE UPC NSF • 61-9

FINALE ULTIMATE heavy-duty

Cat. #	Bx Qty
83459	5
83415	10
83452	10
83418	10
N/A	N/A
83453	10
83416	10
83427NL	10
83417	10
83451	10

STRAIGHT STOPS

Description
Lead-Free 1/2" NomSwt x 3/8" Com (5" extension tube)
Lead-Free 1/2" NomSwt x 3/8" OD Com
Lead-Free 1/2" PEX x 3/8" Com
Lead-Free 1/2" FIP x 3/8" OD Com
1/2" CPVC X 3/8" Com
Lead-Free 1/2" PEX x 1/2" PEX
Lead-Free 5/8" OD Com x 3/8" Com
5/8" Com x 1/2" OD Slip Joint
Lead-Free 3/8" FIP x 3/8" Com
Lead-Free 3/8" Com x 3/8" Com

PROSERIES

Cat. #	Bx Qty
84480NL	24
56340NL	24
84473NL	24
56331NL	24
84475NL	24
84474NL	24
56350NL	24
N/A	N/A
56330NL	24
56003NL	24

WOLVERINEBRASS

FINALE ULTIMATE heavy-duty

- Solid forged brass heavy body
- Machined rod brass stem
- Chrome plated brass ball w/teflon packing
- Metal tear drop handle design
- Individually boxed /10 per bin box



LEAD-FREE SP NSF

WOLVERINEBRASS

PROSERIES

- Solid forged brass body
- Machined rod brass stem
- Chrome plated brass ball w/teflon packing
- Chrome plating
- Metal oval handle
- Individually boxed/ 24 per carton



SP LEAD-FREE UPC NSF • 61-9

FINALE ULTIMATE heavy-duty

Cat. #	Bx Qty
83429	10
83430	10
83431	10
83432	10

Dual Outlet


Description
Lead-Free 1/2" FIP x 3/8" x 1/4" outlets
Lead-Free 1/2" FIP x 3/8" x 3/8"Com outlets
Lead-Free 5/8" Com x 3/8" x 1/4" outlet
Lead-Free 5/8" Com x 3/8 x 3/8" Com outlet

PROSERIES

Cat. #	Bx Qty
84482NL	24
84483NL	24
84484NL	24
84485NL	24

WB Wolv-Bite Stops

WOLVERINEBRASS WOLV-Bite



- For Copper, PEX or CPVC tubing
- Replaceable sealing O-ring
- Constructed of high quality brass & stainless steel

Individually Bagged



WOLVERINEBRASS WOLV-Bite

1/4" Turn Angle Stop



- Solid cast brass elbow w/FIP threads
- Slip joint outlet
- Captured nut on "J" bend
- Chrome finish

LEAD-FREE

Part #	Description	Min	Bx Qty
54069NLW	1/2" x 3/8" Com, Angle-NL	1	-

WOLVERINEBRASS WOLV-Bite

1/4 Turn Straight Stops



- 1/2" inlet
- Compression outlet

LEAD-FREE

Part #	Description	Min	Bx Qty
54071NLW	1/2" x 3/8" Com, Str-NL	1	10

WOLVERINE BRASS®

OFFERS A FULL LINE OF FULL-TURN STOPS IN ADDITION TO OUR QUARTER-TURN STOPS.

WE HAVE ANGLE STOPS, STRAIGHT STOPS, SWEAT EXTENSIONS STOPS

AND MORE!







FOR MORE INFORMATION VISIT WWW.PLUMBMASTER.COM

WOLVERINEBRASS

Stainless Steel Connectors

- Burst tested to exceed 2500 PSI
- Meets Low Lead Requirements
- Use in exposed applications only

360˚ Circular eight/sided Wolv-Lock Crimping

Engineered to interlock the crimp, tubing & barb along the 360˚ circumference for a leak free seal.



Longer Barb

Extra length and wider ridges allow deeper penetration into hose tube to insure that they will never pull apart.



Longer Nickel Plated Brass Sleeve

Entire length of sleeve interlocks securely with barb for a leak-free seal.



WOLVERINEBRASS

Stainless Steel Connectors (Ballcock)

- Contains two brass nuts
- Extremely strong, tested to exceed 2500 PSI
- 360˚ Wolv-Lock crimping



- Note: Use in exposed applications only

Part #	Description
57663US	3/8" OD x 7/8" x 6"
57664US	3/8" OD x 7/8" x 9"
57670US	3/8" OD x 7/8" x 12"
57665US	3/8" OD x 7/8 "x16"
57666US	3/8" OD x 7/8" x 20"
57667US	1/2" OD x 7/8" x 9"
57668US	1/2" OD x 7/8" x 12"
57669US	1/2" OD x 7/8", 20"

WOLVERINEBRASS

Stainless Steel Connectors (Ballcock)

- Contains two brass nuts
- Extremely strong, tested to exceed 2500 PSI
- 360˚ Wolv-Lock crimping



- Note: Use in exposed applications only

Part #	Description
57584US	1/2" FIP x 7/8"x 12"
57585US	1/2" FIP x 7/8" x 16
57586US	1/2" FIP x 7/8" x 20"

WOLVERINEBRASS

Stainless Steel Connectors (Kitchen-Lavatory)

- Contains two brass nuts
- Extremely strong, tested to exceed 2500 PSI
- 360˚ Wolv-Lock crimping
- Meets low lead requirements



- Note: Use in exposed applications only

Part #	Description
57634US	3/8" OD x 1/2" FIP x 6"
57635US	3/8" OD x 1/2" FIP x 9"
57572US	3/8" OD x 1/2" FIP x 12"
57573US	3/8" OD x 1/2" FIP x 16"
57574US	3/8" OD x 1/2" FIP x 20"
57575US	3/8" OD x 1/2" FIP x 24"
57633US	3/8" OD x 1/2" FIP x 30"
57660US	3/8" OD x 1/2"FIP x 36"
57672US	1/2" OD x 1/2" FIP x 12
57673US	1/2" OD x 1/2" FIP x 16
57674US	1/2" OD x 1/2" FIP x 20

WOLVERINEBRASS

Stainless Steel Connectors (Kitchen-Lavatory)

- Contains two brass nuts
- Extremely strong, tested to exceed 2500 PSI
- 360˚ Wolv-Lock crimping
- Meets low lead requirements



- Note: Use in exposed applications only

Part #	Description
57576US	1/2" FIP x 1/2" FIP x 12"
57577US	1/2" FIP x 1/2" FIP x 16"
57578US	1/2" FIP x 1/2" FIP x 20"

WOLVERINEBRASS

Stainless Steel Connectors (Kitchen-Lavatory)

- Contains two brass nuts
- Extremely strong, tested to exceed 2500 PSI
- 360˚ Wolv-Lock crimping
- Meets low lead requirements



- Note: Use in exposed applications only

Part #	Description
57661US	3/8" OD x 3/8" Com,12"
57662US	3/8" OD x 3/8" Com,20"

WB Stainless Steel Connectors

WOLVERINEBRASS

Stainless Steel Connectors (Ice Maker)

- Contains two brass nuts
- Extremely strong, tested to exceed 2500 PSI
- 360˚ Wolv-Lock crimping
- Meets low lead requirements



- Note: Use in exposed applications only

Part #	Description
57645US	1/4" OD x 1/4" OD x 6'
57646US	1/4" OD x 1/4" OD x 10'

WOLVERINEBRASS

Stainless Steel Connectors (Washing Machine)

- Contains two brass nuts
- Extremely strong, tested to exceed 2500 PSI
- 360˚ Wolv-Lock crimping



- Note: Use in exposed applications only

Part #	Description
57651US	3/4" Hose x 3/4" Hose-48"
57653US	3/4" Hose x 3/4" Hose-60"
57654US	3/4" Hose x 3/4" Hose-72"

WOLVERINEBRASS

Stainless Steel Connectors (Dishwasher)

- Contains two brass nuts
- Extremely strong, tested to exceed 2500 PSI
- 360˚ Wolv-Lock crimping
- Meets low lead requirements



- Note: Use in exposed applications only

Part #	Description
57641US	3/8" OD x 3/8" OD x 48"
57642US	3/8" OD x 3/8" OD x 60"
57643US	3/8" OD x 3/8" OD x 72"

Dishwasher Hook-up Fittings

- Solid Brass




Part #	Description
83395	Dshwsh El 3/8" Comp x 3/4" Hose
83051NL	3/8" OD x 3/8" OD, Brass-NL

WB ProSeries Stainless Steel Connectors

WOLVERINEBRASS PROSERIES

- 12 Point stainless crimping provides more strength than other 4,6 or 8 point crimps
- Chloramine resistant reinforced PVC tubing
- 160 PSI Max pressure 33˚F - 140˚F Operating temperature



WOLVERINEBRASS PROSERIES

Stainless Steel Connectors (Kitchen-Lavatory)

- Corrosion resistant stainless braiding
- Superior strength & flexibility
- Contains 2 brass nuts



- Note: Use in exposed applications only

Part #	Description
57634	3/8" OD x 1/2" FIP x6"
57635	3/8" OD x 1/2" FIP X 9"
57572	3/8" OD x 1/2" FIP x 12"
57573	3/8" OD x 1/2" FIP x 16"
57574	3/8" OD x 1/2" FIP x 20"
57575	3/8" OD x 1/2" FIP x 24"
57660	3/8" OD x 1/2" FIP x 36"
57672	1/2" OD x 1/2" FIP x 12"
57673	1/2" OD x 1/2" FIP x 16"
57674	1/2" OD x 1/2" FIP x 20"

WOLVERINEBRASS PROSERIES

Stainless Steel Connectors (Kitchen-Lavatory)



- Corrosion resistant stainless braiding
- Superior strength & flexibility
- Contains 2 brass nuts


LEAD-FREE 12 Point Stainless Crimping

- Note: Use in exposed applications only

Part #	Description
57624	3/8" OD x 3/8" OD x 12"
57629	3/8" OD x 3/8" OD x 16"
57632	3/8" OD x 3/8" OD x 20"

WOLVERINEBRASS PROSERIES

Stainless Steel Connectors (Kitchen-Lavatory)



- Corrosion resistant stainless braiding
- Superior strength & flexibility
- Contains 2 brass nuts

LEAD-FREE 12 Point Stainless Crimping

- Note: Use in exposed applications only

Part #	Description
57676	3/8" FL x 1/2" FIP x 12"
57677	3/8" FL x 1/2" FIP x 16"
57678	3/8" FL x 1/2" FIP x 20"

WOLVERINEBRASS PROSERIES

Stainless Steel Connectors (Kitchen-Lavatory)



- Corrosion resistant stainless braiding
- Superior strength & flexibility
- Contains 2 brass nuts

LEAD-FREE 12 Point Stainless Crimping

- Note: Use in exposed applications only

Part #	Description
57661	3/8" OD x 3/8" Com,12"
57662	3/8" OD x 3/8" Com, 20"

WOLVERINEBRASS PROSERIES

Stainless Steel Connectors (Kitchen-Lavatory)



- Corrosion resistant stainless braiding
- Superior strength & flexibility
- Contains 2 brass nuts

LEAD-FREE 12 Point Stainless Crimping

- Note: Use in exposed applications only

Part #	Description
57576	1/2" FIP x 1/2" FIP x 12"
57577	1/2" FIP x 1/2" FIP x 16"
57578	1/2" FIP x 1/2" FIP x 20"

WOLVERINEBRASS PROSERIES

Stainless Steel Connectors (Ballcock)



- Corrosion resistant stainless braiding
- Superior strength & flexibility
- Contains 1 plastic & 1 brass nut
- Fits California stops with 1/2" or 7/16" OD rubber slip joint connection

12 Point Stainless Crimping

- Note: Use in exposed applications only

Part #	Description
57583	1/2" FIP x 7/8" x 9"
57584	1/2" FIP x 7/8" x 12"
57585	1/2" FIP x 7/8" x 16
57586	1/2" FIP x 7/8" x 20"

WOLVERINEBRASS PROSERIES

Stainless Steel Connectors (Ballcock)



- Corrosion resistant stainless braiding
- Superior strength & flexibility
- Contains 1 plastic & 1 brass nut


12 Point Stainless Crimping

- Note: Use in exposed applications only

Part #	Description
57579	3/8" OD x 7/8" x 9"
57580	3/8" OD x 7/8" x 12"
57581	3/8" OD x 7/8" x 16"
57582	3/8" OD x 7/8" x 20"
57667	1/2" OD x 7/8" x 9"
57668	1/2" OD x 7/8" x 12"
57669	1/2" OD x 7/8" x 20"

WOLVERINEBRASS PROSERIES

Stainless Steel Connectors (Ballcock)



- Corrosion resistant stainless braiding
- Superior strength & flexibility
- Contains two brass nuts

12 Point Stainless Crimping

- Note: Use in exposed applications only

Part #	Description
57663	3/8" OD x 7/8" x 6"
57664	3/8" OD x 7/8" x 9"
57670	3/8" OD x 7/8" x 12"
57665	3/8" OD x 7/8" x 16"
57666	3/8" OD x 7/8" x 20"

WB ProSeries Stainless Steel Connectors

WOLVERINEBRASS PROSERIES

Braided Stainless Connectors (Water Heater)

- Will not harden after repeated bending, like copper connections.
- Strong multi-crimp ends to ensure against blow-outs.
- 1000 PSI burst strength.



LEAD-FREE · 12 Point Stainless Crimping

FIP Connectors - Both Ends

Part #	Description
57680	3/4 FIP x 3/4 FIP x 12" SS WH Con
57681	3/4 FIP x 3/4 FIP x 15" SS WH Con
57682	3/4 FIP x 3/4 FIP x 18" SS WH Con
57683	3/4 FIP x 3/4 FIP x 24" SS WH Con

WOLVERINEBRASS PROSERIES

Braided Stainless Connectors (Water Heater)

- Will not harden after repeated bending, like copper connections.
- Strong multi-crimp ends to ensure against blow-outs.
- 1000 PSI burst strength.



LEAD-FREE · 12 Point Stainless Crimping

FIP x MIP Connectors

Part #	Description
57636	3/4 FIP x 3/4 MIP x 12" SS WH Con
57637	3/4 FIP x 3/4 MIP x 15" SS WH Con
57638	3/4 FIP x 3/4 MIP x 18" SS WH Con
57639	3/4 FIP x 3/4 MIP x 24" SS WH Con

WOLVERINEBRASS PROSERIES

Braided Stainless Connectors (Water Heater)

- Will not harden after repeated bending, like copper connections.
- Strong multi-crimp ends to ensure against blow-outs.
- 1000 PSI burst strength.



LEAD-FREE · 12 Point Stainless Crimping

COMP X FIP Connectors

Part #	Description
57684	3/4 Com x 3/4 FIP x 12" SS
57685	3/4 Com x 3/4 FIP x 15" SS
57686	3/4 Com x 3/4 FIP x 18" SS
57687	3/4 Com x 3/4 FIP x 24" SS

WOLVERINEBRASS PROSERIES

Stainless Steel Connectors (Ice Maker)

- Corrosion resistant stainless braiding
- Superior strength & flexibility
- Contains two brass nuts



LEAD-FREE · 12 Point Stainless Crimping

- Note: Use in exposed applications only

Part #	Description
57645	1/4" OD x 1/4" OD x 6'
57646	1/4" OD x 1/4" OD x 10'

WOLVERINEBRASS PROSERIES

Stainless Steel Connectors (Washing Machine)

- Corrosion resistant stainless braiding
- Superior strength & flexibility
- Contains two brass couplings



12 Point Stainless Crimping

- Note: Use in exposed applications only

Part #	Description
57651	3/4" Hose x 3/4" Hose x 48"
57653	3/4" Hose x 3/4" Hose x 60"
57654	3/4" Hose x 3/4" Hose x 72"

WOLVERINEBRASS PROSERIES

Stainless Steel Connectors (Washing Machine)

- Corrosion resistant stainless braiding
- Superior strength & flexibility
- Contains two solid brass couplings
- Perfect for tight fit installations



12 Point Stainless Crimping

- Note: Use in exposed applications only


Part #	Description
57656	3/4" Hose x 3/4" Hose x 48"
57657	3/4" Hose x 3/4" Hose x 60"
57658	3/4" Hose x 3/4" Hose x 72"

WOLVERINEBRASS PROSERIES

Stainless Steel Connectors (Dishwasher)

- Corrosion resistant stainless braiding
- Superior strength & flexibility
- Machined brass 90° elbow included





12 Point Stainless Crimping

- Note: Use in exposed applications only

Part #	Description
57641	3/8" OD x 3/8" OD x 48"
57642	3/8" OD x 3/8" OD x 60"
57643	3/8" OD x 3/8" OD x 72"

WOLVERINEBRASS

Best Buy Flexible Sink-Lavatory Supply Tubes Bulk 100pc. Pricing



Part #	Description	Min	Bx Qty
52413	3/8" x 12", chrome	100	100
53430	3/8" x 12", unfinished	100	100
53428W	3/8" x 20", chrome	100	100
53429	3/8" x 20", unfinished	100	100

WOLVERINEBRASS

Flexible Sink-Lavatory Supply Tubes

- Soft flexible copper tubing
- Molded nosepiece formed from a seamless copper tube
- Available in chrome, polished brass and unfinished



(Sold 4 per box)

Part #	Description	Min	Bx Qty
52006	3/8" x 12", chrome	4	4
52007	3/8" x 12", unfinished	4	4
52008	3/8" x 20", chrome	4	4
52009	3/8" x 20", unfinished	4	4
80327	3/8" x 20", polished brass	2	
52110W	3/8" x 30", chrome	4	4
52010W	3/8" x 36", chrome	4	4
52011W	1/2" x 12", chrome	4	4
52012W	1/2" x 20", chrome	4	4
52013W	1/2" x 36", chrome	4	4
52114W	1/2" x 20", unfinished	4	4

WOLVERINEBRASS

Single Lever Sink-Lavatory Supply Tubes

- Quick compression hook-up for Delta and other single lever fixtures
- Soft flexible copper tubing



Part #	Description	Min	Bx Qty
52000	3/8" x 12", chrome	4	4
52108W	3/8" x 12", unfinished	4	4
52001W	3/8" x 20", chrome	4	4
52109W	3/8" x 20", unfinished	4	4

WOLVERINEBRASS

Wolverine Best Buy Flexible Closet Supply Tube Bulk 50pc. Pricing



Part #	Description	Min	Bx Qty
52417	3/8" x 12", chrome	50	50
53427W	3/8" x 20", chrome	50	50

WOLVERINEBRASS

Flexible Closet Supply Tubes

- Soft flexible copper tubing
- One-piece construction with poly insert



Part #	Description	Min	Bx Qty
52014	3/8" x 12", chrome	4	4
52015W	3/8" x 20", chrome	4	4

WOLVERINEBRASS

Best Buy Flexible Closet Supply Tubes Bulk 50pc. Pricing



Part #	Description	Min	Bx Qty
52414	3/8" x 12", chrome	50	50
53426W	3/8" x 20", chrome	50	50

WOLVERINEBRASS

Cross-Linked Polyethylene (PEX) Flexible Supply Tubes for Sink & Lavatory

- Stronger than outdated polybutylene
- Pressure rating of 160 psi at 70ºF
- Corrosion resistant
- Nose pieces formed directly from riser tube, providing optimum strength
- For additional poly ferrules, order cat. no. 83228
- Max temperature 180ºF



Part #	Description	Min	Bx Qty
53494	3/8" x 12"	10	10
53495	3/8" x 20" w/ferrule	10	10
53500	3/8" x 36" w/ferrule	10	10

WOLVERINEBRASS

Cross-Linked Polyethylene (PEX) Flexible Supply Tubes for Closet

- Stronger than outdated polybutylene
- Pressure rating of 160 psi at 70º degrees F
- Corrosion resistant
- Nose pieces formed directly from riser tube, providing optimum strength
- For additional poly ferrules, order cat. no. 83228



Part #	Description	Min	Bx Qty
53496	3/8" x 12"	10	10
53497	3/8" x 20"	10	10

WOLVERINEBRASS

1/2" IP Brass Offset Bath Supply Nut

- For 80050 supply inlet & discontinued 50901 offset bath
- Heavy duty brass



Part #	Description	Min	Bx Qty
87024	Coupling Nut for 80050	10	10



PLUMBMASTER®

Phone: 1-800-523-5130
Fax: 1-800-338-1867
www.plumbmaster.com

082518 © 2017 PPG

WOLVERINEBRASS®

Phone: 1-800-944-9292
Fax: 1-800-945-9292
www.wolverinebrass.com