

Aimpoint®

HUNTING & SHOOTING SPORTS



Red Dot Sights

Contents

Why Aimpoint®?	5
50 years with Aimpoint	6
Ready for any platform	10
Hunting & Shooting sports	12
Aimpoint® Acro™	16
It's all about content	24
Aimpoint® Micro™	26
Aimpoint® Hunter™	32
Aimpoint® 9000™	38
Aimpoint® Comp™	40
Aimpoint® 3X-C™	44
Aimpoint® PRO™	45
Aimpoint® Duty RDS™	46
Piggyback / Secondary optic	48
Accessories	52
Mounting solutions	54
Mounting solutions for Acro™ series	56
The red dot explained	58
Technical specs	60



WHY AIMPOINT® ?

Aimpoint® red dot sights enables you to hit moving targets faster and safer. That's a proven fact. Being able to shoot with both eyes open, fully aware of your surroundings, gives you the edge and confidence you need in high-speed situations.

In all conditions, anywhere

AIMPOINT sights are used in all conditions, from the sub-zero temperatures of the Arctic to the heat and humidity of the tropics. And they are completely dust- and waterproof, so you never have to worry about dust, rain or immersion.

On any type of firearm

Whether you have a rifle, shotgun, handgun, or a combination gun, Aimpoint has a sight for you.

User friendly

AIMPOINT sights can easily be changed to the right setting - while you are aiming. Our mechanical switch and push buttons won't freeze and are easy to use with or without gloves.

ALWAYS WITH AIMPOINT® RED DOT SIGHTS

- Increased aiming confidence and hit probability
- Unlimited field of view
- Operationally parallax free - No centering required
- Unlimited eye relief
- Operational in extreme weather conditions
- Extremely rugged, durable construction
- Battery life measured in years
- Tactile and audible clicks


50 YEARS WITH AIMPOINT

There are many famous companies that got their start in garages and basements. Aimpoint might be unique. You can track our genesis back to a bathroom, and its first prototype back to a toilet paper roll.

Arne Ekstrand was shaving in a concave mirror one morning, and there was a light on a shelf behind him. When moving his head around, he realized he could see the flame of the candle no matter the position of his head, and he was doing it all with both eyes open. Ekstrand was a hunter and a sport shooter who had done his military service and thought this might be a good way of aiming.

Ekstrand constructed a prototype using a toilet paper roll, using a lens in front, a diode inside, and a battery to power it, on the outside of the tube. When searching for an investor in Sweden, he eventually joined up with Gunnar Sandberg, an entrepreneur, investor and the founder of ElektroSandberg. Gunnar Sandberg was also a hunter and sport shooter, and he was convinced Ekstrand created something unique, a winning concept. The two gentlemen patented the optic in 1974, and Aimpoint AB was founded in February 1975. From there on the success story of Aimpoint started.





THE FIRST YEARS

That first optic developed was the Aimpoint® Electronic. This was the world's first commercial electronic red dot sight. In Sweden hunting is often done on moving game, and having an optic that is simpler and faster than iron sights, that allows you to keep both your eyes open while aiming was a definite advantage. Three generations of the Electronic red dot sight were produced: the models G1, G2, and G3.

In 1987, the Electronic sight model was replaced by the newest model of AIMPOINT optics, the AIMPOINT 1000. The 1000 sight was smaller and had a longer-lasting battery. Just as Aimpoint worked to improve the Electronic sight through its various generations, they did so with the 1000 model. Subsequent models such as the ones in the AIMPOINT 3000 and 5000 series offered increased durability and battery life.




AIMPOINT® ELECTRONIC
RELEASED IN 1975

MILITARY ACKNOWLEDGEMENT

Aimpoint's roots are in hunting. It was Sweden's hunting traditions, and the active, moving style of hunting that proved the advantages of a red dot, but as our optics grew tougher and battery life got longer, the use began to spread. Not just into the practical IPSC/3-Gun "combat-style" shooting popular in America and around the world, but with elite military units.

In 1991, during the first Gulf War, a photo emerged that got Aimpoint a lot of attention. General Norman Schwarzkopf was photographed visiting Riyadh, Saudi Arabia, with his protection detail, men believed to be with the U.S. Army's most elite unit, SFOD-D (Special Forces Operational Detachment—Delta), otherwise known as Delta Force. The carbines those men were carrying sported AIMPOINT 3000 and 5000 red dot sights atop their carry handles. Prior to that, many people didn't think electronic optics were durable enough for military use, but sure enough, Delta Force was using them.



In 1997, after a procurement process that took several years with exhaustive trials, Aimpoint won a government tender. Aimpoint were to supply 80,000 new Comp™ M model optics to the U.S. military. In 1998, a new factory was opened in Malmö to increase manufacturing capacity of the COMP series.

The COMP M2 model was designated by the U.S. military the M68 CCO (Close Combat Optic), and with the Global War on Terror beginning in 2001, AIMPOINT red dot sights on military M4 carbines became common. In 2007, Aimpoint won another U.S. military procurement for red dot sights, this time for 565,000 units of the new COMP M4 model, with an advertised run time of 8 years. Soon, optics became the rule rather than the exception on military rifles as they replaced iron sights on the modern battlefield.

HUNTERS AND MILITARY

In 2004, Brügger & Thomet (B&T), a Swiss-based arms company, bought the rights for the Steyr MP9. B&T asked Aimpoint to design an OEM optic for them. Something smaller than the COMP series, but with the same level of durability and quality as the COMP sight models. At the same time the developers at Aimpoint noticed that the Blaser rifle was becoming popular in Europe amongst hunters, and people using Blaser wanted a red dot optic that was smaller than the COMP sight models. The development of a new series of red dot sights began.

The decision was made to develop a smaller red dot optic using new diode technology and an advanced controller chip. Aimpoint brought the Micro™ series to the market in 2007, a smaller red dot optic for the TP9 and Blaser rifles. The MICRO sight model was tough and had excellent battery life, becoming a standard for carbine optics and hunters all over the world. In 2014 Aimpoint released the updated version of the MICRO series, with enhancements that made a great product an even better one.

A NEW STANDARD IS BORN

Several years later, Karl Brügger of B&T once again reached out to Aimpoint. B&T was developing their Universal Service Weapon and asked Aimpoint to develop an optic smaller than the MICRO models. About the same time, the popularity of slide-mounted pistol optics began to increase. Enter the AIMPOINT ACRO™ series. At the time of its introduction, the AIMPOINT ACRO model was the first enclosed sight specifically built to mount on a pistol slide.

A redesign of the ACRO series, a few years later, resulted in a second generation of the ACRO sight models C-2 and P-2. It addressed a few consumer requests that resulted in a new design, longer battery life, even better durability and the ability to mount flip-up lens covers. The successful ACRO series of sights expanded to include the ACRO S-2 designed specifically for shotgun ribs and the alternative version of the ACRO C-2, US only, for carbines.

FUTURE IN SIGHT

Even after 50 years, Aimpoint continues to innovate, which is why it is still considered the leader in red dot optics. Our commitment to quality and advancement has ensured that we stay ahead of the competition, constantly setting new standards in the industry. By investing in cutting-edge technology and listening to the needs of our customers, Aimpoint has maintained its reputation for excellence. This dedication to progression guarantees that our products are not only reliable but also at the forefront of optical innovation, meeting the demands of both professionals and enthusiasts alike. As we look to the future, Aimpoint remains focused on delivering superior performance and durability, ensuring that our red dot sights continue to be the preferred choice for shooters around the world.

READY FOR ANY PLATFORM

Regardless if you are clay shooting with your shotgun, hunting wild boar with your rifle, or competing in IPSC with a pistol, there is an Aimpoint® sight that fits your needs. We also offer piggy-back solutions if you combine long and close-range shooting on moving targets.





HUNTING

Most hunting opportunities happen suddenly. This means that you need to be able to hit accurately and quickly, often in rough terrain, tough weather and poor light. With a red dot sight from Aimpoint you will get tremendous advantage. Aiming with both eyes open allows you to see the game as well as the surroundings. You instinctively place the red dot on the game and are ready to pull the trigger.



SHOOTING SPORTS

Since 1975, when Aimpoint introduced the red dot sight, shooters worldwide have relied on Aimpoint® optics to win, match after match. Today's product line-up brings you more versatility, performance and reliability than ever, allowing you to focus on your goals and excel. By shooting with both eyes open, you never lose sight of the target and instinctively use the red dot to create the hit.







ACRO™ S-2

This shotgun optic offers a compact design based on the Acro™ 2nd generation. Designed to mount on the majority of ventilated shotgun ribs on the market, versatility being a major feature. The large 9 MOA red dot simplifies lead visualization, enhancing the refinement of muzzle swing and positioning. The sleek design with no protruding features contributes to an even clearer sight picture.



KEY FEATURES

- Fits most ventilated shotgun ribs on the market
- Sleek design and large window
- Excels in bird, small game hunting and for sporting applications
- Low optical axis of 15 mm allows proper gun mounting






Scan to watch



Innovation meets tradition

ACRO™ S-2



-  **Battery Life** 50,000 h
 -  **Battery Type** CR2032 (3V)
 -  **Dot size** 9 MOA
 -  **Weight** 74 g
 -  **Mounting solution** Integrated shotgun rib mount - Interchangeable base plates included to accommodate most rib sizes (6-12 mm)
- ITEM NO.** [200907](#)

"The Acro™ S-2 is a perfect aid to visualize where you are looking in relation to your gun and has clear advantages. It took me 10 or 12 shots to adjust to having the sight on the front. But now we've worked it out, without question, it's helping me align on the birds. If you've got an eye dominance issue, if you've got a mounting issue, it will help you read the line of the bird better. The majority of people need some form of help to start with. For me, this visual aid ticks all the boxes."

George Digweed

Multi-World and European English sport clay-shooting champion



ACRO™ C-2

The Aimpoint® Acro™ series is the smallest professional grade, enclosed red dot series of sights for pistols and other platforms available today. It features the latest LED technology, new electric circuitry, a battery that provides 50,000 hours of continuous-on and a wide range of mounting solutions for most hunting rifles, pistols and carbines.



KEY FEATURES

- Lightweight, low-profile optic
- Fully enclosed housing protects the sight from all elements
- Designed for direct integration, in combination with mount plates, on optic ready pistol slides
- Can be mounted on any AIMPOINT MICRO sight mount via the ACRO mount plate with MICRO interface (200526)
- Can be used as a secondary sight on magnifying rifle scopes with the ACRO adapter rings
- NVD Compatible








FUELED BY **Hornady**

ACRO™ C-2



With integrated Acro™ interface






-  **Battery Life** 50,000 h
-  **Battery Type** CR2032 (3V)
-  **Dot size** 3.5 MOA
-  **Weight** 61 g
-  **Mounting solution** Integrated Acro™ interface

ITEM NO. **200692**

ACRO™ C-2



With 22 mm fixed mounting for Weaver / Picatinny without lens covers






-  **Battery Life** 50,000 h
-  **Battery Type** CR2032 (3V)
-  **Dot size** 3.5 MOA
-  **Weight** 96 g
-  **Mounting solution** Acro™ fixed mount 22 mm

ITEM NO. **200754**

ACRO™ C-2



With 22 mm fixed mounting for Weaver / Picatinny with lens covers






-  **Battery Life** 50,000 h
-  **Battery Type** CR2032 (3V)
-  **Dot size** 3.5 MOA
-  **Weight** 105 g
-  **Mounting solution** Acro™ fixed mount 22 mm

ITEM NO. **200755**

ACRO™ C-2



With QD mounting and lens covers for Tikka T3/T3x






-  **Battery life** 50,000 h
-  **Battery type** CR2032 (3V)
-  **Dot size** 3.5 MOA
-  **Weight** 116 g
-  **Mounting solution** Acro™ QD mount for Tikka T3/T3x

ITEM NO. **200721**

ACRO™ C-2 ORANGE



With integrated Acro™ interface

-  Battery Life 50,000 h
-  Battery Type CR2032 (3V)
-  Dot size 3.5 MOA
-  Weight 61 g
-  Mounting solution Integrated Acro™ interface

ITEM NO. **200912**







IT IS ALL ABOUT CONTENT

At Aimpoint, we believe in maintaining control over the quality and message of our content. By producing most of our material in-house, we ensure that every piece of content aligns with our brand values and meets the high standards our customers expect. This approach allows us to create authentic and engaging content that resonates with our audience.

COLLABORATIVE EFFORTS

We like to collaborate with influencers who share our passion for hunting and the outdoors when it comes to creating compelling content. These partnerships are crucial for expanding our reach and building trust with our viewers. Influencers and hunters from all over the world help us showcase our products in real-world scenarios, providing authentic testimonials, reviews and thrilling material.



By working closely with influencers we can co-produce material that is both educational and entertaining, a collaborative effort that ensures that the content is relevant to the audience while highlighting the unique features and benefits of Aimpoint® products. It is through these partnerships, we can produce high-quality content that appeals to a broad audience.

OUR CHANNELS

Aimpoint utilize a multi-channel strategy to reach our diverse audience base. One of these, the YouTube channel, features product demonstrations, hunting content, and shooting sports. This channel serves as a resource for both new and experienced shooters and hunters.

Alongside YouTube, Facebook and Instagram are key platforms for community building, using these channels to share high-quality images, short videos, and stories that highlight hunting, shooting sports and product information. These 3 major platforms allow us to engage with our community through comments and direct messages.

AIMPOINT® PLAY

Our newly launched in-house streaming channel. AIMPOINT® Play, is dedicated to providing exclusive content. This platform will be a central hub for all AIMPOINT related media, offering a curated experience for our users. The development of AIMPOINT Play is a significant focus for the coming years as we plan to expand the platform with new features and a wider variety of content, including: First hand look at Exclusive shows: Original series, Swedish Driven Hunt and Hunts The Globe.

SOCIAL MEDIA

WE WANT TO ENGAGE WITH YOU

Aimpoint is committed to continuously improving our media and content strategies in all channels and all over the world. We actively seek feedback from our audience to stay updated with the latest trends to ensure that we remain at the forefront when communicating with all the viewers and users.

Aimpoint's comprehensive media and content strategy, combined with our collaborations with the users and influencers, allows us to create engaging and high-quality content across various online channels.



Follow our channels and tag us whenever you are using or featuring an Aimpoint® product!



@aimpointeurope
@aimpointsport



@AimpointChannel



@aimpointeurope



play.aimpoint.com



MICRO™

The Aimpoint® Micro™ series delivers exceptional optical performance, while adding negligible size and weight. Unparalleled in mounting solutions, the MICRO series is the top choice for speed and accuracy for virtually any application. The MICRO sights are built to handle heavy recoil and are extremely user-friendly.



KEY FEATURES

- Available in 3 dot sizes (2, 4 and 6 MOA)
- Extremely rugged, durable construction
- Front and rear transparent lens covers included
- Reinforced turret protection for even greater ruggedness
- 12 intensity settings for use in daylight and low light conditions
- Fits most firearms - many mounting solutions available
- Can be used as a secondary optic on a magnifying scope
- Compatible with all Aimpoint® magnifiers



MICRO™ H-2



With standard mount for Weaver / Picatinny



Battery Life 50,000 h



Battery Type CR2032 (3V)



Dot size 2 MOA / 4 MOA / 6 MOA



Weight 130 g



Mounting solution Micro™ standard mount for Weaver / Picatinny

ITEM NO. 200185 (2 MOA)

ITEM NO. 200183 (4 MOA)

ITEM NO. 200499 (6 MOA)

MICRO™ H-2



With mount for Tikka T3



Battery Life 50,000 h



Battery Type CR2032 (3V)



Dot size 2 MOA



Weight 150 g



Mounting solution Micro™ mount for Tikka T3. The mount can also be bought separately.

ITEM NO. 200221

MICRO™ H-2



With QD mount for Tikka T3 / T3x



Battery Life 50,000 h



Battery Type CR2032 (3V)



Dot size 2 MOA



Weight 148 g



Mounting solution Micro™ QD mount for Tikka T3 / T3x. The mount can also be bought separately.

ITEM NO. 200720

MICRO™ H-2



With mount for semi-automatic rifles



Battery life 50,000 h



Battery type CR2032 (3V)



Dot size 2 MOA



Weight 148 g



Mounting solution Micro™ mount for semi-automatic rifles (Browning Bar Maral, Winchester SXR, Benelli ARGO). The mount can also be bought separately.

ITEM NO. 200253

MICRO™ H-2



With Sauer SUM-mount



Battery Life 50,000 h



Battery Type CR2032 (3V)



Dot size 2 MOA



Weight 244 g



Mounting solution Micro™ Sauer SUM-mount. Sold as a complete kit only.

ITEM NO. 200223

MICRO™ H-2



With mount for Leupold QR bases



Battery Life 50,000 h



Battery Type CR2032 (3V)



Dot size 2 MOA



Weight 150 g



Mounting solution Micro™ mount for Leupold QR. The mount can also be bought separately.

ITEM NO. 200220

MICRO™ H-2



With Blaser saddle mount



Battery Life 50,000 h



Battery Type CR2032 (3V)



Dot size 2 MOA



Weight 243 g



Mounting solution Micro™ Blaser saddle mount. Sold as a complete kit only.

ITEM NO. 200187

MICRO™ H-2



With mount for semi-automatic shotguns



Battery Life 50,000 h



Battery Type CR2032 (3V)



Dot size 4 MOA



Weight 148 g



Mounting solution Micro™ mount for semi-automatic shotguns with dovetail 11.0-13.0 mm. The mount can also be bought separately.

ITEM NO. 200254



Impoint Aimpain



HUNTER™

The Aimpoint® Hunter™ series is designed to remain classic in its form, with a two ring mounting system, but modern in its functionality. Unique to the HUNTER Series is the digital silent and distinct brightness intensity push buttons. Whether the hunter is wearing gloves or not, the brightness can be adjusted quickly.









KEY FEATURES

- 30 mm tube - available in the HUNTER H30 models
- large number of rings are available on the market
- 34 mm tube - available in the HUNTER H34 models
- for even larger field of view
- Available in long or short version - for standard rifle actions or magnum rifle actions
- Large digital push button intensity adjustment for ease of use in the field while wearing gloves
- Modern design with classic lines
- Optimized for both left- and right-handed shooters









HUNTER™ H34L



-  **Battery Life** 50,000 h
 -  **Battery Type** CR2032 (3V)
 -  **Dot size** 2 MOA
 -  **Tube diameter** 34 mm
 -  **Weight** 280 g
 -  **Mounting solution** 2 rings (Ø34 mm)
Not included
- ITEM NO. 12693







HUNTER™ H34S



-  **Battery Life** 50,000 h
 -  **Battery Type** CR2032 (3V)
 -  **Dot size** 2 MOA
 -  **Tube diameter** 34 mm
 -  **Weight** 268 g
 -  **Mounting solution** 2 rings (Ø34 mm)
Not included
- ITEM NO. 12692







HUNTER™ H30L



-  **Battery Life** 50,000 h
 -  **Battery Type** CR2032 (3V)
 -  **Dot size** 2 MOA
 -  **Tube diameter** 30 mm
 -  **Weight** 247 g
 -  **Mounting solution** 2 rings (Ø30 mm)
Not included
- ITEM NO. 12691

HUNTER™ H30S



-  **Battery Life** 50,000 h
 -  **Battery Type** CR2032 (3V)
 -  **Dot size** 2 MOA
 -  **Tube diameter** 30 mm
 -  **Weight** 235 g
 -  **Mounting solution** 2 rings (Ø30 mm)
Not included
- ITEM NO. 12690







9000™

The Aimpoint® 9000™ red dot reflex sights have been around for decades and offer user-friendly optics at an incredible value. These sights have a classic 2 rings mounting system, a mechanical dot intensity adjustment and can be mounted to suit both left-handed and right-handed users.









KEY FEATURES

- Available in 2 dot sizes (2 and 4 MOA)
- 2-ring configuration fits nearly all 30 mm ring mounting systems
- Legendary Aimpoint® ruggedness at an incredible value
- Available in long or short version – for standard rifle actions or magnum rifle actions
- Optimized for both left- and right-handed shooters

9000™ L









-  **Battery Life** 50,000 h
-  **Battery Type** DL1/3N (3V)
-  **Dot size** 2 MOA / 4 MOA
-  **Tube diameter** 30 mm
-  **Weight** 242 g
-  **Mounting solution** 2 rings (Ø30 mm)
Not included

ITEM NO. 11419 (2 MOA), 11406 (4 MOA)

9000™ SC



-  **Battery Life** 50,000 h
-  **Battery Type** DL1/3N (3V)
-  **Dot size** 2 MOA / 4 MOA
-  **Tube diameter** 30 mm
-  **Weight** 222 g
-  **Mounting solution** 2 rings (Ø30 mm)
Not included

ITEM NO. 11417 (2 MOA), 11407 (4 MOA)



COMP™

The Aimpoint® Comp™ series of reflex sights is soldier-tested, combat-proven, and widely touted by professional users as the highest quality red dot optic available. For over 20 years, the U.S. Armed Forces has chosen the COMP series as the M68CCO Close Combat Optic. Over 1.5 million Comp sights are used worldwide.









KEY FEATURES

- The civilian version of the rugged AIMPOINT COMP series that is first to meet the requirement of MIL-SPEC
- Easy to mount, equipped with 30 mm ring that fits all Weaver / Picatinny bases
- Compatible with all AIMPOINT Magnifiers

COMP™ C3



With 30 mm ring







-  **Battery Life** 50,000 h
-  **Battery Type** DL1/3N (3 V)
-  **Dot size** 2 MOA
-  **Tube diameter** 30 mm
-  **Weight** 267 g
-  **Mounting solution** 30 mm ring low and wide for Weaver / Picatinny

ITEM NO. 11421

COMP™ C3



With mount for semi-automatic rifles

-  **Battery Life** 50,000 h
-  **Battery Type** DL1/3N (3 V)
-  **Dot size** 2 MOA
-  **Tube diameter** 30 mm
-  **Weight** 296 g
-  **Mounting solution** Comp™ C3 mount for semi-automatic rifles (BrowningBar/Maral, Winchester SXR, Benelli ARGO). The mount can also be bought separately

ITEM NO. 200245





Aimpoint

TRACER

BFGOODRICH



3X-C™

The Aimpoint® 3X-C™ magnifier is optimized for long-range aiming or observation. A variable (-2 to +2) dioptic setting allows this magnifier to be adapted to the individual's eye. It utilizes the red dot in the AIMPOINT sights as the aiming reticle, eliminating the need for re-zeroing when shifting between non-magnified and magnified aiming.

3X-C™



Magnification 3X



Field of view 6°



Length 103 mm



Weight 203 g



Mounting solution TwistMount™ - Complete or FlipMount™ - Complete. Not included

ITEM NO. 200273








See page 55 for more details about the FlipMount™ and the TwistMount™ mounting solutions.

PRO™

The rugged Aimpoint® PRO™ sight comes in a ready-to-go kit at a budget friendly price. It has a 2 MOA red dot that allows for fast target acquisition. The hard anodized, high strength aluminum housing provides unmatched protection. The PRO sight contains a QRP2 mount and a standard AR15 spacer which can be removed.

PRO™



-  **Battery Life** 30,000 h
-  **Battery Type** DL1/ 3N (3V)
-  **Dot size** 2 MOA
-  **Weight** 366 g
-  **Mounting solution** QRP2 mount, base & top ring and standard spacer

ITEM NO. 12841






DUTY RDS™

The Aimpoint® Duty RDS™ offers a bright, crisp 2 MOA dot that's ideal for short to medium range target engagements. All windage and elevation adjustments are flush mounted and waterproof. The turrets provide audible “clicks” when zeroing the optic. The dot brightness intensity switch is a digital keypad with intuitive push buttons.

DUTY RDS™






-  **Battery Life** 30,000 h
-  **Battery Type** CR2032 (3V)
-  **Dot size** 2 MOA
-  **NVD compatible**
-  **Weight** 140 g
-  **Mounting solution** DUTY RDS one-piece torsion mount 30 mm

ITEM NO. 200758

DUTY RDS™



-  **Battery Life** 30,000 h
-  **Battery Type** CR2032 (3V)
-  **Dot size** 2 MOA
-  **NVD compatible**
-  **Weight** 160 g
-  **Mounting solution** DUTY RDS one-piece torsion mount 39 mm

ITEM NO. 200759



PIGGYBACK / SECONDARY OPTIC

The military, police and sport shooters have long used riflescopes in conjunction with red dot sights. Now, more and more hunters are beginning to understand the advantages.



When both magnified scope and red dot sight are needed

In certain situations, you can use the magnified scope to hunt at a longer distance with a precise shot and when the game gets closer, a red dot sight. As a sport shooter you may have to deal with targets placed a few meters away up to several hundreds of meters. A slight tip of the rifle, and you can quickly switch from close to long range shooting without moving your hands from the rifle.

Mounting solutions

Aimpoint offers multiple mounting solutions including a 45° angle mount. With this option the red dot sight is mounted directly on the picatinny rail. Another solution is to use either the 30 mm or 34 mm scope adapter rings, allowing flexible placement of the red dot sight, either on top of the magnified scope or at any angle on the side of it.



Mounting solutions



Acro™ 45° angle mount
Mounts on a picatinny rail. Gives the AIMPOINT ACRO sight a 45° angle. Can be mounted either to the right or to the left.

ITEM NO. 200697



Acro™ adapter ring 30 mm
For mounting AIMPOINT ACRO sight as a secondary sight on magnifying scope with 30 mm tube.

ITEM NO. 200681



Acro™ adapter ring 34 mm
For mounting AIMPOINT ACRO sight as a secondary sight on magnifying scope with 34 mm tube.

ITEM NO. 200682



Picatinny adapter ring 30 mm
For mounting a secondary sight or flashlight on magnifying scopes with 30 mm tube.

ITEM NO. 200152*



Picatinny adapter ring 34 mm
For mounting a secondary sight or flashlight on magnifying scopes with 34 mm tube.

ITEM NO. 200153*

* Screws and Allen key included.





Accessories



**Lens cover - Bikini
Solid / black**
For COMP C3
& 9000 sights
ITEM NO. 10628



**Lens cover - Bikini
Solid / black**
For HUNTER H30L /
H30S sights
ITEM NO. 12663
For HUNTER H34L /
H34S sights
ITEM NO. 12664



**Flip-up front cover
Solid black**
For COMPC3 and
9000 sights
ITEM NO. 12223



**Flip-Up rear cover
Solid / black**
For COMP C3
& 9000 sights
ITEM NO. 12224



**Flip-up front cover
Transparent**
For COMP C3
& 9000 sights
ITEM NO. 12241



**Flip-up rear cover
Transparent**
For COMP C3
& 9000 sights
ITEM NO. 12240



**Flip-up front cover
Solid / black**
For MICRO H-2 sights
ITEM NO. 200191



**Flip-up rear lens cover
Solid / black**
For MICRO H-2 sights
ITEM NO. 200202



**Flip-up front cover
Transparent**
For MICRO H-2 sights
ITEM NO. 200192



**Flip-up rear cover
Transparent**
For MICRO H-2 sights
ITEM NO. 200193



**Lens cover - Bikini
Rubber - Solid / black**
For MICRO sights
1st generation
ITEM NO. 12204



**Flip-up front cover
Transparent**
For HUNTER H30L / H30S
ITEM NO. 200353



**Flip-up rear cover
Transparent**
For HUNTER H30L / H30S
ITEM NO. 200354



**Flip-up front cover
Transparent**
For HUNTER H34L / H34S
ITEM NO. 200355



**Flip-up rear cover
Transparent**
For HUNTER H34L / H34S
ITEM NO. 200356



**Flip-up front cover
Solid / black**
For ACRO sights
2nd generation
ITEM NO. 200747



**Flip-up rear cover
Solid / black**
For ACRO sights
2nd generation
ITEM NO. 200748



**Flip-up front cover
Transparent**
For ACRO sights
2nd generation
ITEM NO. 200749



**Flip-up rear cover
Transparent**
For ACRO sights
2nd generation
ITEM NO. 200750



Aimpoint* Tool
For ACRO, MICRO &
HUNTER sights
ITEM NO. 12207



**DL1/3N Lithium
Battery 10 pcs**
For COMP C3 &
90000 sights
ITEM NO. 10903



**CR 2032 Lithium
Battery 2 pcs**
For ACRO 2nd generation,
MICRO & HUNTER sights
ITEM NO. 12211

Mounting solutions



Ring kit 30 mm - 1 pair
Low ring kit for 9000 & HUNTER sights. Fits on Weaver and Picatinny rails.

ITEM NO. 200728*



Ring 30 mm
Low and wide ring for COMP C3 sights. Fits on Weaver and Picatinny rails.

ITEM NO. 200286



Ring kit 34 mm - 1 pair
For HUNTER H34L / H34S sights. Fits on Weaver and Picatinny rails.

ITEM NO. 200087*



Ring kit 34 mm LQR - 1 pair
For HUNTER H34L / H34S sights. Fits on Leupold Quick Release bases.

ITEM NO. 12910*



Micro™ LRP conversion kit
To convert MICRO mount to Lever Release Picatinny.

ITEM NO. 12184



Micro™ 11 mm dovetail mount
Fits most of the 11 mm Dovetail bases ranging from 10-12.5 mm.

ITEM NO. 12215**



Micro™ LRP mount
Lever Release Picatinny mount for MICRO sights. Returns to zero after dismounting.

ITEM NO. 12905***



Micro™ spacer 39 mm
For MICRO sights. Raises optical axis to 39 mm.

ITEM NO. 12358***



Micro™ spacer 30 mm
For MICRO sights. Raises optical axis to 30 mm.

ITEM NO. 12357***

* Screws and Allen key included. ** Screws and Aimpoint® Tool included

*** Screws, Aimpoint® Tool and thread sealer included



**Micro™ H-1 Safari mount**

Fits on Merkel double rifles, suitable for models made 1996 and later.

ITEM NO. 12201**

**Micro™ H-1 mount**

Fits Merkel drilling rifles, suitable for models made 1996 and later.

ITEM NO. 12200**

**Micro™ mount for Leupold QR**

Suitable for all Leupold QR bases with two anchor points.

ITEM NO. 200224

**Micro™ mount for Tikka T3**

Low rail mount for Tikka T3, with two attachment points.

ITEM NO. 200225

**Micro™ mount for semi-automatic rifles**

Fits e.g. Browning Bar, Maral, Winchester SXR, Benelli ARGO.

ITEM NO. 200257

**Micro™ mount for semi-automatic shotguns**

Attached on the shotgun with dovetail (11.0-13.0 mm).

ITEM NO. 200258

**Comp™C3 mount for semi-automatic shotguns**

Attached on the shotgun with dovetail (11.0-13.0 mm).

ITEM NO. 200256

**Comp™C3 mount for semi-automatic rifles**

Fits e.g. Browning Bar, Maral, Winchester SXR, Benelli ARGO.

ITEM NO. 200255

**Micro™ QD mount for Tikka T3/T3x**

Quick detachable mount for MICRO sights. Fits Tikka T3 / T3x rifles. Raises optical axis to 23 mm.

ITEM NO. 200719

**FlipMount™ - Complete**

A quick attach/detach mount that can be quickly flipped in or out of the optical axis. For AIMPOINT magnifiers.

ITEM NO. 200250

30 mm optical axis

ITEM NO. 200251

39 mm optical axis

**FlipMount™ - Top ring**

Separate ring for TwistMount™ base.

ITEM NO. 200248

30 mm optical axis

ITEM NO. 200249

39 mm optical axis

**TwistMount™ base**

Separate base for the TwistMount™ & FlipMount™ top rings.

ITEM NO. 12236

Mounting solutions for Acro™



Acro™ QD mount 22 mm
Quick detachable mount for ACRO sights. Raises optical axis to 22 mm. Fits on Weaver and Picatinny rail.

ITEM NO. 200517



Acro™ QD mount 30 mm
Quick detachable mount for ACRO sights. Raises optical axis to 30 mm. Fits on Weaver and Picatinny rail.

ITEM NO. 200518



Acro™ QD mount 39 mm
Quick detachable mount for ACRO sights. Raises optical axis to 39 mm.

ITEM NO. 200519



Acro™ Fixed mount 22 mm
Fixed mount for ACRO sights. Raises optical axis to 22 mm. Fits Weaver/Picatinny rails.

ITEM NO. 200666



Acro™ Saddle Mount for Blaser Rifles
For mounting ACRO sights on Blaser rifles.

ITEM NO. 200819



Acro™ QD Mount for Tikka T3/T3x
Quick detachable mount for ACRO sights. Fits Tikka T3/T3x rifles. Raises optical axis to 25 mm.

ITEM NO. 200718



Acro™ Rear sight mount plate for Beretta APX
For mounting ACRO sights on Beretta APX handguns without the optic ready system.

ITEM NO. 200614



Acro™ Rear sight mount plate for CZ P-10
For mounting ACRO sights on CZ P-10 handguns without the optic ready system.

ITEM NO. 200663



Acro™ Mount plate for Micro™ interface
This mount plate for ACRO sights allows for compatibility with all MICRO interface mounting solutions.

ITEM NO. 200526



Acro™ Mount Plate for RMR Interface
For mounting ACRO sights on RMR interface.

ITEM NO. 200602



Acro™ Rear sight mount plate for CZ Shadow 2
For mounting ACRO sights on CZ Shadow 2 handguns without the optic ready system.

ITEM NO. 200698



Acro™ Rear sight mount plate for Glock
For mounting ACRO sights on Glock handguns without the optic ready system.

ITEM NO. 200622

Acro™ 45° Angle mount
Mounts on a picatinny rail. Gives the AIMPOINT® ACRO sight a 45° angle. Can be mounted either to the right or to the left.

ITEM NO. 200697



**Acro™ Mount plate
for Sig Sauer X-Five**

For mounting ACRO sights
on optic ready Sig Sauer
X-Five handguns.

ITEM NO. 200576

**Acro™ Mount plate
for Silencerco Maxim 9**

For mounting ACRO sights
on optic ready Silencerco
Maxim 9 handguns.

ITEM NO. 200580

**Acro™ Mount plate
for S&W M&P9**

For mounting ACRO
sights on optic ready
Smith & Wesson M&P9
gen 1 handguns.

ITEM NO. 200523

**Acro™ Mount plate
for CZ Shadow 2 OR**

For mounting ACRO sights
on optic ready CZ Shadow
2 OR handguns.

ITEM NO. 200577

**Acro™ Mount plate
for Glock MOS**

For mounting ACRO sights
on optic ready Glock MOS
handguns.

ITEM NO. 200520

**Acro™ Mount plate
for Beretta APX**

For mounting ACRO sights
on optic ready Beretta
APX handguns.

ITEM NO. 200524

**Acro™ Mount plate
for Walther Q5 Match**

For mounting ACRO sights
on optic ready Walther
Q5 Match handguns.

ITEM NO. 200578

**Acro™ Mount plate
for HK SFP9**

For mounting ACRO sights
on optic ready HK SFP9
handguns.

ITEM NO. 200521

**Acro™ Mount plate
for Sig Sauer P320**

For mounting ACRO sights
on optic ready Sig Sauer
P320 handguns.

ITEM NO. 200525

**Acro™ Mount plate
for FNX-45 Tactical**

For mounting ACRO sights
on optic ready FNX-45
Tactical handguns.

ITEM NO. 200579

**Acro™ Mount plate
for CZ P-10 C OR**

For mounting ACRO sights
on optic ready CZ P-10 C
OR handguns.

ITEM NO. 200522

**Acro™ Mount plate
for Sig Sauer P320/M17**

For mounting ACRO sights
on optic ready Sig Sauer
P320/M17 handguns.

ITEM NO. 200665

Installation by certified gunsmith is recommended for all ACRO mount plates.
New plates are continuously developed. For updated information please see aimpoint.com

THE RED DOT EXPLAINED

Aimpoint red dot sights are designed to make it easy to adjust the intensity of the red dot for different lighting conditions. Some shooters also prefer to increase the intensity of the red dot, and thereby its apparent size, in situations where fast moving targets require fast target acquisition. Similarly, decreasing the intensity can make the red dot appear smaller and provide better precision for longer shots.

2 MOA

The small dot does not obscure the target, even if the target is compact and far away. If necessary, you can increase the intensity to over expose the dot, making it look a little bit bigger.

4 MOA

The 4 MOA red dot offers a perfect balance between the ability for close-up shots as well as engaging targets at a distance.

The 4 MOA red dot could also be a solution if you have difficulties with seeing the smaller 2 MOA dot.

6 MOA

For close and fast-moving targets, the 6 MOA dot is the optimal choice. The dot is big, bright, and easy to find encouraging fast target acquisition every time. Perfect for practical shooting disciplines, dog handlers, etc.

9 MOA

Tests have shown that a larger 9 MOA red dot is a big advantage in shotgun shooting. That experience was the starting point for the development of the new Acro S-2.

Dot size	5 m	15 m	25 m	50 m	100 m
2 MOA	0,3 cm	0,9 cm	1,5 cm	3 cm	6 cm
4 MOA	0,6 cm	1,8 cm	3 cm	6 cm	12 cm
6 MOA	0,9 cm	2,7 cm	4,5 cm	9 cm	18 cm
9 MOA	1,3 cm	4 cm	6,7 cm	13,5 cm	27 cm

1 MOA ≈ 3 cm at 100 meters.

	Acro™ S-2	Acro™ C-2	Micro™ H-2	Hunter™ H34L	Hunter™ H30L	Hunter™ H34S	Hunter™ H50S	900™ SC	900™ L	Comp™ C3	PRO™	Duty RDS™
APPLICATION AREAS												
Hunters	●	●	●	●	●	●	●	●	●	●	○	○
Sport Shooters	●	●	●	-	-	-	-	-	-	●	●	●
APPLICATION FIREARMS												
Pistol/revolver	-	●	-	-	-	-	-	-	-	-	-	-
Bow	-	●	○	-	-	-	-	-	-	●	-	-
Magnum handgun ¹	-	○	○	-	-	○	○	○	-	●	●	○
Semi-automatic rifle	-	●	●	○	○	●	●	●	●	●	●	●
Rifle - short action (bolt-action)	-	●	●	○	○	●	●	●	○	●	○	○
Rifle - long action (bolt-action)	-	●	●	●	●	-	-	-	●	○	○	○
Combination rifles/drilling	-	●	●	○	○	●	●	●	○	●	○	○
Shotgun OU2/SA3/slug - ventilated rib	●	-	-	-	-	-	-	-	-	-	-	-
Shotgun OU2/SA3/slug - dovetail	-	●	●	○	○	●	●	●	○	●	○	○

● primary use ○ secondary use - not recommended

¹If double anchor points are used the optics must be mounted using two heavy duty steel mounting rings and a solid one piece mounting base designed specifically for use with these revolvers.²OU = Over and under .³SA = Semi-automatic

TECHNOLOGY

- ACET (Advanced Circuit Efficiency Technology)
- Working principle: Reflex collimator sight - red dot sight

OPTICAL DATA

- LED (Light Emitting Diode) totally eye-safe
- Light source wave length, 650 nm red light
- Operationally parallax free - No centering required
- Unlimited eye relief
- Anti-reflex coating all surfaces & multi-layer coating objective lens
- No magnification (1X)

MECHANICAL DATA

- Material housing and tube, high strength aluminium
- Surface finish housing, anodized, semi-matte
- Black color housing

ENVIRONMENTAL DATA


- Temperature range: -30° to +60°C (-22° to +140°F)
- Fully waterproof
- No radioactive material used
- No laser emission

TECHNICAL SPECS


SPECIFICATION	ACRO™ S-2	ACRO™ C-2	MICRO™ H-2	HUNTER™ H34L	HUNTER™ H30L	HUNTER™ H34S
Dot size	9 MOA	3.5 MOA	2 MOA 4 MOA 6 MOA	2 MOA	2 MOA	2 MOA
Battery life	50,000 h ^c	50,000 h ^c	50,000 h ^a	50,000 h ^b	50,000 h ^b	50,000 h ^b
Battery type	CR2032 (3V)	CR2032 (3V)	CR2032 (3V)	CR2032 (3V)	CR2032 (3V)	CR2032 (3V)
Night Vision Device (NVD) settings	-	2	-	-	-	-
Daylight (DL) settings	10	8	12	12	12	12
Adjustment 1 click =	20 mm at 100 m 0.7 in at 100 yds	20 mm at 100 m 0.7 in at 100 yds	13 mm at 100 m 0.5 in at 100 yds	20 mm at 100 m 0.7 in at 100 yds	20 mm at 100 m 0.7 in at 100 yds	20 mm at 100 m 0.7 in at 100 yds
Size L x W x H (sight only)	47 x 34 x 37 mm 1.9 x 1.3 x 1.5 in	47 x 33 x 31 mm 1.9 x 1.3 x 1.2 in	68 x 41 x 36 mm 2.7 x 1.6 x 1.4 in	229 x 54 x 54 mm 9.0 x 2.1 x 2.1 in	229 x 50 x 50 mm 9.0 x 2.0 x 2.0 in	197 x 54 x 54 mm 7.8 x 2.1 x 2.1 in
Weight (sight only)	68 g 2.4 oz	61 g 2.2 oz	94 g 3.3 oz	263 g 9.3 oz	238 g 8.4 oz	253 g 8.9 oz

Distance between rings


Aimpoint® Hunter™ series
H34S and H30S




Aimpoint® 9000™ series
9000™ L



Aimpoint® Hunter™ series
H34L and H30L



Aimpoint® 9000™ series
9000™ SC



HUNTER™ H30S	9000™SC	9000™L	COMP™C3	PRO™	DUTY RDS™
2 MOA	2 MOA 4 MOA	2 MOA 4 MOA	2 MOA	2 MOA	2 MOA
50,000 h ^B	50,000 h ^B	50,000 h ^B	50,000 h ^B	30,000 h ^B	30,000 h ^C
CR2032 (3V)	DL1/3N (3V)	DL1/3N (3V)	DL1/3N (3V)	DL1/3N (3V)	CR2032 (3V)
-	-	-	-	4	4
12	9	9	9	6	6
20 mm at 100 m 0.7 in at 100 yds	16 mm at 100 m 0.6 in at 100 yds	12 mm at 100 m 0.4 in at 100 yds	16 mm at 100 m 0.6 in at 100 yds	16 mm at 100 m 0.6 in at 100 yds	14 mm at 100 m = 0.5 in at 100 yds
197 x 50 x 50 mm 7.8 x 2.0 x 2.0 in	159 x 49 x 49 mm 6.3 x 1.9 x 1.9 in	200 x 49 x 49 mm 7.9 x 1.9 x 1.9 in	120 x 49 x 49 mm 4.7 x 1.9 x 1.9 in	120 x 49 x 49 mm 4.7 x 1.9 x 1.9 in	68 x 37 x 43 mm 2.7 x 1.5 x 1.7 in
225 g 7.9 oz	206 g 7.3 oz	227 g 8.0 oz	193 g 6.8 oz	194 g 6.8 oz	110 g 3.9 oz

BATTERY LIFE

- A: At daylight setting 8 (room temperature).
- B: At daylight setting 7 (room temperature).
- C: At daylight setting 6 (room temperature).

DOT SIZE (MOA)

MOA (minute of angle) 1 MOA ≈ 30 mm at 100 meters ≈ 1 in at 100 yards.

WARRANTY INFORMATION

Aimpoint values your business and always attempts to provide you the very best of products and services. That's why we back our products with one of the best guarantees in the industry. Our products are guaranteed to be free from original manufacturer defects in material and/or workmanship under normal use from the date of purchase for ten (10) years for personal use and two (2) years for professional or competition use.



ARMANDO TESTA
F.lli. 1988-1998
ARMANDO TESTA

1000
1000
1000

1000
1000
1000

1000
1000
1000

1000
1000
1000

1000
1000
1000

1000
1000
1000

1000
1000
1000

1000
1000
1000

1000
1000
1000

1000
1000
1000

1000
1000
1000

1000
1000
1000

1000
1000
1000

Notes

CUSTOMER SERVICE & DEALERSHIP ELIGIBILITY

Jägershillgatan 15
SE- 213 75 Malmö, Sweden
Phone +46 (0)40 671 50 20
Fax +46 (0)40 21 92 38
E-mail: info@aimpoint.se
aimpoint.com

Unless otherwise indicated, displayed trademarks, logos, and service marks are subject to the trademark rights of either Aimpoint AB or third parties. Art. No. 013913