


FRONT VIEW



SPECIFICATION SHEET

This shower enclosure shall be model XST 6032 TS. Finished surface shall be of a sanitary grade AcrylX™ applied acrylic.

The base shall be attached to the sump in such manner to form an integral part with an inner and outer coating of polyester resin. Unit construction shall be of a molded reinforced fiberglass with a 15% minimum fiberglass content.

The unit shall have outside dimensions of 60" x 33" x 77".


The unit shall meet CSA B45.5-11, ANSI Z124.1.2, ADA, and ICC-ANSI A117.1.

HANDED BY THE VALVE


The enclosure shall be equipped with the following accessories:

- 1) Two 24" x 1 1/4" diameter white horizontal grab bars on the back wall,
- 2) Two 24" x 1 1/4" diameter white horizontal grab bars, one on each side walls,
- 3) One 24" x 1 1/4" diameter white vertical grab bar on the drain side wall, all with 1 1/2" statute clearance, secured from the rear with stainless steel bolts, and 3" x 3" x 11 gauge metal mounting plates,
- 4) 27" x 15" white HDPE fold up seat,
- 5) One inch diameter, 18 gauge white curtain rod with receiver cups,
- 6) Tile finish,
- 7) Diamond accents,
- 8) Molded low shelf.

SIDE VIEW



TOP VIEW



THIS UNIT FEATURES THE OUTSIDE DIMENSION OF 60" OF OVERALL WIDTH. THIS DOES NOT ALLOW FOR FULL ENCLOSURE OF THE BOLTS AND NUTS USED TO SECURE THE BARS AND SEAT IN PLACE. THE BOLT AND NUT COMBINATION SHOULD NOT PROTRUDE MORE THAN 3/4" ON EITHER SIDE OF THE TUB SHOWER WALLS. THIS MAY REQUIRE THE NEED TO NOTCH STUDS TO ALLOW BOLT CLEARANCE FOR A DRYWALL ENCLOSED FIRE WALL INSTALLATION. ADJUSTMENT OF THE WALL BOARD MAY BE NECESSARY TO PROVIDE CLEARANCE OF THE BOLT(S) WHILE MAINTAINING THE INTEGRITY OF THE DRYWALL ENCLOSED FIRE WALL ENCLOSURE.

NOTE: THIS UNIT WILL NOT ACCEPT A DOOR.

Job Name	Approved By Print Name		Date	COMFORT DESIGNS	
Project No	Approved By Signature			Model No. XST 6032 TS-I	
Comfort Designs 435 Industrial Road Savannah, TN 38372 tel 800.443.7269 fax 731.925.4290 www.comfortdesignsbathware.com	Architect			Drawing No. XST 6032 TS 5-White No Flange Grab Bars FHDP WCR	
	Engineer			Date Issued, 5-13-19	Drawing Rev, 7-6-20
	Rep			Material, AcrylX™ applied acrylic	
	Wholesaler			Color.	
	Comments	Dimensions are in inches. Due to the nature of the materials dimensions may vary ± 1/2"			