
ASSEMBLY INSTRUCTION


- 1. This Assembly Instruction is for customers using a bolt-on metal bed frame on headboard only.
- 2.Please refer to hardware package with white sticker when using this Assembly Instruction.
- 3.Full/Queen/King Headboard need to use the other Assembly Instruction in the carton to assemble the headboard first, then use this one.
- 4.Twin Headboard is fully assembled, customers only refer to this Assembly Instruction to assemble with their own mattress frame.

HEADBOARD ONLY-SCREW




Assembly diagram below for attaching bolt-on metal bed frame to headboard only.


Attach mattress frame to the headboard, use Bolt(A), Lock Washer(C), Flat Washer(B) as shown turn the Allen Wrench(D) in Bolt(A).



ASSEMBLY INSTRUCTION

HEADBOARD







Please take the time to identify the hardware as well as the individual components to this product. As you unpack and prepare for assembly, place the contents on a carpeted or padded area to protect them from damage.

Hardware package with white sticker is for customers using a bolt-on metal bed frame.

Attached Headboard(A), Left Headboard Leg(B) & Right Headboard Leg(C), Flat Washer(H), Lock Washer(I), Bolt(F) by Allen Wrench(J).



Attached Left Headboard Post(D) & Right Headboard Post(E) to Headboard(A), Headboard Leg(B,C), Flat Washer(H), Lock Washer(I), Bolt(G) by Allen Wrench(J).





Cleaning & Care

Treat surface with care. Surface is resistand to scratches but is not scratch resistant. Clean scratches with a dry or damp soft cloth. Do not use abrasive cleaners. Hardware may loosen over time. Periodically check that all connetions are tight.

ASSEMBLY INSTRUCTION


FULL/ QUEEN BED-FOOTBOARD & RAILS & SLATS






Please take the time to identify the hardware as well as the individual components to this product. As you unpack and prepare for assembly, place the contents on a carpeted or padded area to protect them from damage.


Attached Footboard(B), Leg(F), Flat Washer(K), Lock Washer (I), Bolt(H) by Allen Wrench(L).




2 Attached Side Rail(C) to the Headboard(A) and Footboard(B).



Attached Slat(D), Support Leg(E), Flat Washer(J), Bolt(G) by Allen Wrench(M).



4 Attached Self-Tapping Screw(N) to Side Rail(C).



Cleaning & Care

Treat surface with care. Surface is resistant to scratches but is not scratch resistant. Clean surfaces with a dry or damp soft cloth. Do not use abrasive cleaners. Hardware may loosen over time. Periodically check that all connections are tight.