

INSTRUCTION MANUAL

Rotating Cantilever Umbrella

SKY9559 + SKY9560 + SKY9561 + SKY9562 + SKY9563 + SKY9564 SKY9565 + SKY9566 + SKY9567 + SKY9568 + SKY9569 + SKY9570



Do not use without umbrella base weights.

Recommended Weight: >200 lbs.

bestchoiceproducts.com

() NOTICE

Please retain these instructions for future reference.


- Umbrella base weights are not included. Do not use without umbrella base weights (recommended weight: >200 lbs.)
- Place umbrella on a stable and level surface.
- · Umbrella is suitable for rain showers and light wind.
- Do not use umbrella in inclement weather, such as snow, heavy rain, thunderstorms, or strong wind.
- Firmly secure all bolts, screws and knobs before use.
- This product is intended for outdoor use.
- Reconfirm that all bolts, screws, and knobs are secure every 90 days.
- Fasten screws loosely during initial assembly. Do not firmly tighten the screws until the item is completely assembled.
- Be aware that some parts are heavy and have sharp edges.
- If any parts are missing, broken, damaged, or worn, stop using this product until repairs are made and/or factory replacement parts are installed.
- Do not use this item in a way inconsistent with the manufacturer's instructions as this could void the product warranty.
- · This product is intended for residential use only.

TOOLS REQUIRED







HARDWARE









PARTS









PARTS








BEFORE FIRST USE

- 1. Hold the part A umbrella upside down and shake gently to separate the umbrella ribs. If necessary, carefully pull the ribs apart to free them.
- 2. Squeeze the trigger release and slowly push the collar up the shaft to open the umbrella. Make sure that the ribs are not stuck together.

PRODUCT ASSEMBLY




Insert the part B crossbar I into the part C crossbar II and set aside.



2 Locate the **part E rotator base** and press down on the pedal to rotate the base and expose the lower mounting holes. Overlay the rotator base with the crossbar assembly.

Attach the part E rotator base to the part B & C crossbars with four part 1 bolts and four part 2 washers.




PRODUCT ASSEMBLY




Attach the part D pole adapter to the part E rotator base with four part 1 screws and four part 2 washers.

Slide the part F rotator collar onto the part D pole adapter and cover the rotator collar.




4

Attach the part A umbrella to the part D pole adapter, then secure with the part 3 tension knob.




OPENING THE CANOPY

- 1. Grip and squeeze the handle to engage the release. Move the arm up.
- 2. Release the handle to lock the canopy in your desired position.




ROTATING CANOPY

Use your foot to compress the pedal on the rotating base to rotate the canopy.



CLOSING THE CANOPY

- 1. Grip and squeeze the handle to engage the release. Move the arm down.
- 2. Release the handle when the canopy is closed.



STORAGE

- Close the canopy when umbrella is not in use.
- Grip the handle and move the arm all the way down, then secure the umbrella with the attached touch fastener.
- Store in a dry area shielded from the weather.

CLEANING

- Wipe clean with mild detergent, warm water, and a soft cloth.
- Do not use abrasive materials or cleaners.



Question about your product? We're here to help. Visit us at:

help.bestchoiceproducts.com









Orders FAC



Product Assembly



Returns & Refunds

PRODUCT WARRANTY INFORMATION

All items can be returned for any reason within 60 days of the receipt and will receive a full refund as long as the item is returned in its original product packaging and all accessories from its original shipment are included. All returned items will receive a full refund back to the original payment method. All returned items will not be charged a re-stocking fee.

All returned items require an RA (Return Authorization) number, which can only be provided by a Best Choice Products Customer Service Representative when the return request is submitted. Items received without an RA may not be accepted or may increase your return processing time. Once an item has been received by Best Choice Products, refunds or replacements will be processed within 5 business days.

All returns must be shipped back to the Best Choice Products Return Center at the customer's expense. If the reason for return is a result of an error by Best Choice Products then Best Choice Products will provide a pre-paid shipping label via email. Boxes for return shipping will not be provided by Best Choice Products, and is the customer's responsibility to either use the original shipping boxes or purchase new boxes.

Pictures may be required for some returns to ensure an item is not damaged prior to its return. Items returned are not considered undamaged until they are received by Best Choice Products and verified as such. All damages to items are the customer's responsibility until the item has been received by and acknowledge by Best Choice Products as undamaged.

© Best Choice Products, Inc. All rights reserved. Distributed by Best Choice Products, Inc. Newport Beach, CA 92660

MARNING

Manufacturer and seller expressly disclaim any and all liability for personal injury, property damage or loss, whether direct, indirect, or incidental, resulting from the incorrect attachment, improper use, inadequate maintenance, unapproved modification, or neglect of this product.