

Safety Data Sheet

Commercial Products	according to the Hazardous Products Regulation (February 11, 2015)
TECHNICAL CONCEPTS	Date of issue: 01/01/2018 Version: 1.0
SECTION 1: Identification	
1.1. Product identifier	
Product name	: ORCHARD FIELDS STD AEROSOL
Type of product	: Aerosol
Product code	: 1822398
SKU #	: FG4009841
1.2. Recommended use and I	restrictions on use
Recommended use	: Air care products,Odour agents
Restrictions on use	: Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
1.3. Supplier	
Manufacturer	Other
Rubbermaid Commercial Products L	LC Rubbermaid Commercial Products LLC 20 Hereford Street
3124 Valley Avenue VA 22601-2694 Winchester - USA	L6Y 0M1 Brampton - Canada
T 1.800.347.9800	T 1.800.998.7004
www.rubbermaidcommercial.com	
1.4. Emergency telephone nu	umber
Emergency number	: 24-Hour Emergency: INFOTRAC: 1-800535-5063
SECTION 2: Hazard identifi	cation
2.1. Classification of the sub	
	stance of mixture
Classification (GHS-CA)	
Flammable aerosols, Category 1 Serious eye damage/eye irritation, C Skin sensitisation, Category 1 Specific target organ toxicity — Sing Full text of H statements : see sectio	H317 le exposure, Category 3, Narcosis H336
	luding precautionary statements
GHS-CA labelling	
Hazard pictograms (GHS-CA)	
Signal word (GHS-CA)	: Danger
Hazard statements (GHS-CA)	: H222 - Extremely flammable aerosol.
· · · · ·	H317 - May cause an allergic skin reaction.
	H319 - Causes serious eye irritation.
Procentionary statements (CLIC CA)	H336 - May cause drowsiness or dizziness.
Precautionary statements (GHS-CA)	 P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211 - Do not spray on an open flame or other ignition source. P251 - Do not pierce or burn, even after use. P280 - Wear protective gloves. P302+P352 - IF ON SKIN: Wash with plenty of water. P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P312 - Call a doctor if you feel unwell.
	P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
	P337+P313 - If eye irritation persists: Get medical advice/attention.
	P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS-CA)

No data available

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification (GHS-CA)
Acetone	(CAS-No.) 67-64-1	30 - 60	Flam. Liq. 2, H225 Eye Irrit. 2A, H319 STOT SE 3, H336
HEXYLENE GLYCOL	(CAS-No.) 107-41-5	5 - 10	Skin Irrit. 2, H315 Eye Irrit. 2A, H319
HEXYL CINNAMAL	(CAS-No.) 101-86-0	0.1 - 1	Skin Irrit. 2, H315 Skin Sens. 1, H317
HYDROXYCITRONELLAL	(CAS-No.) 107-75-5	0.1 - 1	Eye Irrit. 2A, H319 Skin Sens. 1, H317
hexyl 2-hydroxybenzoate	(CAS-No.) 6259-76-3	0.1 - 1	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	: Cough. Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.
First-aid measures after skin contact	: Take off immediately all contaminated clothing. Get medical advice if skin irritation persists. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash with plenty of water/ Wash contaminated clothing before reuse.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Direct contact with the eyes is likely to be irritating. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
4.2. Most important symptoms and effect	ts (acute and delayed)
Symptoms/effects after inhalation	: Shortness of breath. May cause an allergic skin reaction. May cause drowsiness or dizziness.
Symptoms/effects after skin contact	: Causes skin irritation.
Symptoms/effects after eye contact	: Causes serious eye irritation.
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.

4.3. Immediate medical attention and special treatment, if necessary

No additional information available

SECT	ION 5: Fire-fighting measures	
5.1.	Suitable extinguishing media	
Suitabl	e extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
5.2.	Unsuitable extinguishing media	
Unsuita	able extinguishing media	: Do not use a heavy water stream.
5.3.	Specific hazards arising from the hazardous product	
Fire ha	zard	: Extremely flammable aerosol.
Explos	on hazard	: May form flammable/explosive vapour-air mixture. Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.
5.4.	4. Special protective equipment and precautions for fire-fighters	
Firefigh	ting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment. DO NOT fight fire when fire reaches explosives. Evacuate area.
Protect	ion during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release measures		
6.1.	Personal precautions, protective e	quipment and emergency procedures
Genera	I measures	: No open flames. No smoking. Isolate from fire, if possible, without unnecessary risk. Remove

ignition sources. Use special care to avoid static electric charges.

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

6.2. Methods and materials for containment and cleaning up Methods for cleaning up : Ventilate spillage area. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials. **Reference to other sections** 6.3. For further information refer to section 8: "Exposure controls/personal protection" **SECTION 7: Handling and storage** Precautions for safe handling 7.1. Precautions for safe handling : No open flames. No smoking. Use only non-sparking tools. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Do not spray on an open flame or other ignition source. Use only outdoors or in a well-ventilated area. Hygiene measures Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Additional hazards when processed : Handle empty containers with care because residual vapours are flammable. Hazardous waste due to potential risk of explosion. Do not pierce or burn, even after use.

7.2. Conditions for safe storage, including any incompatibilities		
Technical measures	: Comply with applicable regulations.	
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Direct sunlight, Heat sources, Ignition sources. Do not expose to temperatures exceeding 50 °C/ 122 °F.	
Incompatible products	: Strong bases. Strong acids.	
Incompatible materials	: Sources of ignition. Direct sunlight. Heat sources.	

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

HEXYLENE GLYCOL (107-4	HEXYLENE GLYCOL (107-41-5)		
Saskatchewan	OEL STEL (ppm)	25 ppm	
Saskatchewan	OEL TWA (ppm)	25 ppm	
Acetone (67-64-1)			
Alberta	OEL STEL (ppm)	500 ppm	
Alberta	OEL TWA (ppm)	250 ppm	
Alberta	Notations and remarks	eye irr; CNS impair; BEI	
British Columbia	OEL STEL (ppm)	500 ppm	
British Columbia	OEL TWA (ppm)	250 ppm	
British Columbia	Notations and remarks	eye irr; CNS impair; BEI	
Manitoba	OEL STEL (ppm)	500 ppm	
Manitoba	OEL TWA (ppm)	250 ppm	
New Brunswick	OEL STEL (ppm)	500 ppm	
New Brunswick	OEL TWA (ppm)	250 ppm	
New Foundland & Labrador	OEL STEL (ppm)	500 ppm	
New Foundland & Labrador	OEL TWA (ppm)	250 ppm	
Nova Scotia	OEL STEL (ppm)	500 ppm	
Nova Scotia	OEL TWA (ppm)	250 ppm	
Nunavut	OEL STEL (ppm)	500 ppm	
Nunavut	OEL TWA (ppm)	250 ppm	
Northwest Territories	OEL STEL (ppm)	500 ppm	
Northwest Territories	OEL TWA (ppm)	250 ppm	
Prince Edward Island	OEL STEL (ppm)	500 ppm	
Prince Edward Island	OEL TWA (ppm)	250 ppm	
Saskatchewan	OEL STEL (ppm)	750 ppm	
Saskatchewan	OEL TWA (ppm)	500 ppm	
3.2. Appropriate engineering controls			

Appropriate engineering controls

 Provide local exhaust or general room ventilation to minimize mist and/or vapour concentrations.

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:

Wear protective gloves.

Eye protection:

None under normal use. Chemical goggles or safety glasses

Respiratory protection:

None under normal use. Where exposure through inhalation may occur from use, respiratory protection equipment is recommended

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and chemical properties		
Physical state	: Liquid	
Appearance	: Clear Transparent Liquid.	
Colour	: colourless to slightly yellow	
Odour	: characteristic	
Odour threshold	: No data available	
рН	: No data available	
Relative evaporation rate (butylacetate=1)	: No data available	
Relative evaporation rate (ether=1)	: No data available	
Melting point	: No data available	
Freezing point	: No data available	
Boiling point	: No data available	
Flash point	: No data available	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
Flammability (solid, gas)	: Extremely flammable aerosol.	
Vapour pressure	: 4.5 - 5.5 bar	
Vapour pressure at 50 °C	: No data available	
Relative density	: 0.7	
Solubility	: No data available	
Log Pow	: No data available	
Viscosity, kinematic	: No data available	
Explosive limits	: 1.8 - 19 vol %	
9.2. Other information		
Gas group	: Press. Gas (Liq.)	

SECTION 10: Stability and reactivity	
10.1. Reactivity	
Reactivity	: Stable under normal conditions of use.
Chemical stability	: Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Extreme risk of explosion by shock, friction, fire or other sources of ignition.
Possibility of hazardous reactions	: Not established.
Conditions to avoid	: Direct sunlight. Extremely high or low temperatures. Heat. Sparks. Open flame. Overheating.
Incompatible materials	: Oxidizing agent. Strong acids. Strong bases.
Hazardous decomposition products	: May release flammable gases. fume. Carbon monoxide. Carbon dioxide.

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

SECTION 11: Toxicological informa	tion
11.1. Information on toxicological effects	
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
HEXYLENE GLYCOL (107-41-5)	
LD50 oral	> 2000 mg/kg bodyweight
LD50 dermal	> 2000 mg/kg bodyweight
Acetone (67-64-1)	
LD50 oral	5800 mg/kg bodyweight
LD50 dermal	> 15688 mg/kg bodyweight
LC50 inhalation rat (Dust/Mist - mg/l/4h)	50100 mg/l
HEXYL CINNAMAL (101-86-0)	
LD50 oral	> 2450 mg/kg bodyweight
LD50 dermal	> 3000 mg/kg bodyweight
LC50 inhalation rat (Dust/Mist - mg/l/4h)	> 5000 mg/l
HYDROXYCITRONELLAL (107-75-5)	
LD50 oral	> 5000 mg/kg bodyweight
LD50 dermal	> 2000 mg/kg bodyweight
hexyl 2-hydroxybenzoate (6259-76-3)	
LD50 oral rat	> 5000 mg/kg
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: May cause drowsiness or dizziness.
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

•	
ORCHARD FIELDS STD AEROSOL	
Vaporizer	Aerosol
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/effects after inhalation	: Shortness of breath. May cause an allergic skin reaction. May cause drowsiness or dizziness.
Symptoms/effects after skin contact	: Causes skin irritation.
Symptoms/effects after eye contact	: Causes serious eye irritation.

SECTION 12: Ecological information

12.1.	Toxicity

HEXYLENE GLYCOL (107-41-5)		
LC50 fish 1	8690 mg/l	
EC50 other aquatic organisms 1	5410 mg/l waterflea	
EC50 other aquatic organisms 2	> 429 mg/l	
Acetone (67-64-1)		
LC50 fish 1	5540 mg/l	
EC50 other aquatic organisms 1	12600 mg/l waterflea	
EC50 other aquatic organisms 2	3400 mg/l	
HEXYL CINNAMAL (101-86-0)		
LC50 fish 1	1.7 mg/l	
EC50 other aquatic organisms 2	> 0.32 mg/l	

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

HYDROXYCITRONELLAL (107-75-5)		
EC50 other aquatic organisms 1	410 mg/l waterflea	
EC50 other aquatic organisms 2	68 mg/l	
12.2. Persistence and degradability		
ORCHARD FIELDS STD AEROSOL		
Persistence and degradability	Not established.	
Acetone (67-64-1)		
Persistence and degradability	Not established.	
12.3. Bioaccumulative potential		
ORCHARD FIELDS STD AEROSOL		
Bioaccumulative potential	Not established.	
HEXYLENE GLYCOL (107-41-5)		
Log Pow	-0.1	
Acetone (67-64-1)		
Log Pow	-0.24	
Bioaccumulative potential	Not established.	
HEXYL CINNAMAL (101-86-0)		
Log Pow	5.3	
HYDROXYCITRONELLAL (107-75-5)		
Log Pow	1.54	
12.4. Mobility in soil		
HEXYLENE GLYCOL (107-41-5)		
Log Pow	-0.1	
Acetone (67-64-1)		
Log Pow	-0.24	
HEXYL CINNAMAL (101-86-0)		
Log Pow	5.3	
HYDROXYCITRONELLAL (107-75-5)		
Log Pow	1.54	
12.5. Other adverse effects		
	: None to our knowledge.	
-	: No known effects from this product.	
	: Avoid release to the environment.	

SECTION 13: Disposal consideration	IS
40.4	
13.1. Disposal methods	
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Container under pressure. Do not drill or burn even after use.
Additional information	: Handle empty containers with care because residual vapours are flammable. Flammable vapours may accumulate in the container.
Ecology - waste materials	: Avoid release to the environment.
SECTION 14: Transport information	

14.1. Basic shi	ping description	
No additional inform		
14.2. Transport	information/DOT	
Department of Tran	sport	
DOT NA no.		: UN1950
UN-No.(DOT)		: 1950
Transport document	description	: UN1950 Aerosols, 2.1
Proper Shipping Nar	ne (DOT)	: Aerosols
Contains Statement	Field Selection (DOT)	:
Class (DOT)		: 2.1 - Class 2.1 - Flammable gas 49 CFR 173.115

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

according to the Hazardous Products Regulation (Februar	y 11, 2015)
Division (DOT)	: 2.1
Hazard labels (DOT)	: 2.1 - Flammable gas
	FLAMMABLE GAS
Dangerous for the environment	: No
DOT Special Provisions (49 CFR 172.102)	: N82 - See 173.306 of this subchapter for classification criteria for flammable aerosols.
DOT Packaging Exceptions (49 CFR 173.xxx)	: 306
DOT Packaging Non Bulk (49 CFR 173.xxx)	: None
DOT Packaging Bulk (49 CFR 173.xxx)	: None
DOT Quantity Limitations Passenger aircraft/rail	: 75 kg
(49 CFR 173.27)	
DOT Quantity Limitations Cargo aircraft only (49	: 150 kg
CFR 175.75)	
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a
	passenger vessel.
DOT Vessel Stowage Other	: 48 - Stow "away from" sources of heat,87 - Stow "separated from" Class 1 (explosives) except Division 14,126 - Segregation same as for Class 9, miscellaneous hazardous materials
Other information	: No supplementary information available.
Other mornation	. No supplementary mormation available.
14.3. Air and sea transport	
IMDG	
UN-No. (IMDG)	: 1950
Proper Shipping Name (IMDG)	
Transport document description (IMDG)	: UN 1950 AEROSOLS, 2.1
Class (IMDG)	: 2 - Gases
ΙΑΤΑ	
UN-No. (IATA)	: 1950
Proper Shipping Name (IATA)	: Aerosols, flammable
Transport document description (IATA)	: UN 1950 Aerosols, flammable, 2.1
Class (IATA)	: 2
SECTION 15: Regulatory information	
15.1. National regulations	
HEXYLENE GLYCOL (107-41-5) Listed on the Canadian DSL (Domestic Substan	
HEXYL CINNAMAL (101-86-0)	
Listed on the Canadian DSL (Domestic Substan	ces List)
hexyl 2-hydroxybenzoate (6259-76-3)	
Listed on the Canadian DSL (Domestic Substan	ces List)
15.2. International regulations	
-	
HEXYLENE GLYCOL (107-41-5) Listed on the United States TSCA (Toxic Substa	incos Control Act) inventory
Acetone (67-64-1)	
Listed on the United States TSCA (Toxic Substa	inces Control Act) inventory
HEXYL CINNAMAL (101-86-0)	
Listed on the United States TSCA (Toxic Substa	Inces Control Act) inventory
HYDROXYCITRONELLAL (107-75-5)	
Listed on the United States TSCA (Toxic Substa	nces Control Act) inventory
hexyl 2-hydroxybenzoate (6259-76-3)	
Listed on the United States TSCA (Toxic Substa	Inces Control Act) inventory
SECTION 16: Other information	
Date of issue	: 01/01/2018

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Other information

```
: REACH Disclaimer:
```

This information is based on current knowledge. Consistency of data in the SDS with CSR is considered, as far as the information is available at the time of compilation (cfr Revision date and Version number). DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable. None.

Full text of H-statements:

H222	Extremely flammable aerosol.
H225	Highly flammable liquid and vapour.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

SDS_CANADA_GHS_NEWELL

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product