



1. General description



2. Features

- Provides long lasting lubrication.
- Excellent water resistance.
- Functional over a wide temperature range.
- Reduces stick and slip problems.
- Does not contain silicones.
- Safe on all metal surfaces, does not stain.
- Protects metals and alloys.
- Biodegradable according to OECD 301B.

3. Applications

- Pneumatic tools.



Manufactured by :
CRC Industries Europe bvba
Touwslagerstraat 1
9240 Zele Belgium
Tél.: (32)(0) 52/45.60.11 Fax : (32)(0) 52/45.00.34
www.crcind.com





- Handling equipment.
- Bearings.
- Suitable for all plain and anti-friction bearings as well as sliding surfaces.

4. Directions

- Apply to a clean, dry surface.
- Apply a thin even film.
- Do not mix with other products.
- **A safety data sheet (MSDS) according to EC Regulation N° 1907/2006 Art.31 and amendments is available for all CRC products.**

5. Typical product data (without propellant)

	Aerosol	Bulk
Appearance	Viscous liquid.	Grease.
Color	Amber.	Brown.
Odor	Alcohol.	Characteristic odor.
Density	0.834 g/cm ³ (@ 20°C).	0.90 g/cm ³ (@ 20°C).
Flash Point	< 0 °C	Not applicable.
4-ball weld load active product	2700 N	2700 N
Pour point (ASTM D 97)	185 °C	185 °C
Operating temperature active product	- 40 à 140 °C	- 40 à 140 °C
NLGI class	2	2
Copper Corrosion (DIN 51 759)	1a	1a

6. Packaging

Aerosol	12x500 ML	Ref. : 6742
(compressed air)	6x400 G	Ref. : 6743



Manufactured by :
CRC Industries Europe bvba
Touwslagerstraat 1
9240 Zele Belgium
Tél.: (32)(0) 52/45.60.11 Fax : (32)(0) 52/45.00.34
www.crcind.com





Technical data sheet
Graisse Polyvalente ECO

Reference : 6742 - 6743

All statements in this publication are based on service experience and/or laboratory testing. Because of the wide variety of equipment, conditions of use and the unpredictable human factors involved, we recommend that our products are tested on-the-job prior to use. All information is given in good faith but without warranty neither expressed nor implied. This Technical Data Sheet may already have been revised as a result of a change in legislation, availability of components or newly acquired experiences. The latest and only valid version of this Technical Data Sheet will be sent to you upon simple request or can be found on our website: www.crcind.com We recommend that you register on our website for this product, thus enabling you to automatically receive any future updates.

Version KF-GRAISSE_POLYVALENTE_ECO-20140418

Date



Manufactured by :
CRC Industries Europe bvba
Touwslagerstraat 1
9240 Zele Belgium
Tél.: (32)(0) 52/45.60.11 Fax : (32)(0) 52/45.00.34
www.crcind.com

