

Version 1.0	SDS Number: 40000000449	Revision Date: 03/27/2018
SECTION 1. IDENTIFICATION		
Product name	: PURELL® Hand Sanitizing Wip	oes Alcohol Formula
Manufacturer or supplier's	details	
Company name of supplier	: GOJO Industries, Inc.	
Address	: One GOJO Plaza, Suite 500 Akron, Ohio 44311	
Telephone	: 1 (330) 255-6000	
Emergency telephone number	: CHEMTREC 1-800-424-9300 CHEMTREC +1-703-527-3887	: Outside USA & CANADA
Recommended use of the c	chemical and restrictions on use	
Recommended use	: Hand Sanitizer	

Restrictions on use	:	This is a personal care or cosmetic product that is safe for consumers and other users under normal and reasonably foreseeable use. Cosmetics and consumer products, specifically defined by regulations around the world, are exempt from the requirement of an SDS for the consumer. While this material is not considered hazardous, this SDS contains valuable information critical to the safe handling and proper use of the product for industrial workplace conditions as well as unusual and unintended exposures such as large spills. This SDS should be retained and available for employees and other users of this product. For specific intended-use guidance, please refer to the information
		provided on the package or instruction sheet.

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Flammable liquids	: Category 3
Eye irritation	: Category 2A
GHS label elements Hazard pictograms	
Signal word	: Warning



Version 1.0	SDS Number: 400000000449	Revision Date: 03/27/2018		
Hazard statements	: H226 Flammable liquid and vapour. H319 Causes serious eye irritation.			
Precautionary statements	No smoking. P233 Keep container tightly clo P240 Ground/bond container a P241 Use explosion-proof elec equipment. P242 Use only non-sparking to P243 Take precautionary meas P280 Wear eye protection/ face Response: P305 + P351 + P338 IF IN EYE	and receiving equipment. attrical/ ventilating/ lighting/ bols. sures against static discharge. e protection. ES: Rinse cautiously with water ontact lenses, if present and eas ersists: Get medical advice/ se dry sand, dry chemical or guish. entilated place. Keep cool.		

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

Chemical name	CAS-No.	Concentration (%)
Ethyl Alcohol	64-17-5	>= 50 - < 70
Isopropyl Alcohol	67-63-0	>= 1 - < 5
Glycerin	56-81-5	>= 1 - < 5

General advice: In the case of accident or if you feel unwell, seek medical
advice immediately.
When symptoms persist or in all cases of doubt seek medical
advice.If inhaled: If inhaled, remove to fresh air.
If symptoms persist, call a physician.In case of skin contact: Wash with water and soap as a precaution.
Get medical attention if irritation develops and persists.In case of eye contact: In case of contact, immediately flush eyes with plenty of water
for at least 15 minutes.

SECTION 4. FIRST AID MEASURES



	0	
Version 1.0	SDS Number: 400000000449	Revision Date: 03/27/2018
	If easy to do, remove contact len Seek medical advice.	s, if worn.
If swallowed	: Do NOT induce vomiting. Rinse mouth with water. Obtain medical attention.	
Most important symptoms and effects, both acute and delayed	: Causes serious eye irritation.	
Protection of first-aiders	: First Aid responders should pay a and use the recommended prote	

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during firefighting	:	Do not use a solid water stream as it may scatter and spread fire. Cool closed containers exposed to fire with water spray. Flash back possible over considerable distance. May form explosive mixtures in air.
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers.
Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	 Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Material can create slippery conditions.
Environmental precautions	 Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.



Version 1.0	SDS Number: 400000000449	Revision Date: 03/27/2018			
Methods and materials for containment and cleaning up	 Non-sparking tools should be u Soak up with inert absorbent m Suppress (knock down) gases/ spray jet. Keep in suitable, closed contair Clean contaminated floors and observing environmental regular 	aterial. vapours/mists with a water ners for disposal. objects thoroughly while			
SECTION 7. HANDLING AND STORAGE					

Advice on safe handling	 For personal protection see section 8. Keep away from heat. Use with local exhaust ventilation. Avoid contact with eyes.
Conditions for safe storage	: Take measures to prevent the build up of electrostatic charge. Keep in properly labelled containers. Keep containers tightly closed in a dry, cool and well- ventilated place. Store in accordance with the particular national regulations.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ethyl Alcohol	64-17-5	TWA	1,000 ppm 1,900 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,900 mg/m3	OSHA Z-1
		STEL	1,000 ppm	ACGIH
Isopropyl Alcohol	67-63-0	TWA	200 ppm	ACGIH
· · · ·		STEL	400 ppm	ACGIH
		TWA	400 ppm 980 mg/m3	NIOSH REL
		ST	500 ppm 1,225 mg/m3	NIOSH REL
		TWA	400 ppm 980 mg/m3	OSHA Z-1
Glycerin	56-81-5	TWA (mist, respirable fraction)	5 mg/m3	OSHA Z-1
		TWA (mist, total dust)	15 mg/m3	OSHA Z-1

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen		Permissible concentratio	Basis
		parametero	opeointen	gune	n	



rsion 1.0	SDS N	lumber: 4000	00000449	Revi	sion Date: 03/2	27/2018
Isopropyl Alcohol	67-63-0	Acetone	Urine	End of shift at end of workwee k	40 mg/l	ACGIH BEI
Personal protective equ	ipment					
Respiratory protection		personal resp uired.	iratory prote	ctive equipr	ment normally	
Eye protection	We	special protec ar face-shield blems.			l. Ibnormal proce	essing
Skin and body protection	: No	special protec	ctive equipm	ent requirec	1.	
Protective measures	cor the Ens	specific work	d amount of -place. lushing syste	dangerous ems and sa	type, to the substances, a fety showers a	
Hygiene measures	pra	ndle in accord ctice. pid contact wit	-	od industria	al hygiene and	safety

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: sheets
Colour	: clear, cloudy, colourless
Odour	: alcohol-like
Odour Threshold	: No data available
рН	: 6-9
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: 28.70 °C
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Flammability (liquids)	:
Upper explosion limit	: No data available
Lower explosion limit	: No data available



		ша
Version 1.0	SDS Number: 400000000449	Revision Date: 03/27/2018
Vapour pressure	: No data available	
Relative vapour density	: No data available	
Density	: 0.8908 g/cm3	
Solubility(ies) Solubility in other solvents	: soluble	
Partition coefficient: n- octanol/water	: Not applicable	
Auto-ignition temperature	: No data available	
Thermal decomposition	: The substance or mixture is no	t classified self-reactive.
Viscosity Viscosity, dynamic	: No data available	
Explosive properties	: Not explosive	
Oxidizing properties	: The substance or mixture is no	t classified as oxidizing.

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Vapours may form explosive mixture with air.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure Inhalation Eye contact Skin contact	
Acute toxicity	
Not classified based on available information.	
Components:	

Ethyl Alcohol:

Luiyi	AICC	<i>.</i>	
Acute	oral	toxicity	

: LD50 (Rat): > 5,000 mg/kg



sion 1.0	SDS Number: 400000000449	Revision Date: 03/27/201
Acute inhalation toxicity	: LC50 (Rat): 124.7 mg/l Exposure time: 4 h Test atmosphere: vapour	
Isopropyl Alcohol: Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg	
Acute inhalation toxicity	: LC50 (Rat): 72.6 mg/l Exposure time: 4 h Test atmosphere: vapour	
Acute dermal toxicity	: LD50 (Rat): > 5,000 mg/kg	
Glycerin: Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg	
Skin corrosion/irritation		
Not classified based on ava	ilable information.	
Ethyl Alcohol: Species: Rabbit Method: OECD Test Guidel Result: No skin irritation Isopropyl Alcohol:	ine 404	
Species: Rabbit Result: No skin irritation		
Glycerin: Result: No skin irritation		
Serious eye damage/eye i	rritation	
Causes serious eye irritation	٦.	
<u>Components:</u> Ethyl Alcohol: Species: Rabbit Result: Irritation to eyes, rev Method: OECD Test Guidel		
Isopropyl Alcohol: Species: Rabbit Result: Irritation to eyes, rev	versing within 21 days	
Glycerin: Result: No eye irritation		
	isation ified based on available information. ot classified based on available inform	nation.
Components:		



Version 1.0

SDS Number: 40000000449

Revision Date: 03/27/2018

Exposure routes: Skin contact Species: Mouse Result: negative

Isopropyl Alcohol:

Test Type: Buehler Test Exposure routes: Skin contact Species: Guinea pig Method: OECD Test Guideline 406 Result: negative

Germ cell mutagenicity

Components:

Not classified based on available information.

Ethyl Alcohol: Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test **Result:** negative : Test Type: Rodent dominant lethal test (germ cell) (in vivo) Genotoxicity in vivo Test species: Mouse **Application Route: Ingestion Result:** negative **Isopropyl Alcohol:** Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) **Result:** negative Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Test species: Mouse Application Route: Intraperitoneal injection Result: negative Glycerin: Genotoxicity in vitro 2 Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 **Result:** negative

Carcinogenicity

Not classified based on available information.

Components:

Isopropyl Alcohol:

Species: Rat Application Route: inhalation (vapour) Exposure time: 104 weeks Method: OECD Test Guideline 451 Result: negative

Glycerin:

Species: Rat Application Route: Ingestion Exposure time: 2 Years



sion 1.0	SDS Number: 40000000449	Revision Date: 03/27/2
Result: negative		
IARC	No component of this product pre equal to 0.1% is identified as prob human carcinogen by IARC.	
OSHA	No component of this product pre equal to 0.1% is identified as a ca carcinogen by OSHA.	
NTP	No component of this product pre equal to 0.1% is identified as a kn by NTP.	
Reproductive toxicity		
Not classified based on a	vailable information.	
Components: Ethyl Alcohol: Effects on fertility	: Test Type: Two-generation rep Species: Mouse Application Route: Ingestion Method: OECD Test Guideline Result: negative	
Isopropyl Alcohol:		
Effects on fertility	: Test Type: Two-generation rep Species: Rat Application Route: Ingestion Result: negative	roduction toxicity study
Effects on foetal development	: Test Type: Embryo-foetal deve Species: Rat Application Route: Ingestion Result: negative	lopment
Glycerin:		
Effects on fertility	: Test Type: Two-generation rep Species: Rat Application Route: Ingestion Result: negative	roduction toxicity study
Effects on foetal development	: Test Type: Embryo-foetal deve Species: Rabbit Application Route: Ingestion Result: negative	lopment

Not classified based on available information.

Components:

Isopropyl Alcohol:

Assessment: May cause drowsiness or dizziness.



Version 1.0

SDS Number: 40000000449

Revision Date: 03/27/2018

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

Ethyl Alcohol: Species: Rat NOAEL: 2,400 mg/kg Application Route: Ingestion Exposure time: 2 y

Isopropyl Alcohol:

Species: Rat NOAEL: 5000 ppm Application Route: inhalation (vapour) Exposure time: 104 w Method: OECD Test Guideline 413

Glycerin:

Species: Rat NOAEL: 167 mg/m3 LOAEL: 660 mg/m3 Application Route: inhalation (dust/mist/fume) Exposure time: 13 w Symptoms: Local irritation

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

<u>Components:</u> Ethyl Alcohol:	
Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 48 h
Toxicity to algae	 EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 9.6 mg/l Exposure time: 9 d
Toxicity to bacteria	: EC50 (Photobacterium phosphoreum): 32.1 mg/l Exposure time: 0.25 h
Isopropyl Alcohol: Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): 10,000 mg/l



sion 1.0	SE	DS Number: 40000000449 Revision Date: 03/27/2
		Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 10,000 mg/l Exposure time: 24 h
Toxicity to bacteria	:	EC50 (Pseudomonas putida): > 1,050 mg/l Exposure time: 16 h
Glycerin: Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 54,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 1,955 mg/l Exposure time: 48 h
Toxicity to bacteria	:	NOEC (Pseudomonas putida): > 10,000 mg/l Exposure time: 16 h
Persistence and degradabilit	y	
Components:		
Ethyl Alcohol: Biodegradability	:	Result: Readily biodegradable. Biodegradation: 84 % Exposure time: 20 d
Isopropyl Alcohol: Biodegradability	:	Result: rapidly degradable
Glycerin: Biodegradability	:	Result: Readily biodegradable. Biodegradation: 94 % Exposure time: 1 d
Bioaccumulative potential		
Components:		
Ethyl Alcohol: Partition coefficient: n- octanol/water	:	log Pow: -0.35
Isopropyl Alcohol: Partition coefficient: n- octanol/water	:	log Pow: 0.05
Glycerin: Partition coefficient: n- octanol/water	:	log Pow: -1.76
Mobility in soil No data available		
Other adverse effects No data available		



Version 1.0	SDS Number: 40000000449	Revision Date: 03/27/2018
Product:		
Regulation	40 CFR Protection of Environm Stratospheric Ozone - CAA Sec	
Remarks	This product neither contains, n Class I or Class II ODS as defin Section 602 (40 CFR 82, Subpt	ed by the U.S. Clean Air Act

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	: Dispose of in accordance with local regulations.
Contaminated packaging	: Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulation	
IATA-DGR	
UN/ID No.	: UN 3175
Proper shipping name	: Solids containing flammable liquid, n.o.s. (Ethanol, Propan-2-ol)
Class	: 4.1
Packing group	: 11
Packing instruction (cargo aircraft)	: 448
Packing instruction (passenger aircraft)	: 445
IMDG-Code	
UN number	: UN 3175
Proper shipping name	: SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.
	(Ethanol, Propan-2-ol)
Class	: 4.1
Packing group	: 11
Labels	: 4.1
EmS Code	: F-A, S-I
Marine pollutant	: no
National Regulations	
49 CFR	
UN/ID/NA number	: UN 3175
Proper shipping name	: Solids containing flammable liquid, n.o.s. (Ethanol, Propan-2-ol)
Class	: 4.1
Packing group	: 11
ERG Code	: 133
Marine pollutant	: no



Version 1.0 SDS Number: 40000000449 Revision Date: 03/27/2018

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	:	Fire Hazard Acute Health Hazard		
SARA 302	:	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.		eporting
SARA 313	:	: The following components are subject to reporting levels established by SARA Title III, Section 313:		ng levels
		Isopropyl Alcohol	67-63-0	3.1349 %

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

Ethyl Alcohol	64-17-5	60.0401 %
Isopropyl Alcohol	67-63-0	3.1349 %
Glycerin	56-81-5	3 %

This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450.

Clean Water Act

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

US State Regulations

Massachusetts Right To Know		
Ethyl Alcohol	64-17-5	50 - 70 %
Isopropyl Alcohol	67-63-0	1 - 5 %
Glycerin	56-81-5	1 - 5 %
Pennsylvania Right To Know		
Ethyl Alcohol	64-17-5	50 - 70 %
Water (Aqua)	7732-18-5	30 - 50 %
Isopropyl Alcohol	67-63-0	1 - 5 %
Glycerin	56-81-5	1 - 5 %
New Jersey Right To Know		
Ethyl Alcohol	64-17-5	50 - 70 %
Water (Aqua)	7732-18-5	30 - 50 %




Version 1.0	SDS Number: 400000000449	Revision Date	e: 03/27/2018
Isopropyl Alc Glycerin		67-63-0 56-81-5	1 - 5 % 1 - 5 %
California Prop 65	This product does not contai of California to cause cancer reproductive harm.		
The components of this pro	oduct are reported in the followi	ng inventories:	
TSCA	: On the inventory, or in compl	iance with the invent	tory
AICS	: On the inventory, or in compl	iance with the invent	tory
DSL	: All components of this produc	ct are on the Canadi	an DSL.
ENCS	: On the inventory, or in compl	iance with the invent	tory
ISHL	: On the inventory, or in compl	iance with the invent	tory
KECI	: On the inventory, or in compl	iance with the invent	tory
PICCS	: On the inventory, or in compl	iance with the invent	tory
IECSC	: On the inventory, or in compl	iance with the invent	tory
NZIoC	: On the inventory, or in compl	iance with the invent	tory

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

SECTION 16. OTHER INFORMATION

Further information



HMIS III:

HEALTH	2
FLAMMABILITY	3
PHYSICAL HAZARD	0

0 = not significant, 1 =Slight,

2 = Moderate, 3 = High 4 = Extreme, * = Chronic

Revision Date

: 03/27/2018



Version 1.0

SDS Number: 40000000449

Revision Date: 03/27/2018

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.