

**Aimpoint®**

# HUNTING & SHOOTING SPORTS



Red Dot Sights

# Content

Why Aimpoint?	5
Ready for any platform	6
Hunting & Shooting sports	8
Aimpoint Acro	12
Dot for Shot	16
Aimpoint Micro	22
Aimpoint Hunter	28
Aimpoint 9000	34
Aimpoint Comp	36
Aimpoint 3X-C	40
Aimpoint Pro	41
Aimpoint Duty RDS	42
When speed is everything.	44
Piggyback / Secondary optic	46
Accessories	48
Mounting solutions	50
Mounting solutions for Acro	52
The red dot explained	54
Technical specs	56



# WHY AIMPOINT®?

With an Aimpoint® sight, you can hit moving targets faster and safer. That's a proven fact. Being able to shoot with both eyes open, fully aware of your surroundings, gives you the confidence you need in high-speed situations.

## In all conditions, anywhere

Aimpoint sights are used in all conditions, from the sub-zero temperatures of the Arctic to the heat and humidity of the tropics. And they are completely dust- and waterproof, so you never have to worry about dust, rain or immersion.

## On any type of firearm

Whether you have a rifle, shotgun, handgun, or a combination gun, Aimpoint has a sight for you.

## User friendly

Aimpoint sights can easily be changed to the right setting – while you are aiming. Our mechanical switch and push buttons won't freeze and are easy to use with or without gloves.

### ALWAYS WITH AIMPOINT

- Increased aiming confidence and hit probability
- Unlimited field of view
- Absence of parallax — No centering of the dot needed
- Unlimited eye relief
- Operational in extreme weather conditions
- Extremely rugged, durable construction
- Battery life measured in years
- Tactile and audible clicks

# READY FOR ANY PLATFORM

Regardless if you are clay shooting with your shotgun, hunting for wild boar with your rifle, or competing with a pistol or a carbine, there is an Aimpoint® sight that fits you weapon. We also offer piggy-back solutions if you combine long and close-range shooting on moving targets.





# Hunting

Most hunting opportunities happen suddenly. This means that you need to be able to aim accurately and quickly, often in rough terrain, foul weather and poor light. An Aimpoint sight gives you a tremendous advantage. Aiming with both eyes open allows you to see the animal as well as the surroundings. You instinctively place the red dot on the game and are ready to pull the trigger.



# Shooting Sports

Since 1975, when Aimpoint introduced the red dot sight, shooters worldwide have relied on Aimpoint optics to win, match after match. Today's line-up brings you more versatility, performance and reliability than ever, allowing you to focus on your goals and excel. By shooting with both eyes open, you never lose sight of the target and instinctively use the red dot to create the hit.









# AIMPOINT® ACRO S-2

This new shotgun optic offers a compact design based on the Acro 2nd generation. Designed to mount on the majority of available ventilated shotgun ribs on the market, versatility being a major feature. Its large 9 MOA red dot simplifies lead visualization, enhancing the automatic refinement of muzzle swing and positioning. It is a sleek sight with no protruding features, giving an even more clear view.



## KEY FEATURES

- Fits most ventilated shotgun ribs on the market
- Sleek design, and larger window, contributes to an even clearer sight picture
- Excels in bird and small game hunting, as well as sporting applications
- Low optical axis of 15 mm allows proper gun mounting






Scan to watch



# Innovation meets tradition

## ACRO S-2™



-  **Battery Life** 50,000 h
  -  **Battery Type** CR2032 (3V)
  -  **Dot size** 9 MOA
  -  **Weight** 74 g
  -  **Mounting solution** Integrated shotgun rib mount - Interchangeable base plates included to accommodate most rib sizes (6-12 mm)
- ITEM NO. **200907**

"The Acro S2 is a perfect aid to visualize where you are looking in relation to your gun and has clear advantages. It took me 10 or 12 shots to adjust to having the sight on the front. But now we've worked it out, without question, it's helping me align on the birds. If you've got an eye dominance, if you've got a mounting issue, it will help you read the line of the bird better. The majority of people need some form of help to start with. For me, this visual aid ticks all the boxes."

### George Digweed

Multi-World and European English sport clay-shooting champion





simion

ACRO  
20-60x  
100mm



Aimpoint

H

# Dot for Shot

From birds to sporting clays to big game, Aimpoint sights are useful aiming tools for a variety of shotgun applications.

According to conventional wisdom, “A rifle is aimed while a shotgun is pointed.” Perhaps this explains why so many aerial targets are missed. With its line of sights designed for shotguns, Aimpoint changes all that. Red dot-equipped shotguns ensure proper shooting form, provide a reference point to visualize leads, offer feedback on where the shot broke, and most importantly, increase the ability to hit targets. Here’s how to access the Aimpoint advantage.

## Form over function

Location on rib isn’t critical. Experiment to find what works best for you. Once mounted, keep both eyes open and use the dot as a reference point. For the first 50 to 75 shots, don’t worry about misses. Hits will come. Instead, focus on the target, consistent cheek contact, and using correct shooting form. Your Aimpoint sight will show if you mount the gun high or low, left or right, allowing you to correct this so every mount is uniform. Once form and sight picture are addressed, focus on where you’re aiming.

## Visualize the sight picture

Unlike other disciplines, a shot-gunner is presented with unlimited target presentations. No two shots are the same. The key to hitting is not shooting where the target is but rather where it will be. The Aimpoint sight provides invaluable feedback, as the glowing red dot shows exactly where the bore is relative to the target. This makes it a superb training tool for beginners.

Because hitting a driven bird is vastly different than a running rabbit or a broadside roe deer, it’s critical to focus on where the dot was at the time of the shot. When you score a hit, remember the sight picture and replicate it. After a miss, share the feedback with an instructor to help correct it. Communication between student and coach is critical for anything involving shooter input. An Aimpoint red dot sight, however, also helps with issues that are out of a shooter’s control.

## Overcome cross dominance

One in three shooters have eye dominance issues. Adding an Aimpoint sight to a shotgun's rib is the easiest way to overcome this. Essentially, the red dot negates cross dominance by projecting the bright dot into the shooter's field of view. Keep both eyes open, focus on the target, and let the brain do the rest.

## Shorten the learning curve

As they say, seeing is believing. In the shotgunning world, an Aimpoint sight is a valuable tool. From achieving the proper mount to gauging lead, a glowing red dot is a huge advantage over a metal bead. But don't believe adding one to your shotgun will transform your abilities overnight, because it won't. However, for everything from driven pheasants to doves, trap shooting

to turkey hunting, an Aimpoint sight will shorten the learning curve and make you a better shotgunner.



Don't think of your Aimpoint sight as a "red dot." Instead, consider it a miniature shotgun instructor mounted to your rib.





# AIMPOINT® ACRO

The Aimpoint Acro™ series is the smallest professional grade, enclosed red dot series of sights for pistols and other platforms available today. It features the latest LED technology, new electric circuitry, a battery that provides 50,000 hours of continuous-on and a wide range of mounting solutions for most pistols as well as carbines and hunting rifles.



## KEY FEATURES

- Lightweight, low-profile optic
- Fully enclosed housing protects electronic components of the sight from all elements
- Front and rear transparent lens covers available separately
- Designed for direct integration in combination with mount plates onto optic ready pistol slides
- Can be mounted on any Aimpoint Micro sight mount via the Acro mount plate with Micro interface (200526)
- Can be used as a secondary sight on magnifying rifle scopes with the Acro adapter rings
- NVD Compatible



## ACRO C-2™



With integrated Acro™ interface



**Battery Life** 50,000 h



**Battery Type** CR2032 (3V)



**Dot size** 3.5 MOA



**Weight** 61 g



**Mounting solution** Acro™  
integrated interface

**ITEM NO.** 200692

## ACRO C-2™



With 22 mm fixed mounting for  
Weaver/ Picatinny without lens covers



**Battery Life** 50,000 h



**Battery Type** CR2032 (3V)



**Dot size** 3.5 MOA



**Weight** 96 g



**Mounting solution** Acro™  
fixed mount 22 mm

**ITEM NO.** 200754

## ACRO C-2™



With 22 mm fixed mounting for  
Weaver/Picatinny with lens covers



**Battery Life** 50,000 h



**Battery Type** CR2032 (3V)



**Dot size** 3.5 MOA



**Weight** 105 g



**Mounting solution** Acro™  
fixed mount 22 mm

**ITEM NO.** 200755

## ACRO C-2™



With QD mounting and  
lens covers for Tikka T3/T3x



**Battery life** 50,000 h



**Battery type** CR2032 (3V)



**Dot size** 3.5 MOA



**Weight** 116 g



**Mounting solution** Acro™  
QD Mount for Tikka T3/T3x

**ITEM NO.** 200721



# AIMPOINT® MICRO

The Aimpoint Micro™ series delivers exceptional optical performance, while adding negligible size and weight. Unparalleled in mounting solutions, the Micro series is the top choice for speed and accuracy for virtually any application. The Micro sights are built to handle heavy recoil and are extremely user-friendly for any skill level.



## KEY FEATURES

- Available in 3 dot sizes (2, 4 and 6 MOA)
- Extremely rugged, durable construction
- Front and rear transparent lens covers included
- Reinforced turret protection for even greater ruggedness
- 12 intensity settings for use in daylight and low light conditions
- Fits most firearms - there are plenty of mounting solutions available
- On a magnifying scope - can be used as a secondary optic for close range situations
- Compatible with all Aimpoint Magnifiers



## MICRO H-2™



With standard mount for Weaver / Picatinny



Battery Life 50,000 h



Battery Type CR2032 (3V)



Dot size 2 MOA / 4 MOA / 6 MOA



Weight 130 g



Mounting solution Micro™ standard mount for Weaver / Picatinny

ITEM NO. 200185 (2 MOA)

ITEM NO. 200183 (4 MOA)

ITEM NO. 200499 (6 MOA)

## MICRO H-2™



With mount for Tikka T3



Battery Life 50,000 h



Battery Type CR2032 (3V)



Dot size 2 MOA



Weight 150 g



Mounting solution Micro™ mount for Tikka T3. The mount can also be bought separately.

ITEM NO. 200221

## MICRO H-2™



With QD mount for Tikka T3 / T3x



Battery Life 50,000 h



Battery Type CR2032 (3V)



Dot size 2 MOA



Weight 148 g



Mounting solution Micro™ QD mount for Tikka T3 / T3x. The mount can also be bought separately.

ITEM NO. 200720

## MICRO H-2™



With mount for semi-automatic rifles



Battery life 50,000 h



Battery type CR2032 (3V)



Dot size 2 MOA



Weight 148 g



Mounting solution Micro™ mount for semi-automatic rifles (Browning Bar Maral, Winchester STX, Benelli ARGO). The mount can also be bought separately.

ITEM NO. 200253

## MICRO H-2™



With Sauer SUM-mount



**Battery Life** 50,000 h



**Battery Type** CR2032 (3V)



**Dot size** 2 MOA



**Weight** 244 g



**Mounting solution** Micro™ Sauer SUM-mount. Sold as a complete kit only.

ITEM NO. 200223

## MICRO H-2™



With mount for Leupold QR bases



**Battery Life** 50,000 h



**Battery Type** CR2032 (3V)



**Dot size** 2 MOA



**Weight** 150 g



**Mounting solution** Micro™ Mount for Leupold QR. The mount can also be bought separately.

ITEM NO. 200220

## MICRO H-2™



With Blaser original mount



**Battery Life** 50,000 h



**Battery Type** CR2032 (3V)



**Dot size** 2 MOA



**Weight** 243 g



**Mounting solution** Micro™ Blaser Saddle Mount. Sold as a complete kit only.

ITEM NO. 200187

## MICRO H-2™



With mount for semi-automatic shotguns



**Battery Life** 50,000 h



**Battery Type** CR2032 (3V)



**Dot size** 4 MOA



**Weight** 148 g



**Mounting solution** Micro™ mount for semi-automatic shotguns with dovetail 11.0-13.0 mm. The mount can also be bought separately.

ITEM NO. 200254







# AIMPOINT® HUNTER

The Aimpoint Hunter™ series of optics is designed to remain classic in its form, with a two rings mounting system, but modern in its functionality. Unique to the Hunter Series line is the digital silent and distinct brightness intensity push buttons. Whether the hunter is wearing gloves or not, the brightness can be adjusted quickly.









## KEY FEATURES

- 30 mm tube - available in the Hunter H30 series  
- large number of rings are available on the market
- 34 mm tube - available in the Hunter H34 series  
- for even larger field of view
- Available in long or short version - for standard rifle actions or magnum rifle actions
- Front and rear transparent lens covers included
- Large digital push button intensity adjustment for ease of use in the field while wearing gloves
- Modern design with classic lines
- Optimized for both left- and right-handed shooters









## Hunter H34L™



-  **Battery Life** 50,000 h
  -  **Battery Type** CR2032 (3V)
  -  **Dot size** 2 MOA
  -  **Tube diameter** 34 mm
  -  **Weight** 280 g
  -  **Mounting solution** 2 rings (Ø34 mm)  
Not included
- ITEM NO. 12693







## Hunter H34S™



-  **Battery Life** 50,000 h
  -  **Battery Type** CR2032 (3V)
  -  **Dot size** 2 MOA
  -  **Tube diameter** 34 mm
  -  **Weight** 268 g
  -  **Mounting solution** 2 rings (Ø34 mm)  
Not included
- ITEM NO. 12692







## Hunter H30L™



-  **Battery Life** 50,000 h
  -  **Battery Type** CR2032 (3V)
  -  **Dot size** 2 MOA
  -  **Tube diameter** 30 mm
  -  **Weight** 247 g
  -  **Mounting solution** 2 rings (Ø30 mm)  
Not included
- ITEM NO. 12691

## Hunter H30S™



-  **Battery Life** 50,000 h
  -  **Battery Type** CR2032 (3V)
  -  **Dot size** 2 MOA
  -  **Tube diameter** 30 mm
  -  **Weight** 235 g
  -  **Mounting solution** 2 rings (Ø30 mm)  
Not included
- ITEM NO. 12690









# AIMPOINT® 9000

The Aimpoint 9000™ red dot reflex sights have been around for decades and offer user-friendly optics at an incredible value. These sights have a classic 2 rings mounting system, a mechanical dot intensity adjustment and can be mounted to suit both left-handed and right-handed users.









## KEY FEATURES

- Available in 2 dot sizes (2 and 4 MOA)
- 2-ring configuration fits nearly all 30 mm ring mounting systems
- Legendary Aimpoint ruggedness at an incredible value
- Available in long or short version – for standard rifle actions or magnum rifle actions
- Front and rear transparent lens covers available separately
- Optimized for both left- and right-handed shooters
- Front and rear transparent flip-up covers available separately

## 9000L™









-  **Battery Life** 50,000 h
-  **Battery Type** DL1/3N (3V)
-  **Dot size** 2 MOA / 4 MOA
-  **Tube diameter** 30 mm
-  **Weight** 242 g
-  **Mounting solution** 2 rings (Ø30 mm)  
Not included

ITEM NO. 11419 (2 MOA), 11406 (4 MOA)

## 9000SC™



-  **Battery Life** 50,000 h
-  **Battery Type** DL1/3N (3V)
-  **Dot size** 2 MOA / 4 MOA
-  **Tube diameter** 30 mm
-  **Weight** 222 g
-  **Mounting solution** 2 rings (Ø30 mm)  
Not included

ITEM NO. 11417 (2 MOA), 11407 (4 MOA)



# AIMPOINT® COMP

The Aimpoint Comp™ series of reflex sights is soldier-tested, combat-proven, and widely touted by professional users as the highest quality red dot optic available. For over 20 years, the U.S. Armed Forces has chosen the Comp series as the M68CCO Close Combat Optic. Over 1.5 million Comp sights are used worldwide.









## KEY FEATURES

- The civilian version of the rugged Aimpoint Comp-series that is first to meet the requirement of MIL-SPEC
- Easy to mount, equipped with 30 mm ring that fits all Weaver/Picatinny bases
- Fits most firearms – there are plenty of mounting solutions available
- Compatible with all Aimpoint Magnifiers

## COMPC3™



With 30 mm ring







-  **Battery Life** 50,000 h
-  **Battery Type** DL1/3N (3 V)
-  **Dot size** 2 MOA
-  **Tube diameter** 30 mm
-  **Weight** 267 g
-  **Mounting solution** 30 mm ring low and wide for Weaver / Picatinny

ITEM NO. 11421

## COMPC3™



With mount for semi-automatic rifles

-  **Battery Life** 50,000 h
-  **Battery Type** DL1/3N (3 V)
-  **Dot size** 2 MOA
-  **Tube diameter** 30 mm
-  **Weight** 296 g
-  **Mounting solution** CompC3™ mount for semi-automatic rifles (BrowningBar/Maral, Winchester STX, Benelli ARGO). The mount can also be bought separately

ITEM NO. 200245











# AIMPOINT® 3X-C

The 3X-C™ is optimized for long-range aiming or observation. A variable (-2 to +2) dioptic setting allows this magnifier to be adapted to the individual shooter's eye. It utilizes the red dot in the Aimpoint sights as the aiming reticle, eliminating the need for re-zeroing when shifting between non-magnified and magnified aiming.

## 3X-C™



-  Magnification 3X
-  Field of view 6°
-  Length 103 mm
-  Weight 220 g

ITEM NO. 200273

### To mount the 3X-C you need:

FlipMount and TwistMount base. You may also need a spacer to get the correct height.



See page 51 for more details about the FlipMount and the TwistMount.






# AIMPOINT® PRO

The rugged PRO™ sight comes in a ready-to-go kit at a budget friendly price. It has a 2 MOA red dot that allows for fast target acquisition. The hard anodized, high strength aluminum housing provides unmatched protection.

The PRO sight contains a QRP2 mount and a standard AR15 spacer which can be removed.

## PRO™



-  **Battery Life** 30,000 h
-  **Battery Type** DL1/ 3N (3V)
-  **Dot size** 2 MOA
-  **Weight** 364 g
-  **Mounting solution** QRP2 mount, base & top ring and standard spacer

ITEM NO. 12841











# AIMPOINT® DUTY RDS

The Duty RDS™ offers a bright, crisp 2 MOA dot that's ideal for short to medium range target engagements. All windage and elevation adjustments are flush mounted and waterproof. The turrets provide audible “clicks” when zeroing the optic. The dot brightness intensity switch is a digital keypad with intuitive push buttons.

## DUTY RDS™









-  **Battery Life** 30,000 h
-  **Battery Type** CR2032 (3V)
-  **Dot size** 2 MOA
-  **NVD compatible**
-  **Weight** 140 g
-  **Mounting solution** Duty RDS one-piece torsion mount 30 mm

ITEM NO. 200758

## DUTY RDS™



-  **Battery Life** 30,000 h
-  **Battery Type** CR2032 (3V)
-  **Dot size** 2 MOA
-  **NVD compatible**
-  **Weight** 160 g
-  **Mounting solution** Duty RDS one-piece torsion mount 39 mm

ITEM NO. 200759



# When speed is everything.

Aimpoint sights are used by some of the best shooters in the world. Welcome to Dynamic Shooting, the “Formula One” of shooting sports.

Dynamic shooting is a sport unlike anything else. It tests a shooter’s nerve, stamina and shooting ability by requiring him or her to combine accuracy and speed to successfully solve different types of shooting “problems”. A mix of static and moving targets at different distances, forces the shooter to think about when and how to fire at each target in order to achieve the the most points per second – all while running through an obstacle course. In dynamic shooting, astonishing feats of skill are performed at warp speed, with both hands. Two of Aimpoint’s sponsored athletes tell us more.

## Preparation is key

Swedish police officer Cecilia Lindberg is the reigning European Champion in the “Production optics” division. Cecilia, who has

been training and competing in dynamic shooting since 2013, is a firm believer in preparation. Not only does she spend endless hours at the range shooting and training all the different skills such as drawing and reloading, she also keeps herself fit through running and gym work. In addition, she employs a mental coach that helps her filter out the things that cause stress and get in the way of her performance. One of those things are her equipment. “I only want stuff I can really trust. It makes for one less thing to worry about when competing”, says Cecilia. Last year she joined team Aimpoint and has not looked back. “It was definitely a step in the right direction. Not only do I find Aimpoint’s red dot much more distinct, I also like the fact that I can now shoot in pouring rain or with the sun in my face, without the sight flaring up.”

## The value of peace of mind

Reining Swedish champion Erik Stjernlöf, who works in IT when he is not training and competing, is another recent addition to Team Aimpoint. But he's not new to our red dot sights. Born in the deep forests of Sweden, he claims to have "used Aimpoint sights for hunting all my life." Erik is somewhat of gunsmith and often makes modifications to his own and other shooter's weapons. He competes in the Open division and uses his own "overloaded" cartridges that put a lot of strain on his equipment. "Guns are not made to withstand these types of pressures. And after a while they break. I've actually had to shoot with a damaged gun during competition, and that can play tricks on your mind. Ideally, you shouldn't have to worry about your equipment. Aimpoint sights give me peace of mind since I know that they can take a beating."



**“I have broken every sight I’ve ever used. But never an Aimpoint.”**

**Erik Stjernlöf**  
Aimpoint Ambassador



# PIGGYBACK / SECONDARY OPTIC

The military, police and sport shooters have long used riflescopes in conjunction with red dot sights. Now, more and more hunters are beginning to understand the advantages.



## When both magnified scope and red dot sights are needed

In certain situations, you can use the magnified scope to harvest an animal at longer distance with a precise shot. Alternatively, when an animal remains concealed until it gets close, a red dot sight allows you to aim with both eyes open. As a sport shooter you may have to deal with targets placed a few meters away up to several hundreds of meters. A slight tip of the rifle, and you can quickly switch from close to long range shooting without moving your hands from the rifle.

## Mounting solutions

Aimpoint offers multiple mounting solutions including a 45° angle mount. With this option the red dot sight is mounted directly on the picatinny rail. Another solution is to use either the 30-mm or 34-mm scope adapter rings, allowing flexible placement of the red dot sight, either on top of the magnified scope or at any angle on the side of it.



## Mounting solutions



**Acro 45° angle mount**  
Mounts on a Picatinny rail. Gives the Aimpoint Acro sight a 45° angle. Can be mounted either to the right or to the left.

ITEM NO. **200697**



**Acro adapter ring 30 mm**  
For mounting Aimpoint Acro sight as a secondary sight on magnifying scope with 30 mm tube.

ITEM NO. **200681**



**Acro adapter ring 34 mm**  
For mounting Aimpoint Acro sight as a secondary sight on magnifying scope with 34 mm tube.

ITEM NO. **200682**



**Picatinny adapter ring 30 mm**  
For mounting a secondary sight or flashlight on magnifying scopes with 30 mm tube. Fits all Acro and Micro series sight models.

ITEM NO. **200152\***



**Picatinny adapter ring 34 mm**  
For mounting a secondary sight or flashlight on magnifying scopes with 34 mm tube. Fits all Acro and Micro series sight models.

ITEM NO. **200153\***

\* Screws and Allen key included.

## Accessories



### **Bikini Lens Cover**

For 9000 & CompC3 sights

ITEM NO. 10628

For Hunter H30L  
& Hunter H30S sights

ITEM NO. 12663

For Hunter H34L  
& Hunter H34S sights

ITEM NO. 12664



### **Flip-up front cover**

Solid  
For CompC3 and  
9000 sights

ITEM NO. 12223



### **Flip-Up rear cover**

Solid  
For CompC3  
& 9000 sights

ITEM NO. 12224



### **Flip-up front cover**

Transparent  
For CompC3  
& 9000 sights

ITEM NO. 12241



### **Flip-up rear cover**

Transparent  
For CompC3  
& 9000 sights

ITEM NO. 12240



### **Flip-up front cover**

Solid  
For Micro H-2 sights

ITEM NO. 200191



### **Flip-up rear lens cover**

Solid  
For Micro H-2 and  
CompM5c sights

ITEM NO. 200202



### **Flip-up front cover**

Transparent  
For Micro H-2 sights

ITEM NO. 200192



### **Flip-up rear cover**

Transparent  
For Micro H-2 sights

ITEM NO. 200193



### **Rubber bikini lens cover**

For Micro sights

ITEM NO. 12204



**Flip-up front cover**  
Transparent  
For Hunter H30L / H30S  
ITEM NO. 200353



**Flip-up rear cover**  
Transparent  
For Hunter H30L / H30S  
ITEM NO. 200354



**Flip-up front cover**  
Transparent  
For Hunter H34L / H34S  
ITEM NO. 200355



**Flip-up rear cover**  
Transparent  
For Hunter H34L / H34S  
ITEM NO. 200356



**Flip-up front cover**  
Solid  
For Acro 2nd generation series  
ITEM NO. 200747



**Flip-up rear cover**  
Solid  
For Acro 2nd generation series  
ITEM NO. 200748



**Flip-up front cover**  
Transparent  
For Acro 2nd generation series  
ITEM NO. 200749



**Flip-up rear cover**  
Transparent  
For Acro 2nd generation series  
ITEM NO. 200750



**Aimpoint tool**  
For Micro, Acro & Hunter sights  
ITEM NO. 12207



**DL1/3N**  
Lithium Battery  
10 pcs  
For CompC3 & 9000 sights  
ITEM NO. 10903



**AAA Battery Alkaline**  
ITEM NO. 200442



**CR2032**  
Lithium battery  
For Micro, Acro C-2 & Hunter sights  
ITEM NO. 12211



## Mounting solutions



### Ring kit 30 mm - 1 pair

Low ring kit for 9000 & Hunter sights. Fits on Weaver and Picatinny rails.

ITEM NO. 200728\*



### Ring 30 mm

Low and wide ring for CompC3 sights. Fits on Weaver and Picatinny rails.

ITEM NO. 200286



### Ring kit 34 mm - 1 pair

For Hunter H34S and H34L. Fits on Weaver and Picatinny rails.

ITEM NO. 200087\*



### Ring kit 34 mm LQR - 1 pair

For Hunter H34S and H34L. Fits on Leupold Quick Release bases.

ITEM NO. 12910\*



### Micro LRP conversion kit

To convert Micro Mount to Lever Release Picatinny.

ITEM NO. 12184



### Micro 11 mm dovetail mount

Fits most of the 11 mm Dovetail bases ranging from 10-12.5 mm.

ITEM NO. 12215\*\*



### Micro LRP mount

Lever Release Picatinny for Micro sights. Returns to zero after dismounting. Thread sealer included.

ITEM NO. 12905\*\*\*



### Micro spacer 39 mm

For Micro sights. Raises height of optical axis to 39 mm

ITEM NO. 12358\*\*\*



### Micro spacer 30 mm

For Micro sights. Raises height of optical axis to 30 mm.

ITEM NO. 12357\*\*\*

\* Screws and Allen key included. \*\* Screws and Aimpoint tool included

\*\*\* Screws, Aimpoint tool and thread sealer included



**Micro H-1 Safari mount**

Fits most of the Merkel double rifles.

ITEM NO. 12201\*\*

**Micro H-1 mount**

Fits Merkel drilling rifles.

ITEM NO. 12200\*\*

**Micro mount for Leupold QR**

Base Mount suitable for all Leupold QR bases with two anchor points.

ITEM NO. 200224

**Micro mount for Tikka T3**

Low rail mount for Tikka T3, with two attachment points.

ITEM NO. 200225

**Micro mount for semi-automatic rifles**

Fits e.g. Browning Bar, Maral, Winchester SXR, Benelli ARGO.

ITEM NO. 200257

**Micro mount for semi-automatic shotguns**

Attached on the shotgun with dovetail (11.0-13.0 mm).

ITEM NO. 200258

**CompC3 mount for semi-automatic shotguns**

Attached on the shotgun with dovetail (11.0-13.0 mm).

ITEM NO. 200256

**CompC3 mount for semi-automatic rifles**

Fits e.g. Browning Bar, Maral, Winchester SXR, Benelli ARGO.

ITEM NO. 200255

**Micro QD mount for Tikka T3/T3x**

Quick detachable mount for Micro H-2™ and Micro H-1™ sights. For use on Tikka T3 / T3x rifles. Raises height of optical axis to 23 mm.

ITEM NO. 200719

**FlipMount - Complete**

A quick attach/detach mount that can be quickly flipped in or out of the optical axis. For Aimpoint magnifiers.

ITEM NO. 200250

(30 mm height of optical axis)

ITEM NO. 200251

(39 mm height of optical axis)

**FlipMount ring**

Separate ring for TwistMount base.

ITEM NO. 200248

(30 mm height of optical axis)

ITEM NO. 200249

(39 mm height of optical axis)

**TwistMount base**

Separate base for FlipMount ring. Fits on Picatinny rail (MIL-STD 1913).

ITEM NO. 12236

## Mounting solutions for Acro



**Acro QD Mount 22 mm**  
Quick Detachable Mount for Acro sights. Raises height of optical axis to 22 mm. Fits on Weaver and Picatinny rail.

ITEM NO. 200517



**Acro QD Mount 30 mm**  
Quick Detachable Mount for Acro sights. Raises height of optical axis to 30 mm. Fits on Weaver and Picatinny rail.

ITEM NO. 200518



**Acro QD Mount 39 mm**  
Quick Detachable Mount for Acro sights. Raises height of optical axis to 39 mm. Fits on Weaver and Picatinny rail.

ITEM NO. 200519



**Acro Fixed Mount 22 mm**  
Fixed mount for Acro sights. Raises the optical axis to 22 mm. Fits Weaver/Picatinny rails.

ITEM NO. 200666



**Acro Saddle Mount for Blaser Rifles**  
For mounting Acro sights on Blaser rifles.

ITEM NO. 200819



**Acro™ QD Mount for Tikka T3/T3x**  
Quick detachable mount for Acro sights. For use on Tikka T3/T3x rifles. Raises height of optical axis to 25 mm.

ITEM NO. 200718



**Acro Rear Sight Mount Plate for Beretta APX**  
For mounting Acro sights on Beretta APX handguns without the optic ready system.

ITEM NO. 200614



**Acro Rear Sight Mount Plate for CZ P-10**  
For mounting Acro sights on CZ P10 handguns without the optic ready system.

ITEM NO. 200663



**Acro Mount Plate for Micro Interface**  
Allows compatibility with all Micro sights mounting solutions.

ITEM NO. 200526



**Acro Rear Sight Mount Plate for CZ Shadow 2**  
For mounting Acro sights on CZ Shadow 2 handguns without the optic ready system.

ITEM NO. 200698



**Acro Rear Sight Mount Plate for Glock**  
For mounting Acro sights on Glock handguns without the optic ready system.

ITEM NO. 200622



**Acro 45° Angle Mount**  
Mounts on a picatinny rail. Gives the Aimpoint Acro sight a 45° angle. Can be mounted either to the right or to the left.

ITEM NO. 200697



**Acro Mount Plate for Sig Sauer X-Five**

For mounting Acro sights on optic ready Sig Sauer X-Five handguns.

ITEM NO. 200576

**Acro Mount Plate for Silencerco Maxim 9**

For mounting Acro sights on optic ready Silencerco Maxim 9 handguns.

ITEM NO. 200580

**Acro Mount Plate for S&W M&P9**

For mounting Acro sights on optic ready Smith & Wesson M&P9 gen 1 handguns.

ITEM NO. 200523

**Acro Mount Plate for CZ Shadow 2 OR**

For mounting Acro sights on optic ready CZ Shadow 2 OR handguns.

ITEM NO. 200577

**Acro Mount Plate for Glock MOS**

For mounting Acro sight on optic ready Glock MOS handguns.

ITEM NO. 200520

**Acro Mount Plate for Beretta APX**

For mounting Acro sights on optic ready Beretta APX handguns.

ITEM NO. 200524

**Acro Mount Plate for Walther Q5 Match**

For mounting Acro sights on optic ready Walther Q5 Match handguns.

ITEM NO. 200578

**Acro Mount Plate for HK SFP9**

For mounting Acro sights on optic ready HK SFP handguns.

ITEM NO. 200521

**Acro Mount Plate for Sig Sauer P320**

For mounting Acro sights on optic ready Sig Sauer P320 handguns.

ITEM NO. 200525

**Acro Mount Plate for FNX-45 Tactical**

For mounting Acro sights on optic ready FNX-45 Tactical handguns.

ITEM NO. 200579

**Acro Mount plate for CZ P-10 C OR**

For mounting Acro sights on optic ready CZ P-10 C OR handguns.

ITEM NO. 200522

**Acro Mount Plate for Sig Sauer P320/M17**

For mounting Acro sights on optic ready Sig Sauer P320/M17 handguns.

ITEM NO. 200665

Installation by certified gunsmith is recommended for all Mount plates. New plates are continuously developed. For updated information please see.

# THE RED DOT EXPLAINED

Aimpoint red dot sights are designed to make it easy to adjust the intensity of the red dot for different lighting conditions. Some shooters also prefer to increase the intensity of the red dot, and thereby its apparent size, in situations where fast moving targets require fast target acquisition. Similarly, decreasing the intensity can make the red dot appear smaller and provide better precision for longer shots.

## 2 MOA

The small dot does not obscure the target, even if the target is compact and far away. If necessary, you can increase the intensity to over expose the dot, making it look a little bit bigger.

## 4 MOA

The 4 MOA red dot offers a perfect balance between the ability for close-up shots as well as engaging targets at a distance.

The 4 MOA red dot could also be a solution if you have difficulties with seeing the smaller 2 MOA dot.

## 6 MOA

For close and fast-moving targets, the 6 MOA dot is the optimal choice. The dot is big, bright, and easy to find encouraging fast target acquisition every time. Perfect for practical shooting disciplines, dog handlers, etc.

## 9 MOA

Tests have shown that a larger 9 MOA red dot is a big advantage in shotgun shooting. That experience was the starting point for the development of the new Acro S-2.

Dot size	5 m	15 m	25 m	50 m	100 m
2 MOA	0,3 cm	0,9 cm	1,5 cm	3 cm	6 cm
4 MOA	0,6 cm	1,8 cm	3 cm	6 cm	12 cm
6 MOA	0,9 cm	2,7 cm	4,5 cm	9 cm	18 cm
9 MOA	1,2 cm	3,6 cm	6 cm	12 cm	24 cm

1 MOA ≈ 3 cm at 100 meters.

	Acro S-2	Acro C-2	Micro H-2	Hunter H34L	Hunter H30L	Hunter H34S	Hunter H30S	9000SC	9000L	Compc3	PRO	Duty RDS
<b>APPLICATION AREAS</b>												
Hunters	●	●	●	●	●	●	●	●	●	●	○	○
Sport Shooters	●	●	●	-	-	-	-	-	-	●	●	●
<b>APPLICATION FIREARMS</b>												
Pistol/revolver	-	●	○	-	-	○	○	○	-	●	●	●
Bow	-	●	○	-	-	-	-	-	-	●	●	●
Magnum handgun <sup>1</sup>	-	○	○	-	-	○	○	○	-	●	●	○
Semi-automatic rifle	-	●	●	○	○	●	●	●	●	●	●	●
Rifle - short action (bolt-action)	-	●	●	○	○	●	●	●	○	●	○	○
Rifle - long action (bolt-action)	-	●	●	●	●	-	-	-	●	○	○	○
Combination rifles/drilling	-	●	●	○	○	●	●	●	○	●	○	○
Shotgun OU2/SA3/slug - ventilated rib	●	-	-	-	-	-	-	-	-	-	-	-
Shotgun OU2/SA3/slug - dovetail	-	●	●	○	○	●	●	●	○	●	○	○

● primary use ○ secondary use - not recommended

<sup>1</sup>If double anchor points are used the optics must be mounted using two heavy duty steel mounting rings and a solid one piece mounting base designed specifically for use with these revolvers.<sup>2</sup>OU = Over and under . <sup>3</sup>SA = Semi-automatic

## TECHNOLOGY

- ACET (Advanced Circuit Efficiency Technology)
- Working principle: Reflex collimator sight - red dot sight

## OPTICAL DATA

- LED (Light Emitting Diode) totally eye-safe
- Light source wave length, 650 nm red light
- Absence of parallax - No centering needed
- Unlimited eye relief
- Anti-reflex coating all surfaces & multi-layer coating objective lens
- No magnification (1X)

## MECHANICAL DATA

- Material housing and tube, high strength aluminium
- Surface finish housing, anodized, semi-matte
- Black color housing

## ENVIRONMENTAL DATA


- Temperature range: -30° to +60°C (-22° to +140°F)
- Fully waterproof
- No radioactive material used
- No laser emission

# TECHNICAL SPECS


SPECIFICATION	ACRO C-2	MICRO H-2	ACRO S-2	HUNTER H34L	HUNTER H30L	HUNTER H34S
Dot size	3.5 MOA	2 MOA 4 MOA 6 MOA	9 MOA	2 MOA	2 MOA	2 MOA
Battery life	50,000 h <sup>c</sup>	50,000 h <sup>a</sup>	50,000 h <sup>c</sup>	50,000 h <sup>b</sup>	50,000 h <sup>b</sup>	50,000 h <sup>b</sup>
Battery type	CR2032 (3V)	CR2032 (3V)	CR2032 (3V)	CR2032 (3V)	CR2032 (3V)	CR2032 (3V)
Night Vision Device (NVD) settings	2	-	-	-	-	-
Daylight (DL) settings	8	12	10	12	12	12
Adjustment 1 click =	20 mm at 100 m 0.7 in at 100 yds	13 mm at 100 m 0.5 in at 100 yds	20 mm at 100 m 0.7 in at 100 yds	20 mm at 100 m 0.7 in at 100 yds	20 mm at 100 m 0.7 in at 100 yds	20 mm at 100 m 0.7 in at 100 yds
Size L x W x H (sight only)	47 x 33 x 31 mm 1.9 x 1.3 x 1.2 in	68 x 41 x 36 mm 2.7 x 1.6 x 1.4 in	47 mm x 34 mm x 37 mm 1.9 in x 1.3 in x 1.5 in	229 x 54 x 54 mm 9.0 x 2.1 x 2.1 in	229 x 50 x 50 mm 9.0 x 2.0 x 2.0 in	197 x 54 x 54 mm 7.8 x 2.1 x 2.1 in
Weight (sight only)	61 g 2.2 oz	94 g 3.3 oz	74 g 2.6 oz	263 g 9.3 oz	238 g 8.4 oz	253 g 8.9 oz

## Distance between rings


Aimpoint® Hunter series  
H34S and H30S




Aimpoint® 9000 series  
9000L



Aimpoint® Hunter series  
H34L and H30L



Aimpoint® 9000 series  
9000SC



HUNTER H30S	9000SC	9000L	COMPC3	DUTY RDS	PRO
2 MOA	2 MOA 4 MOA	2 MOA 4 MOA	2 MOA	2 MOA	2 MOA
50,000 h <sup>B</sup>	50,000 h <sup>B</sup>	50,000 h <sup>B</sup>	50,000 h <sup>B</sup>	30,000 h <sup>B</sup>	30,000 h <sup>B</sup>
CR2032 (3V)	DL1/3N (3V)	DL1/3N (3V)	DL1/3N (3V)	CR2032 (3V)	DL1/3N (3V)
-	-	-	-	4	4
12	9	9	9	6	6
20 mm at 100 m 0.7 in at 100 yds	16 mm at 100 m 0.6 in at 100 yds	12 mm at 100 m 0.4 in at 100 yds	16 mm at 100 m 0.6 in at 100 yds	14 mm at 100 m ~ 0.5 in at 100 yds	16 mm at 100 m 0.6 in at 100 yds
197 x 50 x 50 mm 7.8 x 2.0 x 2.0 in	159 x 49 x 49 mm 6.3 x 1.9 x 1.9 in	200 x 49 x 49 mm 7.9 x 1.9 x 1.9 in	120 x 49 x 49 mm 4.7 x 1.9 x 1.9 in	68 x 37 x 43 mm 2.7 x 1.5 x 1.7 in	120 x 49 x 49 mm 4.7 x 1.9 x 1.9 in
225 g 7.9 oz	206 g 7.3 oz	227 g 8.0 oz	193 g 6.8 oz	110 g 3.9 oz	193 g 6.8 oz

## BATTERY LIFE

- A: At daylight setting 8 (room temperature).
- B: At daylight setting 7 (room temperature).
- C: At daylight setting 6 (room temperature).

## DOT SIZE (MOA)

MOA (minute of angle) 1 MOA ≈ 30 mm at 100 meters ≈ 1 in at 100 yards.

## WARRANTY INFORMATION

Aimpoint values your business and always attempts to provide you the very best of products and services. That's why we back our products with one of the best guarantees in the industry. Our products are guaranteed to be free from original manufacturer defects in material and/or workmanship under normal use from the date of purchase for ten (10) years for personal use and two (2) years for professional or competition use.





Notes

**CUSTOMER SERVICE  
& DEALERSHIP ELIGIBILITY**

Jägershillgatan 15

SE- 213 75 Malmö, Sweden

Phone +46 (0)40 671 50 20

Fax +46 (0)40 21 92 38

E-mail: [info@aimpoint.se](mailto:info@aimpoint.se)

[aimpoint.com](http://aimpoint.com)

Unless otherwise indicated, displayed trademarks, logos, and service marks are subject to the trademark rights of either Aimpoint AB or third parties. Art. No. 011539

