

SONANCE

LS6T SAT

LANDSCAPE SERIES SATELLITE SPEAKER

LANDSCAPE SERIES

The LS6T SAT is the first generation of Sonance Landscape Series to include a wide bandwidth Sonance Laminated Core Transformer with an adjustable tap, making it flexible and powerful for any outdoor landscape application. The SLS Sat and Sub system provides a superior landscape aesthetic with its discreet design and finish. The system blends into the terrain along walkways, tucked into planter beds, mounted up in the trees, and anywhere you want your audio to reach.

The all new Sonance SLS speakers and subwoofers are redesigned and engineered from the ground up for ultimate performance in any outdoor space, paving the way for premium audio in shared outdoor environments.

Designed using performance features borrowed from both Sonance Professional Series and Visual Performance Extreme, Sonance Landscape Series boasts a completely immersive and performance-driven outdoor experience.



FEATURES AND BENEFITS

AESTHETICS

- Designed to blend in with landscape surroundings
- Color-molded composite construction won't chip, peel or fade over time

PERFORMANCE

- Part of a scalable system that delivers perfectly even coverage and unequalled sonic performance throughout any space
- New 6 1/2" woofer for higher output when LS4T SAT isn't enough
- Sonance Laminated Core Transformer (SLCT) with an adjustable Tap for 40W, 20W, 10W, (5W 70V), and 8 Ohm installations

INSTALLATION

- 1/2" NPS male mounting threads enable flexible mounting options
- Enhanced mounting knuckle design

ENVIRONMENTAL

- Color-molded composite construction won't chip, peel or fade over time
- UV-resistant composite enclosure
- High heat ABS, non-corrosive sealed enclosure to handle extreme conditions
- Rust-proof grille; removeable for easy replacement
- IP66 and MIL STD 810 rated



GROUND STAKE
SOLD SEPARATELY

TECHNICAL SPECIFICATIONS

LS6T SAT

SKU:	93370
Unit of Measure:	Each
Tweeter:	1" (25mm) Polyurethane dome
Woofer:	6 1/2" (165mm) Injection molded polypropylene cone with a Santoprene™ rubber surround
Frequency Response:	55Hz - 20kHz ±3dB
Transformer Taps:	60W, 30W, 15W, (7.5W 70V), 8 Ohms
Enclosure Material:	High Heat ABS, non-corrosive sealed enclosure
Dimensions (L x Dia.):	11.70" x 7.43" (297mm x 189mm)
Shipping Weight:	10.75 lbs (4.88 kg) each




LS6T SAT (Dark Brown)
SKU# 93370








DIMENSIONAL SKETCHES SPECIFICATIONS

LS6T SAT

Length: 11.70" (297mm)
Diameter: 7.43" (189mm)



RECOMMENDED PRODUCTS

Sonamp DSP 2-750 MKII Amplifier (Each)	93379	
LS12T SUB (Each)	93371	
LS15T SUB (Each)	93372	
HS12T SUB (Each)	93373	
19" Ground Stake for LS6T SAT (Each)	92925	
Tree Mount for LS4T SAT (Each)	92927	
Surface Mount for LS4T SAT (Each)	92926	

SONANCE

WARRANTY, REMEDY, EXCLUSIONS AND LIMITATIONS (USA ONLY)

LIMITED WARRANTY

Sonance warrants this product to the original purchaser to be free from defects in material and workmanship, under normal use and conditions, for a period of five (5) years from the date of original purchase as shown on the invoice. The foregoing exclusive warranty gives you specific legal rights, and you may have other rights, which vary from state to state. This warranty applies exclusively to the original purchaser.

The exclusive warranty does not apply and is ineffective if:

1. The invoice fails to establish that the product was purchased from an authorized Sonance dealer or distributor;
2. The product was subjected to misuse, neglect, accident, or improper installation.
(Damage to the product was caused by accident, abuse or misuse);
3. The product was modified, altered, or repaired by unauthorized personnel; or
4. The unit was not used as described in the installation and operating instructions.

EXCLUSIVE REMEDY

Sonance agrees, at its option during the five (5) year warranty period, to repair any defect in material or workmanship or to furnish an equal product in exchange without charge to the purchaser, subject to the verification of the defect and proof of the date of purchase.

WARRANTY EXCLUSIONS AND DAMAGE LIMITATIONS

The exclusive warranty set forth above is in lieu of all other warranties, express or implied, including without limitation the implied warranties of merchantability and fitness for a particular purpose, which are expressly disclaimed. In no event, and under no circumstances or legal or equitable theory, shall Sonance be liable or responsible for any direct or indirect damages, consequential damages, loss, or injury, including without limitation, personal injury, bodily injury, property damage, emotional distress, death, real property or personal property damage, business interruption, costs of delay or lost profits arising from the product, whether based upon warranty, contract, negligence, strict product liability or other theory.

SONANCE

©2020 Sonance. All rights reserved. Sonance is a registered trademark of Dana Innovations. Due to continuous product improvement, all features and specifications are subject to change without notice. For the latest Sonance product specification information visit our website at www.sonance.com.

SONANCE • 991 Calle Amanecer • San Clemente, CA 92673 USA
PHONE: (949) 492-7777 • FAX: (949) 361-5151 • Technical Support: (949) 492-7777 • www.sonance.com
05.11.2020