

Eaton CC2C05T

Catalog Number: CC2C05T

Eaton Cooper Power series loadbreak elbow crimp connector, One-hole, Pad: Copper, Sleeve: Aluminum, #1 AWG concentric or compressed, 1/0 AWG, 50 mm² compact or solid, Metallic gray and orange, IEEE Coppertop connector, Length: 2.88"

General specifications

Product Name	Catalog Number
Eaton Cooper Power series loadbreak elbow crimp connector	CC2C05T
	UPC
	194006067263
Product Height	Product Diameter
2.95 in	0.625 in
Product Weight	Certifications
0.1 lb	Not Applicable

Product specifications

Type

IEEE Coppertop connector

Number of holes

One-hole

Pad material

Copper

Sleeve material

Aluminum

Material type

Aluminum and copper

Suitable For Al/St-Cables

Aluminum and copper cables

Color

Metallic gray and orange

Application

200A Loadbreak Elbows

Connection

Compression

Overall length

2.88"

Solid or compact conductor size

1/0 AWG

Current Rating

200A

Stranded or Compressed Conductor Size

#1 AWG

Resources

Catalogs

[200 A 15 kV class loadbreak elbow connector with optional integral jacket seal](#)

[200 A 25 kV class loadbreak elbow connector with optional integral jacket seal](#)

Installation instructions

[200 A coppertop compression connector crimp chart](#)

[200 A 15 and 25 kV class elbow with optional integral jacket seal installation instructions](#)

Specifications and datasheets

[Eaton Specification Sheet - CC2C05T](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)