PAYMENT PROCESSOR





1

72394 - CONNECT PHONE PayCase 8500

PAYMENT PROCESSOR

IPORT CONNECT Phone PayCase Manual

Thank you for purchasing the all new IPORT CONNECT Platform. We hope you enjoy this revolutionary new system and if at any time you need more assistance please Contact IPORT Tech Support via Online chat or through our

help desk online.

- IPORT Team

Whats in box:

1 - IPORT CONNECT Moby 8500 PayCase

1 - Info Card

Glossary of Terms:

 Payment Processor Dock - The Finished stationary dock providing power and a mounting

location for a Payment Processor Case

 Payment Processor Case - The removable housing providing charging and mounting for a Moby 8500 payment processor.

PAYMENT PROCESSOR

IPORT CONNECT Paycase Moby 8500

1. Remove the Moby 8500 and PayCase from their packaging.





3

PAYMENT PROCESSOR

2. Remove the top half of the Pay Case from the bottom half.





PAYMENT PROCESSOR

3. Slide the 8500 Payment Processor into the bottom of the PayCase.



PAYMENT PROCESSOR

4. Install the top of the PayCase over top of the 8500 Payment Processor



PAYMENT PROCESSOR

5. Use a coin or a flat head screw driver and turn the lock 1/4 turn clockwise to lock the case together and secure the payment processor.



PAYMENT PROCESSOR

6. The PayCase magnetically attaches to the CONNECT Phone Case. The Moby 8500 is designed to be easily removed and attached to use the tap, dip, and swipe transactions.



IPCRT CONNECT

PAYMENT PROCESSOR

7. To charge the Moby 8500 PayCase, remove the PayCase from the phone and place the Moby 8500 face out from the dock in the top charging location.





PAYMENT PROCESSOR

8. Once the PayCase has been removed and is charging on the Dock, place the CONNECT Phone Case face out and place it onto the Dock.



PAYMENT PROCESSOR

9. To Charge the CONNECT Phone Case and Pay Case on a MultiDock, Detach the Pay Case and place it in the upper Cradle. Then, place the CONNECT Phone Case into the lower Cradle.



