Assembly Instructions


ITEM: B403 -318 AUGUSTA 5/0 Q LIGHTED HEADBOARD
B403 -328 AUGUSTA 5/0 Q FOOTBOARD & ROLL OUT SLAT KIT
B403 -330 AUGUSTA 5/0-6/6 Q/EK STANDARD SIDE RAILS

Thank you for purchasing this quality product. Be sure to check all packing materials carefully for small parts, which may have come loose inside the carton during shipment. Identify and count all items and compare with the PARTS LIST and/or HARDWARE LIST shown below.

Caution: Please read the instructions thoroughly before assembly.

1. We recommend that you assemble this product with the assistance of another person; this will make the assembly easier, and will help eliminate damage to the product or injury to persons during assembly.
2. Please do not over tighten screws or bolts until the assembly is completed.
3. Please put all parts on a non-abrasive floor before assembly, and follow the assembly steps to assemble your newly purchased product correctly and efficently.


PARTS LIST

NO:	COMPONENT	SKETCH	Q'TY
A	HEADBOARD		1 PC
B	HEADBOARD LEFT SIDE FACING (LSF) LEG		1 PC
C	HEADBOARD RIGHT SIDE FACING (RSF) LEG		1 PC
D	HEADBOARD RAIL		1 PC
E	FOOTBOARD		1 PC
F	ROLL-OUT SLAT		1 SET
G	LONG SUPPORT LEG		4 PCS
H	SHORT SUPPORT LEG		4 PCS
K	SIDE RAIL		2 PCS

HARDWARE LIST

NO:	COMPONENT	SKETCH	Q'TY
1	ALLEN KEY		1 PC
2	BOLT 5/16"*1-1/2"L		8 PCS
3	LOCK WASHER 5/16"		8 PCS
4	FLAT WASHER PLATE 5/16"		8 PCS
5	SCREW 8*1-1/4"		26 PCS
1	ALLEN KEY		1 PC
6	BOLT 5/16"*3/4"L		12 PCS
7	LOCK WASHER 5/16"		12 PCS
8	FLAT WASHER PLATE 5/16"		12 PCS


B403-338: Use all 8pcs support legs (G) & (H)
B403-330: Use 4pcs of support legs (G). No (H) are not required for assembly.




Assembly Instructions

ITEM: B403 -318 AUGUSTA 5/0 Q LIGHTED HEADBOARD
B403 -328 AUGUSTA 5/0 Q FOOTBOARD & ROLL OUT SLAT KIT
B403 -330 AUGUSTA 5/0-6/6 Q/EK STANDARD SIDE RAILS

STEP 1 Assemble Headboard RSF Leg (C) by using Allen Key (1) with hardware 2, 3, and 4.




STEP 2 Assemble the headboard cross bar (D) to headboard legs (B) by using Allen Key (1) with hardware 2, 3, and 4.
*TIGHTEN ALL THE BOLTS BY USING ALLEN KEY (1)




Assembly Instructions

ITEM: B403 -318 AUGUSTA 5/0 Q LIGHTED HEADBOARD
B403 -328 AUGUSTA 5/0 Q FOOTBOARD & ROLL OUT SLAT KIT
B403 -330 AUGUSTA 5/0-6/6 Q/EK STANDARD SIDE RAILS

STEP 3 Assemble side rails (K) with Headboard (A) and Footboard (E) by using Allen Key (1) with hardware 6, 7 and 8.



STEP 4 Install the support legs (G) on to the slat (F)



Assembly Instructions

ITEM: B403 -318 AUGUSTA 5/0 Q LIGHTED HEADBOARD
B403 -328 AUGUSTA 5/0 Q FOOTBOARD & ROLL OUT SLAT KIT
B403 -330 AUGUSTA 5/0-6/6 Q/EK STANDARD SIDE RAILS

STEP 5 Assemble the slat (F) to the side rails (K) by using a screwdriver with hardware 5.

