

DATASHEET

5MP TVI Turret LED Light Camera


TVI5T-NL



Specifications

Camera	TVI5T-NL
Lens	2.8mm
Power System	NTSC
Active Pixel	2560*1944
SYNC.	Internal
Resolution	5MP
IR led	2pcs Array IR LED 3500K low color temperature visible light
VIDEO.OUT	AHD:5M20/12.5fps 4M25/30/15fps 1080P25/30fps TVI:5M20/12.5fps 4M25/30/15fps 1080P25/30fps CVI:4M25/30fps 1080P25/30fps CVBS:NTSC
Minimum Illumination	0.01Lux(F1.2)
S/N Ratio	48dB(min)(AGC closed)
DWDR	CLOSE/OPEN
3DNR	AUTO/MANUAL(0-10)
AWB	ATW/MWB
EXPOSURE MODE	GLOBAL/BLC/FLC
OSD	Yes
Language	Eng /Chin1/Chin2/Pycc/Italiano/Portuges
Day/Night	AUTO /Color/B&W/Ext
Power Input	DC12V± 1V
Power Dissipation	400mA
Transmission distance	75-5 300M
Operation Temperature	Temperature -45 \sim +55 $$,Humidity less than 85%RH
Dimension	32*32/38*38*1.6(H)

Dimensions



Warranty

All Illumivue products come with a 3-year limited liability warranty. This warranty includes parts and labor repairs on all components found to be defective in material or workmanship under normal conditions of use. This warranty shall not apply to products which have been abused, modified, or disassembled. Warranty items only by authorized resellers. Warranty not eligible for products purchased through non-authorized online sellers.

A product that fails under conditions other than those covered will be repaired at the current price of parts and labor in effect at the time of repair. Such repairs are warranted for 90 days from the date of reshipment to the buyer. If the unit is delivered by mail, customers agree to insure the unit or assume the risk of loss or damage in transit. Under no circumstances will a unit be accepted without a return authorization number. The warranty is in lieu of all other warranties expressed or implied, including without limitations, any other implied warranty or fitness or merchantability for any particular purpose, all of which are expressly disclaimed. Proof of sale may be required in order to claim warranty.