



2021/22
NEW PRODUCT
C A T A L O G

Since 1968

Established in 1968 and headquartered in Los Angeles, California, Emser Tile® is a leading designer, producer and marketer of the world's finest tile and natural stone. By offering unparalleled service and a vast selection of products, Emser Tile® is a comprehensive source for interior and exterior products that include porcelain, ceramic, glass, decorative accents, metal, quarry, mosaics, natural and engineered stone, cut-to-size products, setting materials and custom manufactured products made to your specifications. Our nationwide service network includes state of the art distribution centers and local sales and service locations to combine a strong national presence with tailored, local service. Building upon over 50 years of service, our dedication and commitment to our customers remains as strong as ever and is the core of our business and our culture.

Our services are tailored to customers' specific requirements. Emser Tile® offers exclusive programs that help retailers, home builders, commercial builders, contractors, architects and designers exceed their customers' expectations and requirements while keeping projects on schedule and within budget.

Our global network brings the latest trends, technologies and innovations for ceramic and porcelain tile, glass, natural stone, decorative, mosaic and metal products. We continue to offer the most compelling and extensive portfolio of colors, finishes, patterns and textures, accompanied by a broad assortment of coordinating trim and accent pieces.

Our expansive capacity translates into a vast selection of products and immediate distribution. With Emser Tile®, customers have quick access to unique and first-to-market products. With our local sales and service locations and global network of factory alliances, Emser Tile® has the infrastructure to logistically support any size project on a domestic or international level.







GREEN BUILDING INITIATIVE

At Emser Tile®, we embrace our responsibility to protect the planet and create sustainable processes in everything that we do. We hold the same standard for our suppliers and trade partners, and work alongside them to ensure that they adhere to maintaining and improving their standards. Emser Tile®'s Green Building Initiative features a systematic three-prong approach:

- Implementing company-wide environmentally conscious practices in the workplace at all Emser locations throughout North America, including distribution centers. This is a combined effort also shared by our trade partners.
- Practicing transparency of raw materials sourcing with our suppliers, so that we know exactly what ingredients are going into the products we sell down to 1000ppm.
- Educating employees and customers alike through internal and external training programs such as CEU/CES classes regarding health, safety and welfare standards related to material sourcing, manufacturing and installation.

Declare.

Coined the Nutrition Label for products, Emser Tile has been awarded the Declare Label for its transparency in product lifecycle. From where it comes from, what it's made from, to where it goes, Emser Tile's notation of "Red List Free" can fulfill the credit disclosure requirements for LEED v4.

PRIORITIZING SUSTAINABILITY

CORPORATE EFFORTS

Emser Tile® is committed to reducing the environmental impact not only of our corporate headquarters and local sales and service locations, but also all of our distribution centers nationwide.

Our initiatives to do so include:

- Reusing technology, including cell phones, computers, and electronic equipment, through our suppliers and a third-party electronics recycling provider;
- Recycling paper through a third-party shred and recycle service;
- Automating facility lights that operate based on areas in use;
- Programming thermostats for optimal indoor temperatures while maintaining energy efficiency;
- Using low-flow and no-flush plumbing fixtures that preserve water;
- Prioritizing recycled content in office supplies;
- Emser Tile® operates strategically placed distribution centers and local sales and service locations throughout the United States. Having multiple facilities allows us to maximize the volume of every truckload for the most efficient transportation of our products, and in turn, minimizing our carbon footprint.

MATERIAL RESOURCES

Emser Tile® chooses to work with suppliers that recycle the maximum amount of material possible back into the raw bisque, which is then reused to make new tiles. Understanding the importance of water conservation, Emser Tile® suppliers also recycle and reuse water during the manufacturing process. All glazes used in the production of ceramic and porcelain tile are water based and contain zero solvents, reducing potential Volatile Organic Compound (VOC) emissions during production and further eliminating any off-gassing of our finished floor products to 0 g/L through the firing stage of manufacturing. All overseas suppliers are required to be transparent in raw ingredient reporting up to 1000ppm, allowing Emser to meet OSHA Safety Data Sheet (SDS) requirements, as well as Health Product Declarations (HPD v2.1). Preference is given to manufacturers with upgraded kiln equipment that are able to better control heat emission and indoor air quality at the factory level.

Due to their raw ingredient profiles, all products are Red List Free, Conflict Mineral Free, Lead Free and compliant to OSHA Silica Standards as well as Prop 65.

MANUFACTURING, DISTRIBUTION & INSTALLATION

Our transparency efforts specifically complement green friendly builds that are focused around environmental impact in addition to worker health and safety. Unlike other types of hard and soft flooring, the longevity of ceramic, porcelain, and natural stone prevents frequent replacement, reducing the emissions and carbon footprints related to manufacturing, transportation and disposal of waste. With a potential cradle to grave lifecycle of 100+ years, studies have shown that over a 20-year span, ceramic, porcelain, and natural stone products are more cost-effective and sustainable than any other flooring material.


For enhanced eco-friendly attributes, all products and packaging are 100% recyclable, allowing them to be easily diverted from landfills post construction. The inherent characteristics of these surfaces allow for easy installation and cleaning without the use of toxic, high VOC, or harsh chemicals, while also displaying natural antimicrobial properties reducing potential bacteria and mold growth making them a very hygienic option.

Through innovative design, these dense body products can be installed in a way that enhances indoor air quality, creating building efficiency by controlling ambient room temperatures of a space, all while reducing heating and air conditioning costs. Partnered with a Low/No VOC setting materials system, including an installation system warranty, the health, safety and longevity of the application can be optimized.


PATTERN GUIDE

Zen™ • Ease


SUBWAY TILE




50% Offset




33% Offset




Basket Weave




Horizontal Herringbone




Vertical Stacked



45-Degree Staggered




Horizontal Staggered




Herringbone


BACKSPLASH




4x4 Square | Linear Mosaic




Brickwork Square | Linear Mosaic




Picket Mosaic




Herringbone | Penny Round Mosaic




1/3 Elongated Hexagon Mosaic



Herringbone Centered Mosaic



Staggered Brickwork | Windmill Mosaic



Linear Mosaic | Arabesque Mosaic


There are many choices among tile to meet all tastes and preferences. By creating a pattern with tile, one can express his or her personal style and design a truly unique space. A pattern not only alters an appearance, but it can also impact scale. The pattern suggestions are guidelines only — use your unique style and creativity to transform your space.

Our helpful Pattern Calculator can be downloaded from our website, along with our entire selection of patterns.


33% Offset is recommended for staggered floor installations.

For additional pattern selections, please visit www.emser.com.


WOOD-LOOKSIZES




Herringbone




Multiple Staggered



Ships Deck




Basket Weave




Parallel Plank


ONESIZE




Staggered Brickwork



Diamond




Brickwork Square




Straight Herringbone


TWOSIZES




Alternating




Alternating Horizontal




Alternating Vertical




Basketweave Horizontal




Hopscotch




Cobblestone




Herringbone Inserted




Windmill




Corridor Vertical



Brickweave




Stepping Stone




Corridor


THREESIZES




Triad Hopscotch




Pediment




Braid




Catena



Soldiered




Staggered Vertical Brickwork




Palazzo


MULTIPLESIZES




Versailles



Escala



Modular Pinwheel



Kaleidoscope




SYMBOLS GUIDE


The symbols shown below describe the general usage and features of the products. For a more detailed technical and usage chart, please refer to the resources section or visit us online at emser.com.

QUALITY STANDARDS


	DCOF	BREAKING STRENGTH	SCRATCH HARDNESS	
	>0.42%	>250 lbf	5	FLOOR / WALL 
	ANY	>250 lbf	5	RESIDENTIAL 
	N/A	>125 lbf	3	WALL 
	>0.42% (Wet) ANY (Dry)	>350 lbf	7	COMMERCIAL 
WALL:	N/A	>125 lbf	3	OUTDOOR 
FLOOR:	>0.55 (Uncovered)	>250 lbf	5(R) / 7(C)	
	ANY	>250 lbf	5	INDOOR 
DECK:	>0.60%	>250 lbf	5(R) / 7(C)	POOL 
WATERLINE:	ANY	>125 lbf	3	



Aqua



Cobalt



Teal

Sizes			
	12" x 12" Dot Mount	12" x 13" Dot Mount	12" x 12" Dot Mount
Thickness	6mm	6mm	6mm
Testing	Shade Variation Rating		
Results*	V3		

-  Sustainability Attributes
- Health Product Declaration (HPD) provided upon request
 - Product Packaging is 100% recyclable
 - VOC Free

*For more information visit www.emser.com. Always consult a professional for proper usage and installation.

Transform your pool into a personal oasis. With hues as vibrant as coveted sea glass finds, Afloat™ porcelain tile is especially meant for those who embrace pool living. Make a jewel-toned splash with this unique design.

AFLOAT™
Glazed Porcelain Mosaic






Linen
S0804-G90Y



Moonglow
S0505-Y10R



Petal
S0505-Y80R



Melon
S0520-Y50R



Blushing
S1005-R30B



Grass Cloth
S2010-G70Y



Sundance
S0520-Y



Soft Lace
S0505-Y50R



Tangerine
S0560-Y50R



Bouquet
S0510-R20B



Limelight
S1030-G60Y



Canary
S0570-Y



Apricot
S1020-Y20R



Terra Cotta
S3060-Y70R



Salmon
S0540-Y80R



Fern
S2040-G70Y



Goldenrod
S1060-Y10R



Honey
S3040-Y30R



Blossom
S2060-Y80R



Citronella
S1075-G70Y



Leather
S5040-Y30R



Candy Apple
S2570-Y90R



Pesto
S5040-G70Y



Java
S7020-Y50R



Crimson
S3060-Y90R



Dark Olive
S7020-G70Y



Ruby
S4050-R



Berry
S6030-R

Sizes

3" x 6" 3" x 6" SBN 3" x 3" Bullnose Corner 6" x 6" Cove Base 1" x 6" Quarter Round 1" x 28" Jolly 1" x 1" Beak

Thickness 7mm

Grout Joint Recommendation 1/16"

Testing	Breaking Strength C648	Chemical Resistance C650	Water Absorption C373	Scratch Hardness MOHS	Shade Variation Rating
Results*	>125 lbf	Resistant	<20.0%	4	Check Website

- Sustainability Attributes**
- Health Product Declaration (HPD) provided upon request
 - Product Packaging is 100% recyclable
 - VOC Free

*For more information visit www.emser.com. Always consult a professional for proper usage and installation.
Designed in collaboration with Gensler™ as product design consultant



A simple yet robust collection that can stand on its own or serve as a backbone to complement other collections. A range of cool, warm and neutral colors available in a basic shape enables everything from pure color fields to complex ombre effects.

BACK TO BASICS™

Glazed Ceramic





Sizes							
	3" x 6"	3" x 6" SBN	3" x 3" Bullnose Corner	6" x 6" Cove Base	1" x 6" Quarter Round	1" x 28" Jolly	1" x 1" Beak
Thickness	7mm						
Grout Joint Recommendation	1/16"						
Testing	Breaking Strength C648	Chemical Resistance C650	Water Absorption C373	Scratch Hardness MOHS	Shade Variation Rating		
Results*	>125 lbf	Resistant	<20.0%	4	Check Website		

- Sustainability Attributes
- Health Product Declaration (HPD) provided upon request
 - Product Packaging is 100% recyclable
 - VOC Free

*For more information visit www.emser.com. Always consult a professional for proper usage and installation.
Designed in collaboration with Gensler™ as product design consultant

A simple yet robust collection that can stand on its own or serve as a backbone to complement other collections. A range of cool, warm and neutral colors available in a basic shape enables everything from pure color fields to complex ombre effects.

BACK TO BASICS™

Glazed Ceramic





Ensenada



Mexicali




Rosarito




Tecate

Mexicali, Rosarito, and Tecate Available in Sizes 18"x18", 12"x24"
 Ensenada Available in 18"x18", 14"x14", 12"x24"


Mosaics



Ensenada



Mexicali



Rosarito



Tecate

Sizes							
	18"x18" 17.72"x17.72"	14"x14" 13.78"x13.78"	12"x24" 12.01"x23.86"	13"x13" Mesh 12.99"x12.99"	3"x13" SBN Ensenada Only		
Thickness	8.3-9.0mm	8.0-8.5mm	9.1-9.5mm	8.5mm	8.5mm		
Faces	5	4	8	N/A	N/A		
Finish	Matte	Matte	Matte	Matte	Matte		
Edge	Pressed	Pressed	Pressed	Cut	Cut		
Grout Joint Recommendation	3/16"	3/16"	3/16"	3/16"	3/16"		
Testing	Abrasion Resistance C1027	Breaking Strength C648	Chemical Resistance C650	Water Absorption C373	DCOF ANSI A1371	Scratch Hardness MOHS	Shade Variation Rating
	IV	≥250 lbf	Resistant	≤7%	≥0.42	7	V2

Product and Installation Details | ANSI A108.02
 Section 4.3.8.2 - For running bond/brick joint patterns utilizing tiles (square or rectangular) where the side being offset is greater than 18" (nominal dimension), the running bond offset will be a maximum of 33% unless otherwise specified by the tile manufacturer. If an offset greater than 33% is specified, specifier and owner must approve mock-up and lippage.



 Sustainability Attributes

- Red List Free
- Health Product Declaration (HPD) provided upon request
- Product Packaging is 100% recyclable
- VOC Free

*For more information visit www.emser.com. Always consult a professional for proper usage and installation.

Baja™ brings the simple elegance of natural limestone in a ceramic tile. A universally appealing color palette and varied sizes offers numerous design opportunities.

BAJA™
Glazed Ceramic





Ardor



Fervor



Honor



Rigor



Valor

Sizes Thickness Faces Finish Edge Grout Joint Recommendation							
	6" x 35" 5.91" x 35.43"						
	10mm						
	10						
	Matte						
Pressed							
3/16"							
Testing	Abrasion Resistance C1027	Breaking Strength C648	Chemical Resistance C650	Water Absorption C373	DCOF ANSI A1371	Scratch Hardness MOHS	Shade Variation Rating
Results*	III IV (Ardor)	>250 lbf	Resistant	<0.5%	>0.60	7	V2

Product and Installation Details | ANSI A108.02
 Section 4.3.8.2 - For running bond/brick jointing patterns utilizing tiles (square or rectangular) where the side being offset is greater than 18" (nominal dimension), the running bond offset will be a maximum of 33% unless otherwise specified by the tile manufacturer. If an offset greater than 33% is specified, specifier and owner must approve mock-up and lippage.



Sustainability Attributes

- Red List Free
- Health Product Declaration (HPD) provided upon request
- Product Packaging is 100% recyclable
- VOC Free

*For more information visit www.emser.com. Always consult a professional for proper usage and installation.



Banzai™ porcelain tile features the highly coveted wood look perfect for those who love design – from modern to classic cottage, and all styles in-between. Banzai is available in 6" x 35" planks with five wood-looks.

BANZAI™
Glazed Porcelain





Beige



Taupe



Honey

Sizes Thickness Faces Finish Edge Grout Joint Recommendation							
	6" x 24" 5.91" x 23.62"						
	8mm						
	9						
	Matte						
Pressed							
3/16"							
Testing	Abrasion Resistance <small>C1027</small>	Breaking Strength <small>C648</small>	Chemical Resistance <small>C650</small>	Water Absorption <small>C373</small>	DCOF ANSI <small>A1371</small>	Scratch Hardness MOHS	Shade Variation Rating
Results*	III	>350 lbf	Resistant	<0.50%	>0.55	7	V3

Product and Installation Details | ANSI A108.02
 Section 4.3.8.2 - For running bond/brick jointing patterns utilizing tiles (square or rectangular) where the side being offset is greater than 18" (nominal dimension), the running bond offset will be a maximum of 33% unless otherwise specified by the tile manufacturer. If an offset greater than 33% is specified, specifier and owner must approve mock-up and lippage.



Sustainability Attributes

- Red List Free
- Health Product Declaration (HPD) provided upon request
- Product Packaging is 100% recyclable
- VOC Free

*For more information visit www.emser.com. Always consult a professional for proper usage and installation.



The Beckway™ series provides the classic look of wood with the ease of care that only porcelain tile can provide. With a neutral color palette reminiscent of the finest woods, Beckway is perfect for traditional and modern settings. Available in a 6"x24" size, this natural looking wood tile is sure to bring life to any room.

BECKWAY™

Glazed Porcelain






White



Sand



Gray

Sizes							
	16" x 16" 15.87" x 15.87"	12" x 12" Mesh	3" x 16" Floor SBN				
Thickness	8,5mm	8,5mm	8,5mm				
Faces	9	N/A	N/A				
Finish	Matte	Matte	Matte				
Edge	Pressed	Cut	Cut/Rounded				
Grout Joint Recommendation	3/16"	3/16"	3/16"				
Testing	Abrasion Resistance C1027	Breaking Strength C648	Chemical Resistance C650	Water Absorption C373	DCOF ANSI A1371	Scratch Hardness MOHS	Shade Variation Rating
	Check Website	Check Website	Check Website	Check Website	Check Website	Check Website	V3

 Sustainability Attributes

- Red List Free
- Health Product Declaration (HPD) provided upon request
- Product Packaging is 100% recyclable
- VOC Free

*For more information visit www.emser.com. Always consult a professional for proper usage and installation.

Simplicity meets style. Subtly reminiscent of the layered look associated with sandstone, Belstar™ ceramic tile breathes elegance into installations. Well-loved neutrals in both warm and cool tones strike the right balance with variation in both color and texture.

BELSTAR™
Glazed Ceramic




Ariston



Helicon



Mistral



Naya

Sizes Thickness Grout Joint Recommendation						
	8" x 24" 791 x 23,68"					
	9mm					
		1/8"				
Testing	Breaking Strength C648	Chemical Resistance C650	Water Absorption C373	Scratch Hardness MOHS	Shade Variation Rating	
Results*	Check Website	Check Website	Check Website	Check Website	V2	


- Sustainability Attributes**
- Health Product Declaration (HPD) provided upon request
 - Product Packaging is 100% recyclable
 - VOC Free

*For more information visit www.emser.com. Always consult a professional for proper usage and installation.

Take the allure of stained concrete and elevate it with Bimova™ ceramic tile. Each unique cool neutral takes its namesake from Greek mythology, celebrating natural elements of wind and water, as well as ancient philosophers. And while the collection may take inspiration from the past, its look reflects modern industrial design for inviting atmospheres.

BIMOVA™

Glazed Ceramic



White / Black



White / Cream

All Peak Colors Available in Size 10"x12"
Not pictured White/Gray and White/White



White / Gray

All Damask Colors Available in Size 9"x13"
Not pictured White/Cream, White/White, and White/Black




White / White



White / Cream


All Chevron Colors Available in Size 12"x13"
Not pictured Cream/Taupe and Black/White



Black / White

All Crest Colors Available in Size 13"x13"
Not pictured White/Cream, White/Taupe, and White/Black

Sizes				
	12"x13"	13"x13"	9"x13"	10"x12"
Thickness	8mm	8mm	8mm	8mm
Testing	Shade Variation Rating			
Results*	Check Website			



- Sustainability Attributes**
- Health Product Declaration (HPD) provided upon request
 - Product Packaging is 100% recyclable
 - VOC Free

*For more information visit www.emser.com. Always consult a professional for proper usage and installation.

Bizou™ marble, grout-less mosaic takes inspiration from iconic motifs in architecture and fashion – chevron, crest, damask and peak. The use of marble brings an ornamental and classic visual to kitchens, baths and other rooms. The four patterns in striking and contrasting neutrals make an elegant statement.

BIZOU™
Groutless Marble Mosaic

FLOOR / WALL  RESIDENTIAL  INDOOR 



White



Ivory



Silver

Sizes Thickness Faces Finish Edge Grout Joint Recommendation	 16" x 16" 15.87" x 15.87"	 12" x 24"	 12" x 12" Mesh	 3" x 12" Floor SBN			
	8.5mm	8.5mm	Check Website	Check Website			
	12	8	N/A	N/A			
	Matte	Matte	Matte	Matte			
	Pressed	Pressed	Cut	Cut/Rounded			
	3/16"	3/16"	3/16"	3/16"			
Testing	Abrasion Resistance C1027	Breaking Strength C648	Chemical Resistance C650	Water Absorption C373	DCOF ANSI A1371	Scratch Hardness MOHS	Shade Variation Rating
Results*	Check Website	Check Website	Check Website	Check Website	Check Website	Check Website	V2

 Sustainability Attributes

- Red List Free
- Health Product Declaration (HPD) provided upon request
- Product Packaging is 100% recyclable
- VOC Free

*For more information visit www.emser.com. Always consult a professional for proper usage and installation.

Modern luxury comes alive with the stone look of Borgata™ ceramic tile. Designed for use on both floors and walls, the elegance of shading and veining is front and center with this collection of neutrals. Available in two sizes and three neutral colors, Borgata makes a statement reality.

BORGATA™
Glazed Ceramic

FLOOR / WALL  RESIDENTIAL  COMMERCIAL  INDOOR 




White



Silver



Cream



Graphite

Sizes							
	18" x 18" 17.72" x 17.72"	14" x 14" 13.78" x 13.78"	12" x 24" 12.01" x 23.86"				
Thickness	8.3-9.0mm	8.1-8.5mm	8.8-9.2mm				
Faces	12	24	16				
Finish	Matte	Matte	Matte				
Edge	Pressed	Pressed	Pressed				
Grout Joint Recommendation	3/16"	3/16"	3/16"				
Testing	Abrasion Resistance C1027	Breaking Strength C648	Chemical Resistance C650	Water Absorption C373	DCOF ANSI A1371	Scratch Hardness MOHS	Shade Variation Rating
Results*	Graphite: II Silver, Cream: III White: IV	>250 lbf	Resistant	3.0-7.0%	>0.42	6	V4

Product and Installation Details | ANSI A108.02
 Section 4.3.8.2 - For running bond/brick jointing patterns utilizing tiles (square or rectangular) where the side being offset is greater than 18" (nominal dimension), the running bond offset will be a maximum of 33% unless otherwise specified by the tile manufacturer. If an offset greater than 33% is specified, specifier and owner must approve mock-up and lippage.



 Sustainability Attributes

- Red List Free
- Health Product Declaration (HPD) provided upon request
- Product Packaging is 100% recyclable
- VOC Free

*For more information visit www.emser.com. Always consult a professional for proper usage and installation.

Brook™ features the subtle and calming movement of a flowing river. The four earthy shades and three standard sizes provides endless design opportunities. The timeless and versatile design is sure to enhance any space.

BROOK™
Glazed Ceramic



FLOOR / WALL  RESIDENTIAL  COMMERCIAL  INDOOR 



Steel



Black



Bronze

Sizes							
	24" x 47" 23.54" x 47.17"	12" x 24" 11.73" x 23.54"					
Thickness	8.8mm	8.8mm					
Faces	12	48					
Finish	Matte	Matte					
Edge	Rectified	Rectified					
Grout Joint Recommendation	1/16"	1/16"					
Testing	Abrasion Resistance C1027	Breaking Strength C648	Chemical Resistance C650	Water Absorption C373	DCOF ANSI A1371	Scratch Hardness MOHS	Shade Variation Rating
	Results* IV	>500 lbf	Resistant	<0.50%	>0.60	6	V2

Product and Installation Details | ANSI A108.02
 Section 4.3.8.2 - For running bond/brick jointing patterns utilizing tiles (square or rectangular) where the side being offset is greater than 18" (nominal dimension), the running bond offset will be a maximum of 33% unless otherwise specified by the tile manufacturer. If an offset greater than 33% is specified, specifier and owner must approve mock-up and lippage.



 Sustainability Attributes

- Red List Free
- Health Product Declaration (HPD) provided upon request
- Product Packaging is 100% recyclable
- VOC Free

*For more information visit www.emser.com. Always consult a professional for proper usage and installation.



The Building Blocks™ Metal line strikes a harmonious balance between industrial chic and modern luxury. The rich colors are reminiscent of iron, bronze and steel and provide sophisticated elegance to any application. This porcelain tile is sure to bring any room to life.

BUILDING BLOCKS™ METAL

Glazed Porcelain





Alto



Cumulus



Nimbus



Stratus

Sizes					
	3" x 6" 2.95" x 5.95"	4" x 16" 3.94" x 15.83"	1/2" x 8" Jolly		
Thickness	7mm	7.8mm			
Grout Joint Recommendation	Check Website	Check Website			
Testing	Breaking Strength C648	Chemical Resistance C650	Water Absorption C373	Scratch Hardness MOHS	Shade Variation Rating
	Results* Check Website	Check Website	Check Website	Check Website	V2

- Sustainability Attributes**
- Health Product Declaration (HPD) provided upon request
 - Product Packaging is 100% recyclable
 - VOC Free

*For more information visit www.emser.com. Always consult a professional for proper usage and installation.

Emora™ ceramic tile for walls takes its inspiration from the skies above, with a collection of four named Alto, Cumulus, Nimbus and Stratus. Clouds never fail to fascinate, and the same is true with Emora's collection of unique tiles which combine the simplicity of neutral color with the complexity of texture. Each a unique work of art – together, offering the potential for a signature wall moment.

EMORA™

Glazed Ceramic




FLOOR / WALL  RESIDENTIAL  COMMERCIAL  INDOOR  OUTDOOR 



Glacier



Rock




Valley




Wind


Mosaics




Glacier




Rock



Valley



Wind

Sizes							
	20" x 20" 19.57" x 19.57"	13" x 13" 12.99" x 12.99"	12" x 24" 11.81" x 23.62"	12" x 12" Mesh	3" x 12" Floor SBN		
Thickness	8.5mm	7.1mm	8.4mm	Check Webiste	Check Webiste		
Faces	16	20	16	N/A	N/A		
Finish	Matte	Matte	Matte	Matte	Matte		
Edge	Pressed	Pressed	Pressed	Cut	Cut		
Grout Joint Recommendation	3/16"	3/16"	3/16"	Check Webiste	Check Webiste		
Testing	Abrasion Resistance C1027	Breaking Strength C648	Chemical Resistance C650	Water Absorption C373	DCOF ANSI A1371	Scratch Hardness MOHS	Shade Variation Rating
	IV	>350 lbf (12x24, 20x20) >250 lbf (13x13)	Resistant	<0.50%	>0.55	9	V2

Product and Installation Details | ANSI A108.02
Section 4.3.8.2 - For running bond/brick joining patterns utilizing tiles (square or rectangular) where the side being offset is greater than 18" (nominal dimension), the running bond offset will be a maximum of 33% unless otherwise specified by the tile manufacturer. If an offset greater than 33% is specified, specifier and owner must approve mock-up and lippage.



 Sustainability Attributes

- Red List Free
- Health Product Declaration (HPD) provided upon request
- Product Packaging is 100% recyclable
- VOC <0.5 mg/m³
- Recycled Content 3-4% Pre-Consumer and 72% Post-Consumer for Packaging Cartons

*For more information visit www.emser.com. Always consult a professional for proper usage and installation.

Earthy hues in both cool and warm tones, like those available from Erosion™ porcelain tile collection, remain the standard in interiors and exteriors. Their aesthetic appeal, coupled with the durability of tile, makes for a strong foundation in design. Available in three sizes and four colors, Erosion features the beauty found in nature.

EROSION™


Glazed Porcelain



WALL RESIDENTIAL COMMERCIAL INDOOR OUTDOOR



Fawn




Gray



Olive



White

<p>Sizes</p>	 <p>9" x 13" 8.94" x 13.46"</p>
<p>Thickness</p>	<p>7mm</p>
<p>Testing</p>	<p>Shade Variation Rating</p>
<p>Results*</p>	<p>V2</p>

- Sustainability Attributes**
- Health Product Declaration (HPD) provided upon request
 - Product Packaging is 100% recyclable
 - VOC Free

*For more information visit www.emser.com. Always consult a professional for proper usage and installation.



The term Hanami™ (Japanese for “flower viewing”) describes the famous tradition of the cherry blossom festival. The glazed porcelain stoneware is a curated collection of architectural ceramics inspired from Japan. Each color exudes a gentle lightness thanks to their pure, simple, and carefree tones.

HANAMI™

Glazed Porcelain Mosaic



FLOOR / WALL

RESIDENTIAL


COMMERCIAL

INDOOR

OUTDOOR




White




Silver



Gray



Forest



Navy



Black



Heksa™ | Gray, White, Black, Silver

Sizes



8" x 9"
8.13" x 9.45"

Thickness

8mm

Faces

1

Finish

Matte

Edge

Pressed

Grout Joint Recommendation

1/8"

Testing

Abrasion Resistance
C1027

Breaking Strength
C648

Chemical Resistance
C650

Water Absorption
C373

DCOF ANSI
A1371

Scratch Hardness
MOHS

Shade Variation
Rating

Results*

III
IV - Silver & White

>350 lbf

Resistant

<0.50%

>0.60

7

V1

Sustainability Attributes

- Red List Free
- Health Product Declaration (HPD) provided upon request
- Product Packaging is 100% recyclable
- VOC None
- Recycled Content >30% Pre-Consumer

*For more information visit www.emser.com. Always consult a professional for proper usage and installation.

Heksa™ porcelain tile features the distinct and chic geometric hexagon, as timeless as it is efficient in design. The iconic honeycomb pattern adds edge when creating unique designs, versatile for any room. Heksa colors include six options, as varied as tried-and-true neutrals and a pop of color with green and navy.

HEKSA™

Glazed Porcelain





Brick



Cement



Ebony



Kale



Linen



White

Sizes		
	3" x 10" 2.56" x 10.24"	1/2" x 12" Jolly 0.59" x 11.81"
Thickness	9mm	8mm
Grout Joint Recommendation	1/8"	

Testing	Breaking Strength C648	Chemical Resistance C650	Water Absorption C373	Scratch Hardness MOHS	Shade Variation Rating
Results*	>150 lbf	Resistant	<20.0%	7	V1




- Sustainability Attributes**
- Health Product Declaration (HPD) provided upon request
 - Product Packaging is 100% recyclable
 - VOC Free
 - Recycled Content 30% Pre- & 5% Post-Consumer

*For more information visit www.emser.com. Always consult a professional for proper usage and installation.


Bring a sense of nature to your next design project with Hues™. Available in a wide range of mud-essence colorways, this collection is at once calming and inspiring. While straight edging gives this tile a contemporary feel, the organic surface texture nods to more artisanal roots.

HUES™
Glazed Ceramic





Aqua






Cobalt



Teal

Variation:



Sizes	 <p>6" x 6"</p>				
	Thickness	9mm			
Grout Joint Recommendation	Check Website				
Testing	Breaking Strength C648	Chemical Resistance C650	Water Absorption C373	Scratch Hardness MOHS	Shade Variation Rating
Results*	>250 lbf	Resistant	<1.0%	4	V3

- Sustainability Attributes**
- Health Product Declaration (HPD) provided upon request
 - Product Packaging is 100% recyclable
 - VOC Free

*For more information visit www.emser.com. Always consult a professional for proper usage and installation.



The many benefits of tile extend to the outdoors with Immerse™ Porcelain tile as a prime example. Designed for walls, in addition to being pool-rated, let your imagination take over with a one-of-a-kind design featuring three splashy colors: Cobalt, Aqua and Teal.

IMMERSE™

Glazed Porcelain



FLOOR / WALL  RESIDENTIAL  COMMERCIAL  INDOOR  OUTDOOR 



Rust Carbon Gray Silver Ivory White

Sizes							
	31" x 31" 31.38" x 31.38"	12" x 23" 11.70" x 23.48"	12" x 12" Mesh	3" x 12" Floor SBN			
Thickness	9mm	9mm	Check Website	Check Website			
Faces	18	72 36 (Ridge Pattern)	Check Website	N/A			
Finish	Matte	Matte	Check Website	Matte			
Edge	Rectified	Rectified	Check Website	Cut/Rounded			
Grout Joint Recommendation	1/8"	1/8"	Check Website	1/8"			
Testing	Abrasion Resistance C1027	Breaking Strength C648	Chemical Resistance C650	Water Absorption C373	DCOF ANSI A1371	Scratch Hardness MOHS	Shade Variation Rating
	III	>350 lbf	Resistant	<0.5%	>0.60 (Flat) <0.42 (Ridge)	7	V2

Product and Installation Details | ANSI A108.02
Section 4.3.8.2 - For running bond/brick jointing patterns utilizing tiles (square or rectangular) where the side being offset is greater than 18" (nominal dimension), the running bond offset will be a maximum of 33% unless otherwise specified by the tile manufacturer. If an offset greater than 33% is specified, specifier and owner must approve mock-up and lippage.



Sustainability Attributes

- Red List Free
- Health Product Declaration (HPD) provided upon request
- Product Packaging is 100% recyclable
- VOC Free
- Recycled Content 9.8-39.6% Pre-Consumer and 0% Post-Consumer

*For more information visit www.emser.com. Always consult a professional for proper usage and installation.




The striking colorways and rich movement of Ironworx™ were inspired by molten metal as it is being forged. This porcelain tile brings to life the style and sophistication of metal in an easy to maintain finish. The matching Ridge pattern adds dimension and subtle texture making Ironworx the perfect centerpiece for floors and walls.


IRONWORX™

Glazed Porcelain





White



Silver




Taupe



Black




Blue



Green

White Available in Matte & Gloss Finish

<p>Sizes</p>	 <p>12" x 16" 11.75" x 15.67"</p>
<p>Thickness</p>	<p>8mm</p>
<p>Testing</p>	<p>Shade Variation Rating</p>
<p>Results*</p>	<p>V2</p>

- Sustainability Attributes**
- Health Product Declaration (HPD) provided upon request
 - Product Packaging is 100% recyclable
 - VOC Free


*For more information visit www.emser.com. Always consult a professional for proper usage and installation.

Kaze™, a word derived by air, wind, manner and style. Available in six neutral colorways, these mosaics evoke memories of spring and summer. Kaze is the perfect choice to add a serene, naturalness, and earthy feel to your space. Each colorway is offered with various textures and character details creating a tranquil vibe. Kaze coordinates perfectly with Mizu.

KAZE™

Glazed Ceramic Mosaic






White




Gray




Skim



Mink



Blue

<p>Sizes</p>	 <p>11" x 12" 11.81" x 11.81"</p>
<p>Thickness</p>	<p>8mm</p>
<p>Testing</p>	<p>Shade Variation Rating</p>
<p>Results*</p>	<p>V2</p>

- Sustainability Attributes**
- Health Product Declaration (HPD) provided upon request
 - Product Packaging is 100% recyclable
 - VOC Free

*For more information visit www.emser.com. Always consult a professional for proper usage and installation.

Add dimension to a room with 3D tiles & instantly get a unique and classic look in any bathroom or kitchen setting with Kinetic™. Kinetic ceramic mosaics create smooth, low-maintenance surfaces and come in 5 different colors. These 3D tiles are versatile for all kinds of applications creating a modern and clean look.

KINETIC™

Glazed Ceramic Mosaic





Indigo View



Perla Chevron



Perla



Indigo

All Colors Available in Size 16"x47" Gloss Finish | Suitable for Wall Applications Only | Glazed Ceramic
 Indigo & Perla Colors Available in Size 12"x24" Polished and Matte Finish | Suitable for Floor and Wall Applications | Glazed Porcelain

Testing	Breaking Strength	Chemical Resistance	Water Absorption	Scratch Hardness	Shade Variation
	C ₆₄₈	C ₆₅₀	C ₃₇₃	MOHS	Rating
Results*	>350 lbf (12x24) >125 lbf (16x47)	Resistant	<0.5% (12x24) <20% (16x47)	6 (12x24 M) 5 (12x24 P) >3 (16x47)	V4

-  Sustainability Attributes
- Health Product Declaration (HPD) provided upon request
 - Product Packaging is 100% recyclable
 - VOC Free
 - Recycled Content 0% Pre- & Post-Consumer

*For more information visit www.emser.com. Always consult a professional for proper usage and installation.


Kudos™ to this beautiful and durable stone-looking porcelain. The variations and veining in cool grays, blues and greens make each tile unique. The stone-look tile is durable and easy to clean. From floor to wall, for both residential and commercial applications, the possibilities are endless.

KUDOS™


Glazed Ceramic & Porcelain




WALL  RESIDENTIAL  COMMERCIAL  INDOOR  OUTDOOR 



Black



White

Sizes	
	12" x 16" 11.73" x 15.67"
Thickness	10mm
Testing	Shade Variation Rating
Results*	V2



-  Sustainability Attributes
- Health Product Declaration (HPD) provided upon request
 - Product Packaging is 100% recyclable
 - VOC Free

*For more information visit www.emser.com. Always consult a professional for proper usage and installation.

Kumito™ is a timeless ceramic chevron mosaic tile that comes in two distinct colors. The classic choice for both traditional and contemporary design schemes, Kumito provides a simple and clean look with a matte finish. This chevron mosaic is the perfect accent to any wall.

KUMITO™

Glazed Ceramic Mosaic





White 3"x3"



White 3"x6"



White 2"x4" Diamond




Kaleidoscope



2"x3" Leaf



Picket



Triad

Sizes							
	12" x 12" 11.73" x 11.69"	10" x 11" 10.03" x 11.42"	12" x 12" 11.97" x 11.65"	12" x 12" 12.05" x 12.05"	9" x 11" 9.17" x 10.59"	10" x 12" 11.5" x 9.76"	12" x 12" 11.73" x 11.73"
Thickness	8mm	8mm	8mm	8mm	8mm	8mm	8mm
Testing	Shade Variation Rating						
Results*	V2						

- Sustainability Attributes**
- Health Product Declaration (HPD) provided upon request
 - Product Packaging is 100% recyclable
 - VOC Free

*For more information visit www.emser.com. Always consult a professional for proper usage and installation.

L'Amour™ recycled glass tile marks the convergence of versatile shapes with sustainability. Fall in love with the family of seven classic shapes including picket, diamond, leaf, triad, kaleidoscope and more. Available in four sizes for maximum adaptability for your next renovation project.

L'AMOUR™

Recycled Glass Mosaic



FLOOR / WALL  RESIDENTIAL  COMMERCIAL  INDOOR  OUTDOOR 



Capri



Elba



Manza



Ulivo

Sizes							
	23" x 47" 23.46" x 47.01"	12" x 23" 11.69" x 23.46"	3" x 12" Floor SBN				
Thickness	9mm	9mm	9mm				
Faces	8	8	N/A				
Finish	Matte	Matte	Matte				
Edge	Rectified	Rectified	Rectified				
Grout Joint Recommendation	1/8"	1/8"	1/8"				
Testing	Abrasion Resistance C1027	Breaking Strength C648	Chemical Resistance C650	Water Absorption C373	DCOF ANSI A1371	Scratch Hardness MOHS	Shade Variation Rating
	Check Website	>250 lbf	Resistant	<0.50%	>0.60	7	V3

Product and Installation Details | ANSI A108.02
Section 4.3.8.2 - For running bond/brick joining patterns utilizing tiles (square or rectangular) where the side being offset is greater than 18" (nominal dimension), the running bond offset will be a maximum of 33% unless otherwise specified by the tile manufacturer. If an offset greater than 33% is specified, specifier and owner must approve mock-up and lippage.



 Sustainability Attributes

- Red List Free
- Health Product Declaration (HPD) provided upon request
- Product Packaging is 100% recyclable
- VOC Free

*For more information visit www.emser.com. Always consult a professional for proper usage and installation.



Named for the most modern city in the historic Tuscan region of Italy, the Livorno™ collection of porcelain tile evokes the beauty of watercolors with its muted palette and subtle veining. Available in two sizes, it's a perfect complement for a modern design aesthetic with its nod to urban sophistication.

LIVORNO™

Glazed Porcelain






Opaque



Silver



Gold



Black

Sizes					
	3" x 12" 2.95" x 11.85"				
Thickness	9.5mm				
Grout Joint Recommendation	1/8"				
Testing	Breaking Strength C648	Chemical Resistance C650	Water Absorption C373	Scratch Hardness MOHS	Shade Variation Rating
Results*	>150 lbf	Resistant	<20.0%	4	V4



Due to the unique metallic mirror effect of this product, viewing physical samples before ordering is highly recommended.


-  Sustainability Attributes
- Health Product Declaration (HPD) provided upon request
 - Product Packaging is 100% recyclable
 - VOC Free

*For more information visit www.emser.com. Always consult a professional for proper usage and installation.


Looking for a signature wow wall moment? Look no further than Luxo™ ceramic tile. Each tile features the beauty of a unique metallic mirror effect – think of the subtle shimmer of color seen in a bubble, the fascination with vintage lucite furnishings, even the bold strokes of blues and greens in a rainbow. Creativity at your fingertips with four colorways.

LUXO™
Glazed Ceramic





Blue




White



Silver



Taupe



Green

Sizes	
	8" x 16" Mesh 7.80" x 15.67"
Thickness	8mm
Testing	Shade Variation Rating
Results*	V2


- Sustainability Attributes**
- Health Product Declaration (HPD) provided upon request
 - Product Packaging is 100% recyclable
 - VOC Free

*For more information visit www.emser.com. Always consult a professional for proper usage and installation.


Sophisticated and saturated in rich nature-influenced hues, Mizu™ ceramic tile adds equal measures of style and flair in interior design. The celebration of circles is evident in five smart colors that will dress up walls in any room. The graphic pattern is truly an eye-catcher. Mizu coordinates perfectly with Kaze™.

MIZU™
Glazed Ceramic Mosaic







White




Silver



Rust



Black

Sizes	
	12" x 12" Mesh 11.69" x 11.69"
Thickness	11mm
Testing	Shade Variation Rating
Results*	V2

It is recommended that the unglazed products be sealed to maintain stain or chemical resistance over-time. Always consult a professional for proper installation and maintenance.

- Sustainability Attributes**
- Health Product Declaration (HPD) provided upon request
 - Product Packaging is 100% recyclable
 - VOC Free

*For more information visit www.emser.com. Always consult a professional for proper usage and installation.

Modan™ porcelain tile is a study in the power of contrasts – smooth and concave, rough and matte, light and shadow. Simple in concept with an appreciation for modern design, Modan calls to the senses, while enhancing any space where this unique tile lives. Four rich colors open the door to possibility.

MODAN™

Unglazed Porcelain Mosaic




WALL  RESIDENTIAL  COMMERCIAL  INDOOR  OUTDOOR  POOL 




White




Silver



Gray



Navy

Sizes	
	11" x 11" 11.42" x 11.12"
Thickness	7mm
Testing	Shade Variation Rating
Results*	V2

-  Sustainability Attributes
- Health Product Declaration (HPD) provided upon request
 - Product Packaging is 100% recyclable
 - VOC Free


*For more information visit www.emser.com. Always consult a professional for proper usage and installation.

Nagara™ ceramic mosaic tile celebrates the ebb and flow between solids and textures. The glossy brick design is a mix of linear texture and subtle shade variations. Available in four timeless colorways, Nagara is a perfect complement for any design aesthetic.


NAGARA™
Glazed Ceramic Mosaic




WALL  RESIDENTIAL  COMMERCIAL  INDOOR  OUTDOOR  POOL 



White



Ivory



Navy

<p>Sizes</p>	 <p>10" x 12" 10.04" x 11.57"</p>
<p>Thickness</p>	<p>7,5mm</p>
<p>Testing</p>	<p>Shade Variation Rating</p>
<p>Results*</p>	<p>V2</p>

-  Sustainability Attributes
- Health Product Declaration (HPD) provided upon request
 - Product Packaging is 100% recyclable
 - VOC Free

*For more information visit www.emser.com. Always consult a professional for proper usage and installation.


Sophisticated, timeless, and always right on trend, Omni™ porcelain mosaic is ideal for modern design. The hexagonal shape, and the color palette itself, inspires. Whether you mix-and-match or choose one – the possibilities are endless. Omni is available in three colors.

OMNI™
Glazed Porcelain Mosaic






Astral



Blue



Brown



White

Polished Not Recommended for Use as Commercial Wet Area Flooring or Outdoor Flooring

Sizes							
	24" x 47" 23.46" x 47.05"	12" x 24" 11.69" x 23.46"					
Thickness	7mm	7mm					
Faces	Brown & White: 8 Blue & Astral: 9	Brown & White: 32 Blue & Astral: 36					
Finish	Polished	Matte & Polished					
Edge	Rectified	Rectified					
Grout Joint Recommendation	1/8"	1/8"					
Testing	Abrasion Resistance C1027	Breaking Strength C648	Chemical Resistance C650	Water Absorption C373	DCOF ANSI A1371	Scratch Hardness MOHS	Shade Variation Rating
	Matte: V (Ast./Wht.) II (Blu./Brn.) Polished: II	>350 lbf	Resistant	<0.50%	>0.60 (Matte) <0.42 (Polished)	6 (Matte) 4 (Polished)	V2

Product and Installation Details | ANSI A108.02
Section 4.3.8.2 - For running bond/brick jointing patterns utilizing tiles (square or rectangular) where the side being offset is greater than 18" (nominal dimension), the running bond offset will be a maximum of 33% unless otherwise specified by the tile manufacturer. If an offset greater than 33% is specified, specifier and owner must approve mock-up and lippage.



Sustainability Attributes

- Red List Free
- Health Product Declaration (HPD) provided upon request
- Product Packaging is 100% recyclable
- VOC Free

*For more information visit www.emser.com. Always consult a professional for proper usage and installation.



Inspired by the world's finest marbles, Parkview™ offers traditional marble looks with classic whites and the deepest blacks as well as unconventional marbles with its deep, rich cobalt blue. Each unique tile is enhanced by contrasting veining and striking golds. The thin 7mm thickness makes installation a breeze.

PARKVIEW™

Glazed Porcelain



FLOOR / WALL  RESIDENTIAL  COMMERCIAL  INDOOR 



Blanco



Crema



Rosa



Gris



Azul




Verde



Nero

The coloration of Passion™ is anything but ordinary. Rated as a V4, this line provides a dramatic variation in color and shade making each installation truly unique.

Color Variation:



Sizes					
	3" x 8" 2.56" x 7.87"	9" x 9" Glossy & Matte	1/2" x 8" Jolly		
	Thickness	10mm	Check Website	13mm	
Grout Joint Recommendation	1/8"	Check Website			
Testing	Breaking Strength C648	Chemical Resistance C650	Water Absorption C373	Scratch Hardness MOHS	Shade Variation Rating
Results*	>225 lbf (3x8) TIP (9x9)	Resistant (3x8) TIP (9x9)	<1.0% (3x8) TIP (9x9)	7 (3x8) TIP (9x9)	V4 (3x8) TIP (9x9)

-  Sustainability Attributes
- Health Product Declaration (HPD) provided upon request
 - Product Packaging is 100% recyclable
 - VOC Free

*For more information visit www.emser.com. Always consult a professional for proper usage and installation.

The striking colors of Passion™ will inspire breathtaking designs throughout any living space. This unique wall tile transcends traditional subway tiles into something ethereal. Colors ranging from soft White to delicate Rosa to deep Nero, Passion™ brings a truly magical element that will complement any decor.

PASSION™

Glazed Porcelain





White



Silver



Ocean



Blue



Charcoal



Mustard



Olive



Ruby

The coloration of Raku™ is anything but ordinary. Rated as a V4, this line provides a dramatic variation in color and shade making each installation truly unique.

Color Variation:



Sizes					
	3" x 12" 2.95" x 11.81"		1/2" x 12" Jolly		
Thickness	10mm		13mm		
Grout Joint Recommendation	1/8"				
Testing	Breaking Strength C648	Chemical Resistance C650	Water Absorption C373	Scratch Hardness MOHS	Shade Variation Rating
Results*	>125 lbf	Resistant	>10.0%	4	V4

Raku is available in matte and gloss finishes.


- Sustainability Attributes**
- Health Product Declaration (HPD) provided upon request
 - Product Packaging is 100% recyclable
 - VOC Free

*For more information visit www.emser.com. Always consult a professional for proper usage and installation.


Inspired by the Japanese method for firing pottery, Raku™ brings to life this ancient method in a contemporary form. The unique look of Raku™ provides endless design options. The eight tranquil colors evoke happiness and are ideal for any application.

RAKU™
Glazed Ceramic






Dove



Gray



Taupe



White



All Colors Also Available in Fan and 3"x6" Beveled Patterns

Sizes			
	11"x12"	10"x11"	10"x11"
Thickness	6mm	6mm	7mm
Testing	Shade Variation Rating		
Results*	V2		

- Sustainability Attributes**
- Health Product Declaration (HPD) provided upon request
 - Product Packaging is 100% recyclable
 - VOC Free


*For more information visit www.emser.com. Always consult a professional for proper usage and installation.

Reward™ porcelain tile celebrates geometric shapes with classic elongated hexagons, bricks and curvy fish scales. Even in simplicity, these tiles are styled to make a signature and durable moment for those investing in their next home renovation or design project.


REWARD™
Glazed Porcelain Mosaic




FLOOR / WALL  RESIDENTIAL  INDOOR  OUTDOOR  POOL 




White 2" Hex





Black 2" Hex



White Penny



Black Penny

Sizes		
	11" x 13" 10.98" x 12.68"	11" x 12" 11.34" x 12.24"
Thickness	5.5mm	5.5mm
Testing	Shade Variation Rating	
Results*	VI	

-  Sustainability Attributes
- Health Product Declaration (HPD) provided upon request
 - Product Packaging is 100% recyclable
 - VOC Free

*For more information visit www.emser.com. Always consult a professional for proper usage and installation.

Give any room a patterned, finished look with the classic simplicity of Rezone™. The clean lines of this all white mosaic add a sense of calm and order in a range of applications.

REZONE™


Unglazed Porcelain Mosaic



Rezone™ | White 2" Hex



Rezone™ | White Penny



Plain



Linear



Woven



Square



Chevron

Sizes Thickness Grout Joint Recommendation					
	12" x 39" 12.40" x 39.37"				
	9.5mm				
	1/16"				
Testing	Breaking Strength C648	Chemical Resistance C650	Water Absorption C373	Scratch Hardness MOHS	Shade Variation Rating
Results*	Check Website	Check Website	Check Website	Check Website	V1

- Sustainability Attributes**
- Health Product Declaration (HPD) provided upon request
 - Product Packaging is 100% recyclable
 - VOC Free
 - Recycled Content 39% Pre-Consumer

*For more information visit www.emser.com. Always consult a professional for proper usage and installation.


Sparkle™ is a vivacious large format tile that provides a range of texture to enliven any space. The five contemporary patterns are versatile and work beautifully with any design theme. This tile will make quite a statement.

SPARKLE™

Glazed Ceramic




FLOOR / WALL  RESIDENTIAL  COMMERCIAL  INDOOR  OUTDOOR  POOL 



White - Black




White - Fawn




White - Gray



White - Silver



White - White

<p>Sizes</p>  <p>11" x 11" Mesh 11.02" x 11.02"</p> <p>Thickness</p> <p>5,5mm</p>	
<p>Testing</p> <p>Shade Variation Rating</p> <p>Results* VI</p>	

-  Sustainability Attributes
- Health Product Declaration (HPD) provided upon request
 - Product Packaging is 100% recyclable
 - VOC Free

*For more information visit www.emser.com. Always consult a professional for proper usage and installation.

The vintage appeal of the classic pinwheel pattern comes home with Spin™ mosaic tile. The linear style offers a neutral option, while still celebrating layered looks and movement in design. The allure of this geometric mosaic remains ever-present today for its beauty and durability, especially for both kitchen and bath.

SPIN™

Glazed Porcelain Mosaic



FLOOR / WALL



RESIDENTIAL



INDOOR



Luna



Mila



Zara

Sizes							
	31" x 31" 31.30" x 31.30"	24" x 47" 23.50" x 47.09"	12" x 24" Matte 11.81" x 23.62"	12" x 24" Polished 11.69" x 23.50"			
Thickness	10mm	9mm	8mm	8mm			
Faces	4	4	12	12			
Finish	Matte & Polished	Matte & Polished	Matte	Polished			
Edge	Rectified	Rectified	Pressed	Rectified			
Grout Joint Recommendation	1/8"	1/8"	3/16"	1/8"			
Testing	Abrasion Resistance C1027	Breaking Strength C648	Chemical Resistance C650	Water Absorption C373	DCOF ANSI A1371	Scratch Hardness MOHS	Shade Variation Rating
	Check Website	Check Website	Check Website	Check Website	Check Website	Check Website	V2

Product and Installation Details | ANSI A108.02
Section 4.3.8.2 - For running bond/brick jointing patterns utilizing tiles (square or rectangular) where the side being offset is greater than 18" (nominal dimension), the running bond offset will be a maximum of 33% unless otherwise specified by the tile manufacturer. If an offset greater than 33% is specified, specifier and owner must approve mock-up and lippage.



Sustainability Attributes

- Red List Free
- Health Product Declaration (HPD) provided upon request
- Product Packaging is 100% recyclable
- VOC Free

*For more information visit www.emser.com. Always consult a professional for proper usage and installation.

Want to give your next design project a look of modern elegance? Serendra™ porcelain marble look tile provides a cool, rich and distinguished look that never goes out of style and is easy to maintain. The variations in each tile contribute to its distinctive appeal. Serendra comes in three colors and three sizes.

SERENDRA™

Glazed Porcelain



FLOOR / WALL  RESIDENTIAL  COMMERCIAL  INDOOR  OUTDOOR  POOL 



White



Almond



Steel



Ocean



Taupe

Sizes							
	12" x 35" 11.71" x 35.3"	12" x 24" 11.71" x 23.50"	3" x 12" Floor SBN				
Thickness	8mm	9.5mm	Check Website				
Faces	8	32	N/A				
Finish	Matte	Matte	Matte				
Edge	Rectified	Rectified	Cut/Rounded				
Grout Joint Recommendation	1/8"	1/8"	1/8"				
Testing	Abrasion Resistance C1027	Breaking Strength C648	Chemical Resistance C650	Water Absorption C373	DCOF ANSI A1371	Scratch Hardness MOHS	Shade Variation Rating
	Results*	II	>350 lbf	Resistant	<0.50%	>0.60	7

Product and Installation Details | ANSI A108.02
Section 4.3.8.2 - For running bond/brick jointing patterns utilizing tiles (square or rectangular) where the side being offset is greater than 18" (nominal dimension), the running bond offset will be a maximum of 33% unless otherwise specified by the tile manufacturer. If an offset greater than 33% is specified, specifier and owner must approve mock-up and lippage.



 Sustainability Attributes

- Red List Free
- Health Product Declaration (HPD) provided upon request
- Product Packaging is 100% recyclable
- VOC Free



*For more information visit www.emser.com. Always consult a professional for proper usage and installation.

Trendz™ takes fashion to a new level by combining sophisticated colors with subtle shimmer. The result is undeniably beautiful. From the cool ocean blue to the contemporary steel gray, Trendz is sure to have a look to match any decor. Available in two sizes including a large 12x35 plank and is ideal for any room where a twist on traditional looks is desired.

TRENDZ™

Glazed Porcelain





Groven



Ribia



Varzo

	24" x 47" 23.62" x 47.24"	24" x 24" 23.62" x 23.62"	12" x 24" 11.81" x 23.62"	3" x 12" Floor SBN			
Sizes							
Thickness	12mm	10mm (Matte) 9.5mm (Polished)	9mm (Matte) 9.2mm (Polished)	Check Website			
Faces	6	10	12-17	N/A			
Finish	Matte & Polished	Matte & Polished	Matte & Polished				
Edge	Rectified	Rectified	Rectified	Cut/Rounded			
Grout Joint Recommendation	1/8"	1/8"	1/8"	Check Website			
Testing	Abrasion Resistance C1027	Breaking Strength C648	Chemical Resistance C650	Water Absorption C373	DCOF ANSI A1371	Scratch Hardness MOHS	Shade Variation Rating
Results*	Check Website	Check Website	Check Website	Check Website	Check Website	Check Website	V3

Product and Installation Details | ANSI A108.02
Section 4.3.8.2 - For running bond/brick jointing patterns utilizing tiles (square or rectangular) where the side being offset is greater than 18" (nominal dimension), the running bond offset will be a maximum of 33% unless otherwise specified by the tile manufacturer. If an offset greater than 33% is specified, specifier and owner must approve mock-up and lippage.



 Sustainability Attributes

- Red List Free
- Health Product Declaration (HPD) provided upon request
- Product Packaging is 100% recyclable
- VOC Free
- Recycled Content >40% Pre-Consumer, >10% Post-Consumer

*For more information visit www.emser.com. Always consult a professional for proper usage and installation.



Vara™ takes its inspiration from the natural beauty of marble. This stunning line evokes the luxurious look of natural stone but with the easy care of porcelain tile. The subtle veining and crisp coloring creates a stylish environment.

VARA™
Glazed Porcelain



FLOOR / WALL  RESIDENTIAL  COMMERCIAL  INDOOR  OUTDOOR 



Gray



Latte

Sizes Thickness Faces Finish Edge Grout Joint Recommendation							
	8" x 4.7" <small>7.87" x 4.724"</small>						
	8mm						
	16						
	Matte						
	Pressed						
3/16"							
Testing	Abrasion Resistance <small>C1027</small>	Breaking Strength <small>C648</small>	Chemical Resistance <small>C650</small>	Water Absorption <small>C373</small>	DCOF ANSI <small>A1371</small>	Scratch Hardness <small>MOHS</small>	Shade Variation Rating
Results*	IV	526 lbf	Resistant	0.40%	Check Website	7	V3

Product and Installation Details | ANSI A108.02
 Section 4.3.8.2 - For running bond/brick jointing patterns utilizing tiles (square or rectangular) where the side being offset is greater than 18" (nominal dimension), the running bond offset will be a maximum of 33% unless otherwise specified by the tile manufacturer. If an offset greater than 33% is specified, specifier and owner must approve mock-up and lippage.



 Sustainability Attributes

- Red List Free
- Health Product Declaration (HPD) provided upon request
- Product Packaging is 100% recyclable
- VOC Free

*For more information visit www.emser.com. Always consult a professional for proper usage and installation.

Quietly sophisticated with all the inherent benefits of tile, that's the story behind Victus™. Natural wood looks add warmth and comfort, whether your style leans more modern and minimal or traditional and timeless.


VICTUS™
Glazed Porcelain




FLOOR / WALL  RESIDENTIAL  COMMERCIAL  INDOOR  OUTDOOR  POOL 




Mana



Ono



Suva

<p>Sizes</p>	 12" x 12" Dot Mount
<p>Thickness</p>	4.9mm
<p>Testing</p>	Shade Variation Rating
<p>Results*</p>	Check Website

-  Sustainability Attributes
- Health Product Declaration (HPD) provided upon request
 - Product Packaging is 100% recyclable
 - VOC Free

*For more information visit www.emser.com. Always consult a professional for proper usage and installation.

Delve below the surface with an homage to the beauty and complexity of water colors. Waterlace™ glass mosaic tile turns designs into geometric works of art. Uniquely yours and suitably indoor and out, for pools, signature walls and floors.

WATERLACE™
Glass Mosaic





 **Emser Tile™**

8431 Santa Monica Boulevard | Los Angeles, California 90069

Tel: 323.650.2000 | Fax: 323.654.3190 | www.emser.com

Passion™ • Verde