



# THE COMPLETE PEX PLUMBING SYSTEM



# RELIABLE. PROVEN. READY FOR YOUR NEXT PROJECT.

**At Jones Stephens, we're proud to deliver a PEX plumbing system built around what installers value most: a complete offering, reliable performance, and quality they can trust.**

Made of crosslinked polyethylene, Jones Stephens PEX is designed to be quiet, corrosion-resistant, and energy-saving. Its inherent flexibility allows for faster installations with fewer fittings, reducing both labor time and potential leak points.

Stock up with confidence, knowing that our PEX products go through rigorous, independent testing to ensure durability and performance. The pipe and fittings are certified to key industry standards, including ASTM, AWWA, NSF, and cUPC.

We are so confident in our product that the Jones Stephens PEX system is backed by a 25-year limited warranty, providing long-term peace of mind.

## MAKE PEX YOUR GREATEST FLEX

Our strategically sourced and expertly manufactured PEX-A and PEX-B pipe is ideal for all new construction and repair jobs, meeting the highest industry standards, certifications, and compliance requirements. Jones Stephens PEX pipe is manufactured of crosslinked polyethylene and is available in coils and straight lengths, up to 2 inches in diameter, and in red, white, and blue.

Our robust offering of pipe, fittings, and accessories delivers flexibility, durability, and a solution designed for even the most complex of projects.



# TABLE OF CONTENTS

<b>PEX-A Pipe</b> .....	<b>4</b>
PEX-A Potable Water Pipe .....	4-5
PEX-A Oxygen Barrier Pipe .....	6
<b>PEX-B Pipe</b> .....	<b>7</b>
PEX-B Potable Water Pipe .....	7-9
<b>Expansion Fittings</b> .....	<b>10</b>
F1960 Brass Fittings .....	10-14
F1960 Ball Valves .....	14
F1960 Poly Fittings .....	14-17
Expansion Rings .....	17
<b>Crimp Fittings</b> .....	<b>18</b>
F1807 Copper Fittings .....	18
F1807 Brass Fittings .....	18-22
F1807 Ball Valves .....	23
F2159 Poly Fittings .....	23-24
Crimp Rings and Clamps .....	25
<b>PEX Tools</b> .....	<b>26</b>
<b>PEX Plus</b> .....	<b>27</b>



**WATCH THE PEX PLUMBING SYSTEM  
IN ACTION.**

# PEX-A PIPE

PEX-A is easy to install and has superior flexibility, which makes it desirable for plumbing installations. Due to its thermal memory, PEX-A bends easily and may require fewer fittings.

Finish installations with a secure connection by utilizing F1960 expansion style fittings and rings.



## PEX-A Potable Water Pipe

### Blue Straight Lengths



Part Code	Description	OD	Tolerance	Wall Thickness	Tolerance	Pallet Qty
<b>F76805</b>	1/2" x 20' Blue Pipe, Pack of 25 Straight Lengths	0.625"	±0.004"	0.070"	±0.010"	16
<b>F76809</b>	3/4" x 20' Blue Pipe, Pack of 15 Straight Lengths	0.875"	±0.004"	0.097"	±0.010"	16
<b>F76813</b>	1" x 20' Blue Pipe, Pack of 10 Straight Lengths	1.125"	±0.005"	0.125"	±0.013"	10

### Red Straight Lengths



Part Code	Description	OD	Tolerance	Wall Thickness	Tolerance	Pallet Qty
<b>F76794</b>	1/2" x 20' Red Pipe, Pack of 25 Straight Lengths	0.625"	±0.004"	0.070"	±0.010"	16
<b>F76798</b>	3/4" x 20' Red Pipe, Pack of 15 Straight Lengths	0.875"	±0.004"	0.097"	±0.010"	16
<b>F76802</b>	1" x 20' Red Pipe, Pack of 10 Straight Lengths	1.125"	±0.005"	0.125"	±0.013"	10

### White Straight Lengths



Part Code	Description	OD	Tolerance	Wall Thickness	Tolerance	Pallet Qty
<b>F76781</b>	1/2" x 20' White Pipe, Pack of 25 Straight Lengths	0.625"	±0.004"	0.070"	±0.010"	16
<b>F76786</b>	3/4" x 20' White Pipe, Pack of 15 Straight Lengths	0.875"	±0.004"	0.097"	±0.010"	16
<b>F76790</b>	1" x 20' White Pipe, Pack of 10 Straight Lengths	1.125"	±0.005"	0.125"	±0.013"	10
<b>F76074</b>	1-1/4" x 20' White Pipe, Pack of 5 Straight Lengths	1.375"	±0.005"	0.153"	±0.015"	10
<b>F76075</b>	1-1/2" x 20' White Pipe, Pack of 5 Straight Lengths	1.625"	±0.006"	0.181"	±0.019"	10
<b>F76076</b>	2" x 20' White Pipe, Pack of 5 Straight Lengths	2.125"	±0.006"	0.236"	±0.024"	10



## Blue Coils

Part Code	Description	OD	Tolerance	Wall Thickness	Tolerance	Pallet Qty
F76806	1/2" x 100' Blue Pipe, Coil	0.625"	±0.004"	0.070"	±0.010"	32
F76807	1/2" x 300' Blue Pipe, Coil	0.625"	±0.004"	0.070"	±0.010"	23
F76808	1/2" x 1000' Blue Pipe, Coil	0.625"	±0.004"	0.070"	±0.010"	8
F76810	3/4" x 100' Blue Pipe, Coil	0.875"	±0.004"	0.097"	±0.010"	24
F76811	3/4" x 300' Blue Pipe, Coil	0.875"	±0.004"	0.097"	±0.010"	14
F76812	3/4" x 500' Blue Pipe, Coil	0.875"	±0.004"	0.097"	±0.010"	9
F76814	1" x 100' Blue Pipe, Coil	1.125"	±0.005"	0.125"	±0.013"	23
F76815	1" x 300' Blue Pipe, Coil	1.125"	±0.005"	0.125"	±0.013"	8

## Red Coils

Part Code	Description	OD	Tolerance	Wall Thickness	Tolerance	Pallet Qty
F76795	1/2" x 100' Red Pipe, Coil	0.625"	±0.004"	0.070"	±0.010"	32
F76796	1/2" x 300' Red Pipe, Coil	0.625"	±0.004"	0.070"	±0.010"	23
F76797	1/2" x 1000' Red Pipe, Coil	0.625"	±0.004"	0.070"	±0.010"	8
F76799	3/4" x 100' Red Pipe, Coil	0.875"	±0.004"	0.097"	±0.010"	24
F76800	3/4" x 300' Red Pipe, Coil	0.875"	±0.004"	0.097"	±0.010"	14
F76801	3/4" x 500' Red Pipe, Coil	0.875"	±0.004"	0.097"	±0.010"	9
F76803	1" x 100' Red Pipe, Coil	1.125"	±0.005"	0.125"	±0.013"	23
F76804	1" x 300' Red Pipe, Coil	1.125"	±0.005"	0.125"	±0.013"	8

## White Coils

Part Code	Description	OD	Tolerance	Wall Thickness	Tolerance	Pallet Qty
F76782	1/2" x 100' White Pipe, Coil	0.625"	±0.004"	0.070"	±0.010"	32
F76783	1/2" x 300' White Pipe, Coil	0.625"	±0.004"	0.070"	±0.010"	23
F76784	1/2" x 500' White Pipe, Coil	0.625"	±0.004"	0.070"	±0.010"	15
F76785	1/2" x 1000' White Pipe, Coil	0.625"	±0.004"	0.070"	±0.010"	8
F76787	3/4" x 100' White Pipe, Coil	0.875"	±0.004"	0.097"	±0.010"	24
F76788	3/4" x 300' White Pipe, Coil	0.875"	±0.004"	0.097"	±0.010"	14
F76789	3/4" x 500' White Pipe, Coil	0.875"	±0.004"	0.097"	±0.010"	9
F76791	1" x 100' White Pipe, Coil	1.125"	±0.005"	0.125"	±0.013"	23
F76792	1" x 300' White Pipe, Coil	1.125"	±0.005"	0.125"	±0.013"	8
F76793	1" x 500' White Pipe, Coil	1.125"	±0.005"	0.125"	±0.013"	6
F76077	1-1/4" x 100' White Pipe, Coil	1.375"	±0.005"	0.153"	±0.015"	12
F76080	1-1/4" x 300' White Pipe, Coil	1.375"	±0.005"	0.153"	±0.015"	4
F76078	1-1/2" x 100' White Pipe, Coil	1.625"	±0.006"	0.181"	±0.019"	9
F76081	1-1/2" x 300' White Pipe, Coil	1.625"	±0.006"	0.181"	±0.019"	4
F76079	2" x 100' White Pipe, Coil	2.125"	±0.006"	0.236"	±0.024"	4
F76082	2" x 300' White Pipe, Coil	2.125"	±0.006"	0.236"	±0.024"	5

## PEX-A Oxygen Barrier Pipe



### White Straight Lengths

Part Code	Description	OD	Tolerance	Wall Thickness	Tolerance	Pallet Qty
<b>F76817</b>	1/2" x 20' White Pipe, Pack of 25 Straight Lengths	0.625"	±0.004"	0.070"	±0.010"	16
<b>F76822</b>	5/8" x 20' White Pipe, Pack of 15 Straight Lengths	0.750"	±0.004"	0.083"	±0.010"	22
<b>F76083</b>	3/4" x 20' White Pipe, Pack of 15 Straight Lengths	0.875"	±0.004"	0.097"	±0.010"	16
<b>F76914</b>	1" x 20' White Pipe, Pack of 10 Straight Lengths	1.125"	±0.005"	0.125"	±0.013"	10
<b>F76013</b>	1-1/4" x 20' White Pipe, Pack of 5 Straight Lengths	1.375"	±0.005"	0.161"	±0.015"	10
<b>F76014</b>	1-1/2" x 20' White Pipe, Pack of 5 Straight Lengths	1.625"	±0.006"	0.191"	±0.019"	10
<b>F76015</b>	2" x 20' White Pipe, Pack of 5 Straight Lengths	2.125"	±0.006"	0.248"	±0.024"	10



### White Coils

Part Code	Description	OD	Tolerance	Wall Thickness	Tolerance	Pallet Qty
<b>F76818</b>	1/2" x 100' White Pipe, Coil	0.625"	±0.004"	0.070"	±0.010"	32
<b>F76819</b>	1/2" x 300' White Pipe, Coil	0.625"	±0.004"	0.070"	±0.010"	23
<b>F76820</b>	1/2" x 500' White Pipe, Coil	0.625"	±0.004"	0.070"	±0.010"	15
<b>F76821</b>	1/2" x 1000' White Pipe, Coil	0.625"	±0.004"	0.070"	±0.010"	8
<b>F76823</b>	5/8" x 100' White Pipe, Coil	0.750"	±0.004"	0.083"	±0.010"	29
<b>F76824</b>	5/8" x 300' White Pipe, Coil	0.750"	±0.004"	0.083"	±0.010"	17
<b>F76825</b>	5/8" x 400' White Pipe, Coil	0.750"	±0.004"	0.083"	±0.010"	16
<b>F76826</b>	5/8" x 1000' White Pipe, Coil	0.750"	±0.004"	0.083"	±0.010"	6
<b>F76827</b>	3/4" x 100' White Pipe, Coil	0.875"	±0.004"	0.097"	±0.010"	24
<b>F76828</b>	3/4" x 300' White Pipe, Coil	0.875"	±0.004"	0.097"	±0.010"	14
<b>F76829</b>	3/4" x 500' White Pipe, Coil	0.875"	±0.004"	0.097"	±0.010"	9
<b>F76830</b>	3/4" x 1000' White Pipe, Coil	0.875"	±0.004"	0.097"	±0.010"	4
<b>F76915</b>	1" x 100' White Pipe, Coil	1.125"	±0.005"	0.125"	±0.013"	12
<b>F76916</b>	1" x 300' White Pipe, Coil	1.125"	±0.005"	0.125"	±0.013"	5
<b>F76016</b>	1-1/4" x 100' White Pipe, Coil	1.375"	±0.005"	0.161"	±0.015"	12
<b>F76017</b>	1-1/2" x 100' White Pipe, Coil	1.625"	±0.006"	0.191"	±0.019"	9
<b>F76018</b>	2" x 100' White Pipe, Coil	2.125"	±0.006"	0.248"	±0.024"	4

# PEX-B PIPE

PEX-B is a reliable, easy-to-install piping system that is manufactured using the Silane/Moisture Cure method. While it still provides great flexibility, the bend radius may be smaller in tight spaces, requiring additional fittings.

Finish installations with a secure connection by using F1807/F2159 crimp fittings and crimp rings or clamps.



## PEX-B Potable Water Pipe

### Blue Straight Lengths



Part Code	Description	OD	Tolerance	Wall Thickness	Tolerance	Pallet Qty
<b>C76945</b>	1/2" x 10' Blue Pipe, Pack of 50 Straight Lengths	0.625"	±0.004"	0.070"	±0.010"	10
<b>C76935</b>	1/2" x 20' Blue Pipe, Pack of 50 Straight Lengths	0.625"	±0.004"	0.070"	±0.010"	10
<b>C76947</b>	3/4" x 10' Blue Pipe, Pack of 25 Straight Lengths	0.875"	±0.004"	0.097"	±0.010"	10
<b>C76939</b>	3/4" x 20' Blue Pipe, Pack of 25 Straight Lengths	0.875"	±0.004"	0.097"	±0.010"	10
<b>C76943</b>	1" x 20' Blue Pipe, Pack of 15 Straight Lengths	1.125"	±0.005"	0.125"	±0.013"	10

### Red Straight Lengths



Part Code	Description	OD	Tolerance	Wall Thickness	Tolerance	Pallet Qty
<b>C76944</b>	1/2" x 10' Red Pipe, Pack of 50 Straight Lengths	0.625"	±0.004"	0.070"	±0.010"	10
<b>C76936</b>	1/2" x 20' Red Pipe, Pack of 50 Straight Lengths	0.625"	±0.004"	0.070"	±0.010"	10
<b>C76946</b>	3/4" x 10' Red Pipe, Pack of 25 Straight Lengths	0.875"	±0.004"	0.097"	±0.010"	10
<b>C76940</b>	3/4" x 20' Red Pipe, Pack of 25 Straight Lengths	0.875"	±0.004"	0.097"	±0.010"	10
<b>C76941</b>	1" x 20' Red Pipe, Pack of 15 Straight Lengths	1.125"	±0.005"	0.125"	±0.013"	10

### White Straight Lengths



Part Code	Description	OD	Tolerance	Wall Thickness	Tolerance	Pallet Qty
<b>C76933</b>	1/2" x 10' White Pipe, Pack of 50 Straight Lengths	0.625"	±0.004"	0.070"	±0.010"	10
<b>C76934</b>	1/2" x 20' White Pipe, Pack of 50 Straight Lengths	0.625"	±0.004"	0.070"	±0.010"	10
<b>C76937</b>	3/4" x 10' White Pipe, Pack of 25 Straight Lengths	0.875"	±0.004"	0.097"	±0.010"	10
<b>C76938</b>	3/4" x 20' White Pipe, Pack of 25 Straight Lengths	0.875"	±0.004"	0.097"	±0.010"	10
<b>C76942</b>	1" x 20' White Pipe, Pack of 15 Straight Lengths	1.125"	±0.005"	0.125"	±0.013"	10
<b>C76950</b>	1-1/4" x 20' White Pipe, Pack of 5 Straight Lengths	1.375"	±0.005"	0.153"	±0.015"	15
<b>C76953</b>	1-1/2" x 20' White Pipe, Pack of 5 Straight Lengths	1.625"	±0.006"	0.181"	±0.019"	10
<b>C76956</b>	2" x 20' White Pipe, Pack of 5 Straight Lengths	2.125"	±0.006"	0.236"	±0.024"	5



## Blue Coils

Part Code	Description	OD	Tolerance	Wall Thickness	Tolerance	Pallet Qty
<b>C76904</b>	1/2" x 100' Blue Pipe, Coil	0.625"	±0.004"	0.070"	±0.010"	104
<b>C76907</b>	1/2" x 300' Blue Pipe, Coil	0.625"	±0.004"	0.070"	±0.010"	26
<b>C76910</b>	1/2" x 500' Blue Pipe, Coil	0.625"	±0.004"	0.070"	±0.010"	17
<b>C76901</b>	1/2" x 1000' Blue Pipe, Coil	0.625"	±0.004"	0.070"	±0.010"	7
<b>C76916</b>	3/4" x 100' Blue Pipe, Coil	0.875"	±0.004"	0.097"	±0.010"	56
<b>C76919</b>	3/4" x 300' Blue Pipe, Coil	0.875"	±0.004"	0.097"	±0.010"	12
<b>C76922</b>	3/4" x 500' Blue Pipe, Coil	0.875"	±0.004"	0.097"	±0.010"	7
<b>C76913</b>	3/4" x 1000' Blue Pipe, Coil	0.875"	±0.004"	0.097"	±0.010"	4
<b>C76925</b>	1" x 100' Blue Pipe, Coil	1.125"	±0.005"	0.125"	±0.013"	15
<b>C76928</b>	1" x 300' Blue Pipe, Coil	1.125"	±0.005"	0.125"	±0.013"	9
<b>C76931</b>	1" x 500' Blue Pipe, Coil	1.125"	±0.005"	0.125"	±0.013"	10

## Red Coils

Part Code	Description	OD	Tolerance	Wall Thickness	Tolerance	Pallet Qty
<b>C76905</b>	1/2" x 100' Red Pipe, Coil	0.625"	±0.004"	0.070"	±0.010"	104
<b>C76908</b>	1/2" x 300' Red Pipe, Coil	0.625"	±0.004"	0.070"	±0.010"	26
<b>C76911</b>	1/2" x 500' Red Pipe, Coil	0.625"	±0.004"	0.070"	±0.010"	17
<b>C76902</b>	1/2" x 1000' Red Pipe, Coil	0.625"	±0.004"	0.070"	±0.010"	7
<b>C76917</b>	3/4" x 100' Red Pipe, Coil	0.875"	±0.004"	0.097"	±0.010"	56
<b>C76920</b>	3/4" x 300' Red Pipe, Coil	0.875"	±0.004"	0.097"	±0.010"	12
<b>C76923</b>	3/4" x 500' Red Pipe, Coil	0.875"	±0.004"	0.097"	±0.010"	7
<b>C76914</b>	3/4" x 1000' Red Pipe, Coil	0.875"	±0.004"	0.097"	±0.010"	4
<b>C76926</b>	1" x 100' Red Pipe, Coil	1.125"	±0.005"	0.125"	±0.013"	15
<b>C76929</b>	1" x 300' Red Pipe, Coil	1.125"	±0.005"	0.125"	±0.013"	9
<b>C76932</b>	1" x 500' Red Pipe, Coil	1.125"	±0.005"	0.125"	±0.013"	10

## White Coils

Part Code	Description	OD	Tolerance	Wall Thickness	Tolerance	Pallet Qty
<b>C76903</b>	1/2" x 100' White Pipe, Coil	0.625"	±0.004"	0.070"	±0.010"	104
<b>C76906</b>	1/2" x 300' White Pipe, Coil	0.625"	±0.004"	0.070"	±0.010"	26
<b>C76909</b>	1/2" x 500' White Pipe, Coil	0.625"	±0.004"	0.070"	±0.010"	17
<b>C76900</b>	1/2" x 1000' White Pipe, Coil	0.625"	±0.004"	0.070"	±0.010"	7
<b>C76915</b>	3/4" x 100' White Pipe, Coil	0.875"	±0.004"	0.097"	±0.010"	56
<b>C76918</b>	3/4" x 300' White Pipe, Coil	0.875"	±0.004"	0.097"	±0.010"	12
<b>C76921</b>	3/4" x 500' White Pipe, Coil	0.875"	±0.004"	0.097"	±0.010"	7
<b>C76912</b>	3/4" x 1000' White Pipe, Coil	0.875"	±0.004"	0.097"	±0.010"	4
<b>C76924</b>	1" x 100' White Pipe, Coil	1.125"	±0.005"	0.125"	±0.013"	15
<b>C76927</b>	1" x 300' White Pipe, Coil	1.125"	±0.005"	0.125"	±0.013"	9
<b>C76930</b>	1" x 500' White Pipe, Coil	1.125"	±0.005"	0.125"	±0.013"	10
<b>C76948</b>	1-1/4" x 100' White Pipe, Coil	1.375"	±0.005"	0.153"	±0.015"	10
<b>C76949</b>	1-1/4" x 300' White Pipe, Coil	1.375"	±0.005"	0.153"	±0.015"	5
<b>C76951</b>	1-1/2" x 100' White Pipe, Coil	1.625"	±0.006"	0.181"	±0.019"	8
<b>C76952</b>	1-1/2" x 300' White Pipe, Coil	1.625"	±0.006"	0.181"	±0.019"	5
<b>C76954</b>	2" x 100' White Pipe, Coil	2.125"	±0.006"	0.236"	±0.024"	5
<b>C76955</b>	2" x 300' White Pipe, Coil	2.125"	±0.006"	0.236"	±0.024"	3



# EXPANSION FITTINGS

Jones Stephens offers a full range of F1960 expansion fittings in both brass and poly options. Our vast assortment of fittings includes everything from tees and elbows to manifolds and expansion rings. The durable construction makes them a dependable and leak-free plumbing connection.

**All fittings are sold in carton quantities only.**



## F1960 Brass Fittings

### Adapters-Copper Press



Part Code	Description	A	B	CTN/MSTR
<b>F76092</b>	1/2" F1960 x Brass PEX Copper Press Adapter	0.50"	0.50"	30/240
<b>F76093</b>	3/4" F1960 x Brass PEX Copper Press Adapter	0.75"	0.75"	20/160
<b>F76094</b>	1" F1960 x Brass PEX Copper Press Adapter	1.00"	1.00"	12/96
<b>F76095</b>	1-1/4" F1960 x Brass PEX Copper Press Adapter	1.25"	1.25"	12/48
<b>F76096</b>	1-1/2" F1960 x Brass PEX Copper Press Adapter	1.50"	1.50"	4/32
<b>F76097</b>	2" F1960 x Brass PEX Copper Press Adapter	2.00"	2.00"	5/20



### Adapters-Female Sweat


Part Code	Description	A	B	CTN/MSTR
<b>F76842</b>	1/2" F1960 Female Sweat Brass PEX Adapter	0.50"	0.50"	25/100
<b>F76843</b>	1/2" F1960 x 3/4" Female Sweat Brass PEX Adapter	0.50"	0.75"	25/100
<b>F76846</b>	3/4" F1960 Female Sweat Brass PEX Adapter	0.75"	0.75"	25/100
<b>F76845</b>	3/4" F1960 x 1/2" Female Sweat Brass PEX Adapter	0.75"	0.50"	25/50
<b>F76844</b>	3/4" F1960 x 1" Female Brass PEX Sweat Adapter	0.75"	1.00"	10/100
<b>F76841</b>	1" F1960 Female Sweat Brass PEX Adapter	1.00"	1.00"	10/100
<b>F76168</b>	1-1/4" F1960 Female Sweat Brass PEX Adapter	1.25"	1.25"	8/96
<b>F76169</b>	1-1/2" F1960 Female Sweat Brass PEX Adapter	1.50"	1.50"	12/48
<b>F76170</b>	2" F1960 Female Sweat Brass PEX Adapter	2.00"	2.00"	6/24

## Adapters-Male Sweat




Part Code	Description	A	B	CTN/MSTR
F76836	1/2" F1960 Male Sweat Brass PEX Adapter	0.50"	0.50"	25/100
F76837	1/2" F1960 x 3/4" Male Sweat Brass PEX Adapter	0.50"	0.75"	25/100
F76840	3/4" F1960 Male Sweat Brass PEX Adapter	0.75"	0.75"	25/100
F76839	3/4" F1960 x 1/2" Male Sweat Brass PEX Adapter	0.75"	0.50"	25/100
F76838	3/4" F1960 x 1" Male Sweat Brass PEX Adapter	0.75"	1.00"	10/100
F76835	1" F1960 Male Sweat Brass PEX Adapter	1.00"	1.00"	10/100
F76089	1-1/4" F1960 Male Sweat Brass PEX Adapter	1.25"	1.25"	8/96
F76090	1-1/2" F1960 Male Sweat Brass PEX Adapter	1.50"	1.50"	12/48
F76091	2" F1960 Male Sweat Brass PEX Adapter	2.00"	2.00"	6/24

## Adapters-FIP




Part Code	Description	A	B	CTN/MSTR
F76859	1/2" F1960 x FIP Brass PEX Adapter	0.50"	0.50"	25/100
F76860	1/2" F1960 x 3/4" FIP Brass PEX Adapter	0.50"	0.75"	25/100
F76861	3/4" F1960 x 1" FIP Brass PEX Adapter	0.75"	1.00"	10/100
F76862	3/4" F1960 x FIP Brass PEX Adapter	0.75"	0.75"	25/100
F76858	1" F1960 x FIP Brass PEX Adapter	1.00"	1.00"	10/50
F76171	1-1/4" F1960 x FIP Brass PEX Adapter	1.25"	1.25"	6/72
F76172	1-1/2" F1960 x FIP Brass PEX Adapter	1.50"	1.50"	6/48
F76173	2" F1960 x FIP Brass PEX Adapter	2.00"	2.00"	6/36

## Adapters-MIP



Part Code	Description	A	B	CTN/MSTR
F76850	1/2" F1960 x 3/4" MIP Brass PEX Adapter	0.50"	0.75"	25/100
F76849	1/2" F1960 x MIP Brass PEX Adapter	0.50"	0.50"	25/100
F76851	3/4" F1960 x 1" MIP Brass PEX Adapter	0.75"	1.00"	10/100
F76852	3/4" F1960 x MIP Brass PEX Adapter	0.75"	0.75"	25/100
F76848	1" F1960 x 3/4" MIP Brass PEX Adapter	1.00"	0.75"	10/100
F76847	1" F1960 x MIP Brass PEX Adapter	1.00"	1.00"	10/100
F76165	1-1/4" F1960 x MIP Brass PEX Adapter	1.25"	1.25"	6/72
F76166	1-1/2" F1960 x MIP Brass PEX Adapter	1.50"	1.50"	6/48
F76167	2" F1960 x MIP Brass PEX Adapter	2.00"	2.00"	6/24




## Couplings

Part Code	Description	A	B	CTN/MSTR
<b>F76854</b>	1/2" F1960 Brass PEX Coupling	0.50"	0.50"	25/50
<b>F76855</b>	1/2" x 3/4" F1960 Brass PEX Coupling	0.50"	0.75"	25/50
<b>F76891</b>	5/8" F1960 Brass PEX Coupling	0.62"	0.62"	30/120
<b>F76857</b>	3/4" F1960 Brass PEX Coupling	0.75"	0.75"	25/50
<b>F76856</b>	3/4" x 1" F1960 Brass PEX Coupling	0.75"	1.00"	10/50
<b>F76853</b>	1" F1960 Brass PEX Coupling	1.00"	1.00"	10/100



## Elbows-90°

Part Code	Description	A	B	CTN/MSTR
<b>F76870</b>	1/2" F1960 Brass PEX 90° Elbow	0.50"	0.50"	25/100
<b>F76871</b>	3/4" F1960 Brass PEX 90° Elbow	0.75"	0.75"	25/100
<b>F76872</b>	1" F1960 Brass PEX 90° Elbow	1.00"	1.00"	10/100



## Elbows-Drop Ear

Part Code	Description	A	B	CTN/MSTR
<b>F76833</b>	1/2" F1960 x FIP Brass PEX 90° Drop Ear Elbow	0.50"	0.50"	25/100
<b>F76834</b>	3/4" F1960 x FIP Brass PEX 90° Drop Ear Elbow	0.75"	0.75"	4/100



## Elbow-MIP

Part Code	Description	A	B	CTN/MSTR
<b>F76831</b>	1/2" F1960 x MIP Brass PEX 90° Elbow	0.50"	0.50"	25/100



## Elbow-Sweat

Part Code	Description	A	B	CTN/MSTR
<b>F76884</b>	3/4" F1960 x Female Sweat Brass PEX 90° Elbow	0.75"	0.75"	10/50

## Plugs



Part Code	Description	A	CTN/MSTR
<b>F76900</b>	1/2" F1960 Brass PEX Plug	0.50"	25/600
<b>F76901</b>	3/4" F1960 Brass PEX Plug	0.75"	25/350
<b>F76902</b>	1" F1960 Brass PEX Plug	1.00"	10/200

## Tees-Equal



Part Code	Description	A	B	C	CTN/MSTR
<b>F76866</b>	1/2" F1960 Brass PEX Tee	0.50"	0.50"	0.50"	25/100
<b>F76868</b>	3/4" F1960 Brass PEX Tee	0.75"	0.75"	0.75"	25/100
<b>F76904</b>	1" F1960 Brass PEX Tee	1.00"	1.00"	1.00"	10/60

## Tees-Reducing



Part Code	Description	A	B	C	CTN/MSTR
<b>F76905</b>	1/2" x 1/2" x 3/4" F1960 Brass PEX Reducing Tee	0.50"	0.50"	0.75"	25/150
<b>F76906</b>	3/4" x 1/2" x 1/2" F1960 Brass PEX Reducing Tee	0.75"	0.50"	0.50"	25/150
<b>F76913</b>	3/4" x 1/2" x 3/4" F1960 Brass PEX Reducing Tee	0.75"	0.50"	0.75"	25/150
<b>F76867</b>	3/4" x 3/4" x 1/2" F1960 Brass PEX Reducing Tee	0.75"	0.75"	0.50"	25/100
<b>F76869</b>	3/4" x 3/4" x 1" F1960 Brass PEX Reducing Tee	0.75"	0.75"	1.00"	10/100
<b>F76896</b>	1" x 1/2" x 1" F1960 Brass PEX Reducing Tee	1.00"	0.50"	1.00"	10/80
<b>F76903</b>	1" x 3/4" x 1/2" F1960 Brass PEX Reducing Tee	1.00"	0.75"	0.50"	10/100
<b>F76898</b>	1" x 3/4" x 3/4" F1960 Brass PEX Reducing Tee	1.00"	0.75"	0.75"	10/100
<b>F76897</b>	1" x 3/4" x 1" F1960 Brass PEX Reducing Tee	1.00"	0.75"	1.00"	10/80
<b>F76894</b>	1" x 1" x 1/2" F1960 Brass PEX Reducing Tee	1.00"	1.00"	0.50"	10/100
<b>F76895</b>	1" x 1" x 3/4" F1960 Brass PEX Reducing Tee	1.00"	1.00"	0.75"	10/80

## F1960 Ball Valves

### Ball Valves



Part Code	Description	A	B	CTN/MSTR
<b>B65050LF</b>	1/2" F1960 Brass PEX Ball Valve	0.50"	0.50"	10/100
<b>B65075LF</b>	3/4" F1960 Brass PEX Ball Valve	0.75"	0.75"	10/100
<b>B65100LF</b>	1" F1960 Brass PEX Ball Valve	1.00"	1.00"	6/48
<b>B65125LF</b>	1-1/4" F1960 Brass PEX Ball Valve	1.25"	1.25"	6/24
<b>B65150LF</b>	1-1/2" F1960 Brass PEX Ball Valve	1.50"	1.50"	4/16
<b>B65200LF</b>	2" F1960 Brass PEX Ball Valve	2.00"	2.00"	2/8



### Ball Valves with Drain

Part Code	Description	A	B	CTN/MSTR
<b>B65050LFD</b>	1/2" F1960 Brass PEX Ball Valve with Drop Ear and Drain	0.50	0.50	10/100
<b>B65075LFD</b>	3/4" F1960 Brass PEX Ball Valve with Drop Ear and Drain	0.75	0.75	10/100
<b>B65100LFD</b>	1" F1960 Brass PEX Ball Valve with Drop Ear and Drain	1.00	1.00	6/48

## F1960 Poly Fittings

### Elbows-45°




Part Code	Description	A	B	CTN/MSTR
<b>F76024</b>	1-1/2" F1960 Poly PEX 45° Elbow	1.50"	1.50"	10/40
<b>F76025</b>	2" F1960 Poly PEX 45° Elbow	2.00"	2.00"	5/20

### Elbows-90°



Part Code	Description	A	B	CTN/MSTR
<b>F76751</b>	1/2" F1960 Poly PEX 90° Elbow	0.50"	0.50"	25/600
<b>F76752</b>	3/4" F1960 Poly PEX 90° Elbow	0.75"	0.75"	25/200
<b>F76753</b>	1" F1960 Poly PEX 90° Elbow	1.00"	1.00"	10/100
<b>F76021</b>	1-1/4" F1960 Poly PEX 90° Elbow	1.25"	1.25"	10/70
<b>F76022</b>	1-1/2" F1960 Poly PEX 90° Elbow	1.50"	1.50"	10/40
<b>F76023</b>	2" F1960 Poly PEX 90° Elbow	2.00"	2.00"	10/20

## Adapter w/ Swivel




Part Code	Description	A	CTN/MSTR
F76780	1/2" F1960 Poly PEX Swivel Faucet Adapter	0.50"	25/400

## Couplings




Part Code	Description	A	B	CTN/MSTR
F76754	1/2" F1960 Poly PEX Coupling	0.50"	0.50"	25/1000
F76755	3/4" F1960 Poly PEX Coupling	0.75"	0.75"	25/500
F76756	3/4" x 1/2" F1960 Poly PEX Coupling	0.75"	0.50"	25/400
F76779	1" F1960 Poly PEX Coupling	1.00"	1.00"	10/250
F76758	1" x 3/4" F1960 Poly PEX Coupling	1.00"	0.75"	25/300
F76026	1-1/4" F1960 Poly PEX Coupling	1.25"	1.25"	10/160
F76029	1-1/4" x 1" F1960 Poly PEX Coupling	1.25"	1.00"	10/170
F76030	1-1/4" x 3/4" F1960 Poly PEX Coupling	1.25"	0.75"	10/190
F76027	1-1/2" F1960 Poly PEX Coupling	1.50"	1.50"	10/100
F76032	1-1/2" x 1" F1960 Poly PEX Coupling	1.50"	1.00"	10/120
F76031	1-1/2" x 1-1/4" F1960 Poly PEX Coupling	1.50"	1.25"	10/110
F76033	1-1/2" x 3/4" F1960 Poly PEX Coupling	1.50"	0.75"	10/140
F76028	2" F1960 Poly PEX Coupling	2.00"	2.00"	10/40
F76034	2" x 1-1/2" F1960 Poly PEX Coupling	2.00"	1.50"	10/40

## Manifolds-Open End



Part Code	Description	A	B	CTN/MSTR
F76001	3/4" F1960 Poly PEX Manifold, 2-Port	0.75"	0.50"	10/140
F76002	3/4" F1960 Poly PEX Manifold, 3-Port	0.75"	0.50"	10/100
F76006	3/4" F1960 Poly PEX Manifold, 4-Port	0.75"	0.50"	10/100
F76007	3/4" F1960 Poly PEX Manifold, 6-Port	0.75"	0.50"	10/70

## Manifolds-Closed End



Part Code	Description	A	B	CTN/MSTR
F76005	3/4" F1960 Poly PEX Manifold, 3-Port	0.75"	0.50"	10/140
F76004	3/4" F1960 Poly PEX Manifold, 4-Port	0.75"	0.50"	10/100
F76003	3/4" F1960 Poly PEX Manifold, 6-Port	0.75"	0.50"	10/60
F76009	1" F1960 Poly PEX Manifold, 4-Port	1.00"	0.50"	10/70
F76008	1" F1960 Poly PEX Manifold, 6-Port	1.00"	0.50"	10/60



## Plugs

Part Code	Description	A	CTN/MSTR
<b>F76768</b>	1/2" F1960 Poly PEX Plug	0.50"	25/1500
<b>F76769</b>	3/4" F1960 Poly PEX Plug	0.75"	25/1000
<b>F76771</b>	1" F1960 Poly PEX Plug	1.00"	10/300
<b>F76068</b>	1-1/4" F1960 Poly PEX Plug	1.25"	10/280
<b>F76069</b>	1-1/2" F1960 Poly PEX Plug	1.50"	10/180
<b>F76070</b>	2" F1960 Poly PEX Plug	2.00"	10/80



## Tees-Equal

Part Code	Description	A	B	C	CTN/MSTR
<b>F76762</b>	1/2" F1960 Poly PEX Tee	0.50"	0.50"	0.50"	25/400
<b>F76763</b>	3/4" F1960 Poly PEX Tee	0.75"	0.75"	0.75"	25/200
<b>F76773</b>	1" F1960 Poly PEX Tee	1.00"	1.00"	1.00"	10/100
<b>F76035</b>	1-1/4" F1960 Poly PEX Tee	1.25"	1.25"	1.25"	10/40
<b>F76036</b>	1-1/2" F1960 Poly PEX Tee	1.50"	1.50"	1.50"	10/20
<b>F76037</b>	2" F1960 Poly PEX Tee	2.00"	2.00"	2.00"	5/10



## Tees-Reducing

Part Code	Description	A	B	C	CTN/MSTR
<b>F76764</b>	1/2" x 1/2" x 3/4" F1960 Poly PEX Reducing Tee	0.50"	0.50"	0.75"	25/250
<b>F76765</b>	3/4" x 1/2" x 1/2" F1960 Poly PEX Reducing Tee	0.75"	0.50"	0.50"	25/300
<b>F76766</b>	3/4" x 1/2" x 3/4" F1960 Poly PEX Reducing Tee	0.75"	0.50"	0.75"	25/250
<b>F76767</b>	3/4" x 3/4" x 1/2" F1960 Poly PEX Reducing Tee	0.75"	0.75"	0.50"	25/100
<b>F76774</b>	3/4" x 3/4" x 1" F1960 Poly PEX Reducing Tee	0.75"	0.75"	1.00"	10/100
<b>F76772</b>	1" x 3/4" x 3/4" F1960 Poly PEX Reducing Tee	1.00"	0.75"	0.75"	10/100
<b>F76776</b>	1" x 3/4" x 1" F1960 Poly PEX Reducing Tee	1.00"	0.75"	1.00"	10/100
<b>F76770</b>	1" x 1" x 1/2" F1960 Poly PEX Reducing Tee	1.00"	1.00"	0.50"	10/100
<b>F76775</b>	1" x 1" x 3/4" F1960 Poly PEX Reducing Tee	1.00"	1.00"	0.75"	10/100
<b>F76045</b>	1-1/4" x 3/4" x 1-1/4" F1960 Poly PEX Reducing Tee	1.25"	0.75"	1.25"	10/40
<b>F76044</b>	1-1/4" x 1" x 3/4" F1960 Poly PEX Reducing Tee	1.25"	1.00"	0.75"	10/60
<b>F76043</b>	1-1/4" x 1" x 1" F1960 Poly PEX Reducing Tee	1.25"	1.00"	1.00"	10/50
<b>F76042</b>	1-1/4" x 1-1/4" x 1/2" F1960 Poly PEX Reducing Tee	1.25"	1.25"	0.50"	10/70
<b>F76041</b>	1-1/4" x 1-1/4" x 3/4" F1960 Poly PEX Reducing Tee	1.25"	1.25"	0.75"	10/60
<b>F76040</b>	1-1/4" x 1-1/4" x 1" F1960 Poly PEX Reducing Tee	1.25"	1.25"	1.00"	10/50



## Tees-Reducing cont'd

Part Code	Description	A	B	C	CTN/MSTR
F76056	1-1/2" x 3/4" x 1-1/2" F1960 Poly PEX Reducing Tee	1.50"	0.75"	1.50"	10/30
F76055	1-1/2" x 1" x 3/4" F1960 Poly PEX Reducing Tee	1.50"	1.00"	0.75"	10/50
F76054	1-1/2" x 1" x 1" F1960 Poly PEX Reducing Tee	1.50"	1.00"	1.00"	10/40
F76053	1-1/2" x 1" x 1-1/2" F1960 Poly PEX Reducing Tee	1.50"	1.00"	1.50"	10/30
F76052	1-1/2" x 1-1/4" x 3/4" F1960 Poly PEX Reducing Tee	1.50"	1.25"	0.75"	10/40
F76051	1-1/2" x 1-1/4" x 1" F1960 Poly PEX Reducing Tee	1.50"	1.25"	1.00"	10/40
F76050	1-1/2" x 1-1/4" x 1-1/4" F1960 Poly PEX Reducing Tee	1.50"	1.25"	1.25"	10/30
F76049	1-1/2" x 1-1/2" x 1/2" F1960 Poly PEX Reducing Tee	1.50"	1.50"	0.50"	10/50
F76048	1-1/2" x 1-1/2" x 3/4" F1960 Poly PEX Reducing Tee	1.50"	1.50"	0.75"	10/40
F76047	1-1/2" x 1-1/2" x 1" F1960 Poly PEX Reducing Tee	1.50"	1.50"	1.00"	10/30
F76046	1-1/2" x 1-1/2" x 1-1/4" F1960 Poly PEX Reducing Tee	1.50"	1.50"	1.25"	10/30
F76066	2" x 1-1/2" x 3/4" F1960 Poly PEX Reducing Tee	2.00"	1.50"	0.75"	10/20
F76065	2" x 1-1/2" x 1" F1960 Poly PEX Reducing Tee	2.00"	1.50"	1.00"	10/20
F76064	2" x 1-1/2" x 1-1/4" F1960 Poly PEX Reducing Tee	2.00"	1.50"	1.25"	5/15
F76063	2" x 1-1/2" x 1-1/2" F1960 Poly PEX Reducing Tee	2.00"	1.50"	1.50"	5/15
F76062	2" x 1-1/2" x 2" F1960 Poly PEX Reducing Tee	2.00"	1.50"	2.00"	10/10
F76061	2" x 2" x 1/2" F1960 Poly PEX Reducing Tee	2.00"	2.00"	0.50"	20/20
F76060	2" x 2" x 3/4" F1960 Poly PEX Reducing Tee	2.00"	2.00"	0.75"	10/20
F76059	2" x 2" x 1" F1960 Poly PEX Reducing Tee	2.00"	2.00"	1.00"	5/20
F76058	2" x 2" x 1-1/4" F1960 Poly PEX Reducing Tee	2.00"	2.00"	1.25"	5/15
F76057	2" x 2" x 1-1/2" F1960 Poly PEX Reducing Tee	2.00"	2.00"	1.50"	5/15

## Expansion Rings

### Expansion Rings



Part Code	Description	CTN/MSTR
F76909	1/2" F1960 PEX Expansion Ring with Stop	50/4000
F76910	5/8" F1960 PEX Expansion Ring with Stop	50/3000
F76911	3/4" F1960 PEX Expansion Ring with Stop	40/2000
F76912	1" F1960 PEX Expansion Ring with Stop	25/1000
F76071	1-1/4" F1960 PEX Expansion Ring with Stop	20/500
F76072	1-1/2" F1960 PEX Expansion Ring with Stop	8/360
F76073	2" F1960 PEX Expansion Ring with Stop	5/150

# CRIMP FITTINGS


Jones Stephens provides a comprehensive selection of F1807 and F2159 crimp fittings in both brass and poly. This extensive line includes essential components like tees, elbows, and manifolds, along with copper rings and stainless-steel clamps. These high-performance parts guarantee a secure and permanent seal for every installation.

**All fittings are sold in carton quantities only.**



## F1807 Copper Fittings

### Adapters-Female Copper Sweat



Part Code	Description	A	B	CTN/MSTR
<b>C76024</b>	1/2" F1807 Copper PEX Female Sweat Adapter	0.50"	0.50"	90/900
<b>C76025</b>	3/4" F1807 Copper PEX Female Sweat Adapter	0.75"	0.75"	50/400
<b>C76026</b>	1" F1807 Copper PEX Female Sweat Adapter	1.00"	1.00"	30/180

### Adapters-Male Copper Sweat



Part Code	Description	A	B	CTN/MSTR
<b>C76031</b>	1/2" F1807 Copper PEX Male Sweat Adapter	0.50"	0.50"	100/1200
<b>C76032</b>	3/4" F1807 Copper PEX Male Sweat Adapter	0.75"	0.75"	50/400
<b>C76033</b>	1" F1807 Copper PEX Male Sweat Adapter	1.00"	1.00"	25/150

## F1807 Brass Fittings

### Adapters-Female Sweat




Part Code	Description	A	B	CTN/MSTR
<b>C76027LF</b>	1/2" F1807 Brass PEX Female Sweat Adapter	0.50"	0.50"	50/1000
<b>C76029LF</b>	1/2" F1807 x 3/4" Female Brass PEX Sweat Adapter	0.50"	0.75"	50/250
<b>C76028LF</b>	3/4" F1807 Brass PEX Female Sweat Adapter	0.75"	0.75"	25/400
<b>C76030LF</b>	1" F1807 Brass PEX Female Sweat Adapter	1.00"	1.00"	25/200
<b>C76112LF</b>	1-1/4" F1807 Brass PEX Female Sweat Adapter	1.25"	1.25"	5/100
<b>C76127LF</b>	1-1/2" F1807 Brass PEX Female Sweat Adapter	1.50"	1.50"	5/50
<b>C76146LF</b>	2" F1807 Brass PEX Female Sweat Adapter	2.00"	2.00"	5/50




## Adapters-Male Sweat

Part Code	Description	A	B	CTN/MSTR
<b>C76047LF</b>	3/8" F1807 x 1/2" Male Brass PEX Sweat Adapter	0.37"	0.50"	50/500
<b>C76048LF</b>	1/2" F1807 Brass PEX Male Sweat Adapter	0.50"	0.50"	100/1000
<b>C76049LF</b>	1/2" F1807 x 3/4" Male Brass PEX Sweat Adapter	0.50"	0.75"	25/100
<b>C76050LF</b>	3/4" F1807 Brass PEX Male Sweat Adapter	0.75"	0.75"	50/400
<b>C76051LF</b>	1" F1807 Brass PEX Male Sweat Adapter	1.00"	1.00"	25/100
<b>C76111LF</b>	1-1/4" F1807 Brass PEX Male Sweat Adapter	1.25"	1.25"	5/100
<b>C76126LF</b>	1-1/2" F1807 Brass PEX Male Sweat Adapter	1.50"	1.50"	5/50
<b>C76147LF</b>	2" F1807 Brass PEX Male Sweat Adapter	2.00"	2.00"	5/50



## Adapters-FIP

Part Code	Description	A	B	CTN/MSTR
<b>C76041LF</b>	1/2" F1807 x FIP Brass PEX Adapter	0.50"	0.50"	50/250
<b>C76042LF</b>	1/2" F1807 x 3/4" FIP Brass PEX Adapter	0.50"	0.75"	25/250
<b>C76043LF</b>	3/4" F1807 x FIP Brass PEX Adapter	0.75"	0.75"	25/200
<b>C76044LF</b>	1" F1807 x FIP Brass PEX Adapter	1.00"	1.00"	25/125
<b>C76115LF</b>	1-1/4" F1807 x FIP Brass PEX Adapter	1.25"	1.25"	5/50
<b>C76129LF</b>	1-1/2" F1807 x FIP Brass PEX Adapter	1.50"	1.50"	1/25
<b>C76149LF</b>	2" F1807 x FIP Brass PEX Adapter	2.00"	2.00"	1/20



## Adapters-MIP

Part Code	Description	A	B	CTN/MSTR
<b>C76034LF</b>	1/2" F1807 x MIP Brass PEX Adapter	0.50"	0.50"	25/400
<b>C76035LF</b>	1/2" F1807 x 3/4" MIP Brass PEX Adapter	0.50"	0.75"	25/200
<b>C76082LF</b>	3/4" F1807 x 1/2" MIP Brass PEX Adapter	0.75"	0.50"	50/250
<b>C76036LF</b>	3/4" F1807 x MIP Brass PEX Adapter	0.75"	0.75"	50/250
<b>C76038LF</b>	1" F1807 x 3/4" MIP Brass PEX Adapter	1.00"	0.75"	25/200
<b>C76037LF</b>	1" F1807 x MIP Brass PEX Adapter	1.00"	1.00"	25/150
<b>C76113LF</b>	1-1/4" F1807 x 1" MIP Brass PEX Adapter	1.25"	1.00"	5/100
<b>C76114LF</b>	1-1/4" F1807 x MIP Brass PEX Adapter	1.25"	1.25"	5/50
<b>C76128LF</b>	1-1/2" F1807 x MIP Brass PEX Adapter	1.50"	1.50"	5/50
<b>C76148LF</b>	2" F1807 x MIP Brass PEX Adapter	2.00"	2.00"	1/20



### Adapters-PEX to Poly

Part Code	Description	A	B	CTN/MSTR
C76100LF	1/2" F1807 Brass PEX to Poly Adapter	0.50"	0.50"	25/500
C76101LF	3/4" F1807 Brass PEX to Poly Adapter	0.75"	0.75"	25/300



### Couplings


Part Code	Description	A	B	CTN/MSTR
C76001LF	1/2" F1807 Brass PEX Coupling	0.50"	0.50"	100/1000
C76002LF	3/4" F1807 Brass PEX Coupling	0.75"	0.75"	50/500
C76004LF	3/4" x 1/2" F1807 Brass PEX Coupling	0.50"	0.75"	50/500
C76003LF	1" F1807 Brass PEX Coupling	1.00"	1.00"	25/300
C76005LF	1" x 3/4" F1807 Brass PEX Coupling	0.75"	1.00"	50/400
C76116LF	1-1/4" x 3/4" F1807 Brass PEX Coupling	0.75"	1.25"	10/200
C76117LF	1-1/4" x 1" F1807 Brass PEX Coupling	1.00"	1.25"	10/200
C76118LF	1-1/4" F1807 Brass PEX Coupling	1.25"	1.25"	5/150
C76130LF	1-1/2" x 3/4" F1807 Brass PEX Coupling	0.75"	1.50"	10/100
C76131LF	1-1/2" x 1" F1807 Brass PEX Coupling	1.00"	1.50"	10/100
C76132LF	1-1/2" X 1-1/4" F1807 Brass PEX Coupling	1.25"	1.50"	5/100
C76133LF	1-1/2" F1807 Brass PEX Coupling	1.50"	1.50"	5/100
C76150LF	2" x 1" F1807 Brass PEX Coupling	1.00"	2.00"	1/50
C76151LF	2" X 1-1/4" F1807 Brass PEX Coupling	1.25"	2.00"	1/50
C76152LF	2" X 1-1/2" F1807 Brass PEX Coupling	1.50"	2.00"	1/50
C76153LF	2" F1807 Brass PEX Coupling	2.00"	2.00"	1/50



### Plugs

Part Code	Description	A	CTN/MSTR
C76065LF	1/2" F1807 Brass PEX Plug	0.50"	100/1000
C76066LF	3/4" F1807 Brass PEX Plug	0.75"	100/800
C76067LF	1" F1807 Brass PEX Plug	1.00"	50/500
C76125LF	1-1/4" F1807 Brass PEX Plug	1.25"	10/200
C76145LF	1-1/2" F1807 Brass PEX Plug	1.50"	10/100
C76164LF	2" F1807 Brass PEX Plug	2.00"	1/50

## Elbows-Drop Ear



Part Code	Description	A	B	CTN/MSTR
<b>C76080LF</b>	1/2" F1807 x FIP Brass PEX 90° Drop Ear Elbow, 2 Ears	0.50"	0.50"	25/200
<b>C76079LF</b>	1/2" F1807 x FIP Brass PEX 90° Drop Ear Elbow, 3 Ears	0.50"	0.50"	25/200
<b>C76081LF</b>	3/4" F1807 x 1/2" FIP Brass PEX 90° Drop Ear Elbow, 3 Ears	0.75"	0.50"	25/200
<b>C76090LF</b>	3/4" F1807 x FIP Brass PEX 90° Drop Ear Elbow, 3 Ears	0.75"	0.75"	5/50

## Elbows-45°



Part Code	Description	A	B	CTN/MSTR
<b>C76134LF</b>	1-1/2" F1807 Brass PEX 45° Elbow	1.50"	1.50"	5/50
<b>C76154LF</b>	2" F1807 Brass PEX 45° Elbow	2.00"	2.00"	1/25

## Elbows-90°



Part Code	Description	A	B	CTN/MSTR
<b>C76008LF</b>	1/2" F1807 Brass PEX 90° Elbow	0.50"	0.50"	100/800
<b>C76091LF</b>	3/4" x 1/2" F1807 Brass PEX 90° Elbow	0.75"	0.50"	50/200
<b>C76009LF</b>	3/4" F1807 Brass PEX 90° Elbow	0.75"	0.75"	50/250
<b>C76010LF</b>	1" F1807 Brass PEX 90° Elbow	1.00"	1.00"	25/100
<b>C76119LF</b>	1-1/4" F1807 Brass PEX 90° Elbow	1.25"	1.25"	10/100
<b>C76135LF</b>	1-1/2" F1807 Brass PEX 90° Elbow	1.50"	1.50"	5/50
<b>C76155LF</b>	2" F1807 Brass PEX 90° Elbow	2.00"	2.00"	1/25

## Elbow-FIP with Swivel




Part Code	Description	A	CTN/MSTR
<b>C76060LF</b>	1/2" F1807 x FIP Brass PEX 90° Elbow with Poly Swivel Nut	0.50"	50/200

## Elbow-MIP




Part Code	Description	A	B	CTN/MSTR
<b>C76013LF</b>	1/2" F1807 x MIP Brass PEX 90° Elbow	0.50"	0.50"	25/200

## Tees-Equal



Part Code	Description	A	B	C	CTN/MSTR
<b>C76014LF</b>	1/2" F1807 Brass PEX Tee	0.50"	0.50"	0.50"	50/500
<b>C76015LF</b>	3/4" F1807 Brass PEX Tee	0.75"	0.75"	0.75"	50/300
<b>C76016LF</b>	1" F1807 Brass PEX Tee	1.00"	1.00"	1.00"	25/100
<b>C76124LF</b>	1-1/4" F1807 Brass PEX Tee	1.25"	1.25"	1.25"	5/50
<b>C76144LF</b>	1-1/2" F1807 Brass PEX Tee	1.50"	1.50"	1.50"	5/50
<b>C76162LF</b>	2" F1807 Brass PEX Tee	2.00"	2.00"	2.00"	1/25

## Tees-Reducing



Part Code	Description	A	B	C	CTN/MSTR
<b>C76017LF</b>	1/2" x 1/2" x 3/4" F1807 Brass PEX Reducing Tee	0.50"	0.50"	0.75"	50/300
<b>C76018LF</b>	3/4" x 1/2" x 1/2" F1807 Brass PEX Reducing Tee	0.75"	0.50"	0.50"	25/250
<b>C76019LF</b>	3/4" x 1/2" x 3/4" F1807 Brass PEX Reducing Tee	0.75"	0.50"	0.75"	25/250
<b>C76020LF</b>	3/4" x 3/4" x 1/2" F1807 Brass PEX Reducing Tee	0.75"	0.75"	0.50"	25/250
<b>C76021LF</b>	1" x 3/4" x 3/4" F1807 Brass PEX Reducing Tee	1.00"	0.75"	0.75"	25/200
<b>C76022LF</b>	1" x 1" x 1/2" F1807 Brass PEX Reducing Tee	1.00"	1.00"	0.50"	25/100
<b>C76023LF</b>	1" x 1" x 3/4" F1807 Brass PEX Reducing Tee	1.00"	1.00"	0.75"	25/200
<b>C76120LF</b>	1-1/4" x 1" x 1" F1807 Brass PEX Reducing Tee	1.25"	1.00"	1.00"	5/50
<b>C76121LF</b>	1-1/4" x 1-1/4" x 1/2" F1807 Brass PEX Reducing Tee	1.25"	1.25"	0.50"	5/50
<b>C76122LF</b>	1-1/4" x 1-1/4" x 3/4" F1807 Brass PEX Reducing Tee	1.25"	1.25"	0.75"	5/50
<b>C76123LF</b>	1-1/4" x 1-1/4" x 1" F1807 Brass PEX Reducing Tee	1.25"	1.25"	1.00"	5/50
<b>C76136LF</b>	1-1/2" x 1" x 1" F1807 Brass PEX Reducing Tee	1.50"	1.00"	1.00"	5/50
<b>C76137LF</b>	1-1/2" x 1-1/4" x 3/4" F1807 Brass PEX Reducing Tee	1.50"	1.25"	0.75"	5/50
<b>C76138LF</b>	1-1/2" x 1-1/4" x 1" F1807 Brass PEX Reducing Tee	1.50"	1.25"	1.00"	5/50
<b>C76139LF</b>	1-1/2" x 1-1/4" x 1-1/4" F1807 Brass PEX Reducing Tee	1.50"	1.25"	1.25"	5/50
<b>C76140LF</b>	1-1/2" x 1-1/2" x 1/2" F1807 Brass PEX Reducing Tee	1.50"	1.50"	0.50"	5/50
<b>C76141LF</b>	1-1/2" x 1-1/2" x 3/4" F1807 Brass PEX Reducing Tee	1.50"	1.50"	0.75"	5/50
<b>C76142LF</b>	1-1/2" x 1-1/2" x 1" F1807 Brass PEX Reducing Tee	1.50"	1.50"	1.00"	5/50
<b>C76143LF</b>	1-1/2" x 1-1/2" x 1-1/4" F1807 Brass PEX Reducing Tee	1.50"	1.50"	1.25"	5/50
<b>C76156LF</b>	2" x 1-1/2" x 1" F1807 Brass PEX Reducing Tee	2.00"	1.50"	1.00"	1/25
<b>C76157LF</b>	2" x 1-1/2" x 1-1/2" F1807 Brass PEX Reducing Tee	2.00"	1.50"	1.50"	1/25
<b>C76158LF</b>	2" x 2" x 1/2" F1807 Brass PEX Reducing Tee	2.00"	2.00"	0.50"	1/25
<b>C76159LF</b>	2" x 2" x 3/4" F1807 Brass PEX Reducing Tee	2.00"	2.00"	0.75"	1/25
<b>C76160LF</b>	2" x 2" x 1" F1807 Brass PEX Reducing Tee	2.00"	2.00"	1.00"	1/25
<b>C76161LF</b>	2" x 2" x 1-1/4" F1807 Brass PEX Reducing Tee	2.00"	2.00"	1.25"	1/25
<b>C76163LF</b>	2" x 2" x 1-1/2" F1807 Brass PEX Reducing Tee	2.00"	2.00"	1.50"	1/25


## F1807 Ball Valves

### Ball Valves



Part Code	Description	A	B	CTN/MSTR
<b>B64050LF</b>	1/2" F1807 Brass PEX Ball Valve	0.50"	0.50"	10/120
<b>B64075LF</b>	3/4" F1807 Brass PEX Ball Valve	0.75"	0.75"	10/120
<b>B64100LF</b>	1" F1807 Brass PEX Ball Valve	1.00"	1.00"	6/60

### Ball Valves with Drain



Part Code	Description	A	B	CTN/MSTR
<b>B64050LFD</b>	1/2" F1807 Brass PEX Ball Valve with Drop Ear and Drain	0.50"	0.50"	6/48
<b>B64075LFD</b>	3/4" F1807 Brass PEX Ball Valve with Drop Ear and Drain	0.75"	0.75"	6/48
<b>B64100LFD</b>	1" F1807 Brass PEX Ball Valve with Drop Ear and Drain	1.00"	1.00"	6/48

## F2159 Poly Fittings

### Adapters-MIP



Part Code	Description	A	B	CTN/MSTR
<b>C76759</b>	1/2" F2159 x MIP Poly PEX Adapter	0.50"	0.50"	50/500
<b>C76760</b>	3/4" F2159 x MIP Poly PEX Adapter	0.75"	0.75"	25/300
<b>C76761</b>	1" F2159 x MIP Poly PEX Adapter	1.00"	1.00"	10/150

### Couplings



Part Code	Description	A	B	CTN/MSTR
<b>C76754</b>	1/2" F2159 Poly PEX Coupling	0.50"	0.50"	50/1000
<b>C76755</b>	3/4" F2159 Poly PEX Coupling	0.75"	0.75"	50/600
<b>C76756</b>	3/4" x 1/2" F2159 Poly PEX Coupling	0.75"	0.50"	50/600
<b>C76757</b>	1" F2159 Poly PEX Coupling	1.00"	1.00"	25/200
<b>C76758</b>	1" x 3/4" F2159 Poly PEX Coupling	1.00"	0.75"	25/300

## Elbows-90°



Part Code	Description	A	B	CTN/MSTR
<b>C76751</b>	1/2" F2159 Poly PEX 90° Elbow	0.50"	0.50"	50/500
<b>C76752</b>	3/4" F2159 Poly PEX 90° Elbow	0.75"	0.75"	25/350
<b>C76753</b>	1" F2159 Poly PEX 90° Elbow	1.00"	1.00"	10/150

## Plugs



Part Code	Description	A	CTN/MSTR
<b>C76768</b>	1/2" F2159 Poly PEX Plug	0.50"	100/2000
<b>C76769</b>	3/4" F2159 Poly PEX Plug	0.75"	100/1000
<b>C76771</b>	1" F2159 Poly PEX Plug	1.00"	100/1000

## Tees-Equal



Part Code	Description	A	B	C	CTN/MSTR
<b>C76762</b>	1/2" F2159 Poly PEX Tee	0.50"	0.50"	0.50"	50/400
<b>C76763</b>	3/4" F2159 Poly PEX Tee	0.75"	0.75"	0.75"	25/200
<b>C76773</b>	1" F2159 Poly PEX Tee	1.00"	1.00"	1.00"	50/200

## Reducing Tees



Part Code	Description	A	B	C	CTN/MSTR
<b>C76764</b>	1/2" x 1/2" x 3/4" F2159 Poly PEX Reducing Tee	0.50"	0.50"	0.75"	25/300
<b>C76766</b>	3/4" x 1/2" x 3/4" F2159 Poly PEX Reducing Tee	0.75"	0.50"	0.75"	25/300
<b>C76765</b>	3/4" x 1/2" x 1/2" F2159 Poly PEX Reducing Tee	0.75"	0.50"	0.50"	25/300
<b>C76767</b>	3/4" x 3/4" x 1/2" F2159 Poly PEX Reducing Tee	0.75"	0.75"	0.50"	25/300
<b>C76774</b>	3/4" x 3/4" x 1" F2159 Poly PEX Reducing Tee	0.75"	0.75"	1.00"	25/100
<b>C76772</b>	1" x 3/4" x 3/4" F2159 Poly PEX Reducing Tee	1.00"	0.75"	0.75"	25/300
<b>C76776</b>	1" x 3/4" x 1" F2159 Poly PEX Reducing Tee	1.00"	0.75"	1.00"	25/300
<b>C76770</b>	1" x 1" x 1/2" F2159 Poly PEX Reducing Tee	1.00"	1.00"	0.50"	25/300
<b>C76775</b>	1" x 1" x 3/4" F2159 Poly PEX Reducing Tee	1.00"	1.00"	0.75"	25/300

## Crimp Rings and Clamps



### Clamps

Part Code	Description	CTN/MSTR
<b>C76074</b>	3/8" Stainless Steel PEX Clamp	100/2000
<b>C76075</b>	1/2" Stainless Steel PEX Clamp	100/2000
<b>C76076</b>	3/4" Stainless Steel PEX Clamp	50/2000
<b>C76077</b>	1" Stainless Steel PEX Clamp	50/1000



### Crimp Rings

Part Code	Description	CTN/MSTR
<b>C76070</b>	3/8" PEX Copper Crimp Ring	100/2000
<b>C76071</b>	1/2" PEX Copper Crimp Ring	100/2000
<b>C76072</b>	3/4" PEX Copper Crimp Ring	100/2000
<b>C76073</b>	1" PEX Copper Crimp Ring	100/1000
<b>C76108</b>	1-1/4" PEX Copper Crimp Ring	50/1000
<b>C76109</b>	1-1/2" PEX Copper Crimp Ring	25/400
<b>C76110</b>	2" PEX Copper Crimp Ring	25/400

Finishes may vary



### Crimp Rings with Positioning Cap

Part Code	Description	CTN/MSTR
<b>C76103</b>	3/4" PEX Copper Crimp Ring with Positioning Cap	100/2000
<b>C76102</b>	1/2" PEX Copper Crimp Ring with Positioning Cap	100/2000
<b>C76104</b>	1" PEX Copper Crimp Ring with Positioning Cap	100/1000
<b>C76105</b>	1-1/4" PEX Copper Crimp Ring with Positioning Cap	50/1000
<b>C76106</b>	1-1/2" PEX Copper Crimp Ring with Positioning Cap	25/400
<b>C76107</b>	2" PEX Copper Crimp Ring with Positioning Cap	25/400

# PEX TOOLS

To complete your PEX installation with confidence, Jones Stephens offers a rugged line of professional-grade PEX tools. From precision pipe cutters that ensure a clean, square cut to heavy-duty crimp and expansion tools designed for effortless operation, our selection is built for the daily demands of the jobsite. Engineered for reliability and ease of use, these tools provide the leverage and accuracy needed to create secure, leak-free connections every time.



## Crimp Tools



Part Code	Description	CTN/MSTR
J40952	1/2" PEX Crimp Tool	1/10
J40954	1" PEX Crimp Tool	1/10
J40950	PEX Crimp Set with 3/8", 1/2", 3/4"	1/5

## Clamp Tools



Part Code	Description	CTN/MSTR
J40965	One Hand PEX Stainless Steel Clamp Tool	1/20
J40966	PEX Stainless Steel Clamp Tool	1/30
J40967	Oetiker 3 Handle Ratcheting Clamp Tool	1/30

## Pipe Cutters



Part Code	Description	CTN/MSTR
RAP60001	3/4" Pipe Cutter for PVC, PEX, CPVC	12/36
RAP60002	1-1/4" Pipe Cutter for PVC, PEX, CPVC	12/36
RAP60021	Replacement Blade for 3/4" Pipe Cutter	50/200
RAP60022	Replacement Blade for 1-1/4" Pipe Cutter	25/200

## Crimp Ring Cutting Tool



Part Code	Description	CTN/MSTR
J40960	PEX Crimp Ring Cutter	1/1

# PEX PLUS

PEX Plus by Jones Stephens means we have the PEX piping PLUS all the fittings and other materials to complete your PEX system.

Pros trust us for the products and accessories needed for consistent and dependable installation, including PEX bends, clamps, support brackets, stub outs, supply boxes, and more.



**Bend Supports**



**Pipe Clamps**



**PlumBite®  
Push-On Fittings**




**Stud Guards**




**Stub Outs**



**Supply Boxes**



**Supply Stops**



**Support Brackets**

## PEX PLUMBING SYSTEM TRAINING

Jones Stephens is dedicated to providing the tools professionals need to educate, install, build submittals, and more.

**Contact [training@jonesstephens.com](mailto:training@jonesstephens.com) to request your PEX field training today.**



LEARN MORE ABOUT  
JONES STEPHENS PEX

[JONESSTEPHENS.COM](https://www.jonesstephens.com)

©2026 Jones Stephens 0626 9095708