

# Circuit Sized THHN/THWN

Vinylon® PVC/Nylon



**90°C Dry / 75°C Wet**

**600 Volts**

**Gasoline and Oil  
Resistant**

## APPLICATIONS

600-volt building wire for use in commercial and industrial applications as specified in the NEC®, including machine-tool and appliance wiring. Marked VW-1.

## CONDUCTORS

Solid conductors: Uncoated copper per ASTM-B3.

Stranded conductors: Uncoated copper per ASTM-B3, ASTM-B787

## INSULATION

Color-coded, heat- and moisture-resistant PVC (polyvinyl chloride)

## JACKET

Nylon (polyamide), clear

## INDUSTRY STANDARDS

UL 83: File No. E15119

UL 1063 (MTW): File No. E85964

AWM: File No. E11829

Canada Standard C22.2 No. 75 and CSA Bulletin No. 1451

ASTM Standards: B3, B8, B787

WC70/ICEA S-95-658

Federal Specification A-A-59544

NFPA-70: National Electrical Code®

## SURFACE PRINT

Sample: CERROWIRE VINYLON-A 14 AWG (2.08 mm 2) (UL) THHN or THWN or MTW or AWM GR2 VW-1 600V - C(UL) TWN75 or T90 NYLON

©2010, Cerro Wire LLC  
All Rights Reserved



MADE IN THE USA

**cerro**  
Electrical®

866.572.3776 | FAX 812.793.2626  
www.cerroretail.com

# Circuit Sized THHN/THWN

Vinylon® PVC/Nylon

| PRODUCT<br>CODE | CONDUCTORS  |                   | COVERING             |                        | APPROX.<br>O.D.<br>INCHES | ALLOWABLE<br>AMPACITIES |             |              | APPROX.<br>CNET.<br>WT.<br>LBS./M<br>FT. | UPC          |
|-----------------|-------------|-------------------|----------------------|------------------------|---------------------------|-------------------------|-------------|--------------|------------------------------------------|--------------|
|                 | AWG<br>SIZE | NO. OF<br>STRANDS | PVC<br>INS.<br>MILS. | NYLON<br>JKT.<br>MILS. |                           | 60°C<br>**              | 75°C<br>*** | 90°C<br>**** |                                          |              |
| 14 GAUGE SOLID  |             |                   |                      |                        |                           |                         |             |              |                                          |              |
| 112-1401BR      | 14          | SOLID             | 15                   | 4                      | 0.104                     | 15                      | 15          | 15           | 15                                       | 048243995004 |
| 112-1401J       | 14          | SOLID             | 15                   | 4                      | 0.104                     | 15                      | 15          | 15           | 15                                       | 048243223008 |
| 112-1401M       | 14          | SOLID             | 15                   | 4                      | 0.104                     | 15                      | 15          | 15           | 15                                       | 048243223022 |
| 112-1402BR      | 14          | SOLID             | 15                   | 4                      | 0.104                     | 15                      | 15          | 15           | 15                                       | 048243995011 |
| 112-1402J       | 14          | SOLID             | 15                   | 4                      | 0.104                     | 15                      | 15          | 15           | 15                                       | 048243223107 |
| 112-1402M       | 14          | SOLID             | 15                   | 4                      | 0.104                     | 15                      | 15          | 15           | 15                                       | 048243223121 |
| 112-1403BR      | 14          | SOLID             | 15                   | 4                      | 0.104                     | 15                      | 15          | 15           | 15                                       | 048243223121 |
| 112-1403J       | 14          | SOLID             | 15                   | 4                      | 0.104                     | 15                      | 15          | 15           | 15                                       | 048243223206 |
| 112-1403M       | 14          | SOLID             | 15                   | 4                      | 0.104                     | 15                      | 15          | 15           | 15                                       | 048243223220 |
| 112-1404J       | 14          | SOLID             | 15                   | 4                      | 0.104                     | 15                      | 15          | 15           | 15                                       | 048243223305 |
| 112-1404M       | 14          | SOLID             | 15                   | 4                      | 0.104                     | 15                      | 15          | 15           | 15                                       | 048243223329 |
| 112-1405BR      | 14          | SOLID             | 15                   | 4                      | 0.104                     | 15                      | 15          | 15           | 15                                       | 048243995035 |
| 112-1405J       | 14          | SOLID             | 15                   | 4                      | 0.104                     | 15                      | 15          | 15           | 15                                       | 048243223404 |
| 112-1405M       | 14          | SOLID             | 15                   | 4                      | 0.104                     | 15                      | 15          | 15           | 15                                       | 048243223428 |
| 112-1406J       | 14          | SOLID             | 15                   | 4                      | 0.104                     | 15                      | 15          | 15           | 15                                       | 048243223459 |
| 112-1406M       | 14          | SOLID             | 15                   | 4                      | 0.104                     | 15                      | 15          | 15           | 15                                       | 048243223473 |
| 112-1407J       | 14          | SOLID             | 15                   | 4                      | 0.104                     | 15                      | 15          | 15           | 15                                       | 048243223350 |
| 112-1407M       | 14          | SOLID             | 15                   | 4                      | 0.104                     | 15                      | 15          | 15           | 15                                       | 048243223374 |
| 112-1408J       | 14          | SOLID             | 15                   | 4                      | 0.104                     | 15                      | 15          | 15           | 15                                       | 048243223503 |
| 112-1408M       | 14          | SOLID             | 15                   | 4                      | 0.104                     | 15                      | 15          | 15           | 15                                       | 048243223527 |
| 112-1409J       | 14          | SOLID             | 15                   | 4                      | 0.104                     | 15                      | 15          | 15           | 15                                       | 048243223558 |
| 112-1409M       | 14          | SOLID             | 15                   | 4                      | 0.104                     | 15                      | 15          | 15           | 15                                       | 048243223565 |
| 112-1410J       | 14          | SOLID             | 15                   | 4                      | 0.104                     | 15                      | 15          | 15           | 15                                       | 048243223602 |
| 112-1410M       | 14          | SOLID             | 15                   | 4                      | 0.104                     | 15                      | 15          | 15           | 15                                       | 048243223619 |
| 112-1411J       | 14          | SOLID             | 15                   | 4                      | 0.104                     | 15                      | 15          | 15           | 15                                       | 048243223664 |
| 112-1431J       | 14          | SOLID             | 15                   | 4                      | 0.104                     | 15                      | 15          | 15           | 15                                       | 048243990313 |
| 112-1432J       | 14          | SOLID             | 15                   | 4                      | 0.104                     | 15                      | 15          | 15           | 15                                       | 048243990320 |
| 112-1433J       | 14          | SOLID             | 15                   | 4                      | 0.104                     | 15                      | 15          | 15           | 15                                       | 048243990337 |
| 112-1434J       | 14          | SOLID             | 15                   | 4                      | 0.104                     | 15                      | 15          | 15           | 15                                       | 048243990344 |
| 112-1435J       | 14          | SOLID             | 15                   | 4                      | 0.104                     | 15                      | 15          | 15           | 15                                       | 048243990351 |
| 112-1436J       | 14          | SOLID             | 15                   | 4                      | 0.104                     | 15                      | 15          | 15           | 15                                       | 048243990368 |
| 112-1437J       | 14          | SOLID             | 15                   | 4                      | 0.104                     | 15                      | 15          | 15           | 15                                       | 048243990375 |
| 112-1438J       | 14          | SOLID             | 15                   | 4                      | 0.104                     | 15                      | 15          | 15           | 15                                       | 048243990382 |
| 112-1439J       | 14          | SOLID             | 15                   | 4                      | 0.104                     | 15                      | 15          | 15           | 15                                       | 048243990399 |

**cerro**

Electrical®

866.572.3776 | FAX 812.793.2626

www.cerroretail.com

# Circuit Sized THHN/THWN

Vinylon® PVC/Nylon

| PRODUCT CODE   | CONDUCTORS |                | COVERING       |                  | APPROX. O.D. INCHES | ALLOWABLE AMPACITIES |          |           | APPROX. CNET. WT. LBS./M FT. | UPC          |
|----------------|------------|----------------|----------------|------------------|---------------------|----------------------|----------|-----------|------------------------------|--------------|
|                | AWG SIZE   | NO. OF STRANDS | PVC INS. MILS. | NYLON JKT. MILS. |                     | 60°C **              | 75°C *** | 90°C **** |                              |              |
| 112-1439J      | 14         | SOLID          | 15             | 4                | 0.104               | 15                   | 15       | 15        | 15                           | 048243990399 |
| 112-1440J      | 14         | SOLID          | 15             | 4                | 0.104               | 15                   | 15       | 15        | 15                           | 048243990405 |
| 112-1441J      | 14         | SOLID          | 15             | 4                | 0.104               | 15                   | 15       | 15        | 15                           | 048243990412 |
| 112-1451J      | 14         | SOLID          | 15             | 4                | 0.104               | 15                   | 15       | 15        | 15                           | 048243989515 |
| 112-1452J      | 14         | SOLID          | 15             | 4                | 0.104               | 15                   | 15       | 15        | 15                           | 048243989522 |
| 112-1453J      | 14         | SOLID          | 15             | 4                | 0.104               | 15                   | 15       | 15        | 15                           | 048243989539 |
| 112-1454J      | 14         | SOLID          | 15             | 4                | 0.104               | 15                   | 15       | 15        | 15                           | 048243989546 |
| 112-1455J      | 14         | SOLID          | 15             | 4                | 0.104               | 15                   | 15       | 15        | 15                           | 048243989553 |
| 112-1456J      | 14         | SOLID          | 15             | 4                | 0.104               | 15                   | 15       | 15        | 15                           | 048243989560 |
| 112-1457J      | 14         | SOLID          | 15             | 4                | 0.104               | 15                   | 15       | 15        | 15                           | 048243989577 |
| 112-1458J      | 14         | SOLID          | 15             | 4                | 0.104               | 15                   | 15       | 15        | 15                           | 048243989584 |
| 112-1459J      | 14         | SOLID          | 15             | 4                | 0.104               | 15                   | 15       | 15        | 15                           | 048243989591 |
| 112-1460J      | 14         | SOLID          | 15             | 4                | 0.104               | 15                   | 15       | 15        | 15                           | 048243989607 |
| 112-1461J      | 14         | SOLID          | 15             | 4                | 0.104               | 15                   | 15       | 15        | 15                           | 048243989614 |
| 112-1471CR     | 14         | SOLID          | 15             | 4                | 0.104               | 15                   | 15       | 15        | 15                           | 048243995042 |
| 112-1472CR     | 14         | SOLID          | 15             | 4                | 0.104               | 15                   | 15       | 15        | 15                           | 048243995059 |
| 112-1473CR     | 14         | SOLID          | 15             | 4                | 0.104               | 15                   | 15       | 15        | 15                           | 048243995066 |
| 112-1475CR     | 14         | SOLID          | 15             | 4                | 0.104               | 15                   | 15       | 15        | 15                           | 048243995073 |
| 12 GAUGE SOLID |            |                |                |                  |                     |                      |          |           |                              |              |
| 112-1601BR     | 12         | SOLID          | 15             | 4                | 0.120               | 20                   | 20       | 20        | 23                           | 048243995080 |
| 112-1601J      | 12         | SOLID          | 15             | 4                | 0.120               | 20                   | 20       | 20        | 23                           | 048243224005 |
| 112-1601M      | 12         | SOLID          | 15             | 4                | 0.120               | 20                   | 20       | 20        | 23                           | 048243224029 |
| 112-1602BR     | 12         | SOLID          | 15             | 4                | 0.120               | 20                   | 20       | 20        | 23                           | 048243995097 |
| 112-1602J      | 12         | SOLID          | 15             | 4                | 0.120               | 20                   | 20       | 20        | 23                           | 048243224104 |
| 112-1602M      | 12         | SOLID          | 15             | 4                | 0.120               | 20                   | 20       | 20        | 23                           | 048243224128 |
| 112-1603BR     | 12         | SOLID          | 15             | 4                | 0.120               | 20                   | 20       | 20        | 23                           | 048243995103 |
| 112-1603J      | 12         | SOLID          | 15             | 4                | 0.120               | 20                   | 20       | 20        | 23                           | 048243224203 |
| 112-1603M      | 12         | SOLID          | 15             | 4                | 0.120               | 20                   | 20       | 20        | 23                           | 048243224227 |
| 112-1604J      | 12         | SOLID          | 15             | 4                | 0.120               | 20                   | 20       | 20        | 23                           | 048243224302 |
| 112-1604M      | 12         | SOLID          | 15             | 4                | 0.120               | 20                   | 20       | 20        | 23                           | 048243224326 |
| 112-1605BR     | 12         | SOLID          | 15             | 4                | 0.120               | 20                   | 20       | 20        | 23                           | 048243995110 |
| 112-1605J      | 12         | SOLID          | 15             | 4                | 0.120               | 20                   | 20       | 20        | 23                           | 048243224401 |
| 112-1605M      | 12         | SOLID          | 15             | 4                | 0.120               | 20                   | 20       | 20        | 23                           | 048243224425 |
| 112-1606J      | 12         | SOLID          | 15             | 4                | 0.120               | 20                   | 20       | 20        | 23                           | 048243224456 |

**cerro**

Electrical®

866.572.3776 | FAX 812.793.2626

www.cerroretail.com

# Circuit Sized THHN/THWN

Vinylon® PVC/Nylon

| PRODUCT CODE | CONDUCTORS |                | COVERING       |                  | APPROX. O.D. INCHES | ALLOWABLE AMPACITIES |          |           | APPROX. CNET. WT. LBS./M FT. | UPC          |
|--------------|------------|----------------|----------------|------------------|---------------------|----------------------|----------|-----------|------------------------------|--------------|
|              | AWG SIZE   | NO. OF STRANDS | PVC INS. MILS. | NYLON JKT. MILS. |                     | 60°C **              | 75°C *** | 90°C **** |                              |              |
| 112-1606M    | 12         | SOLID          | 15             | 4                | 0.120               | 20                   | 20       | 20        | 23                           | 048243224470 |
| 112-1607J    | 12         | SOLID          | 15             | 4                | 0.120               | 20                   | 20       | 20        | 23                           | 048243224357 |
| 112-1607M    | 12         | SOLID          | 15             | 4                | 0.120               | 20                   | 20       | 20        | 23                           | 048243224371 |
| 112-1608J    | 12         | SOLID          | 15             | 4                | 0.120               | 20                   | 20       | 20        | 23                           | 048243224500 |
| 112-1608M    | 12         | SOLID          | 15             | 4                | 0.120               | 20                   | 20       | 20        | 23                           | 048243224524 |
| 112-1609J    | 12         | SOLID          | 15             | 4                | 0.120               | 20                   | 20       | 20        | 23                           | 048243224555 |
| 112-1609M    | 12         | SOLID          | 15             | 4                | 0.120               | 20                   | 20       | 20        | 23                           | 048243224562 |
| 112-1610J    | 12         | SOLID          | 15             | 4                | 0.120               | 20                   | 20       | 20        | 23                           | 048243224609 |
| 112-1610M    | 12         | SOLID          | 15             | 4                | 0.120               | 20                   | 20       | 20        | 23                           | 048243224616 |
| 112-1611J    | 12         | SOLID          | 15             | 4                | 0.120               | 20                   | 20       | 20        | 23                           | 048243224654 |
| 112-1611M    | 12         | SOLID          | 15             | 4                | 0.120               | 20                   | 20       | 20        | 23                           | 048243224661 |
| 112-1631J    | 12         | SOLID          | 15             | 4                | 0.120               | 20                   | 20       | 20        | 23                           | 048243991310 |
| 112-1632J    | 12         | SOLID          | 15             | 4                | 0.120               | 20                   | 20       | 20        | 23                           | 048243991327 |
| 112-1633J    | 12         | SOLID          | 15             | 4                | 0.120               | 20                   | 20       | 20        | 23                           | 048243991334 |
| 112-1634J    | 12         | SOLID          | 15             | 4                | 0.120               | 20                   | 20       | 20        | 23                           | 048243991341 |
| 112-1635J    | 12         | SOLID          | 15             | 4                | 0.120               | 20                   | 20       | 20        | 23                           | 048243991358 |
| 112-1636J    | 12         | SOLID          | 15             | 4                | 0.120               | 20                   | 20       | 20        | 23                           | 048243991365 |
| 112-1637J    | 12         | SOLID          | 15             | 4                | 0.120               | 20                   | 20       | 20        | 23                           | 048243991372 |
| 112-1638J    | 12         | SOLID          | 15             | 4                | 0.120               | 20                   | 20       | 20        | 23                           | 048243991389 |
| 112-1639J    | 12         | SOLID          | 15             | 4                | 0.120               | 20                   | 20       | 20        | 23                           | 048243991396 |
| 112-1640J    | 12         | SOLID          | 15             | 4                | 0.120               | 20                   | 20       | 20        | 23                           | 048243991402 |
| 112-1641J    | 12         | SOLID          | 15             | 4                | 0.120               | 20                   | 20       | 20        | 23                           | 048243991419 |
| 112-1651J    | 12         | SOLID          | 15             | 4                | 0.120               | 20                   | 20       | 20        | 23                           | 048243989713 |
| 112-1652J    | 12         | SOLID          | 15             | 4                | 0.120               | 20                   | 20       | 20        | 23                           | 048243989720 |
| 112-1653J    | 12         | SOLID          | 15             | 4                | 0.120               | 20                   | 20       | 20        | 23                           | 048243989737 |
| 112-1654J    | 12         | SOLID          | 15             | 4                | 0.120               | 20                   | 20       | 20        | 23                           | 048243989744 |
| 112-1655J    | 12         | SOLID          | 15             | 4                | 0.120               | 20                   | 20       | 20        | 23                           | 048243989751 |
| 112-1656J    | 12         | SOLID          | 15             | 4                | 0.120               | 20                   | 20       | 20        | 23                           | 048243989768 |
| 112-1658J    | 12         | SOLID          | 15             | 4                | 0.120               | 20                   | 20       | 20        | 23                           | 048243989782 |
| 112-1659J    | 12         | SOLID          | 15             | 4                | 0.120               | 20                   | 20       | 20        | 23                           | 048243989799 |
| 112-1660J    | 12         | SOLID          | 15             | 4                | 0.120               | 20                   | 20       | 20        | 23                           | 048243989805 |
| 112-1661J    | 12         | SOLID          | 15             | 4                | 0.120               | 20                   | 20       | 20        | 23                           | 048243989812 |
| 112-1671CR   | 12         | SOLID          | 15             | 4                | 0.120               | 20                   | 20       | 20        | 23                           | 048243995127 |
| 112-1672CR   | 12         | SOLID          | 15             | 4                | 0.120               | 20                   | 20       | 20        | 23                           | 048243995134 |

# Circuit Sized THHN/THWN

Vinylon® PVC/Nylon

| PRODUCT CODE   | CONDUCTORS |                | COVERING       |                  | APPROX. O.D. INCHES | ALLOWABLE AMPACITIES |          |           | APPROX. CNET. WT. LBS./M FT. | UPC          |
|----------------|------------|----------------|----------------|------------------|---------------------|----------------------|----------|-----------|------------------------------|--------------|
|                | AWG SIZE   | NO. OF STRANDS | PVC INS. MILS. | NYLON JKT. MILS. |                     | 60°C **              | 75°C *** | 90°C **** |                              |              |
| 112-1673C      | 12         | SOLID          | 15             | 4                | 0.120               | 20                   | 20       | 20        | 23                           | 048243982738 |
| 112-1673CR     | 12         | SOLID          | 15             | 4                | 0.120               | 20                   | 20       | 20        | 23                           | 048243995141 |
| 112-1675CR     | 12         | SOLID          | 15             | 4                | 0.120               | 20                   | 20       | 20        | 23                           | 048243995158 |
| 10 GAUGE SOLID |            |                |                |                  |                     |                      |          |           |                              |              |
| 112-1801BR     | 10         | SOLID          | 20             | 4                | .151                | 30                   | 30       | 30        | 37                           | 048243995165 |
| 112-1801J      | 10         | SOLID          | 20             | 4                | .151                | 30                   | 30       | 30        | 37                           | 048243225002 |
| 112-1801M      | 10         | SOLID          | 20             | 4                | .151                | 30                   | 30       | 30        | 37                           | 048243225026 |
| 112-1802BR     | 10         | SOLID          | 20             | 4                | .151                | 30                   | 30       | 30        | 37                           | 048243995172 |
| 112-1802J      | 10         | SOLID          | 20             | 4                | .151                | 30                   | 30       | 30        | 37                           | 048243225101 |
| 112-1802M      | 10         | SOLID          | 20             | 4                | .151                | 30                   | 30       | 30        | 37                           | 048243225125 |
| 112-1803BR     | 10         | SOLID          | 20             | 4                | .151                | 30                   | 30       | 30        | 37                           | 048243995189 |
| 112-1803J      | 10         | SOLID          | 20             | 4                | .151                | 30                   | 30       | 30        | 37                           | 048243225200 |
| 112-1803M      | 10         | SOLID          | 20             | 4                | .151                | 30                   | 30       | 30        | 37                           | 048243225224 |
| 112-1804M      | 10         | SOLID          | 20             | 4                | .151                | 30                   | 30       | 30        | 37                           | 048243225323 |
| 112-1805BR     | 10         | SOLID          | 20             | 4                | .151                | 30                   | 30       | 30        | 37                           | 048243995196 |
| 112-1805J      | 10         | SOLID          | 20             | 4                | .151                | 30                   | 30       | 30        | 37                           | 048243225408 |
| 112-1805M      | 10         | SOLID          | 20             | 4                | .151                | 30                   | 30       | 30        | 37                           | 048243225415 |
| 112-1806J      | 10         | SOLID          | 20             | 4                | .151                | 30                   | 30       | 30        | 37                           | 048243225453 |
| 112-1806M      | 10         | SOLID          | 20             | 4                | .151                | 30                   | 30       | 30        | 37                           | 048243225460 |
| 112-1807J      | 10         | SOLID          | 20             | 4                | .151                | 30                   | 30       | 30        | 37                           | 048243225354 |
| 112-1807M      | 10         | SOLID          | 20             | 4                | .151                | 30                   | 30       | 30        | 37                           | 048243225361 |
| 112-1808J      | 10         | SOLID          | 20             | 4                | .151                | 30                   | 30       | 30        | 37                           | 048243225507 |
| 112-1808M      | 10         | SOLID          | 20             | 4                | .151                | 30                   | 30       | 30        | 37                           | 048243225514 |
| 112-1809J      | 10         | SOLID          | 20             | 4                | .151                | 30                   | 30       | 30        | 37                           | 048243225552 |
| 112-1809M      | 10         | SOLID          | 20             | 4                | .151                | 30                   | 30       | 30        | 37                           | 048243225569 |
| 112-1810J      | 10         | SOLID          | 20             | 4                | .151                | 30                   | 30       | 30        | 37                           | 048243225606 |
| 112-1810M      | 10         | SOLID          | 20             | 4                | .151                | 30                   | 30       | 30        | 37                           | 048243225620 |
| 112-1811J      | 10         | SOLID          | 20             | 4                | .151                | 30                   | 30       | 30        | 37                           | 048243225651 |
| 112-1811M      | 10         | SOLID          | 20             | 4                | .151                | 30                   | 30       | 30        | 37                           | 048243225668 |
| 112-1871C      | 10         | SOLID          | 20             | 4                | .151                | 30                   | 30       | 30        | 37                           | 048243983711 |
| 112-1871J      | 10         | SOLID          | 20             | 4                | .151                | 30                   | 30       | 30        | 37                           | 048243981816 |
| 112-1872C      | 10         | SOLID          | 20             | 4                | .151                | 30                   | 30       | 30        | 37                           | 048243983728 |
| 112-1872J      | 10         | SOLID          | 20             | 4                | .151                | 30                   | 30       | 30        | 37                           | 048243981823 |
| 112-1873C      | 10         | SOLID          | 20             | 4                | .151                | 30                   | 30       | 30        | 37                           | 048243983735 |
| 112-1873J      | 10         | SOLID          | 20             | 4                | .151                | 30                   | 30       | 30        | 37                           | 048243981830 |

# Circuit Sized THHN/THWN

Vinylon® PVC/Nylon

| PRODUCT CODE      | CONDUCTORS |                | COVERING       |                  | APPROX. O.D. INCHES | ALLOWABLE AMPACITIES |          |           | APPROX. CNET. WT. LBS./M FT. | UPC          |
|-------------------|------------|----------------|----------------|------------------|---------------------|----------------------|----------|-----------|------------------------------|--------------|
|                   | AWG SIZE   | NO. OF STRANDS | PVC INS. MILS. | NYLON JKT. MILS. |                     | 60°C **              | 75°C *** | 90°C **** |                              |              |
| 112-1874J         | 10         | SOLID          | 20             | 4                | .151                | 30                   | 30       | 30        | 37                           | 048243981847 |
| 112-1875C         | 10         | SOLID          | 20             | 4                | .151                | 30                   | 30       | 30        | 37                           | 048243983759 |
| 112-1875J         | 10         | SOLID          | 20             | 4                | .151                | 30                   | 30       | 30        | 37                           | 048243981854 |
| 112-1876J         | 10         | SOLID          | 20             | 4                | .151                | 30                   | 30       | 30        | 37                           | 048243981861 |
| 112-1877J         | 10         | SOLID          | 20             | 4                | .151                | 30                   | 30       | 30        | 37                           | 048243981878 |
| 112-1878J         | 10         | SOLID          | 20             | 4                | .151                | 30                   | 30       | 30        | 37                           | 048243981885 |
| 112-1879J         | 10         | SOLID          | 20             | 4                | .151                | 30                   | 30       | 30        | 37                           | 048243981892 |
| 112-1880J         | 10         | SOLID          | 20             | 4                | .151                | 30                   | 30       | 30        | 37                           | 048243981908 |
| 112-1881J         | 10         | SOLID          | 20             | 4                | .151                | 30                   | 30       | 30        | 37                           | 048243981915 |
| 14 GAUGE STRANDED |            |                |                |                  |                     |                      |          |           |                              |              |
| 112-3401A         | 14         | 19             | 15             | 4                | 0.110               | 15                   | 15       | 15        | 16                           | 048243628131 |
| 112-3401BR        | 14         | 19             | 15             | 4                | 0.110               | 15                   | 15       | 15        | 16                           | 048243995202 |
| 112-3401J         | 14         | 19             | 15             | 4                | 0.110               | 15                   | 15       | 15        | 16                           | 048243228003 |
| 112-3401M         | 14         | 19             | 15             | 4                | 0.110               | 15                   | 15       | 15        | 16                           | 048243228027 |
| 112-3402A         | 14         | 19             | 15             | 4                | 0.110               | 15                   | 15       | 15        | 16                           | 048243628148 |
| 112-3402BR        | 14         | 19             | 15             | 4                | 0.110               | 15                   | 15       | 15        | 16                           | 048243995219 |
| 112-3402J         | 14         | 19             | 15             | 4                | 0.110               | 15                   | 15       | 15        | 16                           | 048243228102 |
| 112-3402M         | 14         | 19             | 15             | 4                | 0.110               | 15                   | 15       | 15        | 16                           | 048243228126 |
| 112-3403M         | 14         | 19             | 15             | 4                | 0.110               | 15                   | 15       | 15        | 16                           | 048243228225 |
| 112-3403A         | 14         | 19             | 15             | 4                | 0.110               | 15                   | 15       | 15        | 16                           | 048243628223 |
| 112-3403BR        | 14         | 19             | 15             | 4                | 0.110               | 15                   | 15       | 15        | 16                           | 048243995226 |
| 112-3403J         | 14         | 19             | 15             | 4                | 0.110               | 15                   | 15       | 15        | 16                           | 048243228201 |
| 112-3404J         | 14         | 19             | 15             | 4                | 0.110               | 15                   | 15       | 15        | 16                           | 048243228300 |
| 112-3404M         | 14         | 19             | 15             | 4                | 0.110               | 15                   | 15       | 15        | 16                           | 048243228324 |
| 112-3405A         | 14         | 19             | 15             | 4                | 0.110               | 15                   | 15       | 15        | 16                           | 048243126415 |
| 112-3405BR        | 14         | 19             | 15             | 4                | 0.110               | 15                   | 15       | 15        | 16                           | 048243995233 |
| 112-3405J         | 14         | 19             | 15             | 4                | 0.110               | 15                   | 15       | 15        | 16                           | 048243228409 |
| 112-3405M         | 14         | 19             | 15             | 4                | 0.110               | 15                   | 15       | 15        | 16                           | 048243228423 |
| 112-3406J         | 14         | 19             | 15             | 4                | 0.110               | 15                   | 15       | 15        | 16                           | 048243228454 |
| 112-3406M         | 14         | 19             | 15             | 4                | 0.110               | 15                   | 15       | 15        | 16                           | 048243228478 |
| 112-3407J         | 14         | 19             | 15             | 4                | 0.110               | 15                   | 15       | 15        | 16                           | 048243228355 |
| 112-3407M         | 14         | 19             | 15             | 4                | 0.110               | 15                   | 15       | 15        | 16                           | 048243228379 |
| 112-3408J         | 14         | 19             | 15             | 4                | 0.110               | 15                   | 15       | 15        | 16                           | 048243228508 |
| 112-3408M         | 14         | 19             | 15             | 4                | 0.110               | 15                   | 15       | 15        | 16                           | 048243228522 |
| 112-3409J         | 14         | 19             | 15             | 4                | 0.110               | 15                   | 15       | 15        | 16                           | 048243228553 |
| 112-3409M         | 14         | 19             | 15             | 4                | 0.110               | 15                   | 15       | 15        | 16                           | 048243228577 |

# Circuit Sized THHN/THWN

Vinylon® PVC/Nylon

| PRODUCT CODE      | CONDUCTORS |        | COVERING       |                  | APPROX. O.D. INCHES | ALLOWABLE AMPACITIES |          |           | APPROX. CNET. WT. LBS./M FT. | UPC          |
|-------------------|------------|--------|----------------|------------------|---------------------|----------------------|----------|-----------|------------------------------|--------------|
|                   | AWG SIZE   | NO. OF | PVC INS. MILS. | NYLON JKT. MILS. |                     | 60°C **              | 75°C *** | 90°C **** |                              |              |
| 112-3410J         | 14         | 19     | 15             | 4                | 0.110               | 15                   | 15       | 15        | 16                           | 048243228607 |
| 112-3410M         | 14         | 19     | 15             | 4                | 0.110               | 15                   | 15       | 15        | 16                           | 048243228621 |
| 112-3411J         | 14         | 19     | 15             | 4                | 0.110               | 15                   | 15       | 15        | 16                           | 048243228652 |
| 112-3411M         | 14         | 19     | 15             | 4                | 0.110               | 15                   | 15       | 15        | 16                           | 048243228669 |
| 112-3431J         | 14         | 19     | 15             | 4                | 0.110               | 15                   | 15       | 15        | 16                           | 048243992317 |
| 112-3432J         | 14         | 19     | 15             | 4                | 0.110               | 15                   | 15       | 15        | 16                           | 048243992324 |
| 112-3433J         | 14         | 19     | 15             | 4                | 0.110               | 15                   | 15       | 15        | 16                           | 048243992331 |
| 112-3434J         | 14         | 19     | 15             | 4                | 0.110               | 15                   | 15       | 15        | 16                           | 048243992348 |
| 112-3435J         | 14         | 19     | 15             | 4                | 0.110               | 15                   | 15       | 15        | 16                           | 048243992355 |
| 112-3436J         | 14         | 19     | 15             | 4                | 0.110               | 15                   | 15       | 15        | 16                           | 048243992362 |
| 112-3437J         | 14         | 19     | 15             | 4                | 0.110               | 15                   | 15       | 15        | 16                           | 048243992379 |
| 112-3438J         | 14         | 19     | 15             | 4                | 0.110               | 15                   | 15       | 15        | 16                           | 048243992416 |
| 112-3439J         | 14         | 19     | 15             | 4                | 0.110               | 15                   | 15       | 15        | 16                           | 048243992423 |
| 112-3440J         | 14         | 19     | 15             | 4                | 0.110               | 15                   | 15       | 15        | 16                           | 048243992409 |
| 112-3441J         | 14         | 19     | 15             | 4                | 0.110               | 15                   | 15       | 15        | 16                           | 048243992430 |
| 112-3451J         | 14         | 19     | 15             | 4                | 0.110               | 15                   | 15       | 15        | 16                           | 048243989911 |
| 112-3452J         | 14         | 19     | 15             | 4                | 0.110               | 15                   | 15       | 15        | 16                           | 048243989928 |
| 112-3453J         | 14         | 19     | 15             | 4                | 0.110               | 15                   | 15       | 15        | 16                           | 048243989935 |
| 112-3454J         | 14         | 19     | 15             | 4                | 0.110               | 15                   | 15       | 15        | 16                           | 048243989942 |
| 112-3455J         | 14         | 19     | 15             | 4                | 0.110               | 15                   | 15       | 15        | 16                           | 048243989959 |
| 112-3456J         | 14         | 19     | 15             | 4                | 0.110               | 15                   | 15       | 15        | 16                           | 048243989966 |
| 112-3457J         | 14         | 19     | 15             | 4                | 0.110               | 15                   | 15       | 15        | 16                           | 048243989973 |
| 112-3458J         | 14         | 19     | 15             | 4                | 0.110               | 15                   | 15       | 15        | 16                           | 048243989980 |
| 112-3459J         | 14         | 19     | 15             | 4                | 0.110               | 15                   | 15       | 15        | 16                           | 048243989997 |
| 112-3460J         | 14         | 19     | 15             | 4                | 0.110               | 15                   | 15       | 15        | 16                           | 048243990009 |
| 112-3461J         | 14         | 19     | 15             | 4                | 0.110               | 15                   | 15       | 15        | 16                           | 048243990016 |
| 112-3471CR        | 14         | 19     | 15             | 4                | 0.110               | 15                   | 15       | 15        | 16                           | 048243995240 |
| 112-3472CR        | 14         | 19     | 15             | 4                | 0.110               | 15                   | 15       | 15        | 16                           | 048243995257 |
| 112-3473CR        | 14         | 19     | 15             | 4                | 0.110               | 15                   | 15       | 15        | 16                           | 048243995264 |
| 112-3475CR        | 14         | 19     | 15             | 4                | 0.110               | 15                   | 15       | 15        | 16                           | 048243995271 |
| 12 GAUGE STRANDED |            |        |                |                  |                     |                      |          |           |                              |              |
| 112-3601A         | 12         | 19     | 15             | 4                | 0.130               | 20                   | 20       | 20        | 24                           | 048243628995 |
| 112-3601BR        | 12         | 19     | 15             | 4                | 0.130               | 20                   | 20       | 20        | 24                           | 048243995288 |
| 112-3601J         | 12         | 19     | 15             | 4                | 0.130               | 20                   | 20       | 20        | 24                           | 048243229000 |

**cerro**

Electrical®

866.572.3776 | FAX 812.793.2626

www.cerroretail.com

# Circuit Sized THHN/THWN

Vinylon® PVC/Nylon

| PRODUCT CODE | CONDUCTORS |                | COVERING       |                  | APPROX. O.D. INCHES | ALLOWABLE AMPACITIES |          |           | APPROX. CNET. WT. LBS./M FT. | UPC          |
|--------------|------------|----------------|----------------|------------------|---------------------|----------------------|----------|-----------|------------------------------|--------------|
|              | AWG SIZE   | NO. OF STRANDS | PVC INS. MILS. | NYLON JKT. MILS. |                     | 60°C **              | 75°C *** | 90°C **** |                              |              |
| 112-3601M    | 12         | 19             | 15             | 4                | 0.130               | 20                   | 20       | 20        | 24                           | 048243229024 |
| 112-3602A    | 12         | 19             | 15             | 4                | 0.130               | 20                   | 20       | 20        | 24                           | 048243629497 |
| 112-3602BR   | 12         | 19             | 15             | 4                | 0.130               | 20                   | 20       | 20        | 24                           | 048243995295 |
| 112-3602J    | 12         | 19             | 15             | 4                | 0.130               | 20                   | 20       | 20        | 24                           | 048243229109 |
| 112-3602M    | 12         | 19             | 15             | 4                | 0.130               | 20                   | 20       | 20        | 24                           | 048243229123 |
| 112-3603A    | 12         | 19             | 15             | 4                | 0.130               | 20                   | 20       | 20        | 24                           | 048243629749 |
| 112-3603BR   | 12         | 19             | 15             | 4                | 0.130               | 20                   | 20       | 20        | 24                           | 048243995301 |
| 112-3603J    | 12         | 19             | 15             | 4                | 0.130               | 20                   | 20       | 20        | 24                           | 048243229208 |
| 112-3603M    | 12         | 19             | 15             | 4                | 0.130               | 20                   | 20       | 20        | 24                           | 048243229222 |
| 112-3604J    | 12         | 19             | 15             | 4                | 0.130               | 20                   | 20       | 20        | 24                           | 048243229307 |
| 112-3604M    | 12         | 19             | 15             | 4                | 0.130               | 20                   | 20       | 20        | 24                           | 048243229321 |
| 112-3605A    | 12         | 19             | 15             | 4                | 0.130               | 20                   | 20       | 20        | 24                           | 048243629770 |
| 112-3605BR   | 12         | 19             | 15             | 4                | 0.130               | 20                   | 20       | 20        | 24                           | 048243995318 |
| 112-3605J    | 12         | 19             | 15             | 4                | 0.130               | 20                   | 20       | 20        | 24                           | 048243229406 |
| 112-3605M    | 12         | 19             | 15             | 4                | 0.130               | 20                   | 20       | 20        | 24                           | 048243229420 |
| 112-3606J    | 12         | 19             | 15             | 4                | 0.130               | 20                   | 20       | 20        | 24                           | 048243229451 |
| 112-3606M    | 12         | 19             | 15             | 4                | 0.130               | 20                   | 20       | 20        | 24                           | 048243229475 |
| 112-3607J    | 12         | 19             | 15             | 4                | 0.130               | 20                   | 20       | 20        | 24                           | 048243229352 |
| 112-3607M    | 12         | 19             | 15             | 4                | 0.130               | 20                   | 20       | 20        | 24                           | 048243229376 |
| 112-3608J    | 12         | 19             | 15             | 4                | 0.130               | 20                   | 20       | 20        | 24                           | 048243229505 |
| 112-3608M    | 12         | 19             | 15             | 4                | 0.130               | 20                   | 20       | 20        | 24                           | 048243229529 |
| 112-3635J    | 12         | 19             | 15             | 4                | 0.130               | 20                   | 20       | 20        | 24                           | 048243993352 |
| 112-3636J    | 12         | 19             | 15             | 4                | 0.130               | 20                   | 20       | 20        | 24                           | 048243993369 |
| 112-3637J    | 12         | 19             | 15             | 4                | 0.130               | 20                   | 20       | 20        | 24                           | 048243993376 |
| 112-3638J    | 12         | 19             | 15             | 4                | 0.130               | 20                   | 20       | 20        | 24                           | 048243993383 |
| 112-3639J    | 12         | 19             | 15             | 4                | 0.130               | 20                   | 20       | 20        | 24                           | 048243993390 |
| 112-3640J    | 12         | 19             | 15             | 4                | 0.130               | 20                   | 20       | 20        | 24                           | 048243993406 |
| 112-3641J    | 12         | 19             | 15             | 4                | 0.130               | 20                   | 20       | 20        | 24                           | 048243993413 |
| 112-3651J    | 12         | 19             | 15             | 4                | 0.130               | 20                   | 20       | 20        | 24                           | 048243990115 |
| 112-3652J    | 12         | 19             | 15             | 4                | 0.130               | 20                   | 20       | 20        | 24                           | 048243990122 |
| 112-3657J    | 12         | 19             | 15             | 4                | 0.130               | 20                   | 20       | 20        | 24                           | 048243990177 |
| 112-3658J    | 12         | 19             | 15             | 4                | 0.130               | 20                   | 20       | 20        | 24                           | 048243990184 |
| 112-3659J    | 12         | 19             | 15             | 4                | 0.130               | 20                   | 20       | 20        | 24                           | 048243990191 |
| 112-3660J    | 12         | 19             | 15             | 4                | 0.130               | 20                   | 20       | 20        | 24                           | 048243990207 |
| 112-3661J    | 12         | 19             | 15             | 4                | 0.130               | 20                   | 20       | 20        | 24                           | 048243990214 |

# Circuit Sized THHN/THWN

Vinylon® PVC/Nylon

| PRODUCT CODE      | CONDUCTORS |                | COVERING       |                  | APPROX. O.D. INCHES | ALLOWABLE AMPACITIES |          |           | APPROX. CNET. WT. LBS./M FT. | UPC          |
|-------------------|------------|----------------|----------------|------------------|---------------------|----------------------|----------|-----------|------------------------------|--------------|
|                   | AWG SIZE   | NO. OF STRANDS | PVC INS. MILS. | NYLON JKT. MILS. |                     | 60°C **              | 75°C *** | 90°C **** |                              |              |
| 112-3671CR        | 12         | 19             | 15             | 4                | 0.130               | 20                   | 20       | 20        | 24                           | 048243995493 |
| 112-3672CR        | 12         | 19             | 15             | 4                | 0.130               | 20                   | 20       | 20        | 24                           | 048243995509 |
| 112-3673CR        | 12         | 19             | 15             | 4                | 0.130               | 20                   | 20       | 20        | 24                           | 048243995516 |
| 112-3675CR        | 12         | 19             | 15             | 4                | 0.130               | 20                   | 20       | 20        | 24                           | 048243995523 |
| 10 GAUGE STRANDED |            |                |                |                  |                     |                      |          |           |                              |              |
| 112-3801A         | 10         | 19             | 20             | 4                | 0.165               | 30                   | 30       | 30        | 39                           | 048243230020 |
| 112-3801BR        | 10         | 19             | 20             | 4                | 0.165               | 30                   | 30       | 30        | 39                           | 048243630172 |
| 112-3801J         | 10         | 19             | 20             | 4                | 0.165               | 30                   | 30       | 30        | 39                           | 048243995332 |
| 112-3801M         | 10         | 19             | 20             | 4                | 0.165               | 30                   | 30       | 30        | 39                           | 048243230105 |
| 112-3802A         | 10         | 19             | 20             | 4                | 0.165               | 30                   | 30       | 30        | 39                           | 048243230129 |
| 112-3802BR        | 10         | 19             | 20             | 4                | 0.165               | 30                   | 30       | 30        | 39                           | 048243630226 |
| 112-3802J         | 10         | 19             | 20             | 4                | 0.165               | 30                   | 30       | 30        | 39                           | 048243995349 |
| 112-3802M         | 10         | 19             | 20             | 4                | 0.165               | 30                   | 30       | 30        | 39                           | 048243230204 |
| 112-3803A         | 10         | 19             | 20             | 4                | 0.165               | 30                   | 30       | 30        | 39                           | 048243230228 |
| 112-3803BR        | 10         | 19             | 20             | 4                | 0.165               | 30                   | 30       | 30        | 39                           | 048243230303 |
| 112-3803J         | 10         | 19             | 20             | 4                | 0.165               | 30                   | 30       | 30        | 39                           | 048243230327 |
| 112-3803M         | 10         | 19             | 20             | 4                | 0.165               | 30                   | 30       | 30        | 39                           | 048243290390 |
| 112-3804J         | 10         | 19             | 20             | 4                | 0.165               | 30                   | 30       | 30        | 39                           | 048243995356 |
| 112-3804M         | 10         | 19             | 20             | 4                | 0.165               | 30                   | 30       | 30        | 39                           | 048243230402 |
| 112-3805A         | 10         | 19             | 20             | 4                | 0.165               | 30                   | 30       | 30        | 39                           | 048243230426 |
| 112-3805BR        | 10         | 19             | 20             | 4                | 0.165               | 30                   | 30       | 30        | 39                           | 048243230457 |
| 112-3805J         | 10         | 19             | 20             | 4                | 0.165               | 30                   | 30       | 30        | 39                           | 048243230471 |
| 112-3805M         | 10         | 19             | 20             | 4                | 0.165               | 30                   | 30       | 30        | 39                           | 048243230358 |
| 112-3806J         | 10         | 19             | 20             | 4                | 0.165               | 30                   | 30       | 30        | 39                           | 048243230372 |
| 112-3806M         | 10         | 19             | 20             | 4                | 0.165               | 30                   | 30       | 30        | 39                           | 048243230501 |
| 112-3807J         | 10         | 19             | 20             | 4                | 0.165               | 30                   | 30       | 30        | 39                           | 048243230525 |
| 112-3807M         | 10         | 19             | 20             | 4                | 0.165               | 30                   | 30       | 30        | 39                           | 048243230556 |
| 112-3808J         | 10         | 19             | 20             | 4                | 0.165               | 30                   | 30       | 30        | 39                           | 048243230563 |
| 112-3808M         | 10         | 19             | 20             | 4                | 0.165               | 30                   | 30       | 30        | 39                           | 048243230600 |
| 112-3809J         | 10         | 19             | 20             | 4                | 0.165               | 30                   | 30       | 30        | 39                           | 048243230617 |
| 112-3809M         | 10         | 19             | 20             | 4                | 0.165               | 30                   | 30       | 30        | 39                           | 048243230655 |
| 112-3810J         | 10         | 19             | 20             | 4                | 0.165               | 30                   | 30       | 30        | 39                           | 048243230662 |
| 112-3810M         | 10         | 19             | 20             | 4                | 0.165               | 30                   | 30       | 30        | 39                           | 048243230617 |
| 112-3811J         | 10         | 19             | 20             | 4                | 0.165               | 30                   | 30       | 30        | 39                           | 048243230655 |
| 112-3811M         | 10         | 19             | 20             | 4                | 0.165               | 30                   | 30       | 30        | 39                           | 048243230662 |

# Circuit Sized THHN/THWN

Vynlon® PVC/Nylon

| PRODUCT CODE | CONDUCTORS |                | COVERING       |                  | APPROX. O.D. INCHES | ALLOWABLE AMPACITIES |          |           | APPROX. CNET. WT. LBS./M FT. | UPC          |
|--------------|------------|----------------|----------------|------------------|---------------------|----------------------|----------|-----------|------------------------------|--------------|
|              | AWG SIZE   | NO. OF STRANDS | PVC INS. MILS. | NYLON JKT. MILS. |                     | 60°C **              | 75°C *** | 90°C **** |                              |              |
| 112-3871C    | 10         | 19             | 20             | 4                | 0.165               | 30                   | 30       | 30        | 39                           | 048243988716 |
| 112-3871J    | 10         | 19             | 20             | 4                | 0.165               | 30                   | 30       | 30        | 39                           | 048243983810 |
| 112-3872C    | 10         | 19             | 20             | 4                | 0.165               | 30                   | 30       | 30        | 39                           | 048243988723 |
| 112-3872J    | 10         | 19             | 20             | 4                | 0.165               | 30                   | 30       | 30        | 39                           | 048243983827 |
| 112-3873C    | 10         | 19             | 20             | 4                | 0.165               | 30                   | 30       | 30        | 39                           | 048243988730 |
| 112-3873J    | 10         | 19             | 20             | 4                | 0.165               | 30                   | 30       | 30        | 39                           | 048243983834 |
| 112-3874J    | 10         | 19             | 20             | 4                | 0.165               | 30                   | 30       | 30        | 39                           | 048243983841 |
| 112-3875C    | 10         | 19             | 20             | 4                | 0.165               | 30                   | 30       | 30        | 39                           | 048243988754 |
| 112-3875J    | 10         | 19             | 20             | 4                | 0.165               | 30                   | 30       | 30        | 39                           | 048243983858 |
| 112-3876J    | 10         | 19             | 20             | 4                | 0.165               | 30                   | 30       | 30        | 39                           | 048243983865 |
| 112-3877J    | 10         | 19             | 20             | 4                | 0.165               | 30                   | 30       | 30        | 39                           | 048243983872 |
| 112-3878J    | 10         | 19             | 20             | 4                | 0.165               | 30                   | 30       | 30        | 39                           | 048243983889 |
| 112-3879J    | 10         | 19             | 20             | 4                | 0.165               | 30                   | 30       | 30        | 39                           | 048243983896 |
| 112-3880J    | 10         | 19             | 20             | 4                | 0.165               | 30                   | 30       | 30        | 39                           | 048243983902 |
| 112-3881J    | 10         | 19             | 20             | 4                | 0.165               | 30                   | 30       | 30        | 39                           | 048243983919 |

## Color Available (Product Code 6th and 7th Digits)

| AWG SIZE  | BLACK 01 | WHITE 02 | RED 03 | BLUE 04 | GREEN 05 | ORANGE 06 | YELLOW 07 | BROWN 08 | PURPLE 09 | GREY 10 | PINK 11 |
|-----------|----------|----------|--------|---------|----------|-----------|-----------|----------|-----------|---------|---------|
| 14 SOLID  | X        | X        | X      | X       | X        | X         | X         | X        | X         | X       | X       |
| 12 SOLID  | X        | X        | X      | X       | X        | X         | X         | X        | X         | X       | X       |
| 10 SOLID  | X        | X        | X      | X       | X        | X         | X         | X        | X         | X       | X       |
| 14 STRAND | X        | X        | X      | X       | X        | X         | X         | X        | X         | X       | X       |
| 12 STRAND | X        | X        | X      | X       | X        | X         | X         | X        | X         | X       | X       |
| 10 STRAND | X        | X        | X      | X       | X        | X         | X         | X        | X         | X       | X       |

| PACKAGE CODE          | A         | B         | C          | J          | M           |
|-----------------------|-----------|-----------|------------|------------|-------------|
| SIZE                  | 25' SPOOL | 50' SPOOL | 100' SPOOL | 500' SPOOL | 2,500' REEL |
| 14, 12 SOLID & STRAND | X         | X         | X          | X          | X           |
| 10 SOLID & STRAND     | X         | X         | X          | X          | X           |

XX Color Add Code (see chart)

\* Per Table 310-16 NEC®

\*\* For termination to equipment for circuits rated 100 amperes or less or marked for size 14 through 1 AWG conductors. Also for MTW used in wet locations or exposed to oil or coolant.

\*\*\* For termination to equipment for circuits rated over 100 amperes or marked for conductors larger than 1 AWG. Also for THWN-2 exposed to oil or coolant and MTW in dry locations.

\*\*\*\* For THHN used in dry locations and THWN-2 used in wet or dry locations. For ampacity derating purposes.

**cerro**

Electrical®

866.572.3776 | FAX 812.793.2626

www.cerroretail.com

REV-07/2014

Marmon Retail Home  
Improvement Products, Inc.