HUBBELL Wiring Device-Kellems

Straight Blade Devices, Receptacles, Duplex, Hospital Grade, 2-Pole 3-Wire Grounding, 20A 125V, 5-20R, Brown, Single Pack

By Hubbell Wiring Device-Kellems Catalog # HBL8300

Straight Blade Devices, Receptacles, Duplex, Hospital Grade, 2-Pole 3-Wire Grounding, 20A 125V, 5-20R, Brown, Single Pack.



General

Application

Catalog Number

Color

EU RoHS Indicator

Environmental Conditions

Horsepower - Maximum

Item Type Material

Material - Mounting Hardware

Number Of Poles

Operating Temperature

Performance

HBI 8300

Brown

Yes Indoor Dry Unless Protected By

Additional Means

Traditional Duplex Thermoplastic Screw Mounting

2-Pole

Maximum continuous 75°C and

minimum -40°C without Impact Electrical - Current Interrupting

- Certified for current

interrupting at full rated

current

Electrical - Dielectric Voltage -Withstands 2.000V minimum

Environmental - Flammability -

UL 94 V-0

Environmental - Operating Temperatures - Maximum continuous 75°C, minimum -40°C (w/o impact)

Mechanical - Product

Identification - Ratings are a permanent part of the device

Mechanical - Terminal Accommodation - #12-#10 AWG stranded or solid copper

wire only

Mechanical - Terminal Identification - Terminals identified in accordance with

UL 498 and CSA

Series Hospital Grade

Style Thermoplastic Polyester Face

Receptacle Type **UPC** 783585435701

Dimensions

Dimensions 3.28 in x 1.65 in x 1.19 in Display Size Standard Sized Product

Height 1.19 in 3.28 in Length Weight 0.25 lb 1.65 in Width

Electrical Ratings

Amperage Rating 20 A

Connectivity Back and Side Wired Screw

Terminals

Current / Amperage Rating 20 A **Current Rating** 20 A

Dielectric Strength Withstands 2,000V minimum

Phase Single Phase

125 V Voltage Rating Voltage Rating Description 125 V Wattage 2500 W

Conductor Related

Number Of Wires 3-Wire

Wire Size #12 AWG to #10 AWG

Certifications And Compliance

CSA Certified, C22.2, No. 42 Industry Standard(s)

File 285

Fed. Spec. W-C-596

NEMA® WD-6 Compliant

UL Listed to UL498 File No.

E2186

5-20R Nema Rating Standards - RoHS Compliance СМ

Status


Logistics

Carton Quantity 10

Product Assets

Catalogs - WDK Catalog Full 2024

Warranty - Industrial & Commercial Products



©2024 Hubbell Incorporated. All rights reserved WDK_MX-HBL8300-SPEC-EN | REV 6/2024