


Native Metal

Porcelain Stone®



Native Metal

Porcelain Stone[®]

Inherent to the earth and suspended in the galaxy, metals as rich as gold have been ingrained within our planet since the beginning of time. Native Metals captures the eternal luxury of patinaed minerals and ores in a refreshingly unique ceramic and resin tile line.

Featuring six unique porcelain tiles finished with multiple glaze techniques, Crossville's talented artisans fuse materials into a product made for the generations. Resin wall accents formulated with real metals provide two rectilinear decorative pieces — waves and dots. Create even more impact with mosaics where porcelain and resin seamlessly combine into an extraordinary surface material. Carefully and responsibly made in the USA, Native Metals offers a luxuriously creative approach you can feel good about.

- Rectified field tiles
- Metallic visual texture
- Floor and wall mosaics available
- Recommended grout joint: 3mm
- Entirely American-made



NVM05 ▶ Cobalt Ore 24x24



Color Palette

Available Colors



NVM01 ▶ Noble Platinum



NVM02 ▶ Nickel Plate



NVM03 ▶ Crucible Steel



NVM04 ▶ Copper Deposit



NVM05 ▶ Cobalt Ore



NVM06 ▶ Graphite Black



Detail of
the Cobalt Ore
Surface Textured

Available Mosaics



NVM01.10202MOS
Noble Platinum
2 x 2 Mosaic



NVM02.10202MOS
Nickel Plate
2 x 2 Mosaic



NVM03.10202MOS
Crucible Steel
2 x 2 Mosaic



NVM04.10202MOS
Copper Deposit
2 x 2 Mosaic



NVM05.10202MOS
Cobalt Ore
2 x 2 Mosaic



NVM06.10202MOS
Graphite Black
2 x 2 Mosaic



NVM01.1HEXGMOS
Noble Platinum
with Gold
Mixed Hex Mosaic



NVM01.1HEXIMOS
Noble Platinum
with Iron
Mixed Hex Mosaic



NVM02.1HEXIMOS
Nickel Plate
with Iron
Mixed Hex Mosaic



NVM03.1HEXIMOS
Crucible Steel
with Iron
Mixed Hex Mosaic



NVM04.1HEXGMOS
Copper Deposit
with Gold
Mixed Hex Mosaic



NVM04.1HEXIMOS
Copper Deposit
with Iron
Mixed Hex Mosaic



NVM05.1HEXIMOS
Cobalt Ore
with Iron
Mixed Hex Mosaic



NVM06.1HEXIMOS
Graphite Black
with Iron
Mixed Hex Mosaic

Available Metallic Decos



NVMCG.10212PER
Champagne Gold
2 x 12 Perforated Deco



NVMWI.10212PER
White Iron
2 x 12 Perforated Deco



NVMRB.10212PER
Rubbed Bronze
2 x 12 Perforated Deco



NVMCG.10212MOL
Champagne Gold
2 x 12 Molten Deco



NVMWI.10212MOL
White Iron
2 x 12 Molten Deco



NVMRB.10212MOL
Rubbed Bronze
2 x 12 Molten Deco



Detail of the
Champagne Gold
2 x 12 Perforated Deco



Detail of the
Champagne Gold
2 x 12 Molten Deco



Floor: **NVM04** ▶ Copper Deposit 24x48
Wall: **NMV04.1HEXIMOS** ▶ Copper Deposit with Iron Mixed Hex Mosaic



Floor: **NVM01** ▶ Noble Platinum 24x24
Wall: **NVM01.1HEXIMOS** ▶ Noble Platinum with Iron Mixed Hex Mosaic



NVMCG.10212PER ▶ Champagne Gold 2 x 12 Perforated Deco



Floor: **NVM03** ▶ Crucible Steel 2x2 Mosaic
Wall: **NVM03** ▶ Crucible Steel 12x24
Wall behind Vanity: **NVMRB.10212MOL** - Rubbed Bronze 2 x 12 Molten Deco

Specifications

Sizes (Available in all colors)



2 x 2 Square Mosaic
(Mounted on a 298 x 298 mm sheet)



Mixed Hex Mosaic†
(Mounted on a 259 x 270 mm sheet)



Sizes & Finishes

Field Tile - Rectified

Available in all colors

Nominal (in)	Actual (mm)	Thickness (mm)	Grout Joint (mm)	Finish
12 x 24	297 x 597	9.5	3	UPS
24 x 24	597 x 597	9.5	3	UPS
24 x 48	597 x 1197	10.5	3	UPS

Note: Field tile is rectified with a 3mm grout joint

Deco

Nominal (in)	Sheet Size (mm)	Thickness (mm)	Grout Joint (mm)	Finish
2 x 12 Metallic Deco	47 x 297	9.5	3	SAT

Mosaics

Available in all colors

Nominal (in)	Sheet Size (mm)	Thickness (mm)	Grout Joint (mm)	Finish
2 x 2 Mosaic*	298 x 298	9.5	3	UPS
Mixed Hex Mosaic	259 x 270	9.5	2	UPS

* Mounted on 12 x 12 sheet

Coordinating Trim

Nominal (in)	Actual (mm)	Thickness (mm)	Grout Joint (mm)	Finish
4 x 24 Single Bullnose	96 x 597	9.5	3	UPS
6 x 12 Cove Base	150 x 297	9.5	3	UPS



4 x 24 Single Bullnose



6 x 12 Cove Base

Product Performance

Breaking Strength	≥450 lbf	ASTM C648
Bond Strength	>200 psi	ASTM C482
Chemical Resistance	Unaffected	ASTM C650
Frost Resistance	Resistant	ASTM C1026
Water Absorption	<0.50%	ASTM C373
Scratch Hardness	7	Mohs Scale

Get Planked!

Our Porcelain Stone® products are available in popular plank shapes with no minimum order and quick fulfillment. See website for more details and sizes.



Wet Dynamic Coefficient of Friction Range

UPS	0.50 - 0.60	ANSI A326.3
-----	-------------	-------------

Shade & Texture Index

Native Metal has a shade variation of V3.

V1	V2	V3	V4	V1 Uniform appearance
				V2 Slight Variation
				V3 Moderate Variation
				V4 Substantial Variation

This porcelain tile product is produced with a V3 variation. While the colors and/or textures present on a single piece of tile will be indicative of the colors and/or textures to be expected on the other tiles, the amount of colors and/or texture on each piece may vary significantly. It is recommended that the range be viewed before selection.

Recommended Use

Native Metal is recommended for interior floors, interior walls, countertops, exterior walls, pool waterlines and full linings† in both residential and commercial applications. Native Metal is not recommended for exterior horizontal surfaces or exterior paving. The Mixed Hex Mosaics and the 2 x 12 Deco pieces are to be used on interior walls only. See CrossvilleInc.com for detailed installation instructions.

† Excludes mesh mounted mosaics.

Wet area use for Native Metal Mosaics

Crossville® produces the Native Metal 2 x 2 mosaics with the Cross-Sheen (UPS) finish. The ANSI A326.3 wet Dynamic COF of Native Metal is ≥ 0.42 . Their small sizes ensure frequent grout joints which provides traction and drainage. Crossville cannot control situations involving incorrect installation, improper slope to the drain for elimination of standing water and poor surface cleaning. This information is provided so that customers may make a realistic and informed decision when comparing Native Metal to other tile products in wet area environments, such as residential/commercial bathrooms, showers, and interior pool decks.

Care and Maintenance

Regular cleaning is the best way to keep Native Metal tile looking good for years to come. Use clean, hot water (combined with a household cleaner for more aggressive cleaning). Rinse thoroughly and dry with a soft cloth. No waxes are needed. More information regarding the care and maintenance of Crossville® products is available at CrossvilleInc.com.

Our Warranty

Crossville Inc. guarantees that its products will meet or exceed the performance specifications outlined in ANSI A137.1- 2022 and in the performance data section of the Crossville, Inc. general product catalog. For complete details check our website at CrossvilleInc.com.

Information listed here is subject to change. Please refer to CrossvilleInc.com for the latest, most accurate information.

Crossville® Sample Express

Visit the website to learn more:
CrossvilleInc.com/Products/Native-Metal

Loose Tile Samples

Sizes may vary depending on product series
Max. of 4 large field tile per order

Standard Shipping

FedEx Ground

CrossvilleInc.com

If you want a better idea of what Crossville tile would look like in a particular room setting, simply visit our website and click on Cross-Vision. This powerful software tool allows you to visualize different types of Crossville tile. In addition, you'll find comprehensive information about Crossville's entire portfolio of products. You can also learn about the latest styles and trends from industry experts, download detailed care and maintenance instructions for our various products, or browse electronic versions of Crossville's product brochures. So whether you need information about Crossville products or tile in general, please visit us at CrossvilleInc.com. Information listed here is subject to change.

Trade Organizations



Environmentally Aware



Native Metal

Crossville, Inc.

PO Box 1168
Crossville, TN
38557

Phone 931.484.2110
Fax 931.456.2956
E-Mail Crossc@CrossvilleInc.com
Web CrossvilleInc.com



Above:
Floor and front of counter - **NVM02** ▶ Nickel Plate 12x24
Backsplash - **NVM02.1HEXIMOS** ▶ Nickel Plate with Iron Mixed Hex Mosaic
Countertop - **PC009** ▶ Black Tie Polished Porcelain Slab

On the cover:
Floor: **NVM05** ▶ Cobalt Ore 24x24

 CROSSVILLE