
MOEN

Buy it for looks. Buy it for life.®



Moen® Full Line

Residential and Commercial Price Catalog

Effective February 1, 2017

U BY MOEN SHOWER

NEW DIGITAL SHOWERING AT YOUR FINGERTIPS

SEE PG 264



Let us help you discover innovations, define your style and make decisions you'll love.

Hands-Free Convenience With MotionSense® 24

Reflex®s Effortless Redefined Optimize Cleaning Force With Power Clean™ Spray 27

M•PACT® Common Valve System Keeps Options Open 82

Save Time With The Pro-Fit® Installation System 82

Roman Tub Valves: Versatile, Durable, Built To Perform 83

Introducing U By Moen™ Shower - Digital Showering At Your Fingertips 260

SecureMount™ System For Easy Installation And Total Confidence 350

Contents

Align® One-Handle Pre-Rinse Spring Pulldown Faucet / 5923

Suggested List Prices

3 Wholesale

22 Bulk

369 Moen Genuine Parts

499 Commercial

Kitchen and Bar Collections

Styles with MotionSense®:

25 STō®

25 Align®

25 Brantford®

25 Arbor®

Pulldown Spring Kitchen Collection:

28 Align®

Premium Kitchen Collections:

29 Waterhill®

30 Weymouth®

30 90°™

31 STō®

31 Etch®

Kitchen Collections:

32 Aberdeen™

32 Woodmere®

33 Tilt™

33 Voss™

33 Notch™

33 Align®

35 Brantford®

36 Arbor®

37 Camerist®

37 Method™ NEW!

38 Belfield™

38 Integra®

39 Chateau®

41 Torrance™ NEW!

41 Banbury® NEW!

On The Cover::
U by Moen™ Shower Four-Outlet Controller / TS3304TB NEW!
9" Two-Function Rainshower / S1311EPORB
Shower Arm and Flange / S133ORB
Weymouth Eco-Performance Handheld Shower / S12107EPORB
Drop Ell / A725ORB
Multi-Function Body Spray / TS1422ORB

Kitchen Compliments

43 Pot Fillers
44 Premium Bar/Prep Faucets
46 Bar/Prep Faucets
49 Laundry Faucets
50 Premium Beverage and Filtering Faucets
52 Premium Soap/Lotion Dispensers
53 Accessories: Soap/Lotion Dispensers, Air Gaps, Hose Management

Stainless Steel Sinks

57 1600™ Professional Series
58 1800™ Series
65 2000™ Series
70 2200™ Series
71 Commercial Series
72 Bulk Sinks
73 Sink Accessories

Disposals

78 GX Series NEW!
79 GX Pro Series
79 Disposal Accessories

Bath and Shower Collections

Premium Bath Collections:

84 Weymouth®
95 Arris®
104 Waterhill®
111 90°™
124 Via™
129 Rothbury™
141 Icon™

Bath Collections:

152 Wynford®
162 Align®
172 Voss™
183 Kingsley®
196 Rizon™
202 Dartmoor™
208 Glyde™
214 Vichy™ NEW!
216 Brantford®
224 Eva®
232 Method™
239 Gibson™ NEW!
244 Genta™ NEW!
248 Chateau®

Spa and Shower Custom Options

264 U by Moen™ Showering NEW!
268 ExactTemp® 3/4" Thermostatic Showering
273 Moentrol® Multi-Function Showering Options
277 Moentrol® with Annex™ Shower Rail
279 Moentrol® and Standard Transfer Valve Showering Components
286 Posi-Temp® with Annex™ Shower Rail
291 Posi-Temp® and Standard Transfer Valve Showering Components
303 Showerheads
315 Shower Arm and Flanges
318 Handheld Showers
328 Handheld Shower Accessories
332 Body Sprays
333 Diverter Tub Spouts
338 Non-Diverter Tub Spouts
340 Drains
343 Coordinating Accessories
351 Bath Safety

Moen Genuine Parts


353 Genuine Replacement Parts

Bulk Pack Products

72 Bulk Sinks
399 Bulk Packs

Commercial

71 Stainless Steel Sinks
423 Faucets, Valves and Sinks



THE OPTIONS YOU WANT FOR THE ANSWERS YOU NEED.

To make sure you receive support as outstanding as our products, Moen offers all the service options you need, including our Customer Service team, our Professional team and our comprehensive online resources. In particular, you'll appreciate CustomerNet, which not only gives you online visibility to inventory availability, order status and tracking information, but also provides other invaluable tools. With CustomerNet, the answers to the majority of your questions are just a click away.

CUSTOMER SERVICE

Moen, Commercial, CFG and Garbage Disposal

Moen Faucet Products

Phone: (800) 531-1600

Fax: (800) 848-6636

Email orders and general inquiries to:

moencustomerservicewholesaleUS@moen.com

Moen Accessories Products

Phone: (800) 882-0116

Fax: (888) 379-2720

Email orders and general inquiries to:

moencustomerserviceUS@moen.com

CustomerNet

To enroll for access to Website, password resets and CustomerNet inquiries:

Phone: (888) 450-5829

Email: cnctacts@moen.com

Website: customernet.moen.com

MOEN PROFESSIONAL

For technical and warranty assistance

Moen's Professional Line:

Phone: 1-877-Moen-Pro (1-877-663-6776)

Email: moenpro@moen.com

Website: moenpro.com

HELPFUL WEBSITES

moen.com

www.cfgonline.com

moen.com/commercial

csi.moen.com

MOEN

Buy it for looks. Buy it for life.®

©2017 Moen Incorporated. All Rights Reserved.

Wholesale

Listed in numerical order

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
601	35.20	51	026508072158	12
2352	147.35	254	026508025659	12
2353	168.40	252	026508025697	12
2363	192.40	252	026508025703	12
2510	115.35	91	026508074541	6
2520	115.35	91	026508073001	6
2520	115.35	91	026508073001	6
2570	140.05	91	026508073018	6
2580	115.35	91	026508233566	6
2580	115.35	91	026508233566	6
2590	140.05	91	026508073025	6
2590	140.05	91	026508073025	6
2919EP	165.15	257	026508270783	6
2982EP	165.15	257	026508270790	6
2995EP	193.30	257	026508270806	6
3233EP	95.50	308	026508219430	12
3233EPBN	162.10	308	026508219447	12
3320	265.75	133	026508081761	6
3330	265.75	133	026508081754	6
3330	265.75	133	026508081754	6
3350	265.75	133	026508228227	6
3360	192.60	165	026508222768	6
3372	165.70	90	026508201930	12
3375	165.70	90	026508228234	12
3510	158.10	116	026508102336	6
3520	158.10	116	026508102329	6
3520	158.10	116	026508102329	6
3570	188.35	116	026508072981	6
3636EP	244.80	321	026508241677	6
3636EPBN	465.95	321	026508241684	6
3636EPORB	512.50	321	026508242773	6
3638	95.50	308	026508241691	12
3638BN	162.10	308	026508241707	12
3638ORB	178.35	308	026508242155	12
3638EP	95.50	308	026508242131	12
3638EPBN	162.10	308	026508242148	12
3667EP	258.00	319	026508242162	6
3667EPBN	510.15	319	026508242179	6
3667EPORB	561.15	319	026508242186	6
3668EP	216.00	320	026508242193	6
3668EPBN	312.60	320	026508242209	6
3668EPORB	343.60	320	026508242216	6
3669EP	258.00	319	026508242223	6
3669EPBN	510.15	319	026508242230	6
3669EPORB	561.15	319	026508242247	6
3800	58.10	336	026508030639	12
3801	58.10	336	026508029473	12
3804	21.80	339	026508030707	12
3804CBN	29.25	339	026508239872	12
3805	21.80	339	026508008614	12
3806	70.25	334	026508041680	12
3806W	105.35	334	026508050248	12
3807	70.25	334	026508041710	12
3807BN	98.10	334	026508138434	12
3807CP	74.45	334	026508041734	12
3808	64.00	336	026508118252	12
3808BN	92.60	336	026508118283	12
3808ORB	101.95	336	026508113523	12
3808P	99.15	336	026508118276	12
3808WR	101.95	336	026508118290	12
3810PM	66.50	335	026508098400	12
3814	71.90	334	026508251041	6
3814BN	104.30	334	026508251058	6
3814ORB	114.75	334	026508251065	6
3828	43.00	339	026508133736	12
3829	43.00	339	026508133743	12
3829BC	71.30	339	026508149393	12
3829BN	98.80	339	026508133804	12
3829ORB	108.70	339	026508134375	12
3830	51.55	336	026508133750	12
3830P	118.60	336	026508133781	12
3839	50.10	337	026508239490	12
3853	51.20	337	026508070345	12
3853BN	106.30	337	026508164518	12
3853BRB	78.85	337	026508271858	12
3853ORB	116.90	337	026508164525	12
3853SRN	71.70	337	026508271865	12
3855	95.50	308	026508070376	12
3855EP	95.50	308	026508229972	12
3857	70.50	334	026508070406	6
3857BN	102.35	334	026508162453	6
3857ORB	112.60	334	026508162460	6
3858	63.30	338	026508162477	6
3858BN	91.90	338	026508162484	6
3858ORB	101.10	338	026508162491	6
3861EP	235.40	321	026508219508	6
3861EPBN	479.40	321	026508219515	6
3861EPNL	479.40	321	026508250969	6
3861EPORB	528.80	321	026508219522	6
3863EP17	258.00	319	026508250600	6
3863EP17BN	510.15	319	026508250617	6
3865EP17	176.20	322	026508250631	6
3865EP17BN	255.75	322	026508250648	6
3865EP17ORB	281.40	322	026508250655	6
3865EP	176.20	322	026508221495	6
3865EPBN	255.75	322	026508221501	6
3865EPORB	281.40	322	026508227619	6
3868EP17	216.00	321	026508250662	6
3868EP17BN	312.60	321	026508250679	6
3868EP17ORB	343.60	321	026508250686	6
3868EP	216.00	320	026508221532	6
3868EPBN	312.60	320	026508221549	6
3868EPORB	343.60	320	026508227633	6
3869EP	267.00	319	026508222140	6
3869EPBN	530.30	319	026508223222	6
3869EPORB	583.35	319	026508223215	6
3869EPWR	589.20	319	026508250709	6
3887EP17	239.65	320	026508250716	6
3887EP17BL	523.75	320	026508274897	6
3887EP17BN	476.15	320	026508250723	6
3887EP	239.65	320	026508222157	6
3887EPBN	476.15	320	026508223239	6
3890	64.50	335	026508174746	12
3890BN	93.60	335	026508174753	12
3892	52.60	338	026508174760	12
3892BN	81.35	338	026508174777	12
3911	51.40	336	026508004258	12
3926	48.60	337	026508004272	12
3929BC	80.55	334	026508137284	12
3931	48.60	337	026508004289	12
3942	95.50	53	026508187586	6
3942BL	105.10	53	026508187890	6
3942SRS	114.65	53	026508234341	6
3942W	105.10	53	026508187913	6
3944	95.50	53	026508187616	6
3944ORB	120.35	53	026508187937	6
3944SRS	114.65	53	026508234358	6
3959	50.05	338	026508004296	12
3960	51.40	337	026508004302	12
3972	53.20	336	026508120156	12
3972BN	82.45	336	026508143988	12
4500	249.35	152	026508253649	3

Wholesale

Listed in numerical order

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
4500BN	371.45	152	026508253656	3
4500NL	371.45	152	026508255650	3
4500ORB	408.60	152	026508255667	3
4505	237.55	152	026508255674	3
4505BN	353.80	152	026508255681	3
4505NL	353.80	152	026508255698	3
4505ORB	389.20	152	026508255704	3
4507	369.20	152	026508255711	3
4507BN	539.75	152	026508255728	3
4507ORB	593.70	152	026508255742	3
4792	138.45	87	026508229583	6
4793	156.75	87	026508229590	6
4794	149.45	87	026508244050	6
4796	130.40	87	026508229606	6
4797	132.95	87	026508229613	6
4798	132.95	87	026508229620	6
4902	179.10	250	026508023204	6
4903	94.35	48	026508085325	12
4904	172.10	48	026508207505	3
4904SRS	215.60	48	026508274811	3
4905	196.10	47	026508138748	3
4905ORB	282.65	47	026508164884	3
4905SRS	263.70	47	026508242902	3
4925	146.25	249	026508002360	12
4925BC	186.85	249	026508136737	12
4945	256.10	249	026508002537	6
4962	236.90	249	026508006009	6
4975	96.20	49	026508003206	12
5923	441.90	28	026508267028	3
5923SRS	553.60	28	026508267035	3
5965	339.85	47	026508240007	3
5965SRS	437.40	47	026508240014	3
5985	328.75	47	026508211748	3
5985ORB	453.60	47	026508211809	3
5985SRS	421.30	47	026508242926	3
5995	310.05	47	026508207291	3
5995BL	351.45	47	026508228395	3
5995ORB	415.50	47	026508209790	3
5995SRS	397.20	47	026508231968	3
6101	237.55	183	026508107942	6
6101BN	353.80	183	026508115299	6
6101ORB	389.20	183	026508116272	6
6102	249.35	183	026508128886	3
6102BN	371.45	183	026508128893	3
6102ORB	408.60	183	026508131961	3
6102P	415.95	183	026508174791	3
6102WR	408.60	183	026508128909	3
6121	273.15	183	026508126745	3
6121BN	406.80	183	026508126769	3
6121ORB	447.55	183	026508131978	3
6121P	455.70	183	026508232484	3
6121WR	447.55	183	026508126776	3
6124C	368.90	46	026508254608	3
6124ORB	517.60	46	026508254615	3
6124SRS	470.45	46	026508254622	3
6145	168.30	239	026508272060	3
6150	141.65	239	026508272077	3
6172	168.65	208	026508261163	3
6172BN	229.00	208	026508261170	3
6190	249.35	162	026508244913	3
6190BL	408.60	162	026508274989	3
6190BN	371.45	162	026508249567	3
6191	242.75	162	026508249598	3
6191BL	401.35	162	026508274996	3
6191BN	364.85	162	026508249604	3
6192	369.20	162	026508249611	3
6192BN	539.75	162	026508249628	3
6300	32.00	314	026508154724	12
6300BN	48.90	314	026508207574	12
6300P	57.05	314	026508154748	12
6300EP15	32.00	314	026508241745	12
6300EP	32.00	314	026508208557	12
6300EPBC	37.45	314	026508208564	12
6300EPBN	48.90	314	026508208571	12
6302	82.55	309	026508142417	12
6302BN	128.95	309	026508142431	12
6302ORB	141.85	309	026508142448	12
6302P	143.80	309	026508142462	12
6302WR	141.85	309	026508142486	12
6302EP15	82.55	309	026508241752	12
6302EP	82.55	309	026508208595	12
6302EPBN	128.95	309	026508208625	12
6302EPORB	141.85	309	026508208632	12
6302EPP	143.80	309	026508208649	12
6303	45.65	312	026508153314	12
6303BN	69.95	312	026508153321	12
6303ORB	76.95	312	026508153338	12
6303EP	45.65	312	026508208687	12
6303EPBN	69.95	312	026508208694	12
6303EPORB	76.95	312	026508208700	12
6304	37.25	313	026508156223	12
6304EP	37.25	313	026508208717	12
6313	45.65	312	026508214862	12
6313BN	69.95	312	026508214879	12
6313ORB	76.95	312	026508214886	12
6322	38.80	310	026508239506	12
6322EP	38.80	310	026508239513	12
6325	81.60	310	026508230107	12
6325BN	127.40	310	026508230114	12
6325ORB	140.20	310	026508230152	12
6325EP	81.60	310	026508230121	12
6325EPBN	127.40	310	026508230138	12
6325EPORB	140.20	310	026508230145	12
6345	79.00	306	026508238554	3
6345BN	89.00	306	026508271469	3
6345ORB	99.00	306	026508271476	3
6370	49.00	311	026508266632	12
6370BN	75.00	311	026508266687	12
6370EP17	49.00	311	026508266694	12
6370EP17BN	75.00	311	026508266700	12
6371	49.00	311	026508266625	12
6371BN	75.00	311	026508266649	12
6371ORB	82.55	311	026508266670	12
6371EP17	49.00	311	026508266656	12
6371EP17BN	75.00	311	026508266663	12
6371EP17ORB	82.55	311	026508266717	12
6399	81.60	310	026508174722	12
6399BL	140.15	310	026508275009	12
6399BN	127.40	310	026508174739	12
6399EP15	81.60	311	026508274682	12
6399EP15BL	140.15	311	026508275016	12
6399EP	81.60	310	026508208762	12
6399EPBL	140.15	310	026508275023	12
6399EPBN	127.40	310	026508208779	12
6400	223.05	224	026508195369	3
6400BN	291.85	224	026508195376	3
6400ORB	321.05	224	026508195383	3
6410	160.60	224	026508153109	6
6410BN	218.15	224	026508153116	6
6410ORB	240.00	224	026508153123	6
6600	223.05	216	026508195390	3
6600BN	291.85	216	026508195406	3

Wholesale

Listed in numerical order

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
6600ORB	321.05	216	026508195413	3
6610	160.60	216	026508162057	6
6610BN	218.15	216	026508160992	6
6610ORB	240.00	216	026508161005	6
6615SRS	497.70	46	026508267141	3
6702	168.30	244	026508271186	3
6710	203.70	214	026508273074	3
6802	168.65	202	026508264386	3
6802BN	229.00	202	026508264393	3
6802ORB	251.95	202	026508264409	3
6810	223.05	232	026508206959	3
6810BN	291.85	232	026508206966	3
6900	249.35	196	026508235096	3
6901	237.55	172	026508230169	3
6901BN	353.80	172	026508230176	3
6901ORB	389.20	172	026508230183	3
6903	249.35	172	026508230190	3
6903BN	371.45	172	026508230206	3
6903ORB	408.60	172	026508230213	3
7050	99.55	41	026508274750	6
7050SRS	121.15	41	026508274767	6
7051	109.00	41	026508274774	6
7051SRS	127.65	41	026508274781	6
7052	109.00	41	026508274789	6
7081	127.50	41	026508274828	6
7081SRS	165.75	41	026508274835	6
7082	160.45	41	026508274842	6
7082SRS	208.60	41	026508274859	6
7083	160.45	41	026508274866	6
7165	351.20	34	026508240021	3
7165SRS	452.05	34	026508240038	3
7185C	365.35	35	026508211786	3
7185EC	656.30	25	026508242308	3
7185EORB	723.00	25	026508242315	3
7185ESRS	697.35	25	026508242322	3
7185ORB	503.20	35	026508211816	3
7185SRS	467.85	35	026508242940	3
7240C	257.70	38	026508259870	3
7240ORB	382.85	38	026508259887	3
7240SRS	348.05	38	026508259894	3
7245C	299.70	38	026508259900	3
7245ORB	445.15	38	026508259917	3
7245SRS	404.60	38	026508259924	3
7250C	243.70	38	026508259931	3
7250ORB	362.00	38	026508259948	3
7250SRS	329.05	38	026508259955	3
7255C	283.35	38	026508259962	3
7255ORB	420.80	38	026508259979	3
7255SRS	382.55	38	026508259986	3
7294BL	363.65	36	026508228838	3
7294C	320.90	36	026508228845	3
7294ORB	436.40	36	026508228869	3
7294SRS	411.05	36	026508231975	3
7295C	337.70	35	026508267158	3
7295ORB	474.75	35	026508267172	3
7295SRS	452.15	35	026508267165	3
7365	309.05	34	026508251171	3
7365SRS	397.75	34	026508251188	3
7402C	435.00		026508266793	3
7423	130.25	39	026508053157	6
7425	127.70	39	026508052938	6
7425SRS	153.00	39	026508274873	6
7430	160.70	39	026508052853	6
7430SRS	192.55	39	026508274880	6
7434	160.70	39	026508053034	6
7437	164.10	39	026508053126	6
7545C	337.70	37	026508138816	3
7545ORB	474.75	37	026508164907	3
7545SRS	452.15	37	026508242964	3
7565	377.65	34	026508240045	3
7565BL	486.05	34	026508274736	3
7565EC	687.10	25	026508257944	3
7565ESRS	733.25	25	026508257951	3
7565SRS	486.05	34	026508240052	3
7585C	277.85	37	026508270318	3
7585SRS	350.50	37	026508270325	3
7590C	611.00	32	026508108543	2
7590CSL	728.45	32	026508198933	2
7590ORB	764.85	32	026508144312	2
7594BL	390.45	36	026508228388	3
7594C	344.50	36	026508205037	3
7594EC	640.95	25	026508233863	3
7594EORB	709.65	25	026508233870	3
7594ESRS	676.85	25	026508233887	3
7594ORB	461.75	36	026508209806	3
7594SRS	441.30	36	026508231982	3
7615C	461.00	32	026508267110	3
7615ORB	649.10	32	026508267134	3
7615SRS	590.10	32	026508267127	3
7626C	416.50	33	026508267059	3
7626SRS	531.25	33	026508267066	3
7735ORB	477.85	35	026508211823	3
7735SRS	446.05	35	026508242971	3
7790	326.60	36	026508207581	3
7790SRS	420.65	36	026508231999	3
7825	167.30	37	026508138786	3
7825ORB	282.65	37	026508164914	3
7825SRS	256.65	37	026508242988	3
7835	199.45	37	026508138809	3
7835SRS	295.15	37	026508242995	3
7840	199.45	37	026508138847	3
7840ORB	314.05	37	026508164938	3
7840SRS	292.60	37	026508243008	3
7900	95.30	40	026508004135	12
7906	121.20	40	026508003398	6
7907	152.55	40	026508030318	6
7910	121.85	40	026508004142	12
9000	119.05	84	026508081112	6
9001	93.60	51	026508094709	6
9124C	409.85	33	026508254639	3
9124ORB	575.10	33	026508254646	3
9124SRS	522.75	33	026508254653	3
9125C	416.50	33	026508254325	3
9125ORB	584.35	33	026508254332	3
9125SRS	531.25	33	026508254349	3
9265	245.15	160	026508255155	6
9601	52.95	51	026508153918	18
9700	168.35	85	026508230008	3
9792	311.90	88	026508229637	6
9793	319.20	88	026508229644	6
10154	19.05	316	026508050903	20
10154BN	34.15	316	026508105344	20
10154BRB	31.80	316	026508210628	20
10154CBN	19.15	316	026508188095	20
10154NL	34.15	316	026508104248	1
10154ORB	37.55	316	026508100325	20
10154P	36.20	316	026508052051	1
10154SLP	30.30	316	026508122068	20
10154WR	37.55	316	026508117101	20
20001	34.95	314	026508255377	3
22001	15.80	66	026508167687	1
22002	15.80	65	026508167694	1

SUGGESTED LIST PRICES

Wholesale

Listed in numerical order

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
22036	19.35	75	026508017593	24
22037	16.90	75	026508008652	40
22106Q	492.90	71	026508274316	1
22121Q	800.90	71	026508274323	1
22123Q	702.10	71	026508274330	1
22124Q	464.55	71	026508274347	1
22128	311.95	71	026508043073	1
22132	300.10	71	026508046241	1
22174	8.75	75	026508038314	30
22175	4.20	76	026508036006	1000
22194	6.10	76	026508038321	1
22201	14.50	76	026508036037	142
22504	15.80	63	026508102039	1
22505	15.80	63	026508102046	1
22506	15.80	63	026508102053	1
22507	15.80	66	026508102060	1
22508	15.80	66	026508102077	1
22509	15.80	61	026508102084	1
22510	16.90	65	026508008843	1
22511	15.80	60	026508017500	1
22512	16.90	58	026508247907	1
22514	15.80	62	026508017524	1
22516	15.80	58	026508247921	1
22517	15.80	58	026508017548	1
22518	15.80	58	026508017555	1
22519	15.80	58	026508247938	1
22520	15.80	59	026508116159	1
22521	15.80	59	026508116166	1
22522	15.80	59	026508116173	1
22523	15.80	59	026508116180	1
22524	15.80	60	026508140819	1
22525	15.80	62	026508225257	1
22526	15.80	59	026508008850	1
22527	15.80	59	026508017517	1
22537	15.80	57	026508155035	1
22538	15.80	57	026508155042	1
22539	15.80	57	026508155059	1
22540	15.80	57	026508155066	1
22541	15.80	61	026508193099	1
22542	15.80	61	026508193105	1
22543	15.80	60	026508193112	1
22601	6.40	76	026508052259	100
22602	8.90	76	026508035665	100
22650	12.35	76	026508104385	1
22681	4.55	76	026508032336	1
22682	5.40	76	026508032374	1
22684	3.75	76	026508032299	1
22897	1.05	76	026508038307	1
23026	39.95	313	026508224281	4
26100EP	59.95	324	026508266540	2
26100EPSRN	73.30	324	026508266557	2
67315C	230.30	38	026508069257	6
67315SRS	325.55	38	026508242933	6
74998	72.35	49	026508028070	12
90410	118.20	340	026508904107	10
90410BN	189.20	340	026508132050	10
90410ORB	208.10	340	026508132067	10
90480	133.65	340	026508904800	8
90480BN	210.75	340	026508120873	8
90480ORB	222.80	340	026508132081	8
90530	45.90	340	026508905302	10
101663BN	27.70	341	026508120897	12
101663P	25.30	341	026508066119	12
101663ORB	30.50	341	026508100349	12
101663WR	30.50	341	026508120927	12
101664BN	34.45	341	026508120903	12
101664P	34.45	341	026508066126	12
101664ORB	37.90	341	026508100363	12
101664WR	37.90	341	026508120934	12
102763BN	34.45	341	026508120910	12
102763P	34.45	341	026508073339	1
102763ORB	37.90	341	026508100387	12
102763WR	37.90	341	026508120941	12
104465	173.00	87	026508204368	12
104466	173.00	87	026508267103	12
105895BL	35.55	53	026508098011	6
105895CSL	49.10	53	026508185803	6
105895ORB	51.55	53	026508144336	6
105895SRS	45.05	53	026508214138	6
114348	78.60	330	026508118085	12
114348BN	113.95	330	026508118115	12
114348NL	91.35	330	026508146354	12
114348ORB	125.35	330	026508101766	12
114348WR	125.35	330	026508118122	12
116651	13.15	316	026508128572	6
116651BN	22.25	316	026508128589	6
116651NL	22.25	316	026508147146	6
116651ORB	28.90	316	026508147191	6
116651WR	28.90	316	026508128596	6
123815	25.90	316	026508140437	12
123815BN	43.10	316	026508152881	12
123815ORB	47.40	316	026508164983	12
125753	69.05	335	026508147498	12
125753BN	107.15	335	026508145043	12
125753ORB	117.75	335	026508145050	12
128284	24.70	270	026508156568	12
137488	7.35	317	026508178454	12
137488BN	19.20	317	026508178461	12
140680	12.35	340	026508184431	12
140690	13.85	340	026508184448	12
140715	10.35	87	026508187517	200
140780	57.05	85	026508165720	12
140780BN	79.60	85	026508165737	12
140780NL	78.90	85	026508230923	12
140780ORB	89.90	85	026508165744	12
141002	46.20	28	026508187296	6
141002BL	53.05	34	026508229019	6
141002NL	50.30	30	026508265765	6
141002ORB	58.45	47	026508211410	6
141002SRS	51.90	28	026508209370	6
142538	4.95	340	026508188668	180
147204	24.85	111	026508204450	12
147204BN	60.15	111	026508205136	12
147204	24.85	111	026508204450	12
147204BN	60.15	111	026508205136	12
147204	24.85	111	026508204450	12
147204BN	60.15	111	026508205136	12
147547	81.80	323	026508204610	6
147547BN	120.00	323	026508205143	6
147556	130.75	111	026508204696	6
147556BN	191.75	111	026508205211	6
147572	10.60	317	026508204849	12
147572BN	15.50	317	026508205327	12
147913	119.70	323	026508200513	6
147913BN	177.15	323	026508200520	6
151380	67.25	315	026508207413	6
151380BN	114.35	315	026508207420	6
151380ORB	125.70	315	026508207437	6
152027	57.25	336	026508207550	12
152027BN	85.30	336	026508207567	12
154296	248.35	327	026508218266	6
154296BN	273.15	327	026508218273	6

Wholesale

Listed in numerical order

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
154296NL	300.50	327	026508231029	6
154296ORB	300.50	327	026508218280	6
154305	121.95	323	026508218488	6
154305BN	176.80	323	026508218495	6
154305NL	187.75	323	026508231098	6
154305ORB	187.75	323	026508218501	6
155694	21.80	330	026508221372	12
155694BN	31.50	330	026508221389	12
155694ORB	34.80	330	026508227565	12
155746	176.35	327	026508221396	6
155746BN	255.70	327	026508221402	6
155746ORB	281.25	327	026508227572	6
155747	56.55	325	026508221419	6
155747BN	82.05	325	026508221426	6
155747ORB	90.25	325	026508227589	6
155748	33.70	328	026508221433	8
155748BN	49.00	328	026508221440	8
155891	56.55	326	026508223178	6
155891BN	82.05	326	026508223185	6
157276	56.55	325	026508221457	6
157276BN	82.05	325	026508221464	6
157276ORB	90.25	325	026508227602	6
157276EP15	56.55	325	026508241714	6
157276EP15BN	82.05	325	026508241721	6
157276EP15ORB	90.25	325	026508241738	6
157328	41.35	33	026508239056	6
157328ORB	52.30	33	026508255179	6
157328SRS	46.55	33	026508225103	6
159060	18.10	53	026508231425	6
160042	87.00	323	026508228166	6
160042BN	126.20	323	026508228173	6
160042ORB	138.80	323	026508228180	6
161951	88.15	315	026508233559	12
161951BN	119.20	315	026508233610	12
161951ORB	131.15	315	026508233627	12
161955	69.40	335	026508233726	6
161955BN	107.60	335	026508233733	6
161955ORB	118.40	335	026508233740	6
164745	10.50	317	026508239247	20
164745BN	15.40	317	026508239254	20
164745ORB	20.00	317	026508239261	20
164927	65.90	324	026508241585	6
164927BN	95.45	324	026508241592	6
164927ORB	107.70	324	026508241608	6
164928	67.55	324	026508241615	6
164928BN	97.90	324	026508241622	6
164928ORB	107.70	324	026508241639	6
164929	56.55	325	026508241646	6
164929BN	82.05	325	026508241653	6
164929NL	81.80	325	026508271872	6
164929ORB	90.25	325	026508241660	6
165006	22.75	196	026508239926	20
165212	56.55	326	026508245644	12
165212BN	82.05	326	026508245651	12
169031	127.70	25	026508266199	12
172656	65.80	335	026508251003	6
172656BL	114.75	335	026508274675	6
172656BN	104.30	335	026508251010	6
172657	65.80	335	026508251027	6
172657BN	104.30	335	026508251034	6
172666	15.55	162	026508250938	20
172666BL	21.25	162		20
172666BN	19.30	162	026508250945	20
172666	15.55	162	026508250938	20
172666BN	19.30	162	026508250945	20
172666	15.55	162	026508250938	20

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
172666	15.55	162	026508250938	20
172666BN	19.30	162	026508250945	20
172666BL		162		
175385	69.05	335	026508257753	6
175385BN	107.15	335	026508257760	6
175385NL	107.15	335	026508257777	6
175385ORB	117.75	335	026508257784	6
176015	72.60	323	026508253335	12
176015BN	105.20	323	026508253359	12
176015ORB	115.80	323	026508253373	12
176015P	142.90	323	026508256695	12
176015WR	147.00	323	026508254028	12
176257	81.80	323	026508254974	6
176257BN	120.00	323	026508254981	6
179573	65.00	265	026508274224	1
179834	13.35	317	026508263969	20
180238	46.15	326	026508262276	6
181250	45.00	76	026508266601	12
221672	21.95	84	026508224519	12
221672BN	29.20	84	026508224526	12
221672NL	29.20	84	026508231135	12
221672ORB	32.25	84	026508224533	12
221673	14.90	90	026508224540	12
221673BN	19.85	90	026508224557	12
221673NL	19.85	90	026508231142	12
221673ORB	21.90	90	026508224564	12
221772	14.10	86	026508256947	12
221772BN	18.75	86	026508256954	12
226651	40.55	316	026508165751	6
226651BN	78.80	316	026508165782	6
226651NL	78.80	316	026508165799	6
226651ORB	86.60	316	026508165805	6
226651WR	86.60	316	026508165829	6
A501	88.35	332	026508149119	12
A501BN	110.45	332	026508149300	12
A501NL	110.45	332	026508149171	12
A501ORB	121.50	332	026508149256	12
A501P	110.45	332	026508149140	12
A501WR	121.50	332	026508149188	12
A701	44.30	331	026508232941	12
A701BN	64.15	331	026508232958	12
A701ORB	70.55	331	026508232965	12
A714	38.20	330	026508042847	24
A714NL	95.90	330	026508081006	24
A714ORB	61.00	330	026508181317	12
A714P	87.20	330	026508042861	12
A714ST	55.45	330	026508081013	24
A714WR	61.00	330	026508167014	12
A720	67.90	331	026508042892	12
A720BN	92.25	331	026508141984	12
A720ORB	101.45	331	026508141991	12
A720P	81.45	331	026508079447	12
A721	60.85	329	026508227725	12
A721BN	85.80	329	026508227732	12
A725	47.60	329	026508044551	12
A725BN	67.35	329	026508121955	12
A725CBN	69.75	329	026508191224	12
A725NL	67.35	329	026508079232	12
A725ORB	74.10	329	026508132166	12
A725P	67.35	329	026508044575	12
A725WR	74.10	329	026508121962	12
A726	91.10	328	026508073032	12
A726BR	168.55	328	026508181225	12
A726NL	162.60	328	026508079638	24
A726P	162.60	328	026508073049	24
A726ST	162.60	328	026508079645	24

SUGGESTED LIST PRICES

Wholesale

Listed in numerical order

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
A726WR	103.70	328	026508118412	6
A730	46.55	330	026508073100	12
A730P	107.90	330	026508073117	12
A730ST	107.90	330	026508079768	12
A735	142.20	327	026508172728	6
A735BN	206.15	327	026508172735	6
A735CP	163.50	327	026508172780	6
A735ORB	218.85	327	026508172742	6
A735P	218.85	327	026508172803	6
A735WR	218.85	327	026508172766	6
A742	153.75	327	026508204078	6
A742BN	223.05	327	026508205433	6
A755	121.70	329	026508232972	12
A755BN	176.45	329	026508232989	12
A755ORB	194.10	329	026508232996	12
A780	107.40	328	026508227138	20
A1616	117.40	129	026508125786	6
A1616BN	168.10	129	026508125793	6
A1616ORB	185.00	129	026508132142	6
A1616P	188.30	183	026508232491	6
A1616WR	185.00	183	026508125809	6
A1717	130.40	141	026508166116	6
A1717BN	186.85	141	026508166123	6
A1717ORB	203.00	216	026508199015	6
A2020	129.20	232	026508206973	6
A2020BN	185.05	232	026508206980	6
ARC-4200	62.50	79	029122010520	60
AS-4201-AL	12.50	79	029122010667	100
AS-4201-BIS	12.50	79	029122010643	100
AS-4201-BR	21.00	79	029122010650	100
AS-4201-BRB	31.75	79	026508251706	100
AS-4201-CH	21.00	79	029122010681	100
AS-4201-SN	42.00	79	029122010674	100
AS-4201-WH	12.50	79	029122010636	100
AT2099	15.50	317	026508065112	12
AT2099BN	39.40	317	026508105924	12
AT2099ORB	43.30	317	026508132173	12
AT2099P	41.70	317	026508065129	12
AT2199	7.35	317	026508065136	48
AT2199BN	19.35	317	026508130162	48
AT2199NL	19.35	317	026508104057	48
AT2199ORB	21.35	317	026508132180	48
AT2199P	20.50	317	026508065143	48
AT2199SLP	13.85	317	026508123386	48
AT2199WR	21.35	317	026508118436	12
BG222173	108.45	72	026508241028	25
BG222174	108.45	72	026508241035	25
BH3803CH	21.30	247	034584024848	12
BH3808CH	38.35	247	034584024855	3
BH3818CH	38.65	247	034584024862	3
BH3824CH	40.00	247	034584024879	3
BH3886CH	29.30	247	034584024886	3
BP3703BN	25.40	348	034584025401	24
BP3703CH	22.55	348	034584025418	24
BP3708BN	35.05	348	034584025425	6
BP3708CH	31.20	348	034584025432	6
BP3718BN	49.65	348	034584025449	6
BP3718CH	44.20	348	034584025456	6
BP3724BN	54.00	348	034584025463	6
BP3724CH	46.20	348	034584025470	6
BP3786BN	37.25	348	034584025487	6
BP3786CH	33.15	348	034584025494	6
CL703	75.55	331	026508250549	12
CL703BN	109.55	331	026508250556	12
CL703ORB	120.50	331	026508250563	12
CL707	102.55	331	026508250570	12
CL707BN	148.65	331	026508250587	12
CL707ORB	163.60	331	026508250594	12
CL6302	82.55	309	026508254240	12
CL6302BN	128.95	309	026508254257	12
CL6302EP	82.55	309	026508266892	12
CL6302EPBN	128.95	309	026508266908	12
CL6303	45.65	313	026508254264	12
CL6303BN	69.95	313	026508254271	12
CL6303EP	45.65	313	026508266878	12
CL6303EPBN	69.95	313	026508266885	12
CL10154	26.40	316	026508254103	12
CL10154BN	53.50	316	026508254110	12
CL26500	48.60	312	026508254226	12
CL26500BN	79.35	312	026508254233	12
CL26500EP	48.60	312	026508266915	12
CL26500EPBN	79.35	312	026508266922	12
CL123815	33.20	316	026508254127	12
CL123815BN	62.50	316	026508254134	12
CL155694	21.80	330	026508254141	12
CL155694BN	31.50	330	026508254158	12
CL155747	56.55	325	026508254776	6
CL155747BN	82.05	325	026508254783	6
CL155748	33.70	328	026508254165	12
CL155748BN	49.00	328	026508254172	12
CL164928	67.55	324	026508254202	6
CL164928BN	97.90	324	026508254219	6
CLA701	44.30	331	026508254288	12
CLA701BN	64.15	331	026508254295	12
CSR2160BN	51.85	349	034584008848	10
CSR2160CH	47.10	349	034584008831	10
CSR2160OWB	59.30	349	034584008855	10
CSR2164BN	51.85	349	034584024381	10
CSR2164CH	47.10	349	034584024374	10
CSR2164OWB	59.30	349	034584024398	10
CSR2165BN	39.90	349	034584008800	10
CSR2165CH	37.30	349	034584008794	10
CSR2165OWB	47.95	349	034584011336	10
DN0703BN	20.75	345	034584012890	24
DN0703CH	18.45	345	034584008268	12
DN0705BN	9.25	345	034584018472	144
DN0705CH	7.95	345	034584018489	144
DN0707BN	17.10	345	034584018144	144
DN0707CH	15.85	345	034584018496	144
DN0708BN	44.15	345	034584012906	3
DN0708CH	39.20	345	034584008275	3
DN0709BN	37.35	345	034584017307	3
DN0709CH	33.40	345	034584017314	3
DN0718BN	40.55	345	034584012913	3
DN0718CH	36.10	345	034584008282	3
DN0722BN	66.10	345	034584012920	3
DN0722CH	58.85	345	034584008299	3
DN0724BN	44.15	345	034584012937	3
DN0724CH	39.20	345	034584008305	3
DN0761BN	134.40	346	034584018625	2
DN0761CH	106.75	346	034584018632	2
DN0762BN	188.15	346	034584018649	2
DN0762CH	152.35	346	034584018656	2
DN0763BN	233.65	346	034584018663	2
DN0763CH	186.85	346	034584018670	2
DN0764BN	299.15	346	034584018687	2
DN0764CH	239.35	346	034584018694	2
DN0786BN	28.65	345	034584012982	3
DN0786CH	25.50	345	034584008312	3
DN0790BN	74.15	345	034584012999	3
DN0790CH	65.90	345	034584008329	3
DN0792BN	107.20	345	034584013101	3

Wholesale

Listed in numerical order

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
DN0792CH	95.20	345	034584008336	3
DN0794BN	166.85	345	034584015174	2
DN0794CH	154.30	345	034584015167	2
DN2141BN	69.70	349	034584017543	2
DN2141CH	63.95	349	034584017536	2
DN2141OWB	81.15	349	034584017550	2
DN6801BN	28.40	344	034584001146	12
DN6801CH	18.70	344	034584001139	3
DN6801ORB	32.70	344	034584009333	12
DN6803BN	19.45	344	034584483317	12
DN6803CH	11.00	344	034584483300	3
DN6803ORB	19.70	344	034584015983	24
DN6808BN	30.35	344	034584483331	3
DN6808CH	21.10	344	034584483324	3
DN6808ORB	33.55	344	034584015990	3
DN6818BN	35.85	344	034584483355	3
DN6818CH	24.65	344	034584483348	3
DN6818ORB	37.25	344	034584016003	3
DN6822BN	59.15	344	034584002297	3
DN6824BN	38.90	344	034584483379	3
DN6824CH	26.70	344	034584483362	3
DN6824ORB	40.50	344	034584016010	3
DN6850BN	57.85	344	034584483416	2
DN6886BN	27.15	344	034584483393	3
DN6886CH	17.40	344	034584483386	3
DN6886ORB	27.45	344	034584016027	3
DN6890BN	58.60	344	034584485564	3
DN6892BN	111.65	344	034584002235	3
DN7025	49.00	352	034584179661	2
DN7065	119.95	352	034584484284	2
DN7110	375.05	352	034584019141	2
DN7110OWB	435.05	352	034584023827	2
DN8303BN	15.70	347	034584004482	24
DN8303CH	14.05	347	034584004413	24
DN8308BN	30.00	347	034584004499	3
DN8308CH	26.90	347	034584004420	3
DN8318BN	30.75	347	034584004505	3
DN8318CH	27.50	347	034584004437	3
DN8322BN	50.80	347	034584004512	3
DN8322CH	45.45	347	034584004444	3
DN8324BN	33.35	347	034584004529	3
DN8324CH	29.80	347	034584004451	3
DN8386BN	21.70	347	034584004536	3
DN8386CH	19.45	347	034584004468	3
DN8390BN	56.65	347	034584004543	3
DN8390CH	50.80	347	034584004475	3
G16100	1,809.85	57	026508240267	1
G16200	1,961.15	57	026508240274	1
G16221	2,041.10	57	026508240281	1
G16430	1,070.30	57	026508240298	1
G18110	875.25	62	026508240304	1
G18121	997.80	59	026508248447	1
G18160	627.80	60	026508248133	1
G18161	673.85	60	026508265079	1
G18163	716.85	60	026508256206	1
G18165	929.85	60	026508248126	1
G18180	693.65	58	026508248119	1
G18185	586.80	58	026508248140	1
G18190	582.40	62	026508240311	1
G18191	351.15	62	026508240328	1
G18192	329.50	62	026508240335	1
G18192B	329.50	62	026508271285	1
G18192L	329.50	62	026508271292	1
G18195	307.70	62	026508244470	1
G18195L	307.70	62	026508248089	1
G18210	529.50	61	026508240366	1
G18211	557.40	61	026508240373	1
G18212	808.25	61	026508240403	1
G18212B	808.25	61	026508265086	1
G18215	304.35	61	026508248096	1
G18220	1,048.45	58	026508248454	1
G18231	821.20	61	026508240458	1
G18232	625.30	61	026508240465	1
G18237	918.45	59	026508240489	1
G18242	826.55	61	026508240496	1
G18246	961.70	59	026508240502	1
G18252	889.95	59	026508255032	1
G18253	940.05	59	026508255049	1
G18255	783.35	60	026508240519	1
G18256	432.20	60	026508240526	1
G18258B	406.25	60	026508265093	1
G18264	961.70	59	026508240557	1
G18265	649.40	60	026508240564	1
G18273	918.45	59	026508240571	1
G18287	747.10	58	026508248157	1
G18288	694.70	58	026508248164	1
G18440	340.35	63	026508240618	1
G18442	420.35	63	026508240625	1
G18443	332.30	63	026508240632	1
G18450	248.55	63	026508240649	1
G18461	426.50	62	026508248171	1
G20160	361.95	65	026508240656	1
G20192	224.25	66	026508240663	1
G20192B	224.25	66	026508258422	1
G20193	211.75	66	026508240670	1
G20194B	200.10	66	026508271308	1
G20210	298.25	66	026508240687	1
G20210B	298.25	66	026508258439	1
G20214	269.60	66	026508240694	1
G20214B	269.60	66	026508271339	1
G20253	315.50	65	026508240700	1
G20256	391.45	65	026508240717	1
G20273	356.60	65	026508240724	1
G181631Q	522.20	64	026508274361	1
G181953Q	577.75	64	026508274378	1
G181954Q	577.75	64	026508274385	1
G182114Q	493.85	64	026508274392	1
G182133Q	392.80	64	026508274408	1
G182134Q	392.80	64	026508274415	1
G182154Q	374.85	64	026508274422	1
G182571Q	775.65	63	026508274439	1
G182574Q	775.65	63	026508274446	1
G201961	133.95	68	026508256213	1
G201962	133.95	68	026508248065	1
G201963	133.95	68	026508239209	1
G201964	133.95	68	026508240588	1
G201974L	125.95	68	026508271315	1
G201974R	125.95	68	026508271322	1
G202131	194.50	68	026508248072	1
G202133	194.50	68	026508240595	1
G202134	194.50	68	026508241066	1
G202153	187.25	68	026508241073	1
G202154	187.25	68	026508241080	1
G202173B	176.00	68	026508271346	1
G202174B	176.00	68	026508271353	1
G202334	273.05	67	026508241097	1
G202591	334.40	67	026508241103	1
G202594	334.40	67	026508241127	1
G202714	192.55	67	026508241134	1
G202721	206.40	67	026508241158	1
G202852B	172.50	67	026508271360	1
G202853	172.50	67	026508258446	1

Wholesale

Listed in numerical order

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
G202854	172.50	67	026508241165	1
G202861	218.70	67	026508259566	1
G202864	218.70	67	026508258453	1
G204502	167.50	66	026508240731	1
G204571	194.55	69	026508258460	1
G204573	194.55	69	026508241172	1
G221963	131.10	70	026508241219	1
G221964	131.10	70	026508241226	1
G221983	97.65	70	026508241233	1
G221984	97.65	70	026508241240	1
G222133	181.50	70	026508240748	1
G222134	181.50	70	026508240755	1
G222173	115.90	70	026508241288	1
G222174	115.90	70	026508241301	1
G2245622	80.40	70	026508241332	1
GA716	100.65	74	026508248027	10
GA719	145.45	73	026508248034	8
GA726	70.75	74	026508248041	15
GA728	95.45	74	026508248058	12
GA746B	119.85	73	026508248188	15
GA748B	135.90	73	026508248195	12
GA749B	152.10	73	026508248201	6
GA760	170.15	73	026508248218	6
GA763	125.80	73	026508248225	12
GA768	148.45	73	026508248232	10
GA771	163.50	74	026508248249	6
GA772	125.30	74	026508248256	12
GA780B	166.25	74	026508248263	6
GA781B	148.45	74	026508248270	8
GA782B	125.80	74	026508248287	15
GA785B	137.25	74	026508248294	12
GA821	92.60	75	026508248331	10
GA841	125.30	75	026508248348	10
GA922	111.65	75	026508248386	5
GA944	163.20	75	026508248393	5
GX50C	172.00	79	026508261798	2
GX75C	292.00	78	026508261774	2
GX100C	372.00	78	026508261767	1
GXB75C	319.75	78	026508274453	2
GXL1000C	452.00	78	026508261750	1
GXP33C	113.25	79	026508261811	2
GXP50C	133.25	79	026508261804	2
GXS75C	238.70	78	026508261781	2
KG2045522	97.05	69	026508241349	1
KG2045622	97.05	69	026508241356	1
L2352	147.35	254	026508047538	6
L2352EP	147.35	254	026508269787	6
L2353	168.40	252	026508047569	6
L2353EP	168.40	252	026508269794	6
L2361	160.50	256	026508047613	6
L2362	171.30	254	026508047545	6
L2363	192.40	252	026508047583	6
L2368EP	213.05	254	026508241813	3
L2369EP	229.85	253	026508241820	3
L4601	128.70	248	026508047293	12
L4605	128.70	248	026508060759	12
L4621	158.95	248	026508047286	12
L4621BC	190.75	248	026508136706	12
L4621P	269.05	248	026508047385	12
L4625	158.95	248	026508047323	6
L4631BC	190.75	248	026508139301	6
L4635	158.95	248	026508061527	12
LR2350DBN	57.10	351	034584017598	3
LR2350DCH	54.90	351	034584020857	3
LR2350DOWB	60.55	351	034584020864	3
LR2352DBN	57.10	351	034584017604	3
LR2352DCH	54.90	351	034584020871	3
LR2352DOWB	60.55	351	034584020888	3
LR2354DBN	57.10	351	034584020550	3
LR2354DCH	54.90	351	034584020918	3
LR2354DOWB	60.55	351	034584020925	3
LR2356DCH	54.90	351	034584020895	3
P26100EP	59.95	324	026508266540	12
R2356DBN	57.10	351	034584025258	3
R2356DOWB	60.55	351	034584025265	3
S110	106.35	315	026508242353	6
S110BN	128.75	315	026508242360	6
S112	363.70	303	026508132753	3
S112BN	492.40	303	026508132760	3
S112NL	541.60	303	026508144671	3
S112ORB	541.60	303	026508144664	3
S112WR	541.60	303	026508132777	3
S112EP	363.70	303	026508221761	3
S112EPBN	492.40	303	026508222065	3
S112EPNL	541.60	303	026508222072	3
S112EPORB	541.60	303	026508222089	3
S113	106.35	315	026508133965	3
S113BN	128.75	315	026508133972	3
S113NL	128.75	315	026508144695	3
S113ORB	141.60	315	026508144688	3
S113WR	141.60	315	026508133989	3
S114	124.25	333	026508185261	6
S114BN	203.30	333	026508185278	6
S114NL	203.30	333	026508185285	6
S114ORB	223.55	333	026508185292	6
S115	135.10	104	026508186190	6
S115BN	223.15	104	026508186206	6
S115NL	223.15	104	026508186213	6
S115ORB	245.45	104	026508186220	6
S122	40.80	315	026508223499	6
S122BN	84.40	315	026508223512	6
S122ORB	92.85	315	026508223529	6
S133	40.80	315	026508223536	6
S133BN	84.40	315	026508223543	6
S156	161.40	305	026508167908	3
S176	161.40	305	026508139189	3
S176BN	221.95	305	026508152911	3
S176EP	161.40	305	026508214558	3
S176EPBN	221.95	305	026508214565	3
S177	40.70	315	026508223550	6
S177BN	84.40	315	026508223574	6
S411	447.50	104	026508132524	3
S411BN	685.70	104	026508132739	3
S411NL	685.70	104	026508144558	3
S411ORB	739.65	104	026508144541	3
S664	727.50	43	026508200063	3
S664ORB	1,099.55	43	026508169032	3
S664SRS	999.65	43	026508234242	3
S665	727.50	43	026508205617	3
S665SRS	999.65	43	026508234259	3
S711	550.90	29	026508098943	2
S711ORB	816.90	29	026508144442	2
S711SRS	742.50	29	026508242056	3
S712	694.70	29	026508132678	2
S712ORB	1,040.85	29	026508144428	2
S712SRS	946.20	29	026508242063	2
S713	912.55	29	026508132784	3
S713ORB	1,355.10	29	026508144404	3
S713SRS	1,231.95	29	026508242070	3
S713WR	1,355.10	29	026508132807	3
S1300	84.60	332	026508219621	6
S1311	387.95	303	026508152171	3

Wholesale

Listed in numerical order

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
S1311BN	529.55	303	026508152188	3
S1311NL	529.55	303	026508231197	3
S1311ORB	582.40	303	026508152195	3
S1311EP	387.95	303	026508213988	3
S1311EPBN	529.55	303	026508214015	3
S1311EPNL	529.55	303	026508231180	3
S1311EPORB	582.40	303	026508214022	3
S3102	700.00	265	026508269916	3
S3104	1,500.00	265	026508269923	3
S3371	490.25	89	026508216408	6
S3600	124.60	89	026508216439	12
S3840	76.85	334	026508220726	6
S3840BN	119.05	334	026508220894	6
S3842	61.85	338	026508220733	6
S3842BN	95.75	338	026508220917	6
S3859	91.80	333	026508220740	6
S3859AZ	146.35	333	026508220924	6
S3859BN	133.15	333	026508220931	6
S3859ORB	146.35	333	026508220948	6
S3860	90.30	338	026508220412	6
S3860BN	131.00	338	026508220436	6
S3860ORB	144.00	338	026508220443	6
S3870EP	311.25	318	026508228975	6
S3870EPBN	624.25	318	026508228982	6
S3870EPORB	687.30	318	026508228999	6
S3879EP17	274.75	318	026508250730	6
S3879EP17BN	551.25	318	026508250747	6
S3879EP	274.75	318	026508221884	6
S3879EPBN	551.25	318	026508221891	6
S3894	95.90	333	026508240144	6
S3896	91.80	333	026508220764	6
S3896BN	133.15	333	026508222126	6
S3898	90.30	338	026508220450	6
S3898BN	131.00	338	026508220467	6
S3900	123.75	333	026508263990	6
S3945C	133.10	52	026508248911	6
S3945ORB	166.35	52	026508248928	6
S3945SRS	159.80	52	026508248935	6
S3946BL	146.35	52	026508247167	6
S3946C	133.10	52	026508248942	6
S3946ORB	166.35	52	026508248959	6
S3946SRS	159.80	52	026508248966	6
S3947C	133.10	52	026508248973	6
S3947SRS	159.80	52	026508247327	6
S3948C	133.10	52	026508247150	6
S3948ORB	166.35	52	026508250273	6
S3948SRS	159.80	52	026508250280	6
S5170	406.30	45	026508222102	3
S5170SRS	507.85	45	026508241974	3
S5500	235.75	50	026508249475	6
S5510	272.45	50	026508249482	3
S5510ORB	419.15	50	026508249499	3
S5510SRS	381.40	50	026508249505	3
S5520	272.45	50	026508249512	3
S5520ORB	419.15	50	026508249529	3
S5520SRS	381.40	50	026508249536	3
S5530	272.45	50	026508249543	3
S5530SRS	381.40	50	026508249550	3
S6202	400.40	129	026508216507	3
S6202BN	661.00	129	026508216521	3
S6202ORB	696.25	129	026508216538	3
S6310	161.40	305	026508220771	3
S6310BN	221.95	305	026508220986	3
S6310NL	211.35	305	026508234549	3
S6310ORB	233.00	305	026508220993	3
S6310EP	161.40	305	026508221921	3
S6310EPBN	221.95	305	026508221938	3
S6310EPNL	211.35	305	026508234389	3
S6310EPORB	233.00	305	026508221945	3
S6312	105.00	307	026508220788	12
S6312BN	124.80	307	026508221037	12
S6312NL	124.80	307	026508260869	12
S6312ORB	137.25	307	026508260876	12
S6312EP	105.00	307	026508222003	12
S6312EPBN	124.80	307	026508222027	12
S6312EPNL	124.80	307	026508260845	6
S6312EPORB	137.25	307	026508260852	6
S6320	252.90	304	026508220795	3
S6320BN	397.35	304	026508221068	3
S6320ORB	437.10	304	026508221075	3
S6320EP	252.90	304	026508221853	3
S6320EPBN	397.35	304	026508221860	3
S6320EPORB	437.10	304	026508221877	3
S6335	126.55	307	026508220849	6
S6335BN	172.30	307	026508220863	6
S6335ORB	189.45	307	026508220870	6
S6335EP15	126.55	307	026508264218	6
S6335EP	126.55	307	026508221778	6
S6335EPBN	172.30	307	026508222041	6
S6335EPORB	189.45	307	026508222058	6
S6340	161.40	305	026508220801	3
S6340BN	221.95	305	026508220634	3
S6340EP15	161.40	306	026508241790	3
S6340EP15BN	221.95	306	026508241806	3
S6340EP20	161.40	306	026508245934	3
S6340EP	161.40	306	026508221907	3
S6340EPBN	221.95	306	026508221914	3
S6345	252.90	304	026508260944	3
S6345BN	397.35	304	026508260951	3
S6345EP	252.90	304	026508260968	3
S6345EPBN	397.35	304	026508260975	3
S6360	234.95	304	026508220481	3
S6360BN	352.50	304	026508220498	3
S6360ORB	388.35	304	026508224953	3
S6360EP	234.95	304	026508220504	3
S6360EPBN	352.50	304	026508220511	3
S6360EPORB	388.35	304	026508224946	3
S6365	161.40	306	026508230220	3
S6365BN	221.95	306	026508230237	3
S6365ORB	233.00	306	026508230275	3
S6365EP	161.40	306	026508230244	3
S6365EPBN	221.95	306	026508230251	3
S6365EPORB	233.00	306	026508230268	3
S6500	348.55	141	026508216545	3
S6500BN	575.55	141	026508216569	3
S6510	286.80	141	026508216576	3
S6510BN	435.25	141	026508216590	3
S6700	400.40	111	026508216606	3
S6700BN	661.00	111	026508216613	3
S6705	500.45	111	026508242377	3
S6705BN	826.20	111	026508242384	3
S6711	560.40	111	026508216620	3
S6711BN	844.95	111	026508216637	3
S7170	451.45	30	026508216644	3
S7170SRS	564.30	30	026508242100	3
S7597C	688.10	30	026508216668	3
S7597SRS	836.35	30	026508242124	3
	320.00	124	026508261446	3
S8001	310.00	124	026508261453	3
S11705EP	223.85	321	026508221969	6
S11705EPBN	324.45	321	026508221952	6
S12104	140.70	333	026508215531	6

Wholesale

Listed in numerical order

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
S12104BN	222.85	333	026508215548	6
S12104NL	225.05	333	026508231166	6
S12104ORB	245.10	333	026508215555	6
S12107EP	452.25	318	026508218945	6
S12107EPBN	639.50	318	026508218952	6
S12107EPNL	639.50	318	026508231173	6
S12107EPORB	703.40	318	026508218969	6
S22105	1,604.15	86	026508251072	1
S22105BN	2,326.05	86	026508251089	1
S22110	1,604.15	86	026508255001	1
S22110BN	2,326.05	86	026508255018	1
S42107	513.20	84	026508215562	3
S42107BN	789.45	84	026508215579	3
S42107NL	789.45	84	026508231203	3
S42107ORB	851.80	84	026508215586	3
S43001	468.50	95	026508242391	3
S43001BN	682.95	95	026508242407	3
S62101	439.70	44	026508236420	3
S62101NL	659.65	44	026508236437	3
S62101ORB	753.30	44	026508236444	3
S62101SRS	690.40	44	026508236451	3
S62308	410.55	45	026508236796	3
S62308BL	540.60	45	026508236802	3
S62308SRS	540.60	45	026508236819	3
S62608	466.80	44	026508248478	3
S62608SRS	606.80	44	026508248485	3
S72101	731.70	30	026508236468	3
S72101NL	873.60	30	026508236475	3
S72101ORB	1,004.40	30	026508236482	3
S72101SRS	965.75	30	026508236499	3
S72308	513.15	31	026508236826	3
S72308BL	675.80	31	026508236833	3
S72308EC	846.05	25	026508257968	3
S72308ESRS	933.20	25	026508257975	3
S72308SRS	675.80	31	026508236840	3
S72608	518.65	31	026508248492	3
S72608SRS	674.25	31	026508248508	3
S93005	1,512.20	96	026508251096	1
S93005BN	2,192.70	96	026508251102	1
SMA1000CH	30.05	351	034584007728	24
SMA1000OWB	30.05	351	034584007735	24
SMA1001CH	26.70	351	034584007759	10
SR2100BN	13.20	349	034584013361	25
SR2100CH	11.50	349	034584013354	25
SR2100OWB	13.40	349	034584013378	25
T181	33.30	256	026508029565	12
T373	284.35	209	026508261316	3
T373BN	419.25	209	026508261323	3
T393	351.20	163	026508249642	3
T393BN	490.80	163	026508249659	3
T394	547.10	164	026508249666	3
T394BN	900.60	164	026508249673	3
T653	351.20	154	026508253830	3
T653BN	490.80	154	026508253847	3
T653NL	490.80	154	026508256091	3
T653ORB	539.85	154	026508256107	3
T654	547.10	155	026508256114	3
T654BN	900.60	155	026508254448	3
T654NL	900.60	155	026508254509	3
T654ORB	990.60	155	026508254578	3
T657	358.20	154	026508253854	3
T657BN	500.60	154	026508253861	3
T657NL	500.60	154	026508256121	3
T657ORB	550.65	154	026508256138	3
T658	558.10	155	026508256145	3
T658BN	918.60	155	026508256152	3
T658ORB	1,010.40	155	026508256176	3
T683	284.35	203	026508264621	3
T683BN	419.25	203	026508264638	3
T683ORB	460.00	203	026508264645	3
T693	351.20	174	026508230701	3
T693BN	490.80	174	026508230718	3
T693ORB	539.85	174	026508230725	3
T694	547.10	175	026508230732	3
T694BN	900.60	175	026508230749	3
T694ORB	990.60	175	026508230756	3
T920	403.90	185	026508126868	3
T920BN	564.30	185	026508126882	3
T920ORB	620.70	185	026508132494	3
T920P	617.00	185	026508164105	3
T920WR	620.70	185	026508126899	3
T922	629.20	186	026508126905	3
T922BN	1,035.65	186	026508126929	3
T922ORB	1,139.20	186	026508132500	3
T924	406.60	218	026508162019	3
T924BN	515.10	218	026508161036	3
T924ORB	566.60	218	026508161043	3
T933	258.95	217	026508162118	3
T933BN	387.45	217	026508162132	3
T933ORB	426.25	217	026508162125	3
T935	351.20	197	026508027806	3
T936	547.10	198	026508235171	3
T943	258.95	225	026508153192	3
T943BN	387.45	225	026508153208	3
T943ORB	426.25	225	026508153215	3
T944	406.60	226	026508153161	3
T944BN	515.10	226	026508153178	3
T944ORB	566.60	226	026508153185	3
T961	253.45	240	026508272190	3
T986	258.95	233	026508207178	3
T986BN	387.45	233	026508207185	3
T987	406.60	234	026508207192	3
T987BN	515.10	234	026508207208	3
T990	248.50	250	026508125724	6
T990BC	306.80	250	026508136751	6
T991	369.60	251	026508125731	6
T994	153.25	250	026508017173	6
T999	193.60	250	026508015858	6
T2111	111.90	193	026508107980	3
T2111BN	203.20	193	026508115305	3
T2111ORB	223.55	193	026508132364	3
T2111P	302.25	193	026508115220	3
T2111WR	223.55	193	026508115381	3
T2112	149.15	192	026508107997	3
T2112BN	271.25	192	026508115312	3
T2112NH	118.65	192	026508208885	3
T2112NHBN	215.45	192	026508208915	3
T2112NHORB	237.00	192	026508208922	3
T2112ORB	298.30	192	026508132371	3
T2112P	380.20	192	026508115237	3
T2112WR	298.30	192	026508115398	3
T2112EP	149.15	192	026508208823	3
T2112EPBN	271.25	192	026508208854	3
T2112EPORB	298.30	192	026508208861	3
T2112EPP	380.20	192	026508232507	3
T2113	189.70	191	026508108000	3
T2113BN	344.80	191	026508115329	3
T2113NH	127.75	191	026508209004	3
T2113NHBN	249.85	191	026508209035	3
T2113NHORB	274.85	191	026508209042	3
T2113ORB	379.45	191	026508132388	3
T2113P	469.30	191	026508115244	3

Wholesale

Listed in numerical order

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
T2113WR	379.45	191	026508115404	3
T2113EP	189.70	191	026508208946	3
T2113EPBN	344.80	191	026508208977	3
T2113EPORB	379.45	191	026508208984	3
T2113EPP	469.30	191	026508232521	3
T2131	52.80	229	026508153222	3
T2131BN	120.55	229	026508153239	3
T2131ORB	132.60	229	026508153246	3
T2132	69.20	228	026508153253	3
T2132BN	149.00	228	026508153260	3
T2132ORB	163.85	228	026508153277	3
T2132NHBN	127.75	228	026508207819	3
T2132NHORB	140.50	228	026508207826	3
T2132EPBN	149.00	228	026508209066	3
T2132EPORB	163.85	228	026508209073	3
T2133	100.80	227	026508153284	3
T2133BN	196.55	227	026508153291	3
T2133ORB	216.20	227	026508153307	3
T2133NHBN	150.55	227	026508207857	3
T2133NHORB	161.10	227	026508207864	3
T2133EPBN	196.55	227	026508207833	3
T2133EPORB	216.20	227	026508207840	3
T2137EP	123.65	227	026508272411	3
T2137EPBN	227.35	227	026508272428	3
T2137EPORB	251.60	227	026508272435	3
T2151	52.80	221	026508162149	3
T2151BN	120.55	221	026508162163	3
T2151ORB	132.60	221	026508162156	3
T2152	69.20	220	026508162170	3
T2152BN	149.00	220	026508162194	3
T2152ORB	163.85	220	026508162187	3
T2152NHBN	127.75	220	026508207895	3
T2152NHORB	140.50	220	026508207901	3
T2152EPBN	149.00	220	026508207871	3
T2152EPORB	163.85	220	026508207888	3
T2153	100.80	219	026508162200	3
T2153BN	196.55	219	026508162224	3
T2153ORB	216.20	219	026508162217	3
T2153NHBN	150.55	219	026508207932	3
T2153NHORB	161.10	219	026508207949	3
T2153EPBN	196.55	219	026508207918	3
T2153EPORB	216.20	219	026508207925	3
T2157EP	123.65	219	026508272442	3
T2157EPBN	227.35	219	026508272459	3
T2157EPORB	251.60	219	026508272466	3
T2181	65.70	206	026508264423	3
T2181BN	136.80	206	026508264430	3
T2181ORB	149.45	206	026508264447	3
T2182	82.90	205	026508264454	3
T2182BN	166.65	205	026508264461	3
T2182ORB	182.20	205	026508264508	3
T2182EP	82.90	205	026508264478	3
T2182EPBN	166.65	205	026508264485	3
T2182EPORB	182.20	205	026508264492	3
T2183	116.05	204	026508264515	3
T2183BN	216.55	204	026508264522	3
T2183ORB	237.20	204	026508264560	3
T2183EP	116.05	204	026508264539	3
T2183EPBN	216.55	204	026508264546	3
T2183EPORB	237.20	204	026508264553	3
T2191	111.90	170	026508249680	3
T2191BL	223.55	170	026508275030	3
T2191BN	203.20	170	026508249178	3
T2192	149.15	169	026508249710	3
T2192BN	271.25	169	026508249727	3
T2192NH	118.65	169	026508249314	3
T2192NHBL	287.00	169	026508275047	3
T2192NHBN	215.45	169	026508249321	3
T2192EP	149.15	169	026508249185	3
T2192EPBN	271.25	169	026508249192	3
T2193	189.70	168	026508249758	3
T2193BN	344.80	168	026508249765	3
T2193NH	127.75	168	026508249338	3
T2193NHBL	458.75	168	026508275054	3
T2193NHBN	249.85	168	026508249345	3
T2193EP	189.70	168	026508249208	3
T2193EPBN	344.80	168	026508249772	3
T2232EP	107.75	228	026508271414	4
T2232EPBN	185.85	228	026508271544	4
T2232EPORB	200.35	228	026508271551	4
T2233EP	138.65	227	026508271407	4
T2233EPBN	232.35	227	026508271568	4
T2233EPORB	251.60	227	026508271575	4
T2252EP	107.75	220	026508271391	3
T2252EPBN	185.85	220	026508271582	4
T2252EPORB	200.35	220	026508271599	4
T2253EP	138.65	219	026508271384	3
T2253EPBN	232.35	219	026508271605	4
T2253EPORB	251.60	219	026508271612	4
T2282EP	122.90	205	026508271438	4
T2282EPBN	206.65	205	026508271629	4
T2282EPORB	220.20	205	026508271636	4
T2283EP	156.05	204	026508271421	4
T2283EPBN	256.55	204	026508271643	4
T2283EPORB	277.20	204	026508271650	4
T2471	51.70	246	026508271223	3
T2472NH	53.45	245	026508271247	3
T2472EP	56.20	245	026508271230	3
T2473NH	72.50	244	026508271261	3
T2473EP	84.65	244	026508271254	3
T2661	51.70	215	026508273081	3
T2662NH	53.45	215	026508273104	3
T2662EP	56.20	215	026508273098	3
T2663NH	72.50	214	026508273128	3
T2663EP	84.65	214	026508273111	3
T2691	111.90	180	026508230282	3
T2691BN	203.20	180	026508230299	3
T2691ORB	223.55	180	026508230305	3
T2692	149.15	179	026508230312	3
T2692BN	271.25	179	026508230329	3
T2692NH	118.65	179	026508230367	3
T2692NHBN	215.45	179	026508230374	3
T2692NHORB	237.00	179	026508230381	3
T2692ORB	298.30	179	026508230398	3
T2692EP	149.15	179	026508230336	3
T2692EPBN	271.25	179	026508230343	3
T2692EPORB	298.30	179	026508230350	3
T2693	189.70	178	026508230404	3
T2693BN	344.80	178	026508230411	3
T2693NH	127.75	178	026508230459	3
T2693NHBN	249.85	178	026508230466	3
T2693NHORB	274.85	178	026508230473	3
T2693ORB	379.45	178	026508230480	3
T2693EP	189.70	178	026508230428	3
T2693EPBN	344.80	178	026508230435	3
T2693EPORB	379.45	178	026508230442	3
T2741	65.70	212	026508261217	3
T2741BN	136.80	212	026508261224	3
T2742	82.90	211	026508261231	3
T2742BN	166.65	211	026508261248	3
T2742EP	82.90	211	026508261255	3
T2742EPBN	166.65	211	026508261262	3

Wholesale

Listed in numerical order

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
T2743	116.05	210	026508261279	3
T2743BN	216.55	210	026508261286	3
T2743EP	116.05	210	026508261293	3
T2743EPBN	216.55	210	026508261309	3
T2801	52.80	237	026508207055	3
T2801BN	120.55	237	026508207062	3
T2802	69.20	236	026508207079	3
T2802BN	149.00	236	026508207086	3
T2802NH	59.05	236	026508224489	3
T2802NHBN	127.75	236	026508208328	3
T2802EPBN	149.00	236	026508208311	3
T2803	100.80	235	026508207093	3
T2803BN	196.55	235	026508207109	3
T2803NH	73.75	235	026508224496	3
T2803NHBN	150.55	235	026508208342	3
T2803EPBN	196.55	235	026508208335	3
T2811	111.90	201	026508235102	3
T2812	149.15	200	026508235119	3
T2812NH	118.65	200	026508256671	3
T2812EP	149.15	200	026508235126	3
T2813	189.70	199	026508235133	3
T2813NH	127.75	199	026508256688	3
T2813EP	189.70	199	026508235140	3
T2842EP	122.90	211	026508271452	3
T2842EPBN	206.65	211	026508271667	4
T2843EP	156.05	210	026508271445	4
T2843EPBN	256.55	210	026508271674	4
T2901	51.70	243	026508272121	3
T2902NH	53.45	242	026508272145	3
T2902EP	56.20	242	026508272138	3
T2903NH	72.50	241	026508272169	3
T2903EP	84.65	241	026508272152	3
T3002EP	96.20	242	026508272176	4
T3003EP	124.65	241	026508272183	4
T3111	118.50	190	026508108017	3
T3111BN	276.50	190	026508115336	3
T3111ORB	304.15	190	026508132395	3
T3111P	321.25	190	026508115251	3
T3112	158.15	189	026508108024	3
T3112BN	358.25	189	026508115343	3
T3112NH	107.55	189	026508270820	3
T3112NHBN	243.60	189	026508270837	3
T3112NHORB	268.00	189	026508270844	3
T3112ORB	394.10	189	026508132401	3
T3112P	416.40	189	026508115268	3
T3113	214.55	188	026508108031	3
T3113BN	457.55	188	026508115350	3
T3113NH	145.90	188	026508270851	3
T3113NHBN	311.15	188	026508270868	3
T3113NHORB	342.20	188	026508270875	3
T3113ORB	503.20	188	026508132418	3
T3113P	531.60	188	026508115275	3
T3291	132.45	167	026508249819	3
T3291BN	282.20	167	026508249826	3
T3292	176.80	167	026508249215	3
T3292BN	365.80	167	026508249222	3
T3292NH	120.25	167	026508270882	3
T3292NHBN	248.75	167	026508270899	3
T3293	239.95	166	026508249239	3
T3293BN	467.05	166	026508249246	3
T3293NH	163.20	166	026508270905	3
T3293NHBN	317.60	166	026508270912	3
T3691	132.45	177	026508230497	3
T3691BN	282.20	177	026508230503	3
T3691ORB	310.45	177	026508230510	3
T3692	176.80	177	026508230527	3
T3692BN	365.80	177	026508230534	3
T3692NH	120.25	177	026508270929	3
T3692NHBN	248.75	177	026508270936	3
T3692ORB	402.35	177	026508230541	3
T3693	239.95	176	026508230558	3
T3693BN	467.05	176	026508230565	3
T3693NH	163.20	176	026508270943	3
T3693NHBN	317.60	176	026508270950	3
T3693ORB	513.75	176	026508230572	3
T4111	153.55	187	026508115176	3
T4111BN	206.25	187	026508115558	3
T4111ORB	226.90	187	026508132425	3
T4111P	227.80	187	026508115503	3
T4171	101.95	284	026508201947	6
T4171BN	137.05	284	026508201954	6
T4171ORB	150.75	284	026508201961	6
T4191	102.60	165	026508249253	12
T4191BL	151.65	165	026508275061	12
T4191BN	137.85	165	026508249260	12
T4192	137.00	165	026508260326	12
T4311	102.60	187	026508250402	6
T4311BN	137.85	187	026508250419	6
T4311ORB	151.65	187	026508250426	6
T4501	111.90	160	026508253441	3
T4501BN	203.20	160	026508253458	3
T4501NL	203.20	160	026508255759	3
T4501ORB	223.55	160	026508255766	3
T4502	149.15	159	026508253465	3
T4502BN	271.25	159	026508253472	3
T4502NH	118.65	159	026508253663	3
T4502NHBN	215.45	159	026508253502	3
T4502NL	271.25	159	026508255803	3
T4502ORB	298.30	159	026508255810	3
T4502EP	149.15	159	026508253489	3
T4502EPBN	271.25	159	026508253496	3
T4502EPORB	298.30	159	026508255780	3
T4503	189.70	158	026508253519	3
T4503BN	344.80	158	026508253526	3
T4503NH	127.75	158	026508253557	3
T4503NHBN	249.85	158	026508253670	3
T4503NL	344.80	158	026508255865	3
T4503ORB	379.45	158	026508255872	3
T4503EP	189.70	158	026508253533	3
T4503EPBN	344.80	158	026508253540	3
T4503EPORB	379.45	158	026508255834	3
T4511	102.60	156	026508253687	12
T4511BN	137.85	156	026508253694	12
T4511NL	137.85	156	026508255889	12
T4511ORB	151.65	156	026508255896	12
T4520	248.15	153	026508253403	3
T4520BN	417.10	153	026508253700	3
T4520NL	417.10	153	026508255902	3
T4520ORB	458.75	153	026508255919	3
T4524	253.10	153	026508253717	3
T4524BN	425.40	153	026508253762	3
T4524NL	425.40	153	026508255926	3
T4524ORB	467.95	153	026508255933	3
T4611	102.60	176	026508230589	12
T4611BN	137.85	176	026508230596	12
T4611ORB	151.65	176	026508230602	12
T4943	195.40	217	026508162088	3
T4943BN	255.05	217	026508162101	3
T4943ORB	280.50	217	026508162095	3
T5191	386.80	170	026508249277	3
T5191BN	529.70	170	026508249284	3
T5210	386.80	193	026508115152	3

Wholesale

Listed in numerical order

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
T5210BN	529.70	193	026508115565	3
T5210ORB	582.65	193	026508171905	3
T5220	353.50	229	026508171769	3
T5220BN	426.90	229	026508171776	3
T5220ORB	469.55	229	026508171783	3
T5225	353.50	221	026508171790	3
T5225BN	426.90	221	026508171806	3
T5225ORB	469.55	221	026508171813	3
T5245	386.80	160	026508255940	3
T5245BN	529.70	160	026508255957	3
T5245ORB	582.65	160	026508255971	3
T5269	386.80	180	026508230619	3
T5269BN	529.70	180	026508230626	3
T5269ORB	582.65	180	026508230633	3
T5501	132.45	157	026508253779	3
T5501BN	282.20	157	026508253786	3
T5501NL	282.20	157	026508256039	3
T5501ORB	310.45	157	026508256046	3
T5502	176.80	157	026508253793	3
T5502BN	365.80	157	026508253809	3
T5502NH	120.25	157	026508270974	3
T5502NHBN	248.75	157	026508270981	3
T5502NHORB	273.65	157	026508270998	3
T5502NL	365.80	157	026508256053	3
T5502ORB	402.35	157	026508256060	3
T5503	239.95	156	026508253816	3
T5503BN	467.05	156	026508253823	3
T5503NH	163.20	156	026508271001	3
T5503NHBN	317.60	156	026508271018	3
T5503NHORB	349.35	156	026508271025	3
T5503NL	467.05	156	026508256077	3
T5503ORB	513.75	156	026508256084	3
T6105	248.15	184	026508107966	3
T6105BN	417.10	184	026508115527	3
T6105ORB	458.75	184	026508132449	3
T6107	282.95	184	026508166031	3
T6107BN	460.75	184	026508166048	3
T6107ORB	506.95	184	026508166055	3
T6125	285.35	184	026508126820	3
T6125BN	479.55	184	026508126844	3
T6125ORB	527.55	184	026508132463	3
T6125P	539.95	184	026508164099	3
T6125WR	527.55	184	026508126851	3
T6142	155.25	239	026508272114	3
T6173	176.60	208	026508261330	3
T6173BN	259.80	208	026508261347	3
T6193	248.15	162	026508249857	3
T6193BL	458.75	162	026508275078	3
T6193BN	417.10	162	026508249291	3
T6420	158.65	224	026508153130	3
T6420BN	237.85	224	026508153147	3
T6420ORB	261.55	224	026508153154	3
T6620	158.65	216	026508162071	3
T6620BN	237.85	216	026508161012	3
T6620ORB	261.55	216	026508161029	3
T6805	176.60	202	026508264591	3
T6805BN	259.80	202	026508264607	3
T6805ORB	284.70	202	026508264614	3
T6820	158.65	232	026508207154	3
T6820BN	237.85	232	026508207161	3
T6905	248.15	172	026508230640	3
T6905BN	417.10	172	026508230657	3
T6905ORB	458.75	172	026508230664	3
T6906	282.95	173	026508230671	3
T6906BN	460.75	173	026508230688	3
T6906ORB	506.95	173	026508230695	3
T6920	248.15	196	026508235157	3
T62132NH	54.60	228	026508208366	12
T62132EP	57.40	228	026508208359	12
T62133NH	74.10	227	026508208380	12
T62133EP	86.50	227	026508208373	12
T62152NH	54.60	220	026508208403	12
T62152EP	57.40	220	026508208397	12
T62153NH	74.10	219	026508208427	12
T62153EP	86.50	219	026508208410	12
T62802EP	57.40	236	026508208434	12
T62803EP	86.50	235	026508208458	12
T90331	31.25	340	026508184455	12
T90331BN	98.55	340	026508184509	12
T90331NL	98.55	340	026508184516	12
T90331ORB	108.45	340	026508184523	12
T90331P	108.45	340	026508184530	12
T90331WR	108.45	340	026508184578	12
TG2045522	254.60	69	026508241363	1
TG2045622	254.60	69	026508241370	1
TL181	33.30	256	026508047620	12
TL182	36.65	255	026508047552	12
TL182EP	36.65	255	026508208472	12
TL182EPBC	68.70	255	026508208489	12
TL183	59.45	253	026508047590	12
TL183EP	59.45	253	026508208519	12
TL183EPBC	91.90	253	026508208526	12
TL2368EP	77.20	255	026508242414	6
TL2369EP	94.00	253	026508242421	6
TL5265	218.10	257	026508255162	3
TR1000BN	32.05	349	034584017710	3
TR1000CH	32.05	349	034584017727	3
TR1000OWB	32.05	349	034584017734	3
TS214	686.60	105	026508170267	3
TS214BN	974.30	105	026508170274	3
TS214NL	974.30	105	026508170281	3
TS214ORB	1,051.25	105	026508170298	3
TS310	239.05	108	026508184707	3
TS310BN	348.85	108	026508184714	3
TS310NL	348.85	108	026508184721	3
TS310ORB	376.40	108	026508184738	3
TS312	465.90	107	026508170410	3
TS312BN	667.55	107	026508170427	3
TS312NL	667.55	107	026508170434	3
TS312ORB	720.25	107	026508170441	3
TS314	557.90	107	026508170519	3
TS314BN	793.90	107	026508170526	3
TS314NL	793.90	107	026508170533	3
TS314ORB	856.45	107	026508170540	3
TS325	215.15	106	026508250488	6
TS325BN	261.60	106	026508250495	6
TS325NL	261.60	106	026508251157	6
TS325ORB	282.25	106	026508250501	6
TS325WR	282.25	106	026508251164	6
TS418	527.20	104	026508170618	3
TS418BN	799.90	104	026508170625	3
TS418NL	799.90	104	026508170632	3
TS418ORB	863.05	104	026508170649	3
TS514	146.15	106	026508170762	6
TS514BN	209.15	106	026508170779	6
TS514NL	209.15	106	026508170786	6
TS514ORB	225.70	106	026508170793	6
TS903	491.60	113	026508215371	3
TS903BN	700.05	113	026508217771	3
TS904	765.70	114	026508215395	3
TS904BN	1,284.65	114	026508217795	3
TS923	516.25	130	026508215432	3

Wholesale

Listed in numerical order

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
TS923BN	735.05	130	026508217856	3
TS923ORB	774.20	130	026508217863	3
TS925	803.95	131	026508215449	3
TS925BN	1,348.95	131	026508217887	3
TS925ORB	1,420.85	131	026508217894	3
TS963	418.85	142	026508215470	3
TS963BN	596.35	142	026508217931	3
TS964	652.45	143	026508215487	3
TS964BN	1,094.60	143	026508217955	3
TS1320	124.05	332	026508219638	6
TS1320BN	174.80	332	026508219645	6
TS1320NL	174.80	332	026508250754	6
TS1320ORB	197.30	332	026508219652	6
TS1322	124.05	332	026508219669	6
TS1322BN	174.80	332	026508219676	6
TS1322NL	174.80	332	026508250761	6
TS1322ORB	197.30	332	026508219683	6
TS1420	191.85	332	026508252543	6
TS1420BN	260.00	332	026508258743	6
TS1420NL	260.00	332	026508258750	6
TS1420ORB	286.15	332	026508258767	6
TS1422	191.85	332	026508258798	6
TS1422BN	260.00	332	026508258804	6
TS1422NL	260.00	332	026508258811	6
TS1422ORB	286.15	332	026508258828	6
TS2141	133.40	150	026508215029	3
TS2141BN	247.05	150	026508216767	3
TS2142	177.90	149	026508215036	3
TS2142BN	329.65	149	026508216781	3
TS2142EP	177.90	149	026508222256	3
TS2142EPBN	329.65	149	026508223253	3
TS2143	226.35	148	026508215043	3
TS2143BN	419.15	148	026508216804	3
TS2143EP	226.35	148	026508222263	3
TS2143EPBN	419.15	148	026508223277	3
TS2154	141.35	147	026508215050	3
TS2154BN	335.95	147	026508216828	3
TS2155	188.55	146	026508215067	3
TS2155BN	435.40	146	026508216842	3
TS2156	255.90	146	026508215074	3
TS2156BN	556.10	146	026508216866	3
TS2211	164.45	138	026508215081	3
TS2211BN	304.45	138	026508216880	3
TS2211ORB	320.70	138	026508216897	3
TS2212	219.20	137	026508215098	3
TS2212BN	406.30	137	026508216910	3
TS2212ORB	427.85	137	026508216927	3
TS2212EP	219.20	137	026508222164	3
TS2212EPBN	406.30	137	026508223314	3
TS2212EPORB	427.85	137	026508223321	3
TS2213	278.80	136	026508215104	3
TS2213BN	516.55	136	026508216941	3
TS2213ORB	544.15	136	026508216958	3
TS2213EP	278.80	136	026508222188	3
TS2213EPBN	516.55	136	026508223376	3
TS2213EPORB	544.15	136	026508223383	3
TS2711	156.60	121	026508215111	3
TS2711BN	290.00	121	026508216989	3
TS2712	208.85	120	026508215128	3
TS2712BN	386.90	120	026508216996	3
TS2712NH	165.95	120	026508222225	3
TS2712NHBN	307.40	120	026508223420	3
TS2712EP	208.85	120	026508222218	3
TS2712EPBN	386.90	120	026508223413	3
TS2713	265.50	119	026508215135	3
TS2713BN	491.90	119	026508217009	3
TS2713NH	178.75	119	026508222232	3
TS2713NHBN	356.40	119	026508223444	3
TS2713EP	265.50	119	026508222249	3
TS2713EPBN	491.90	119	026508223437	3
TS3100	263.85	115	026508223581	3
TS3100BN	399.20	115	026508223598	3
TS3110	255.75	106	026508184752	3
TS3110BN	376.45	106	026508184769	3
TS3110NL	376.45	106	026508184776	3
TS3110ORB	406.15	106	026508184783	3
TS3200	121.80	144	026508223604	6
TS3200BN	162.45	144	026508223628	6
TS3210	264.55	93	026508215715	3
TS3210BN	374.15	93	026508215845	3
TS3210NL	374.15	93	026508231319	3
TS3210ORB	403.75	93	026508215852	3
TS3211	177.00	135	026508215142	3
TS3211BN	440.95	135	026508217115	3
TS3211ORB	464.50	135	026508217122	3
TS3212	236.25	134	026508215159	3
TS3212BN	571.40	134	026508217146	3
TS3212ORB	601.95	134	026508217153	3
TS3213	320.65	134	026508215166	3
TS3213BN	729.75	134	026508217177	3
TS3213ORB	768.70	134	026508217184	3
TS3300	121.80	115	026508223635	6
TS3300BN	162.45	115	026508223642	6
TS3302TB	460.00	265	026508269930	3
TS3304TB	700.00	265	026508269947	3
TS3400	410.45	270	026508215173	3
TS3400BN	697.55	270	026508217221	3
TS3400ORB	732.30	270	026508217238	3
TS3411	197.40	272	026508215203	3
TS3411BN	310.10	272	026508217313	3
TS3411ORB	325.70	272	026508217320	3
TS3600	101.95	272	026508215258	6
TS3600BN	181.35	272	026508217511	6
TS3600ORB	190.50	272	026508217528	6
TS3661NH	445.00	283	026508266991	3
TS3711	168.65	118	026508215265	3
TS3711BN	419.95	118	026508217559	3
TS3713	305.40	116	026508215272	3
TS3713BN	695.00	116	026508217566	3
TS3713NH	207.65	116	026508271063	3
TS3715	224.95	117	026508215289	3
TS3715BN	544.30	117	026508217573	3
TS3715NH	152.95	117	026508271070	3
TS3760	263.85	132	026508223659	3
TS3760BN	399.20	132	026508223673	3
TS3760ORB	420.50	132	026508223680	3
TS3820	121.80	132	026508223697	6
TS3820BN	162.45	132	026508223710	6
TS3820ORB	171.10	132	026508223727	6
TS3900	263.85	144	026508223734	3
TS3900BN	399.20	144	026508223758	3
TS4112	183.20	145	026508215296	3
TS4112BN	250.80	145	026508217597	3
TS4172	137.80	115	026508227749	6
TS4172BN	186.15	115	026508227756	6
TS4211	225.70	133	026508215302	3
TS4211BN	309.05	133	026508217610	3
TS4211ORB	325.55	133	026508217627	3
TS5205	148.00	133	026508250518	6
TS5205BN	197.85	133	026508250525	6
TS5205ORB	208.45	133	026508250532	6
TS6205	358.45	129	026508215333	3

Wholesale

Listed in numerical order

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
TS6205BN	614.10	129	026508217696	3
TS6205ORB	646.95	129	026508217702	3
TS6520	299.65	141	026508215340	3
TS6520BN	513.35	141	026508217726	3
TS6720	358.45	112	026508215364	3
TS6720BN	614.10	112	026508217757	3
TS6730	415.70	112	026508221679	3
TS6730BN	693.45	112	026508221686	3
TS8002	342.10	124	026508264003	3
TS8711	149.45	127	026508264010	3
TS8712	199.30	126	026508264027	3
TS8712EP	199.30	126	026508264034	3
TS8713	253.40	125	026508264041	3
TS8713EP	253.40	125	026508264058	3
TS21102	1,144.15	88	026508215593	3
TS21102BN	1,991.65	88	026508215609	3
TS21102NL	1,991.65	88	026508231210	3
TS21102ORB	2,148.80	88	026508215616	3
TS21104	1,144.15	88	026508215623	3
TS21104BN	1,991.65	88	026508215630	3
TS21104NL	1,991.65	88	026508231227	3
TS21104ORB	2,148.80	88	026508215647	3
TS22001	245.85	102	026508242438	3
TS22001BN	365.60	102	026508242445	3
TS22002	479.10	101	026508242452	3
TS22002BN	699.70	101	026508242469	3
TS22002EP	479.10	101	026508242476	3
TS22002EPBN	699.70	101	026508242483	3
TS22003	573.60	100	026508242513	3
TS22003BN	832.05	100	026508242520	3
TS22003EP	573.60	100	026508242537	3
TS22003EPBN	832.05	100	026508242544	3
TS22101	750.50	87	026508215654	3
TS22101BN	1,062.25	87	026508215661	3
TS22101NL	1,062.25	87	026508231234	3
TS22101ORB	1,146.00	87	026508215678	3
TS22103	750.50	87	026508215685	3
TS22103BN	1,062.25	87	026508215692	3
TS22103NL	1,062.25	87	026508231241	3
TS22103ORB	1,146.00	87	026508215708	3
TS23005	221.20	99	026508250433	6
TS23005BN	274.15	99	026508250440	6
TS25105	669.25	86	026508251119	3
TS25105BN	970.40	86	026508251126	3
TS32102	504.45	92	026508215722	3
TS32102BN	736.35	92	026508215739	3
TS32102EP	504.45	92	026508218877	3
TS32102EPBN	736.35	92	026508218884	3
TS32102EPNL	736.35	92	026508231258	3
TS32102EPORB	794.35	92	026508218891	3
TS32102NL	736.35	92	026508231272	3
TS32102ORB	794.35	92	026508215777	3
TS32104	615.15	91	026508215784	3
TS32104BN	863.05	91	026508215791	3
TS32104EP	615.15	91	026508218914	3
TS32104EPBN	863.05	91	026508218921	3
TS32104EPNL	863.05	91	026508231289	3
TS32104EPORB	931.15	91	026508218938	3
TS32104NL	863.05	91	026508231302	3
TS32104ORB	931.15	91	026508215838	3
TS32110	319.90	89	026508215869	3
TS32110BN	470.80	89	026508215876	3
TS32110NL	470.80	89	026508231326	3
TS32110ORB	507.85	89	026508215883	3
TS32205	238.05	90	026508250457	6
TS32205BN	280.65	90	026508250464	6
TS32205NL	280.65	90	026508251218	6
TS32205ORB	302.80	90	026508250471	6
TS33002	263.00	99	026508242599	3
TS33002BN	394.55	99	026508242605	3
TS33003	150.25	99	026508242612	6
TS33003BN	219.20	99	026508242629	6
TS42106	557.50	85	026508215951	3
TS42106BN	783.25	85	026508215968	3
TS42106NL	783.25	85	026508231357	3
TS42106ORB	845.05	85	026508215975	3
TS42108	544.90	84	026508215982	3
TS42108BN	826.75	84	026508215999	3
TS42108NL	826.75	84	026508231364	3
TS42108ORB	892.00	84	026508216002	3
TS42112	557.50	85	026508216019	3
TS42112BN	783.25	85	026508216026	3
TS42112NL	783.25	85	026508231371	3
TS42112ORB	845.05	85	026508216033	3
TS42114	544.90	84	026508216040	3
TS42114BN	826.75	84	026508216057	3
TS42114NL	826.75	84	026508231388	3
TS42114ORB	892.00	84	026508216064	3
TS43002	507.25	95	026508242636	3
TS43002BN	784.55	95	026508242643	3
TS43003	519.15	95	026508242650	3
TS43003BN	782.60	95	026508242667	3
TS50100	265.65	96	026508251133	2
TS50110	225.80	96	026508258231	2
TS50200	398.50	86	026508251140	2
TS50210	338.70	86	026508258248	2
TS52104	166.05	89	026508216071	6
TS52104BN	229.40	89	026508216088	6
TS52104NL	229.40	89	026508231395	6
TS52104ORB	247.35	89	026508216095	6
TS93003	660.70	97	026508242735	3
TS93003BN	955.50	97	026508242742	3
TS93004	1,008.70	98	026508242759	3
TS93004BN	1,799.15	98	026508242766	3
YB0402BL	54.50	171	034584026750	24
YB0402BN	49.55	171	034584022530	24
YB0402CH	43.60	171	034584022547	24
YB0403BL	29.15	171	034584026767	24
YB0403BN	26.50	171	034584022554	24
YB0403CH	24.05	171	034584022561	24
YB0408BL	53.50	171	034584026774	6
YB0408BN	48.65	171	034584022578	6
YB0408CH	44.00	171	034584022585	6
YB0409BL	45.30	171	034584026781	6
YB0409BN	41.20	171	034584022592	6
YB0409CH	37.45	171	034584022608	6
YB0418BL	61.70	171	034584026798	6
YB0418BN	56.10	171	034584022615	6
YB0418CH	51.05	171	034584022622	6
YB0424BL	63.90	171	034584026804	6
YB0424BN	58.10	171	034584022639	6
YB0424CH	52.65	171	034584022646	6
YB0486BL	43.10	171	034584026811	6
YB0486BN	39.20	171	034584022653	6
YB0486CH	35.85	171	034584022660	6
YB0801BN	89.95	103	034584021700	24
YB0801CH	74.05	103	034584021717	24
YB0803BN	78.05	103	034584021724	24
YB0803CH	71.10	103	034584021731	24
YB0808BN	111.30	103	034584021748	6
YB0808CH	101.20	103	034584021755	6
YB0818BN	128.80	103	034584021762	6

Wholesale

Listed in numerical order

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
YB0818CH	117.15	103	034584021779	6
YB0824BN	139.30	103	034584021786	6
YB0824CH	126.45	103	034584021793	6
YB0886BN	89.85	103	034584021809	6
YB0886CH	81.80	103	034584021816	6
YB0892BN	233.15	103	034584021823	3
YB0892CH	204.00	103	034584021830	3
YB2101BN	30.30	207	034584024985	24
YB2101CH	19.75	207	034584024992	24
YB2101ORB	33.30	207	034584025005	24
YB2103BN	21.40	207	034584025012	24
YB2103CH	14.00	207	034584025029	24
YB2103ORB	23.55	207	034584025036	24
YB2108BN	29.15	207	034584025043	6
YB2108CH	19.10	207	034584025050	6
YB2108ORB	32.20	207	034584025067	6
YB2118BN	47.35	207	034584025074	6
YB2118CH	30.85	207	034584025098	6
YB2118ORB	52.10	207	034584025081	6
YB2124BN	49.80	207	034584025104	6
YB2124CH	32.50	207	034584025111	6
YB2124ORB	54.75	207	034584025128	6
YB2186BN	29.20	207	034584025135	6
YB2186CH	19.15	207	034584025142	6
YB2186ORB	32.25	207	034584025159	6
YB2201BN	28.35	222	034584008008	6
YB2201CH	18.50	222	034584008015	6
YB2201ORB	31.15	222	034584008022	6
YB2203BN	20.05	222	034584008039	24
YB2203CH	13.15	222	034584008046	24
YB2203ORB	22.05	222	034584008053	24
YB2208BN	36.10	222	034584008060	6
YB2208CH	23.50	222	034584008077	6
YB2208ORB	39.65	222	034584008084	6
YB2218BN	44.30	222	034584008091	6
YB2218CH	28.85	222	034584008107	6
YB2218ORB	48.75	222	034584008114	6
YB2224BN	46.60	222	034584008121	6
YB2224CH	30.40	222	034584008138	6
YB2224ORB	51.25	222	034584008145	6
YB2261BN	130.15	223	034584022226	2
YB2261CH	104.15	223	034584022233	2
YB2261ORB	130.15	223	034584022240	2
YB2262BN	182.25	223	034584022257	2
YB2262CH	145.75	223	034584022264	2
YB2262ORB	182.25	223	034584022271	2
YB2263BN	226.30	223	034584022288	2
YB2263CH	181.00	223	034584022295	2
YB2263ORB	226.30	223	034584022301	2
YB2264BN	289.75	223	034584022318	2
YB2264CH	231.85	223	034584022325	2
YB2264ORB	289.75	223	034584022332	2
YB2269	19.45	223	034584022349	3
YB2286BN	27.35	222	034584008152	6
YB2286CH	17.95	222	034584008169	6
YB2286ORB	30.20	222	034584008176	6
YB2303BN	20.85	213	034584024596	24
YB2303CH	13.65	213	034584024602	24
YB2308BN	37.55	213	034584024619	6
YB2308CH	24.40	213	034584024626	6
YB2318BN	46.10	213	034584024633	6
YB2318CH	30.05	213	034584024640	6
YB2324BN	48.45	213	034584024657	6
YB2324CH	31.65	213	034584024664	6
YB2386BN	28.45	213	034584024671	6
YB2386CH	18.65	213	034584024688	6
YB2401BN	28.35	238	034584016317	24
YB2401CH	18.50	238	034584016324	24
YB2403BN	20.05	238	034584016331	24
YB2403CH	13.15	238	034584016348	24
YB2408BN	36.10	238	034584016355	6
YB2408CH	23.50	238	034584016362	6
YB2418BN	44.30	238	034584016379	6
YB2418CH	28.85	238	034584016386	6
YB2422BN	68.15	238	034584024534	6
YB2422CH	53.55	238	034584024541	6
YB2424BN	46.60	238	034584016393	6
YB2424CH	30.40	238	034584016409	6
YB2486BN	27.35	238	034584016416	6
YB2486CH	17.95	238	034584016423	6
YB2801BN	28.35	230	034584005663	6
YB2801CH	18.50	230	034584005601	6
YB2801ORB	31.15	230	034584005724	6
YB2803BN	20.05	230	034584005618	24
YB2803CH	13.15	230	034584005557	24
YB2803ORB	22.05	230	034584005670	24
YB2808BN	36.10	230	034584005625	6
YB2808CH	23.50	230	034584005564	6
YB2808ORB	39.65	230	034584005687	6
YB2818BN	44.30	230	034584005632	6
YB2818CH	28.85	230	034584005571	6
YB2818ORB	48.75	230	034584005694	6
YB2824BN	46.60	230	034584005649	6
YB2824CH	30.40	230	034584005588	6
YB2824ORB	51.25	230	034584005700	6
YB2861BN	130.15	231	034584022356	2
YB2861CH	104.15	231	034584022363	2
YB2861ORB	130.15	231	034584022370	2
YB2862BN	182.25	231	034584022387	2
YB2862CH	145.75	231	034584022394	2
YB2862ORB	182.25	231	034584022400	2
YB2863BN	226.30	231	034584022417	2
YB2863CH	181.00	231	034584022424	2
YB2863ORB	226.30	231	034584022431	2
YB2864BN	289.75	231	034584022448	2
YB2864CH	231.85	231	034584022455	2
YB2864ORB	289.75	231	034584022462	2
YB2869	19.45	231	034584022479	3
YB2886BN	27.35	230	034584005656	6
YB2886CH	17.95	230	034584005595	6
YB2886ORB	30.20	230	034584005717	6
YB2894BN	161.35	230	034584015136	2
YB2894CH	147.10	230	034584015143	2
YB2894ORB	177.50	230	034584015150	2
YB5003CH	41.70	128	034584024701	24
YB5008CH	76.70	128	034584024718	6
YB5012CH	82.95	128	034584024725	6
YB5018CH	88.25	128	034584024732	6
YB5024CH	91.45	128	034584024749	6
YB5086CH	61.65	128	034584024756	6
YB5101BN	34.55	181	034584020611	24
YB5101CH	31.30	181	034584020628	24
YB5101ORB	37.95	181	034584020635	24
YB5103BN	26.50	181	034584020642	24
YB5103CH	24.05	181	034584020659	24
YB5103ORB	29.15	181	034584020666	24
YB5108BN	48.65	181	034584020673	6
YB5108CH	44.00	181	034584020680	6
YB5108ORB	53.55	181	034584020697	6
YB5118BN	56.10	181	034584020703	6
YB5118CH	51.05	181	034584020710	6
YB5118ORB	61.70	181	034584020727	6

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
YB5124BN	58.10	181	034584020734	6
YB5124CH	52.65	181	034584020741	6
YB5124ORB	63.95	181	034584020758	6
YB5161BN	153.40	182	034584023834	2
YB5161CH	122.70	182	034584023841	2
YB5161ORB	153.40	182	034584023858	2
YB5162CH	171.70	182	034584023872	2
YB5162ORB	214.60	182	034584023889	2
YB5162BN	214.60	182	034584023865	2
YB5163BN	266.55	182	034584023896	2
YB5163CH	213.20	182	034584023902	2
YB5163ORB	266.55	182	034584023919	2
YB5164BN	341.30	182	034584023926	2
YB5164CH	273.05	182	034584023933	2
YB5164ORB	341.30	182	034584023940	2
YB5169	22.50	182	034584023957	3
YB5170BN	36.75	181	034584020765	6
YB5170CH	34.25	181	034584020772	6
YB5170ORB	42.40	181	034584020789	6
YB5186BN	39.20	181	034584020796	6
YB5186CH	35.85	181	034584020802	6
YB5186ORB	43.10	181	034584020819	6
YB5201BN	34.55	161	034584023094	24
YB5201CH	31.30	161	034584023087	24
YB5201NL	37.95	161	034584023568	24
YB5201ORB	37.95	161	034584023575	24
YB5203BN	26.50	161	034584023117	24
YB5203CH	24.05	161	034584023100	24
YB5203NL	29.15	161	034584023582	24
YB5203ORB	29.15	161	034584023599	24
YB5208BN	48.65	161	034584023131	6
YB5208CH	44.00	161	034584023124	6
YB5208NL	53.55	161	034584023605	6
YB5208ORB	53.55	161	034584023612	6
YB5218BN	56.10	161	034584023155	6
YB5218CH	51.05	161	034584023148	6
YB5218NL	61.70	161	034584023629	6
YB5218ORB	61.70	161	034584023636	6
YB5222BN	73.65	161	034584023179	6
YB5222CH	68.35	161	034584023162	6
YB5222NL	81.10	161	034584023643	6
YB5222ORB	81.10	161	034584023650	6
YB5224BN	58.10	161	034584023193	6
YB5224CH	52.65	161	034584023186	6
YB5224NL	63.95	161	034584023667	6
YB5224ORB	63.95	161	034584023674	6
YB5275BN	124.60	161	034584023537	6
YB5275CH	108.90	161	034584023544	6
YB5275OWB	135.10	161	034584023551	6
YB5286BN	39.20	161	034584023216	6
YB5286CH	35.85	161	034584023209	6
YB5286NL	43.10	161	034584023681	6
YB5286ORB	43.10	161	034584023698	6
YB5401BN	34.55	194	034584006103	24
YB5401CH	31.30	194	034584006127	24
YB5401ORB	37.95	194	034584001184	24
YB5401PB	29.05	194	034584020932	24
YB5401WR	37.95	194	034584006134	24
YB5403BN	26.50	194	034584483003	24
YB5403CH	24.05	194	034584482761	6
YB5403ORB	29.15	194	034584000330	24
YB5403PB	22.35	194	034584482921	6
YB5403WR	29.15	194	034584483089	24
YB5405BN	9.35	194	034584018151	48
YB5405CH	7.40	194	034584018168	48
YB5405ORB	9.90	194	034584018502	48
YB5407BN	18.40	194	034584018175	48
YB5407CH	14.80	194	034584018182	48
YB5407ORB	20.05	194	034584018519	48
YB5408BN	48.65	194	034584483010	6
YB5408CH	44.00	194	034584482778	6
YB5408ORB	53.55	194	034584000347	6
YB5408PB	40.85	194	034584482938	6
YB5408WR	53.55	194	034584483096	6
YB5418BN	56.10	194	034584483027	6
YB5418CH	51.05	194	034584482785	6
YB5418ORB	61.70	194	034584000606	6
YB5418PB	50.25	194	034584482945	6
YB5418WR	61.70	194	034584483102	6
YB5422BN	73.65	194	034584015686	6
YB5422CH	68.35	194	034584015693	6
YB5422ORB	81.10	194	034584015709	6
YB5422PB	65.95	194	034584020949	6
YB5422WR	81.10	194	034584015716	6
YB5424BN	58.10	194	034584483034	6
YB5424CH	52.65	194	034584482792	6
YB5424ORB	63.95	194	034584000613	6
YB5424PB	48.60	194	034584482952	6
YB5424WR	63.95	194	034584483119	6
YB5486BN	39.20	194	034584483065	6
YB5486CH	35.85	194	034584482822	6
YB5486ORB	43.10	194	034584000644	6
YB5486PB	33.25	194	034584482983	6
YB5486WR	43.10	194	034584483140	6
YB5488CH	77.75		034584003409	6
YB5490BN	72.95	194	034584483072	3
YB5490CH	67.80	194	034584482839	3
YB5490ORB	80.30	194	034584000651	3
YB5490WR	80.30	194	034584483157	3
YB5494BN	188.50	194	034584015075	2
YB5494CH	171.00	194	034584015082	2
YB5494ORB	207.35	194	034584015099	2
YB5801BN	44.90	151	034584005861	24
YB5801CH	41.40	151	034584005786	24
YB5803BN	34.45	151	034584005809	24
YB5803CH	31.85	151	034584006097	24
YB5805BN	12.85	151	034584018526	144
YB5805CH	9.85	151	034584018199	144
YB5807BN	23.85	151	034584018533	144
YB5807CH	19.55	151	034584018205	144
YB5808BN	63.25	151	034584005816	6
YB5808CH	58.30	151	034584005731	6
YB5818BN	72.80	151	034584005823	6
YB5818CH	67.55	151	034584005748	6
YB5822BN	95.65	151	034584005847	6
YB5822CH	90.55	151	034584005762	6
YB5824BN	75.55	151	034584005830	6
YB5824CH	69.75	151	034584005755	6
YB5886BN	50.85	151	034584005854	6
YB5886CH	47.50	151	034584005779	6
YB5890BN	94.75	151	034584005878	6
YB5890CH	89.70	151	034584005793	6
YB8000BC	5.60	258	034584002181	50
YB8000CH	4.40	258	034584001641	50
YB8000OWB	9.40	258	034584009234	50
YB8000SN	7.25	258	034584003478	50
YB8003BC	4.90	258	034584002174	50
YB8003CH	3.85	258	034584001634	50
YB8003OWB	5.70	258	034584009241	50
YB8003SN	5.05	258	034584003461	50
YB8081	10.90	258	034584016836	25
YB8086BC	9.60	258	034584002228	50

Wholesale

Listed in numerical order

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
YB8086CH	7.25	258	034584001689	50
YB8086OWB	11.10	258	034584009289	50
YB8086SN	10.40	258	034584003515	50
YB8088CH	8.00	258	034584020963	25
YB8088SN	13.00	258	034584020970	25
YB8094BC	4.70	258	034584002211	50
YB8094CH	3.65	258	034584001672	50
YB8094OWB	7.45	258	034584009272	50
YB8094SN	6.05	258	034584003454	50
YB8098BC	4.00	258	034584002204	50
YB8098CH	3.15	258	034584001665	50
YB8098OWB	5.60	258	034584009265	50
YB8098SN	4.80	258	034584003492	50
YB8099BC	2.65	258	034584002198	50
YB8099CH	1.55	258	034584001658	50
YB8099OWB	1.95	258	034584009258	50
YB8099SN	2.30	258	034584003485	50
YB8201BN	62.15	139	034584011374	24
YB8201CH	57.55	139	034584011459	24
YB8201ORB	68.30	139	034584011534	24
YB8203BN	47.70	139	034584011381	24
YB8203CH	44.10	139	034584011466	24
YB8203ORB	52.45	139	034584011541	24
YB8205BN	13.45	139	034584018540	48
YB8205CH	11.60	139	034584018212	48
YB8205ORB	14.70	139	034584018229	48
YB8207BN	25.10	139	034584018557	48
YB8207CH	23.25	139	034584018236	48
YB8207ORB	27.35	139	034584018243	48
YB8208BN	87.55	139	034584011398	6
YB8208CH	81.15	139	034584011473	6
YB8208ORB	96.35	139	034584011558	6
YB8218BN	100.80	139	034584011404	6
YB8218CH	93.35	139	034584011480	6
YB8218ORB	110.90	139	034584011565	6
YB8224BN	104.55	139	034584011428	6
YB8224CH	96.70	139	034584011503	6
YB8224ORB	115.00	139	034584011589	6
YB8261BN	184.85	140	034584018700	2
YB8261CH	147.90	140	034584018717	2
YB8261ORB	184.85	140	034584018724	2
YB8262BN	258.65	140	034584018731	2
YB8262CH	206.95	140	034584018748	2
YB8262ORB	258.65	140	034584018755	2
YB8263BN	321.30	140	034584018762	2
YB8263CH	256.95	140	034584018779	2
YB8263ORB	321.30	140	034584018786	2
YB8269	27.10	140	034584019103	3¬†
YB8286BN	70.35	139	034584011435	6
YB8286CH	65.20	139	034584011510	6
YB8286ORB	77.40	139	034584011596	6
YB8401BN	95.50	94	034584017901	24
YB8401CH	83.90	94	034584017918	24
YB8401NL	105.05	94	034584020420	24
YB8401ORB	105.05	94	034584017925	24
YB8403BN	87.20	94	034584017932	24
YB8403CH	76.15	94	034584017949	24
YB8403NL	96.00	94	034584020437	24
YB8403ORB	96.00	94	034584017956	24
YB8405BN	15.95	94	034584021847	48
YB8405CH	14.05	94	034584021854	48
YB8405NL	17.50	94	034584021861	48
YB8405ORB	17.50	94	034584021878	48
YB8407BN	28.15	94	034584021885	48
YB8407CH	26.25	94	034584021892	48
YB8407NL	30.90	94	034584021908	48
YB8407ORB	30.90	94	034584021915	48
YB8408BN	120.55	94	034584017963	6
YB8408CH	109.95	94	034584017970	6
YB8408NL	132.60	94	034584020444	6
YB8408ORB	132.60	94	034584017987	6
YB8418BN	141.05	94	034584017994	6
YB8418CH	124.20	94	034584018007	6
YB8418NL	155.25	94	034584020451	6
YB8418ORB	155.25	94	034584018014	6
YB8424BN	152.05	94	034584018021	6
YB8424CH	134.00	94	034584018038	6
YB8424NL	167.25	94	034584020468	6
YB8424ORB	167.25	94	034584018045	6
YB8486BN	98.85	94	034584018052	6
YB8486CH	86.60	94	034584018069	6
YB8486NL	108.75	94	034584020475	6
YB8486ORB	108.75	94	034584018076	6
YB8801BN	62.15	122	034584016492	24
YB8801CH	57.55	122	034584014696	24
YB8803BN	47.70	122	034584016508	24
YB8803CH	44.10	122	034584014702	24
YB8805BN	13.45	122	034584018250	144
YB8805CH	11.60	122	034584018564	144
YB8807BN	25.10	122	034584018267	144
YB8807CH	23.25	122	034584018571	144
YB8808BN	87.55	122	034584016515	6
YB8808CH	81.15	122	034584014719	6
YB8818BN	100.80	122	034584016522	6
YB8818CH	93.35	122	034584014726	6
YB8824BN	104.55	122	034584016539	6
YB8824CH	96.70	122	034584014733	6
YB8861BN	184.85	123	034584023964	2
YB8861CH	147.90	123	034584023971	2
YB8862BN	258.65	123	034584023988	2
YB8862CH	206.90	123	034584023995	2
YB8863BN	321.35	123	034584024008	2
YB8863CH	256.95	123	034584024015	2
YB8864BN	411.35	123	034584024022	2
YB8864CH	329.10	123	034584024039	2
YB8869	27.10	140	034584024046	3
YB8886BN	70.35	122	034584016546	6
YB8886CH	65.20	122	034584014740	6
YB9801BN	89.90	109	034584015617	3
YB9801CH	71.50	109	034584015624	3
YB9801NL	95.65	109	034584015631	3
YB9801ORB	95.65	109	034584015648	3
YB9803BN	78.05	109	034584000064	24
YB9803CH	71.10	109	034584000019	6
YB9803NL	85.80	109	034584003706	24
YB9803ORB	85.80	109	034584003768	24
YB9805BN	15.95	109	034584018601	48
YB9805CH	14.05	109	034584018274	48
YB9805ORB	17.50	109	034584018281	48
YB9807BN	28.15	109	034584018618	48
YB9807CH	26.25	109	034584018298	48
YB9807ORB	30.90	109	034584018304	48
YB9808BN	111.30	109	034584000224	6
YB9808CH	101.20	109	034584000217	6
YB9808NL	122.45	109	034584003713	6
YB9808ORB	122.45	109	034584003775	6
YB9818BN	128.80	109	034584000088	6
YB9818CH	117.15	109	034584000033	6
YB9818NL	141.75	109	034584003720	6
YB9818ORB	141.75	109	034584003782	6
YB9824BN	139.30	109	034584000095	6
YB9824CH	126.45	109	034584000200	6

Wholesale

Listed in numerical order

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
YB9824NL	153.20	109	034584003737	6
YB9824ORB	153.20	109	034584003799	6
YB9861BN	184.85	110	034584015433	2
YB9861CH	147.90	110	034584015440	2
YB9861ORB	184.85	110	034584015457	2
YB9862BN	258.65	110	034584015464	2
YB9862CH	206.90	110	034584015471	2
YB9862ORB	258.65	110	034584015488	2
YB9863BN	321.35	110	034584015495	2
YB9863CH	256.95	110	034584015501	2
YB9863ORB	321.30	110	034584015518	2
YB9864BN	411.35	110	034584015525	2
YB9864CH	329.10	110	034584015532	2
YB9864ORB	411.35	110	034584015549	2
YB9869	27.10	110	034584016645	3
YB9886BN	89.85	109	034584000101	6
YB9886CH	81.80	109	034584000040	6
YB9886NL	98.90	109	034584003744	6
YB9886ORB	98.90	109	034584003805	6
YG0412BN	103.45	171	034584024107	6
YG0412CH	85.60	171	034584024091	6
YG0418BN	108.50	171	034584024121	6
YG0418CH	89.45	171	034584024114	6
YG0424BN	117.05	171	034584024145	6
YG0424CH	93.40	171	034584024138	6
YG0436CH	106.35	171	034584024152	6
YG0436BN	131.75	171	034584024169	6
YG0442BN	195.10	171	034584024183	6
YG0442CH	156.05	171	034584024176	6
YG0712BN	68.80	346	034584021922	6
YG0712CH	61.40	346	034584021939	6
YG0718BN	72.50	346	034584021946	6
YG0718CH	64.75	346	034584021953	6
YG0724BN	76.20	346	034584021960	6
YG0724CH	68.05	346	034584021977	6
YG0736BN	86.80	346	034584021984	6
YG0736CH	77.50	346	034584021991	6
YG0742BN	128.40	346	034584022752	6
YG0742CH	113.95	346	034584022769	6
YG0812BN	144.15	103	034584022035	6
YG0812CH	133.40	103	034584022042	6
YG0818BN	151.05	103	034584022059	6
YG0818CH	139.35	103	034584022066	6
YG0824BN	163.05	103	034584022073	6
YG0824CH	145.60	103	034584022080	6
YG0836BN	183.60	103	034584022097	6
YG0836CH	165.80	103	034584022103	6
YG0842BN	257.00	103	034584022776	3
YG0842CH	232.05	103	034584022783	3
YG2212BN	94.60	222	034584024206	6
YG2212CH	77.55	222	034584024190	6
YG2212ORB	103.35	222	034584024213	6
YG2218BN	99.35	222	034584024237	6
YG2218CH	82.00	222	034584024220	6
YG2218ORB	108.70	222	034584024244	6
YG2224BN	107.60	222	034584024268	6
YG2224CH	85.85	222	034584024251	6
YG2224ORB	119.95	222	034584024275	6
YG2812BN	94.60	230	034584024299	6
YG2812CH	77.55	230	034584024282	6
YG2812ORB	103.35	230	034584024305	6
YG2818ORB	108.70	230	034584024336	6
YG2818BN	99.35	230	034584024329	6
YG2818CH	82.00	230	034584024312	6
YG2824BN	107.60	230	034584024350	6
YG2824CH	85.85	230	034584024343	6
YG2824ORB	119.95	230	034584024367	6
YG5112BN	103.45	181	034584025241	6
YG5112CH	85.60	181	034584025166	6
YG5112ORB	113.80	181	034584025173	6
YG5118BN	108.50	181	034584025180	6
YG5118CH	89.45	181	034584025197	6
YG5118ORB	119.35	181	034584025203	6
YG5124BN	117.05	181	034584025210	6
YG5124CH	93.40	181	034584025227	6
YG5124ORB	128.80	181	034584025234	6
YG5412BN	103.45	195	034584483683	3
YG5412CH	85.60	195	034584482648	3
YG5412ORB	113.80	195	034584007476	3
YG5418BN	108.50	195	034584483690	3
YG5418CH	89.45	195	034584482655	3
YG5418ORB	119.35	195	034584007483	3
YG5424BN	117.05	195	034584483706	3
YG5424CH	93.40	195	034584482662	3
YG5424ORB	128.80	195	034584007490	3
YG5430BN	121.90	195	034584483713	3
YG5430CH	99.95	195	034584482679	3
YG5436BN	131.75	195	034584483720	3
YG5436CH	106.35	195	034584482686	3
YG5442BN	195.10	195	034584483737	3
YG5442CH	156.05	195	034584482693	3
YG8812BN	144.15	122	034584022110	6
YG8812CH	133.40	122	034584022127	6
YG8818BN	151.05	122	034584022134	6
YG8818CH	139.35	122	034584022141	6
YG8824BN	163.05	122	034584022158	6
YG8824CH	145.60	122	034584022165	6
YG8836BN	183.60	122	034584022172	6
YG8836CH	165.80	122	034584022189	6
YG8842BN	269.75	122	034584022790	6
YG8842CH	244.00	122	034584022806	6

Bulk

Listed in numerical order

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
62300	107.25	417	026508025857	12
62320	107.25	417	026508009208	12
62330	142.15	417	026508102312	12
62340	119.05	417	026508102305	12
62345	107.25	417	026508252512	12
62360	130.35	417	026508102275	12
62365	107.25	419	026508227251	12
62370	130.35	418	026508009215	12
62380	107.25	418	026508102268	12
62385	130.35	419	026508227268	12
62390	130.35	418	026508067055	12
62700	97.70	422	026508009277	12
62720	97.70	422	026508009284	12
63150	175.20	408	026508047170	12
63170	175.20	408	026508047187	12
64601	113.35	404	026508040751	12
64620	147.95	404	026508017241	12
64621	139.35	404	026508002896	12
64625	140.80	404	026508002902	12
64900	74.95	406	026508040775	12
64919	109.65	406	026508017265	12
64920	105.25	406	026508002889	12
64922	88.65	406	026508147955	12
64925	122.95	406	026508134542	12
66172	151.95	407	026508261194	6
66410	144.75	407	026508152485	6
66411	144.75	407	026508164051	6
66600	176.55	404	026508195420	6
66610	144.75	407	026508162064	6
66802	151.95	407	026508264379	6
66810	185.55	404	026508206942	6
67315C	230.30	402	026508069257	6
67315SRS	325.55	402	026508242933	6
67425	125.20	403	026508052983	6
67430	157.30	403	026508052884	12
67434	157.30	403	026508053041	6
67545C	314.90	402	026508209165	3
67840	190.80	402	026508138861	6
67900	92.55	403	026508015544	12
67901	94.50	403	026508092941	12
67910	119.05	403	026508015551	12
69000	105.55	407	026508045114	6
BG222173	108.45	70	026508241028	25
BG222174	108.45	70	026508241035	25
FP62300	107.25	418	026508154502	12
FP62320	107.25	417	026508154496	12
FP62340	119.05	418	026508199213	12
FP62345	107.25	417	026508252529	12
FP62360	130.35	418	026508235225	12
FP62365	107.25	419	026508233580	12
FP62370	130.35	418	026508154519	12
FP62380	107.25	418	026508154526	12
FP62385	130.35	419	026508264713	12
FP62390	130.35	419	026508235232	12
L64600	113.35	405	026508063705	12
L64601	113.35	405	026508063712	12
L64620	147.95	405	026508047309	12
L64621	139.35	405	026508047316	12
L64624	152.20	405	026508047347	12
L64625	140.80	405	026508047354	12
L64635	152.20	406	026508061534	12
T181	33.30	416	026508029565	12
T182	36.65	414	026508029589	12
T182EP	36.65	414	026508208786	12
T183	59.45	411	026508029602	12
T183EP	59.45	411	026508208809	12
T187	33.30	416	026508019832	12
T470	35.35	422	026508019825	12
T471	68.20	420	026508015742	12
T471EP	68.20	420	026508270813	12
T473	42.15	421	026508015728	12
T473EP	42.15	421	026508270967	12
T62131	42.75	416	026508152492	12
T62132	57.40	413	026508152508	12
T62132NH	54.60	413	026508208366	12
T62132EP	57.40	413	026508208359	12
T62133	86.50	410	026508152515	12
T62133NH	74.10	410	026508208380	12
T62133EP	86.50	410	026508208373	12
T62151	42.75	416	026508162026	12
T62152	57.40	412	026508162033	12
T62152NH	54.60	413	026508208403	12
T62152EP	57.40	413	026508208397	12
T62153	86.50	409	026508162040	12
T62153NH	74.10	409	026508208427	12
T62153EP	86.50	409	026508208410	12
T62182	70.15	412	026508264577	12
T62183	101.05	409	026508264584	12
T62742	70.15	412	026508261354	12
T62743	101.05	409	026508261361	6
T62802	57.40	414	026508207130	12
T62802NH	54.60	414	026508208441	12
T62802EP	57.40	414	026508208434	12
T62803	86.50	410	026508207147	12
T62803NH	74.10	411	026508208465	12
T62803EP	86.50	410	026508208458	12
TL170	44.30	408	026508048870	12
TL171	48.70	408	026508048887	12
TL171NH	33.10	408	026508271032	12
TL171NH	54.15	408	026508271049	12
TL172	79.65	408	026508048863	12
TL172NH	54.15	408	026508271049	12
TL181	33.30	416	026508047620	12
TL182	36.65	415	026508047552	12
TL182BC	73.00	415	026508137130	12
TL182NH	34.75	415	026508208496	12
TL182NHBC	67.65	415	026508208502	12
TL182EP	36.65	415	026508208472	12
TL182EPBC	68.70	415	026508208489	12
TL183	59.45	411	026508047590	12
TL183BC	97.70	411	026508137147	12
TL183NH	52.25	412	026508208533	12
TL183NHBC	91.40	412	026508208540	12
TL183EP	59.45	412	026508208519	12
TL183EPBC	91.90	412	026508208526	12
TL470	35.35	422	026508047842	12
TL471	68.20	420	026508047828	12
TL471EP	68.20	420	026508271056	12
TL473	42.15	421	026508047774	12
TL473EP	42.15	421	026508271087	12



Kitchen and Bar
Collections

Align® One-Handle Pulldown Spring Kitchen Faucet / 5923
1600™ Series 32" x 20" Stainless Steel 16 Gauge Single Bowl Sink / G16100
Modern Soap Dispenser / S3947C

Please see **moen.com/consumer-support/warranty**
for complete product warranty information.

Get To Know MotionSense™

Hands-free operation no other faucet can touch.

Two motion sensors and Reflex® effortless self-retraction allow Moen pulldown faucets with MotionSense to respond to what you need, the moment you need it.



Hands-free, anytime

Unlike other faucet brands that require you to adjust the handle position prior to using a motion sensor, Moen's single handle can be left untouched in the "off" position when using the sensors.

1. Wave On. Wave Off. Ideal Touchless Control

Turning water on and off is as effortless and intuitive as waving your hand over top of the faucet's Wave Sensor. Motion once to turn on, and again to turn off. The Wave Sensor is great for filling large pots and washing dishes.

2. Always Ready

The Ready Sensor near the base of the faucet identifies when an object, like a cup or a hand, is placed beneath the spout, running water only until you exit the sensor zone. Use the Ready Sensor for quick tasks, like washing your hands or filling up a cup.

3. Consistent Performance

The handle on the side of the faucet offers familiar, manual operation, allowing you to adjust temperature and water flow.


- Hands-free mode works at any time, even when the handle is in the "off" position.
- Hands-free means your faucet needs less cleaning and helps you control the spread of germs.

motionsense®


1.



2.



3.



Installation

Moen faucets with MotionSense are thoughtfully designed from start to finish — from the snap-on mounting of the control box to the push-fit hose connections, it's that easy. Installing this hands-free faucet technology is just as intuitive as using the faucet.

Kitchen Faucets with MotionSense™

STŌ®

ONE-HANDLE PULLDOWN KITCHEN FAUCET



- application: one hole
- overall height: 17.30"
- connection size: 3/8"
- connection type: compression
- number of functions: two-function
- spray type: aerated stream; powerful cleaning rinse
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- hose length: 68"

MODEL NUMBER	LIST PRICE	FINISH/ COLOR	CASE QTY
PREMIUM			
S72308EC	846.05	Chrome	3
S72308ESRS ●	933.20	Spot Resist Stainless	3
AC ADAPTERS SOLD SEPARATELY			
169031	127.70		12

motionsense reflex POWERCLEAN DURALOCK® DURALAST®

ALIGN®

ONE-HANDLE PULLDOWN KITCHEN FAUCET





- application: one or three hole
- overall height: 15.70"
- connection size: 3/8"
- connection type: compression
- number of functions: two-function
- spray type: aerated stream; powerful cleaning rinse
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- hose length: 68"

7565EC	687.10	Chrome	3
7565ESRS ●	733.25	Spot Resist Stainless	3
DECKPLATES SOLD SEPARATELY			
141002	46.20	Chrome	6
141002SRS ●	53.05	Spot Resist Stainless	6
AC ADAPTERS SOLD SEPARATELY			
169031	127.70		12

motionsense reflex POWERCLEAN DURALOCK® DURALAST®

BRANTFORD®

ONE-HANDLE PULLDOWN KITCHEN FAUCET





- application: one or three hole
- overall height: 15.50"
- connection size: 3/8"
- connection type: compression
- number of functions: three-function
- spray type: aerated stream; pause function; powerful cleaning rinse
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- hose length: 68"
- deckplate: included

7185EC	656.30	Chrome	3
7185ESRS ●	697.35	Spot Resist Stainless	3
7185EORB	723.00	Oil Rubbed Bronze	3
AC ADAPTERS SOLD SEPARATELY			
169031	127.70		12

motionsense reflex POWERCLEAN DURALOCK® DURALAST®

ARBOR®

ONE-HANDLE PULLDOWN KITCHEN FAUCET





- application: one or three hole
- overall height: 15.50"
- connection size: 3/8"
- connection type: compression
- number of functions: three-function
- spray type: aerated stream; pause function; powerful cleaning rinse
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- hose length: 68"
- deckplate: included

7594EC	640.95	Chrome	3
7594ESRS ●	676.85	Spot Resist Stainless	3
7594EORB	709.65	Oil Rubbed Bronze	3
AC ADAPTERS SOLD SEPARATELY			
169031	127.70		12

motionsense reflex POWERCLEAN DURALOCK® DURALAST®

NOTES

● Spot Resist Stainless Finish SPOT RESIST
motionsense MotionSense™ Hands-free Kitchen Faucet
reflex Self-Retracting Spray Hose
POWERCLEAN Power Clean™ technology
DURALOCK Duralock® Quick Connections
DURALAST Duralast® Cartridge

Deck Extension kits available on page 364.
Bar/Prep faucets available. See page 44-48.

WANT TO ADD WATER FILTRATION OR A SOAP DISPENSER IN THE KITCHEN? SEE page 50-53.

Spot Resist™ Finish From Moen Helps Keep Kitchens Looking Cleaner Longer




At Moen, we know that keeping your kitchen faucet free of fingerprints and water spots is an ongoing battle. It's not surprising, because the kitchen is the most used room in your home.

That's why we developed the Spot Resist Stainless finish. Spot Resist does just what it says — resists fingerprints and water spots — so you'll have one less thing you need to clean every day. This attractive finish maintains the brilliance of your faucet so you can spend more time enjoying your home... and less time cleaning it. And when it istime for periodic cleaning, Spot Resist easily wipes clean.

SPOT RESIST®

Duralock® Quick-Connect Wiring System Provides Hassle-Free Installation



Moen's Duralock Quick-Connect Wiring System assures quick, secure and hassle-free installation for Moen kitchen and bath faucets. This solution helps save valuable time for plumbers and DIY installers alike.

- The intuitive system utilizes a proprietary, one-step, quick-connect installation
- Kitchen and bathroom faucets can be installed without the use of tools
- An audible "click" assures a fast, secure and hassle-free connection
- Ensures a reliable connection for the life of the faucet
- Designed for one-way installation, which guarantees the connection cannot be made backward or incorrectly
- Duralock is also easy to disengage or uninstall if needed, and can be done so with one hand and the push of a button
- Limited Lifetime Warranty*

*For full warranty information, visit moen.com.

DURALOCK® QUICK-CONNECT

reflex®



Designed To Put Itself Away

Everything has its place, especially in the kitchen.

And with Reflex®, you get all the benefits of a flexible hose,

plus the convenience of a spray head that retracts fully and securely.

Engineered to Move with You

Easier to use and extend than other faucets. Through extensive testing in real users' homes, Moen's team of engineers and designers developed a faucet that allows for easy maneuverability, retracting and secure docking.

Easier Maneuverability


Every part of a Reflex faucet works in unison as a complete system of innovations. The flexible hose moves with you to make your everyday tasks more convenient.

Self-Retracting Action

Reflex automatically retracts from any distance and angle and returns on its own, naturally. The hose effortlessly returns to its original position, docking smoothly and securely.

STAY**FOCUSED**

With optimized cleaning force, Power Clean™ spray provides 50% more power than most pulldown and pullout faucets*, while containing splash and minimizing the mess. (*versus Moen pulldown and pullout faucets without Power Clean technology)



GET THE ADVANTAGE OF

MORE FORCE, LESS SPLASH™



POWERCLEAN™

More Force, Less Splash™

Premium Kitchen Faucets

Align®

Pulldown Spring Kitchen Faucet

A modern style spring kitchen faucet with exceptional functionality.

Features Reflex® – Designed To Put Itself Away and PowerClean™ technology provides a powerful, concentrated spray for faster cleanup.

The Align® Spring Faucet offers up to 4x the hose reach versus competitor residential spring faucet.



ALIGN® ONE-HANDLE PULLDOWN SPRING KITCHEN FAUCET



- application: one or three hole
- overall height: 21.90"
- connection size: 3/8"
- connection type: compression
- number of functions: two-function
- spray type: aerated stream; powerful cleaning rinse
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- hose length: 68"

POWERCLEAN® DURALOCK® DURALAST®

MODEL NUMBER	LIST PRICE	FINISH/ COLOR	CASE QTY
5923	432.50	Chrome	3
5923SRS ●	553.60	Spot Resist Stainless	3
DECKPLATES SOLD SEPARATELY			
141002	46.20	Chrome	6
141002SRS ●	53.05	Spot Resist Stainless	6

NOTES

● Spot Resist Stainless Finish SPOT RESIST
POWERCLEAN® Power Clean™ technology
DURALOCK® Duralock® Quick Connections
DURALAST® Duralast® Cartridge

Waterhill®

Weymouth®

90°™

STō®

Etch®

Premium Kitchen Faucets

Bring elegance to your home with premium kitchen faucet selections from Moen®. From the sophistication of period traditional to the streamlined refinement of minimalist contemporary, you'll find a host of amazing ways to be expressive in the kitchen.



		MODEL NUMBER	LIST PRICE	FINISH/ COLOR	CASE QTY
WATERHILL®	**TWO-HANDLE KITCHEN FAUCET**				
	• application: four hole • overall height: 11.47" • connection size: 1/2" • connection type: IPS • water usage: 1.5 gpm (5.7 L/min) max. • side spray: included DURALOCK®	**PREMIUM**			
		S713	912.55	Chrome	3
		S713SRS ●	1231.95	Spot Resist Stainless	3
		S7130RB	1355.10	Oil Rubbed Bronze	3
		S713WR	1355.10	Wrought Iron	3
WATERHILL®	**TWO-HANDLE KITCHEN FAUCET**				
	• application: four hole • overall height: 12.25" • connection size: 1/2" • connection type: IPS • water usage: 1.5 gpm (5.7 L/min) max. • side spray: included DURALOCK®	**PREMIUM**			
		S712	694.70	Chrome	2
		S712SRS ●	946.20	Spot Resist Stainless	2
		S7120RB	1040.85	Oil Rubbed Bronze	2
WATERHILL®	**ONE-HANDLE KITCHEN FAUCET**				
	• application: three hole • overall height: 12.25" • connection size: 3/8" • connection type: compression • water usage: 1.5 gpm (5.7 L/min) max. • side spray: included DURALOCK® DURALAST®	**PREMIUM**			
		S711	550.90	Chrome	3
		S711SRS ●	742.50	Spot Resist Stainless	3
		S7110RB	816.90	Oil Rubbed Bronze	3

Deck Extension kits available on page 364.
Bar/Prep faucets available. See page 44-48.

WANT TO ADD WATER FILTRATION OR A SOAP DISPENSER IN THE KITCHEN? SEE page 50-53.

NOTES

● Spot Resist Stainless Finish SPOT RESIST
DURALOCK® Duralock® Quick Connections
DURALAST® Duralast® Cartridge

Premium Kitchen Faucets

All Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

WEYMOUTH® ONE-HANDLE KITCHEN FAUCET



- application: one or two holes
- overall height: 10.50"
- connection size: 3/8"
- connection type: compression
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- side spray: included
- side spray: can be installed with or without

DURALOCK® DURALAST®

MODEL NUMBER	LIST PRICE	FINISH/ COLOR	CASE QTY
PREMIUM			
S72101	731.70	Chrome	3
S72101NL	873.60	Polished Nickel	3
S72101SRS ●	965.75	Spot Resist Stainless	3
S721010RB	1004.40	Oil Rubbed Bronze	3
DECKPLATES SOLD SEPARATELY			
141002	46.20	Chrome	6
141002NL	50.30	Polished Nickel	6
141002SRS ●	53.05	Spot Resist Stainless	6
1410020RB	58.45	Oil Rubbed Bronze	6

90 DEGREE™ ONE-HANDLE PULLOUT KITCHEN FAUCET



- application: one hole
- overall height: 12.38"
- connection size: 3/8"
- connection type: compression
- number of functions: three-function
- spray type: aerated stream; pause function; powerful cleaning rinse
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: left or right
- hose length: 59"

DURALOCK® DURALAST®

MODEL NUMBER	LIST PRICE	FINISH/ COLOR	CASE QTY
PREMIUM			
S7597C	688.10	Chrome	3
S7597SRS ●	836.35	Spot Resist Stainless	3

90 DEGREE™ ONE-HANDLE KITCHEN FAUCET



- application: one hole
- overall height: 12.00"
- connection size: 3/8"
- connection type: compression
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: left or right

DURALAST®

MODEL NUMBER	LIST PRICE	FINISH/ COLOR	CASE QTY
PREMIUM			
S7170	451.45	Chrome	3
S7170SRS ●	564.30	Spot Resist Stainless	3

Deck Extension kits available on page 364.

Bar/Prep faucets available. See page 44-48.

WANT TO ADD WATER FILTRATION OR A SOAP DISPENSER IN THE KITCHEN? SEE page 50-53.

NOTES

● Spot Resist Stainless Finish SPOT RESIST
DURALOCK® Duralock® Quick Connections
DURALAST® Duralast® Cartridge

Premium Kitchen Faucets

STŌ®

ONE-HANDLE PULLDOWN KITCHEN FAUCET



- application: one hole
- overall height: 17.30"
- connection size: 3/8"
- connection type: compression
- number of functions: two-function
- spray type: aerated stream; powerful cleaning rinse
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- hose length: 68"

motionsense® reflex® POWERCLEAN™ DURALOCK® DURALAST®

MODEL NUMBER	LIST PRICE	FINISH/ COLOR	CASE QTY
PREMIUM			
S72308EC	846.05	Chrome	3
S72308ESRS ●	933.20	Spot Resist Stainless	3
AC ADAPTERS SOLD SEPARATELY			
169031	127.70		12

STŌ®

ONE-HANDLE PULLDOWN KITCHEN FAUCET



- application: one hole
- overall height: 17.25"
- connection size: 3/8"
- connection type: compression
- number of functions: two-function
- spray type: aerated stream; powerful cleaning rinse
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- hose length: 68"

reflex® POWERCLEAN™ DURALOCK® DURALAST®

MODEL NUMBER	LIST PRICE	FINISH/ COLOR	CASE QTY
PREMIUM			
S72308	513.15	Chrome	3
S72308BL	675.80	Matte Black	3
S72308SRS ●	675.80	Spot Resist Stainless	3

ETCH®

ONE-HANDLE PULLDOWN KITCHEN FAUCET



- application: one hole
- overall height: 17.25"
- connection size: 3/8"
- connection type: compression
- number of functions: two-function
- spray type: aerated stream; powerful cleaning rinse
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- hose length: 68"

reflex® POWERCLEAN™ DURALOCK® DURALAST®

MODEL NUMBER	LIST PRICE	FINISH/ COLOR	CASE QTY
PREMIUM			
S72608	518.65	Chrome	3
S72608SRS ●	674.25	Spot Resist Stainless	3

NOTES

● Spot Resist Stainless Finish SPOT RESIST
motionsense® MotionSense™ Hands-free Kitchen Faucet
reflex® Self-Retracting Spray Hose
POWERCLEAN™ Power Clean™ technology
DURALOCK® Duralock® Quick Connections
DURALAST® Duralast® Cartridge

Deck Extension kits available on page 364.
Bar/Prep faucets available. See page 44-48.

WANT TO ADD WATER FILTRATION OR A SOAP DISPENSER IN THE KITCHEN? SEE page 50-53.

Kitchen Faucets

Aberdeen™
Woodmere®
Tilt™
Voss™
Notch®
Align®
Brantford®
Arbor®
Camerist®
Method™
Belfield™
Integra®
Chateau®
Torance™
Banbury®

Kitchen Faucets

Moen® kitchen faucets combine meaningful innovations with an exceptional variety of attractive styles and dazzling finishes. With almost limitless design possibilities, kitchen faucets from Moen offer design, functionality and value.



		MODEL NUMBER	LIST PRICE	FINISH/ COLOR	CASE QTY
ABERDEEN™	**ONE-HANDLE PULLDOWN KITCHEN FAUCET**				
	• application: two hole • overall height: 14.63" • connection size: 3/8" • connection type: compression • number of functions: three-function • spray type: aerated stream; pause function; powerful cleaning rinse • water usage: 1.5 gpm (5.7 L/min) max. • hose length: 68"	**7590C**	611.00	Chrome	2
		7590CSL	728.45	Classic Stainless	2
		75900RB	764.85	Oil Rubbed Bronze	2
	reflex POWERCLEAN DURALOCK DURALAST				
WOODMERE®	**ONE-HANDLE PULLDOWN KITCHEN FAUCET**				
	• application: one hole • overall height: 16.88" • connection size: 3/8" • connection type: compression • number of functions: three-function • spray type: aerated stream; pause function; powerful cleaning rinse • water usage: 1.5 gpm (5.7 L/min) max. • handle mounting: right only • hose length: 68"	**7615C**	461.00	Chrome	3
		7615SRS ●	590.10	Spot Resist Stainless	3
		76150RB	649.10	Oil Rubbed Bronze	3
	reflex POWERCLEAN DURALOCK DURALAST				

NOTES

● Spot Resist Stainless Finish
reflex Self-Retracting Spray Hose
POWERCLEAN Power Clean™ technology
DURALOCK Duralock® Quick Connections
DURALAST Duralast® Cartridge

Deck Extension kits available on page 364.
Bar/Prep faucets available. See page 44-48.

WANT TO ADD WATER FILTRATION OR A SOAP DISPENSER IN THE KITCHEN? SEE page 50-53.

Kitchen Faucets

		MODEL NUMBER	LIST PRICE	FINISH/ COLOR	CASE QTY
TILT™	**ONE-HANDLE PULLOUT KITCHEN FAUCET**				
	• application: one hole • overall height: 11.92" • connection size: 3/8" • connection type: compression • number of functions: two-function • spray type: aerated stream; powerful cleaning rinse • water usage: 1.5 gpm (5.7 L/min) max. • hose length: 59" DURALOCK® DURALAST®	**7626C**	416.50	Chrome	3
		7626SRS ●	531.25	Spot Resist Stainless	3
VOSS™	**ONE-HANDLE PULLOUT KITCHEN FAUCET**				
	• application: one hole • overall height: 12.30" • connection size: 3/8" • connection type: compression • number of functions: two-function • spray type: aerated stream; powerful cleaning rinse • water usage: 1.5 gpm (5.7 L/min) max. • hose length: 68" reflex POWERCLEAN DURALOCK® DURALAST®	**9125C**	416.50	Chrome	3
		9125SRS ●	531.25	Spot Resist Stainless	3
		9125ORB	584.35	Oil Rubbed Bronze	3
NOTCH®	**ONE-HANDLE PULLDOWN KITCHEN FAUCET**				
	• application: one or three hole • overall height: 16.23" • connection size: 3/8" • connection type: compression • number of functions: three-function • spray type: aerated stream; pause function; powerful cleaning rinse • water usage: 1.5 gpm (5.7 L/min) max. • handle mounting: right only • hose length: 68" reflex POWERCLEAN DURALOCK® DURALAST®	**9124C**	409.85	Chrome	3
		9124SRS ●	522.75	Spot Resist Stainless	3
		9124ORB	575.10	Oil Rubbed Bronze	3
		DECKPLATES SOLD SEPARATELY			
		157328	41.35	Chrome	6
		157328SRS ●	47.55	Spot Resist Stainless	6
		157328ORB	52.30	Oil Rubbed Bronze	6
ALIGN®	**ONE-HANDLE PULLDOWN SPRING KITCHEN FAUCET**				
	• application: one or three hole • overall height: 21.90" • connection size: 3/8" • connection type: compression • number of functions: two-function • spray type: aerated stream; powerful cleaning rinse • water usage: 1.5 gpm (5.7 L/min) max. • handle mounting: right only • hose length: 68" POWERCLEAN DURALOCK® DURALAST®	**5923**	432.50	Chrome	3
		5923SRS ●	553.60	Spot Resist Stainless	3
		DECKPLATES SOLD SEPARATELY			
		141002	46.20	Chrome	6
		141002SRS ●	53.05	Spot Resist Stainless	6

Deck Extension kits available on page 364.
Bar/Prep faucets available. See page 44-48.

WANT TO ADD WATER FILTRATION OR A SOAP DISPENSER IN THE KITCHEN? SEE page 50-53.

NOTES

● Spot Resist Stainless Finish SPOT RESIST
reflex Self-Retracting Spray Hose
POWERCLEAN Power Clean™ technology
DURALOCK® Duralock® Quick Connections
DURALAST® Duralast® Cartridge

Kitchen Faucets

ALIGN® ONE-HANDLE PULLDOWN KITCHEN FAUCET



- application: one or three hole
- overall height: 15.70"
- connection size: 3/8"
- connection type: compression
- number of functions: two-function
- spray type: aerated stream; powerful cleaning rinse
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- hose length: 68"

motionsense reflex POWERCLEAN DURALOCK® DURALAST®

MODEL NUMBER	LIST PRICE	FINISH/ COLOR	CASE QTY
7565EC	687.10	Chrome	3
7565ESRS ●	733.25	Spot Resist Stainless	3
DECKPLATES SOLD SEPARATELY			
141002	46.20	Chrome	6
141002SRS ●	53.05	Spot Resist Stainless	6
AC ADAPTERS SOLD SEPARATELY			
169031	127.70		12

ALIGN® ONE-HANDLE PULLDOWN KITCHEN FAUCET



- application: one or three hole
- overall height: 15.63"
- connection size: 3/8"
- connection type: compression
- number of functions: two-function
- spray type: aerated stream; powerful cleaning rinse
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- hose length: 68"

reflex POWERCLEAN DURALOCK® DURALAST®

	MODEL NUMBER	LIST PRICE	FINISH/ COLOR	CASE QTY
	7565	377.65	Chrome	3
	7565SRS ●	486.05	Spot Resist Stainless	3
NEW!	**7565BL**	486.05	Matte Black	3
Finish, Ships Q2				
	DECKPLATES SOLD SEPARATELY			
	141002	46.20	Chrome	6
	141002SRS ●	53.05	Spot Resist Stainless	6
	141002BL	53.05	Matte Black	6

ALIGN® ONE-HANDLE KITCHEN FAUCET



- application: two or four hole
- overall height: 15.31"
- connection size: 3/8"
- connection type: compression
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- side spray: included

DURALOCK® DURALAST®

MODEL NUMBER	LIST PRICE	FINISH/ COLOR	CASE QTY
7165	351.20	Chrome	3
7165SRS ●	452.05	Spot Resist Stainless	3
DECKPLATES SOLD SEPARATELY			
141002	46.20	Chrome	6
141002SRS ●	53.05	Spot Resist Stainless	6



- application: one or three hole
- overall height: 15.31"
- connection size: 3/8"
- connection type: compression
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only

DURALAST®

MODEL NUMBER	LIST PRICE	FINISH/ COLOR	CASE QTY
7365	309.05	Chrome	3
7365SRS ●	397.75	Spot Resist Stainless	3
DECKPLATES SOLD SEPARATELY			
141002	46.20	Chrome	6
141002SRS ●	53.05	Spot Resist Stainless	6

Deck Extension kits available on page 364.

Bar/Prep faucets available. See page 44-48.

WANT TO ADD WATER FILTRATION OR A SOAP DISPENSER IN THE KITCHEN? SEE page 50-53.

NOTES

● Spot Resist Stainless Finish SPOT RESIST

motionsense MotionSense™ Hands-free Kitchen Faucet

reflex Self-Retracting Spray Hose

POWERCLEAN Power Clean™ technology

DURALOCK Duralock® Quick Connections

DURALAST Duralast® Cartridge

Kitchen Faucets

	MODEL NUMBER	LIST PRICE	FINISH/ COLOR	CASE QTY
BRANTFORD® ONE-HANDLE PULLDOWN KITCHEN FAUCET				
	**7185EC**	656.30	Chrome	3
• application: one or three hole • overall height: 15.50" • connection size: 3/8" • connection type: compression • number of functions: three-function • spray type: aerated stream; pause function; powerful cleaning rinse • water usage: 1.5 gpm (5.7 L/min) max. • handle mounting: right only • hose length: 68" • deckplate: included	**7185ESRS** ●	697.35	Spot Resist Stainless	3
	7185EORB	723.00	Oil Rubbed Bronze	3
	AC ADAPTERS SOLD SEPARATELY			
	169031	127.70		12
motionsense reflex POWERCLEAN DURALOCK® DURALAST®				
BRANTFORD® ONE-HANDLE PULLDOWN KITCHEN FAUCET				
	**7185C**	365.35	Chrome	3
• application: one or three hole • overall height: 15.50" • connection size: 3/8" • connection type: compression • number of functions: three-function • spray type: aerated stream; pause function; powerful cleaning rinse • water usage: 1.5 gpm (5.7 L/min) max. • handle mounting: right only • hose length: 68" • deckplate: included	**7185SRS** ●	467.85	Spot Resist Stainless	3
	7185ORB	503.20	Oil Rubbed Bronze	3
reflex POWERCLEAN DURALOCK® DURALAST®				
BRANTFORD® ONE-HANDLE PULLOUT KITCHEN FAUCET				
	**7295C**	337.70	Chrome	3
• application: one or three hole • overall height: 12.94" • connection size: 3/8" • connection type: compression • number of functions: two-function • spray type: aerated stream; powerful cleaning rinse • water usage: 1.5 gpm (5.7 L/min) max. • hose length: 68" • deckplate: included	**7295SRS** ●	452.15	Spot Resist Stainless	3
	7295ORB	474.75	Oil Rubbed Bronze	3
reflex POWERCLEAN DURALOCK® DURALAST®				
BRANTFORD® ONE-HANDLE KITCHEN FAUCET				
	**7735SRS** ●	446.05	Spot Resist Stainless	3
• application: one to four hole • overall height: 15.50" • connection size: 3/8" • connection type: compression • water usage: 1.5 gpm (5.7 L/min) max. • handle mounting: right only • deckplate: included • side spray: included • side spray: can be installed with or without	**7735ORB**	477.85	Oil Rubbed Bronze	3
DURALOCK® DURALAST®				

NOTES

● Spot Resist Stainless Finish SPOT RESIST
motionsense MotionSense™ Hands-free Kitchen Faucet
POWERCLEAN Power Clean™ technology
reflex Self-Retracting Spray Hose
DURALOCK Duralock® Quick Connections
DURALAST Duralast® Cartridge

Deck Extension kits available on page 364.
Bar/Prep faucets available. See page 44-48.

WANT TO ADD WATER FILTRATION OR A SOAP DISPENSER IN THE KITCHEN? SEE page 50-53.

Kitchen Faucets

ARBOR® ONE-HANDLE PULLDOWN KITCHEN FAUCET



- application: one or three hole
- overall height: 15.50"
- connection size: 3/8"
- connection type: compression
- number of functions: three-function
- spray type: aerated stream; pause function; powerful cleaning rinse
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- hose length: 68"
- deckplate: included

motionsense reflex POWERCLEAN DURALOCK® DURALAST®

MODEL NUMBER	LIST PRICE	FINISH/ COLOR	CASE QTY
7594EC	640.95	Chrome	3
7594ESRS ●	676.85	Spot Resist Stainless	3
7594EORB	709.65	Oil Rubbed Bronze	3
AC ADAPTERS SOLD SEPARATELY			
169031	127.70		12

ARBOR® ONE-HANDLE PULLDOWN KITCHEN FAUCET



- application: one or three hole
- overall height: 15.50"
- connection size: 3/8"
- connection type: compression
- number of functions: three-function
- spray type: aerated stream; pause function; powerful cleaning rinse
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- hose length: 68"
- deckplate: included

reflex POWERCLEAN DURALOCK® DURALAST®

MODEL NUMBER	LIST PRICE	FINISH/ COLOR	CASE QTY
7594C	344.50	Chrome	3
7594BL	390.45	Matte Black	3
7594SRS ●	441.30	Spot Resist Stainless	3
7594ORB	461.75	Oil Rubbed Bronze	3

ARBOR® ONE-HANDLE PULLOUT KITCHEN FAUCET



- application: one or three hole
- overall height: 12.13"
- connection size: 3/8"
- connection type: compression
- number of functions: three-function
- spray type: aerated stream; pause function; powerful cleaning rinse
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- hose length: 59"
- deckplate: included

POWERCLEAN DURALOCK® DURALAST®

MODEL NUMBER	LIST PRICE	FINISH/ COLOR	CASE QTY
7294C	320.90	Chrome	3
7294BL	363.65	Matte Black	3
7294SRS ●	411.05	Spot Resist Stainless	3
7294ORB	436.40	Oil Rubbed Bronze	3

ARBOR® ONE-HANDLE PULLOUT KITCHEN FAUCET



- application: one to four hole
- overall height: 15.50"
- connection size: 3/8"
- connection type: compression
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- deckplate: included
- side spray: included
- side spray: can be installed with or without

DURALOCK® DURALAST®

MODEL NUMBER	LIST PRICE	FINISH/ COLOR	CASE QTY
7790	326.60	Chrome	3
7790SRS ●	420.65	Spot Resist Stainless	3

Deck Extension kits available on page 364.

Bar/Prep faucets available. See page 44-48.

WANT TO ADD WATER FILTRATION OR A SOAP DISPENSER IN THE KITCHEN? SEE page 50-53.

NOTES

● Spot Resist Stainless Finish SPOT RESIST

motionsense MotionSense™ Hands-free Kitchen Faucet

reflex Self-Retracting Spray Hose

POWERCLEAN Power Clean™ technology

DURALOCK Duralock® Quick Connections

DURALAST Duralast® Cartridge

	MODEL NUMBER	LIST PRICE	FINISH/ COLOR	CASE QTY
CAMERIST® ONE-HANDLE PULLOUT KITCHEN FAUCET				
NEW! Ships Q2	**7545C** ◆	337.70	Chrome	3
	7545SRS ●	452.15	Spot Resist Stainless	3
	75450RB	474.75	Oil Rubbed Bronze	3



- application: one or three hole
- overall height: 12.42"
- connection size: 3/8"
- connection type: compression
- number of functions: two-function
- spray type: aerated stream; powerful cleaning rinse
- water usage: 1.5 gpm (5.7 L/min) max.
- hose length: 68"
- deckplate: included

reflex POWERCLEAN DURALOCK® DURALAST®

CAMERIST® ONE-HANDLE KITCHEN FAUCET				
	7835	199.45	Chrome	3
	7835SRS ●	295.15	Spot Resist Stainless	3



- application: three hole
- overall height: 8.13"
- connection size: 3/8"
- connection type: compression
- water usage: 1.5 gpm (5.7 L/min) max.
- deckplate: included
- side spray: included

DURALOCK® DURALAST®

	7840 ◆	199.45	Chrome	3
	7840SRS ●	292.60	Spot Resist Stainless	3
	78400RB	314.05	Oil Rubbed Bronze	3



- application: two or four hole
- overall height: 8.13"
- connection size: 3/8"
- connection type: compression
- water usage: 1.5 gpm (5.7 L/min) max.
- deckplate: included
- side spray: included

DURALOCK® DURALAST®

CAMERIST® ONE-HANDLE KITCHEN FAUCET				
	7825	167.30	Chrome	3
	7825SRS ●	256.65	Spot Resist Stainless	3
	78250RB	282.65	Oil Rubbed Bronze	3



- application: one or three hole
- overall height: 8.13"
- connection size: 3/8"
- connection type: compression
- water usage: 1.5 gpm (5.7 L/min) max.
- deckplate: included

DURALAST®

METHOD™ ONE-HANDLE PULLOUT KITCHEN FAUCET				
NEW! Ships Q1	**7585C**	277.85	Chrome	3
	7585SRS ●	350.50	Spot Resist Stainless	3



- application: one or three hole
- overall height: 9.04"
- connection size: 3/8"
- connection type: compression
- number of functions: two-function
- spray type: aerated stream; powerful cleaning rinse
- water usage: 1.5 gpm (5.7 L/min) max.
- hose length: 68"
- deckplate: included

POWERCLEAN DURALOCK® DURALAST®

NOTES

● Spot Resist Stainless Finish SPOT RESIST
reflex Self-Retracting Spray Hose
POWERCLEAN Power Clean™ technology
DURALOCK Duralock® Quick Connections
DURALAST Duralast® Cartridge

Deck Extension kits available on page 364.
Bar/Prep faucets available. See page 44-48.

WANT TO ADD WATER FILTRATION OR A SOAP DISPENSER IN THE KITCHEN? SEE page 50-53.

Kitchen Faucets

	MODEL NUMBER	LIST PRICE	FINISH/ COLOR	CASE QTY
BELFIELD™ ONE-HANDLE KITCHEN FAUCET				
 • application: two or four hole • overall height: 12.22" • connection size: 3/8" • connection type: compression • water usage: 1.5 gpm (5.7 L/min) max. • deckplate: included • side spray: included DURALOCK® DURALAST®	**7245C**	299.70	Chrome	3
	7245SRS ●	404.60	Spot Resist Stainless	3
	7245ORB	445.15	Oil Rubbed Bronze	3
 • application: one or three hole • overall height: 12.22" • connection size: 3/8" • connection type: compression • water usage: 1.5 gpm (5.7 L/min) max. • deckplate: included DURALAST®	**7240C**	257.70	Chrome	3
	7240SRS ●	348.05	Spot Resist Stainless	3
	7240ORB	382.85	Oil Rubbed Bronze	3
BELFIELD™ TWO-HANDLE KITCHEN FAUCET				
 • application: three or four hole • overall height: 9.34" • connection size: 1/2" • connection type: IPS • water usage: 1.5 gpm (5.7 L/min) max. • deckplate: included • side spray: included DURALOCK®	**7255C**	283.35	Chrome	3
	7255SRS ●	382.55	Spot Resist Stainless	3
	7255ORB	420.80	Oil Rubbed Bronze	3
 • application: three hole • overall height: 9.34" • connection size: 1/2" • connection type: IPS • water usage: 1.5 gpm (5.7 L/min) max. • deckplate: included	**7250C**	243.70	Chrome	3
	7250SRS ●	329.05	Spot Resist Stainless	3
	7250ORB	362.00	Oil Rubbed Bronze	3
INTEGRA® ONE-HANDLE PULLOUT KITCHEN FAUCET				
 • application: one or three hole • overall height: 10.63" • connection size: 3/8" • connection type: compression • number of functions: two-function • spray type: aerated stream; powerful cleaning rinse • water usage: 1.5 gpm (5.7 L/min) max. • hose length: 59" • deckplate: included POWERCLEAN DURALOCK® DURALAST®	**67315C** ◆	230.30	Chrome	6
	67315SRS ● ◆	325.55	Spot Resist Stainless	6

Deck Extension kits available on page 364.
Bar/Prep faucets available. See page 44-48.

WANT TO ADD WATER FILTRATION OR A SOAP DISPENSER IN THE KITCHEN? SEE page 50-53.

NOTES

● Spot Resist Stainless Finish SPOT RESIST
POWERCLEAN Power Clean™ technology
DURALOCK Duralock® Quick Connections
DURALAST Duralast® Cartridge
◆ Also available in bulk pack. See page 399.

		MODEL NUMBER	LIST PRICE	FINISH/ COLOR	CASE QTY
CHATEAU®	**ONE-HANDLE KITCHEN FAUCET**				
	• application: four hole • overall height: 8.50" • connection size: 3/8" • connection type: compression • water usage: 1.5 gpm (5.7 L/min) max. • side spray: included DURALOCK® DURALAST®	**7430** ◆	160.70	Chrome	6
		NEW! **7430SRS** ●	192.55	Spot Resist Stainless	6
		Finish, Ships Q2			
	• application: three hole • overall height: 8.50" • connection size: 3/8" • connection type: compression • water usage: 1.5 gpm (5.7 L/min) max. • side spray: included DURALOCK® DURALAST®	**7434** ◆	160.70	Chrome	6
	• application: two hole • overall height: 8.94" • connection size: 3/8" • connection type: compression • water usage: 1.5 gpm (5.7 L/min) max. • side spray: included DURALOCK® DURALAST®	**7437**	164.10	Chrome	6
	• application: one hole • overall height: 8.94" • connection size: 3/8" • connection type: compression • water usage: 1.5 gpm (5.7 L/min) max. DURALAST®	**7423**	130.25	Chrome	6
	• application: three hole • overall height: 8.50" • connection size: 3/8" • connection type: compression • water usage: 1.5 gpm (5.7 L/min) max. DURALAST®	**7425** ◆	127.70	Chrome	6
		NEW! **7425SRS** ●	153.00	Spot Resist Stainless	6
		Finish, Ships Q2			

Deck Extension kits available on page 364.
Bar/Prep faucets available. See page 44-48.

WANT TO ADD WATER FILTRATION OR A SOAP DISPENSER IN THE KITCHEN? SEE page 50-53.

NOTES

● Spot Resist Stainless Finish SPOT RESIST
DURALOCK Duralock® Quick Connections
DURALAST Duralast® Cartridge
◆ Also available in bulk pack. See page 399.

Kitchen Faucets

		MODEL NUMBER	LIST PRICE	FINISH/ COLOR	CASE QTY
CHATEAU®	**TWO-HANDLE KITCHEN FAUCET**				
	• application: four hole • overall height: 6.50" • connection size: 1/2" • connection type: IPS • water usage: 1.5 gpm (5.7 L/min) max. • side spray: included DURALOCK®	**7907**	152.55	Chrome	6
	• application: three hole • overall height: 6.50" • connection size: 1/2" • connection type: IPS • water usage: 1.5 gpm (5.7 L/min) max.	**7906**	121.20	Chrome	6
	• application: four hole • overall height: 6.50" • connection size: 1/2" • connection type: IPS • water usage: 1.5 gpm (5.7 L/min) max. • side spray: included DURALOCK®	**7910** ◆	121.85	Chrome	12
	• application: three hole • overall height: 6.50" • connection size: 1/2" • connection type: IPS • water usage: 1.5 gpm (5.7 L/min) max.	**7900** ◆	95.30	Chrome	12

Deck Extension kits available on page 364.

Bar/Prep faucets available. See page 44-48.

WANT TO ADD WATER FILTRATION OR A SOAP DISPENSER IN THE KITCHEN? SEE page 50-53.

NOTES

DURALOCK Duralock® Quick Connections

◆ Also available in bulk pack. See page 399.

		MODEL NUMBER	LIST PRICE	FINISH/ COLOR	CASE QTY
TORRANCE™	**ONE-HANDLE KITCHEN FAUCET**				
NEW! Ships Q2 	• application: three hole • overall height: 9.00" • connection size: 3/8" • connection type: compression • water usage: 1.5 gpm (5.7 L/min) max. DURALAST®	**7081** **7081SRS** ●	127.70 165.75	Chrome Spot Resist Stainless	6 6
NEW! Ships Q2 	• application: four hole • overall height: 9.00" • connection size: 3/8" • connection type: compression • water usage: 1.5 gpm (5.7 L/min) max. • sidespray: included DURALOCK® DURALAST®	**7082** **7082SRS** ●	160.70 208.60	Chrome Spot Resist Stainless	6 6
NEW! Ships Q2 	• application: four hole • overall height: 9.00" • connection size: 3/8" • connection type: compression • water usage: 1.5 gpm (5.7 L/min) max. • sidespray: included DURALOCK® DURALAST®	**7083**	160.70	Chrome	6
BANBURY®	**ONE-HANDLE KITCHEN FAUCET**				
NEW! Ships Q2 	• application: three hole • overall height: 7.50" • connection size: 3/8" • connection type: compression • water usage: 1.5 gpm (5.7 L/min) max. DURALAST®	**7050** **7050SRS** ●	99.55 121.15	Chrome Spot Resist Stainless	6 6
NEW! Ships Q2 	• application: four hole • overall height: 7.50" • connection size: 3/8" • connection type: compression • water usage: 1.5 gpm (5.7 L/min) max. • sidespray: included DURALOCK® DURALAST®	**7051** **7051SRS** ●	109.00 127.65	Chrome Spot Resist Stainless	6 6
NEW! Ships Q2 	• application: four hole • overall height: 7.50" • connection size: 3/8" • connection type: compression • water usage: 1.5 gpm (5.7 L/min) max. • sidespray: included DURALOCK® DURALAST®	**7052**	109.00	Chrome	6

NOTES

● Spot Resist Stainless Finish SPOT RESIST

DURALOCK® Duralock® Quick Connections

DURALAST® Duralast® Cartridge

Kitchen Compliments

Kitchen Compliments is about creating a kitchen without compromise. Moen offers exceptional products that deliver all the style and functionality required for a dream kitchen — now with the convenience of getting it all from one, trusted brand. That means guaranteed style compatibility, guaranteed quality and guaranteed satisfaction.

Bundling creates excellent opportunities to cross-sell coordinating products.



Lighting fixtures are available in seven of the most popular Moen collections.

Who Knew?

The Quick-Connect Wiring System from Moen easily and seamlessly coordinates stylish lighting from the 90°™ and Voss™ collections with our kitchen and bath collections. Additional Moen lighting collections include: Brantford®, Eva™, Iso™, Rothbury™ and Waterhill®.

You Can Offer Your Customers



Our expanded line of stainless steel sinks are complemented by rinse baskets, cutting boards and other sink accessories.



New soap dispenser designs coordinate with traditional, transitional and modern style options to coordinate with décor.



Sip™ Beverage Faucets provide clean, filtered water at the kitchen sink or a separate beverage sink while hiding the filter under the cabinet.



Moen bar faucets, pot fillers and filtering faucets are guaranteed to match our kitchen faucets in finishes, performance and quality.



Our towel bars, towel rings, hooks, knobs, pulls and other accessories create consistent style throughout the kitchen.

Modern

Traditional

Premium Pot Fillers

The pot filler is the ultimate epicurean luxury, with all the details needed to ensure convenient flow control over a cooktop. They are available in traditional and modern styles to coordinate with any décor preference.



MODERN POT FILLER — TWO-HANDLE KITCHEN FAUCET



- application: one hole
- spout reach: 24.00"
- connection size: 1/2"
- connection type: IPS
- spray type: aerated stream
- water usage: 5.5 gpm (21 L/min) max.

MODEL NUMBER	LIST PRICE	FINISH/ COLOR	CASE QTY
PREMIUM			
S665	727.50	Chrome	3
S665SRS ●	999.65	Spot Resist Stainless	3

TRADITIONAL POT FILLER — TWO-HANDLE KITCHEN FAUCET



- application: one hole
- spout reach: 24.00"
- connection size: 1/2"
- connection type: IPS
- spray type: aerated stream
- water usage: 5.5 gpm (21 L/min) max.

MODEL NUMBER	LIST PRICE	FINISH/ COLOR	CASE QTY
PREMIUM			
S664	727.50	Chrome	3
S664SRS ●	999.65	Spot Resist Stainless	3
S664ORB	1099.55	Oil Rubbed Bronze	3

NOTES

● Spot Resist Stainless Finish SPOT RESIST

Deck Extension kits available on page 364.

WANT TO ADD WATER FILTRATION OR A SOAP DISPENSER IN THE KITCHEN? SEE page 50-53.

Premium Bar/Prep Faucets

All Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

Etch®

Weymouth®

STŌ®

90°™

Premium Bar/Prep Kitchen Faucets

Perfect for secondary sinks, bar/prep kitchen faucets combine design and functionality. Available in array of design options, Moen® bar/prep kitchen faucets match perfectly with almost any decorating style.



ETCH® — ONE-HANDLE PULLDOWN BAR FAUCET



- application: one hole
- overall height: 15.50"
- connection size: 3/8"
- connection type: compression
- number of functions: two-function
- spray type: aerated stream; powerful cleaning rinse
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- hose length: 68"

reflex POWERCLEAN DURALOCK DURALAST

MODEL NUMBER	LIST PRICE	FINISH/ COLOR	CASE QTY
PREMIUM			
S62608	466.80	Chrome	3
S62608SRS ●	606.80	Spot Resist Stainless	3

WEYMOUTH® — ONE-HANDLE KITCHEN FAUCET



- application: one hole
- overall height: 7.81"
- connection size: 3/8"
- connection type: compression
- spray type: aerated stream
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only

DURALAST

MODEL NUMBER	LIST PRICE	FINISH/ COLOR	CASE QTY
PREMIUM			
S62101	439.70	Chrome	3
S62101NL	659.65	Polished Nickel	3
S62101SRS ●	690.40	Spot Resist Stainless	3
S621010RB	753.30	Oil Rubbed Bronze	3

NOTES

● Spot Resist Stainless Finish
reflex Self-Retracting Spray Hose
POWERCLEAN Power Clean™ technology
DURALOCK Duralock® Quick Connections
DURALAST Duralast® Cartridge

Deck Extension kits available on page 364.

WANT TO ADD WATER FILTRATION OR A SOAP DISPENSER IN THE KITCHEN? SEE page 50-53.

Premium Bar/Prep Faucets

STŌ®

ONE-HANDLE PULLDOWN BAR FAUCET



- application: one hole
- overall height: 14.63"
- connection size: 3/8"
- connection type: compression
- number of functions: two-function
- spray type: aerated stream; powerful cleaning rinse
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- hose length: 68"

reflex POWERCLEAN DURALOCK® DURALAST®

MODEL NUMBER	LIST PRICE	FINISH/ COLOR	CASE QTY
PREMIUM			
S62308	410.55	Chrome	3
S62308BL	540.60	Matte Black	3
S62308SRS ●	540.60	Spot Resist Stainless	3

90 DEGREE™

ONE-HANDLE BAR FAUCET



- application: one hole
- overall height: 11.00"
- connection size: 3/8"
- connection type: compression
- spray type: aerated stream
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: left or right

DURALAST®

MODEL NUMBER	LIST PRICE	FINISH/ COLOR	CASE QTY
PREMIUM			
S5170	406.30	Chrome	3
S5170SRS ●	507.85	Spot Resist Stainless	3

NOTES

● Spot Resist Stainless Finish SPOT RESIST
reflex Self-Retracting Spray Hose
POWERCLEAN Power Clean™ technology
DURALOCK Duralock® Quick Connections
DURALAST Duralast® Cartridge

Deck Extension kits available on page 364.

WANT TO ADD WATER FILTRATION OR A SOAP DISPENSER IN THE KITCHEN? SEE page 50-53.

Bar/Prep Faucets

Woodmere®
Notch®
Align®
Brantford®
Arbor®
Camerist®
Chateau®

Bar/Prep Kitchen Faucets

Combining performance and reliability, Moen® bar/prep faucets are tailored to perfection. Available in your choice of unique design options, these functional collections are sure to create a truly polished look.



WOODMERE® — ONE-HANDLE PULLDOWN BAR FAUCET



- application: one hole
- overall height: 13.25"
- connection size: 3/8"
- connection type: compression
- number of functions: two-function
- spray type: aerated stream; powerful cleaning rinse
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- hose length: 68"

reflex POWERCLEAN DURALOCK® DURALAST®

MODEL NUMBER	LIST PRICE	FINISH/ COLOR	CASE QTY
6615SRS ●	497.70	Spot Resist Stainless	3

NOTCH® — ONE-HANDLE PULLDOWN BAR FAUCET





- application: one or three hole
- overall height: 14.52"
- connection size: 3/8"
- connection type: compression
- number of functions: two-function
- spray type: aerated stream; powerful cleaning rinse
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- hose length: 68"

reflex POWERCLEAN DURALOCK® DURALAST®

6124C	368.90	Chrome	3
6124SRS ●	470.45	Spot Resist Stainless	3
61240RB	517.60	Oil Rubbed Bronze	3
DECKPLATES SOLD SEPARATELY			
157328	41.35	Chrome	6
157328SRS ●	47.55	Spot Resist Stainless	6
157328ORB	52.30	Oil Rubbed Bronze	6

NOTES

● Spot Resist Stainless Finish SPOT RESIST
reflex Self-Retracting Spray Hose
POWERCLEAN Power Clean™ technology
DURALOCK Duralock® Quick Connections
DURALAST Duralast® Cartridge

Deck Extension kits available on page 364.

WANT TO ADD WATER FILTRATION OR A SOAP DISPENSER IN THE KITCHEN? SEE page 50-53.

ALIGN® ONE-HANDLE PULLDOWN BAR FAUCET



- application: one or three hole
- overall height: 13.75"
- connection size: 3/8"
- connection type: compression
- number of functions: two-function
- spray type: aerated stream; powerful cleaning rinse
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- hose length: 68"

reflex POWERCLEAN DURALOCK® DURALAST®

MODEL NUMBER	LIST PRICE	FINISH/ COLOR	CASE QTY
5965	339.85	Chrome	3
5965SRS ●	437.40	Spot Resist Stainless	3
DECKPLATES SOLD SEPARATELY			
141002	46.20	Chrome	6
141002SRS ●	51.90	Spot Resist Stainless	6

BRANTFORD® ONE-HANDLE PULLDOWN BAR FAUCET



- application: one or three hole
- overall height: 14.38"
- connection size: 3/8"
- connection type: compression
- number of functions: two-function
- spray type: aerated stream; powerful cleaning rinse
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- hose length: 68"

reflex POWERCLEAN DURALOCK® DURALAST®

MODEL NUMBER	LIST PRICE	FINISH/ COLOR	CASE QTY
5985	328.75	Chrome	3
5985SRS ●	421.30	Spot Resist Stainless	3
5985ORB	453.60	Oil Rubbed Bronze	3
DECKPLATES SOLD SEPARATELY			
141002	46.20	Chrome	6
141002SRS ●	53.05	Spot Resist Stainless	6
141002ORB	58.45	Oil Rubbed Bronze	6

ARBOR® ONE-HANDLE PULLDOWN BAR FAUCET



- application: one or three hole
- overall height: 14.38"
- connection size: 3/8"
- connection type: compression
- number of functions: two-function
- spray type: aerated stream; powerful cleaning rinse
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- hose length: 68"

reflex POWERCLEAN DURALOCK® DURALAST®

MODEL NUMBER	LIST PRICE	FINISH/ COLOR	CASE QTY
5995	310.05	Chrome	3
5995BL	351.45	Matte Black	3
5995SRS ●	397.20	Spot Resist Stainless	3
5995ORB	415.50	Oil Rubbed Bronze	3
DECKPLATES SOLD SEPARATELY			
141002	46.20	Chrome	6
141002BL	53.05	Matte Black	6
141002SRS ●	53.05	Spot Resist Stainless	6
141002ORB	58.45	Oil Rubbed Bronze	6

CAMERIST® ONE-HANDLE BAR FAUCET



- application: two hole
- overall height: 11.00"
- connection size: 3/8"
- connection type: compression
- spray type: aerated stream
- water usage: 1.5 gpm (5.7 L/min) max.

DURALOCK® DURALAST®

MODEL NUMBER	LIST PRICE	FINISH/ COLOR	CASE QTY
4905	196.10	Chrome	3
4905SRS ●	263.70	Spot Resist Stainless	3
4905ORB	282.65	Oil Rubbed Bronze	3

NOTES

● Spot Resist Stainless Finish SPOT RESIST
reflex Self-Retracting Spray Hose
POWERCLEAN Power Clean™ technology
DURALOCK Duralock® Quick Connections
DURALAST Duralast® Cartridge

Deck Extension kits available on page 364.

WANT TO ADD WATER FILTRATION OR A SOAP DISPENSER IN THE KITCHEN? SEE page 50-53.

Bar/Prep Faucets

		MODEL NUMBER	LIST PRICE	FINISH/ COLOR	CASE QTY
CHATEAU®	**ONE-HANDLE BAR FAUCET**				
	• application: two hole • overall height: 10.50" • connection size: 3/8" • connection type: compression • spray type: aerated stream • water usage: 1.5 gpm (5.7 L/min) max. DURALOCK® DURALAST®	**4904**	172.10	Chrome	3
		NEW! **4904SRS** ●	215.60	Spot Resist Stainless	3
		Finish, Ships Q2			
CHATEAU®	**TWO-HANDLE BAR FAUCET**				
	• application: two hole • overall height: 10.50" • connection size: 1/2" • connection type: IPS • spray type: aerated stream • water usage: 1.5 gpm (5.7 L/min) max.	**4903**	94.35	Chrome	12

Deck Extension kits available on page 364.

WANT TO ADD WATER FILTRATION OR A SOAP DISPENSER IN THE KITCHEN? SEE page 50-53.

NOTES

DURALOCK® Duralock® Quick Connection
DURALAST® Duralast® Cartridge

Integra®

Chateau®

Laundry Faucets

Moen® laundry faucets bring performance, versatility and reliability to work areas with a simple, understated appeal. They are available in traditional and modern styles to coordinate with any décor preference.



		MODEL NUMBER	LIST PRICE	FINISH/ COLOR	CASE QTY
INTEGRA®	**ONE-HANDLE PULLOUT LAUNDRY FAUCET**				
	• application: one or three hole • overall height: 10.63" • connection size: 3/8" • connection type: compression • number of functions: two-function • spray type: aerated stream; powerful cleaning rinse • water usage: 1.5 gpm (5.7 L/min) max. • hose length: 59" • deckplate: included	**67315C** ◆	230.30	Chrome	6
		67315SRS ● ◆	325.55	Spot Resist Stainless	6
	POWERCLEAN DURALOCK DURALAST				
CHATEAU®	**TWO-HANDLE LAUNDRY FAUCET**				
	• application: two hole • overall height: 6.63" • connection size: 1/2" • connection type: IPS • spray type: aerated stream • water usage: unrestricted	**4975**	96.20	Chrome	12
	• application: two hole • overall height: 6.63" • connection size: 1/2" • connection type: IPS • spray type: aerated stream • water usage: unrestricted	**74998**	72.35	Chrome	12

NOTES

● Spot Resist Stainless Finish SPOT RESIST
POWERCLEAN Power Clean™ technology
DURALOCK Duralock® Quick Connections
DURALAST Duralast® Cartridge
◆ Also available in bulk pack. See page 385.

Deck Extension kits available on page 364.

WANT TO ADD A SOAP DISPENSER IN THE KITCHEN? SEE page 52-53.

Premium Beverage and Filtering Faucets

Modern

Traditional

Transitional

Premium Beverage and Filtering Kitchen Faucets

Having a cold water tap at your kitchen sink is easy and stylish with SIP™ beverage faucets. SIP™ styles feature a high arc rotating spout that provides more convenience at the sink. They are available in coordinating styles for every decorating taste: traditional, transitional or modern.



SIP™ MODERN ONE-HANDLE BEVERAGE/FILTRATION FAUCET



- overall height: 10.88
- water usage: 1.5 gpm (5.7 L/min) max.
- S5500: filtration sold separately

DURALAST®

MODEL NUMBER	LIST PRICE	FINISH/ COLOR	CASE QTY
PREMIUM			
S5530	272.45	Chrome	3
S5530SRS ●	381.40	Spot Resist Stainless	3
FILTRATION SOLD SEPARATELY			
S5500	235.75		6

SIP™ TRADITIONAL ONE-HANDLE BEVERAGE/FILTRATION FAUCET



- overall height: 10.88
- water usage: 1.5 gpm (5.7 L/min) max.
- S5500: filtration sold separately

DURALAST®

PREMIUM			
S5510	272.45	Chrome	3
S5510SRS ●	381.40	Spot Resist Stainless	3
S5510ORB	419.15	Oil Rubbed Bronze	3
FILTRATION SOLD SEPARATELY			
S5500	235.75		6

SIP™ TRANSITIONAL ONE-HANDLE BEVERAGE/FILTRATION FAUCET



- overall height: 10.88
- water usage: 1.5 gpm (5.7 L/min) max.
- S5500: filtration sold separately

DURALAST®

PREMIUM			
S5520	272.45	Chrome	3
S5520SRS ●	381.40	Spot Resist Stainless	3
S5520ORB	419.15	Oil Rubbed Bronze	3
FILTRATION SOLD SEPARATELY			
S5500	235.75		6

Bar/Prep faucets available. See page 44-48.

NOTES

● Spot Resist Stainless Finish SPOT RESIST

DURALAST® Duralast® Cartridge

		MODEL NUMBER	LIST PRICE	CASE QTY
FILTRATION SYSTEM				
	• water usage: 0.7 gpm (2.7 L/min) max. • filter: included • application: undercounter • system: dry change • battery: included • use with: S5510, S5520 and S5530 series	**PREMIUM** **S5500**	 235.75	 6
	• use with: 77100 series	**9001**	93.60	6
	• includes: replacement battery • use with: F7400, 77200, S5510, S5520, and S5530 series	**9601**	52.95	18
	• use with: PureTouch® classic series	**601**	35.20	12

Bar/Prep faucets available. See page 44-48.

Premium Soap/Lotion Dispensers

Modern

Traditional

Transitional

Premium Soap/Lotion Dispensers

Accessorize your kitchen with stylish soap/lotion dispensers from Moen. They are available in coordinating styles for every decorating taste: traditional, transitional or modern. All come with tops that lift off for easy refill.



MODERN SOAP/LOTION DISPENSER



- overall height: 5.00"
- spout reach: 3.50"
- max deck thickness: 3-1/2"
- bottle size: 18 ounce refillable bottle
- hole diameter: 1-1/8" hole

MODEL NUMBER	LIST PRICE	FINISH/ COLOR	CASE QTY
PREMIUM			
S3947C	133.10	Chrome	6
S3947SRS ●	159.80	Spot Resist Stainless	6

TRADITIONAL SOAP/LOTION DISPENSER



- overall height: 5.00"
- spout reach: 3.50"
- max deck thickness: 3-1/2"
- bottle size: 18 ounce refillable bottle
- hole diameter: 1-1/8" hole

MODEL NUMBER	LIST PRICE	FINISH/ COLOR	CASE QTY
PREMIUM			
S3945C	133.10	Chrome	6
S3945SRS ●	159.80	Spot Resist Stainless	6
S39450RB	166.35	Oil Rubbed Bronze	6

TRANSITIONAL SOAP/LOTION DISPENSER



- overall height: 5.00"
- spout reach: 3.50"
- max deck thickness: 3-1/2"
- bottle size: 18 ounce refillable bottle
- hole diameter: 1-1/8" hole

MODEL NUMBER	LIST PRICE	FINISH/ COLOR	CASE QTY
PREMIUM			
S3946C	133.10	Chrome	6
S3946BL	146.35	Matte Black	6
S3946SRS ●	159.80	Spot Resist Stainless	6
S39460RB	166.35	Oil Rubbed Bronze	6



- overall height: 5.00"
- spout reach: 3.50"
- max deck thickness: 3-1/2"
- bottle size: 18 ounce refillable bottle
- hole diameter: 1-1/8" hole

MODEL NUMBER	LIST PRICE	FINISH/ COLOR	CASE QTY
PREMIUM			
S3948C	133.10	Chrome	6
S3948SRS ●	159.80	Spot Resist Stainless	6
S39480RB	166.35	Oil Rubbed Bronze	6

NOTES

● Spot Resist Stainless Finish SPOT RESIST

Soap/Lotion Dispensers, Air Gaps, Hose Management

TRANSITIONAL SOAP/LOTION DISPENSER



- overall height: 3.13"
- spout reach: 2.75"
- max deck thickness: 2-1/4"
- bottle size: 18 ounce refillable bottle
- hole diameter: 1-1/8" hole

MODEL NUMBER	LIST PRICE	FINISH/ COLOR	CASE QTY
3942	95.50	Chrome	6
3942BL	105.10	Matte Black	6
3942W	105.10	Glacier	6
3942SRS ●	114.65	Spot Resist Stainless	6



- overall height: 2.56"
- spout reach: 3.63"
- max deck thickness: 2-1/4"
- bottle size: 18 ounce refillable bottle
- hole diameter: 1-1/8" hole

MODEL NUMBER	LIST PRICE	FINISH/ COLOR	CASE QTY
3944	95.50	Chrome	6
3944SRS ●	114.65	Spot Resist Stainless	6
3944ORB	120.35	Oil Rubbed Bronze	6

AIR GAP



- application: one hole
- hole diameter: 1 3/8"

MODEL NUMBER	LIST PRICE	FINISH/ COLOR	CASE QTY
105895BL	35.55	Matte Black	6
105895SRS ●	45.05	Spot Resist Stainless	6
105895CSL	49.10	Classic Stainless	6
105895ORB	51.55	Oil Rubbed Bronze	6

PULLOUT/PULLDOWN MANAGEMENT SYSTEM




- system: helps prevent hose/weight getting caught under sink
- size: can be cut to accommodate different cabinet sizes
- compatible with: Moen kitchen pulldowns and pullout single mount skus (excluding Aberdeen™)

MODEL NUMBER	LIST PRICE	FINISH/ COLOR	CASE QTY
159060	18.10	N/A or Unfinished	6

WANT TO ADD WATER FILTRATION IN THE KITCHEN? SEE page 50-51.

NOTES

● Spot Resist Stainless Finish SPOT RESIST



Sinks

Stainless Steel Sinks and Custom Sink Accessories

1800 Series 30" x 21" Stainless Steel 18 Gauge Double Bowl Sink / G18220
Weymouth® One-Handle High Arc Kitchen Faucet / S72101

Please see **moen.com/consumer-support/warranty**
for complete product warranty information.

Moen® Stainless Steel Sinks

1600™ Professional Series
Constructed from premium, durable 16-gauge stainless steel, each sink in the 1600™ Professional Series is built to withstand your toughest chores, creative cooking whims and heaviest pots and pans. Exceptional sound-deadening and wear-resistant uniform brushed finish – backed by a limited lifetime warranty – assure the functionality and beauty last.

1800™ Series
High quality construction and extensive selection come together in our 1800™ Series. Strong 18-gauge stainless steel serves as a solid base for a wide array of design options. Exceptional sound-deadening and wear-resistant uniform brushed finish – backed by a limited lifetime warranty – assure the functionality and beauty last.

2000™ Series
The 2000™ Series delivers design and functionality at a value. A variety of configurations and mounting options in quality 20-gauge stainless steel give you choices that fit almost any countertop material – backed by a limited lifetime warranty.

2200™ Series
The 2200™ Series offers 22-gauge stainless steel construction that provides sturdy functionality and most commonly used configurations – backed by a limited lifetime warranty.

Commercial Series
Durable 18- and 20-gauge stainless steel sinks for commercial applications – backed by a 5-year limited warranty.

SoundSHIELD™
SoundSHIELD™ is a sound-deadening system that offers exceptional noise reduction and quiet dependability.

GUIDELINES FOR ORDERING

The following guidelines will assist you when ordering sinks.

	Description	Gauge	Undermount Options	Drop-In Options	Bar/Prep Options	Bowl Depth	SoundSHIELD™	Warranty
1600™ Professional Series	Professional	16	✓		✓	10"	✓	Limited Lifetime
1800™ Series	High Quality, Extensive Selection	18	✓	✓	✓	Up to 10"	✓	Limited Lifetime
2000™ Series	Design + Functionality	20	✓	✓	✓	Up to 8"	✓	Limited Lifetime
2200™ Series	Sturdy Value	22		✓	✓	Up to 8"	✓	Limited Lifetime
Commercial Series	Commercial Application	18, 20		✓		Up to 11"	✓	5-Year Limited

SKU Number Key*

	G	A	1	8	2	3	3	4	
Packaging	Sink	Accessory	Gauge		#Bowls	Random- numeric		# Holes	Any combo from below

No Entry	Single/STD
B	Bulk
P	Pallet
T	To go- with drains and faucet
K	Kit- with access

16 Gauge	
18 Gauge	
20 Gauge	
22 Gauge	

1	Single
2	Double
4	Bar

0	None	No Entry	3.5" Drain
1	1 Hole	2	2" Drain
2	2 Holes	No Entry	Center Drain
3	3 Holes	B	Rear Position
4	4 Holes	L	Left Rear Position
		R	Right Rear Position
		Q	Quickmount Installation Hardware

Drain Size

Drain Placement

* Commercial Series excluded


SoundSHIELD™

All stainlees steel sinks feature SoundSHIELD™, a sound-deadening system that offers exceptional noise reduction and quiet dependability.

1600™ Professional Series Sinks

Constructed from premium, durable 16-gauge stainless steel, the 1600™ Professional Series is built to withstand your toughest chores.


- 16 gauge
- brushed stainless steel finish
- includes mounting brackets
- includes cut-out template where applicable



1600 SERIES PROFESSIONAL STYLE DOUBLE OFFSET BOWL UNDERMOUNT SINK



- drain opening size: 3 1/2"
- depth size: 10"
- minimum cabinet size: 39"
- reversible bowl: yes
- drain location: center
- weight: 41.25




MODEL NUMBER	DESCRIPTION	LIST PRICE
G16221	double bowl sink	2041.10
	ACCESSORIES	
22538	cut-out template	15.80
GA768	bottom grid	148.45

1600 SERIES PROFESSIONAL STYLE DOUBLE EQUAL BOWL UNDERMOUNT SINK



- drain opening size: 3 1/2"
- depth size: 10"
- minimum cabinet size: 36"
- drain location: center
- weight: 39.90




MODEL NUMBER	DESCRIPTION	LIST PRICE
G16200	double bowl sink	1961.15
	ACCESSORIES	
22537	cut-out template	15.80
GA763	bottom grid	125.80

1600 SERIES PROFESSIONAL STYLE SINGLE BOWL UNDERMOUNT SINK



- drain opening size: 3 1/2"
- depth size: 10"
- minimum cabinet size: 36"
- drain location: center
- weight: 35.20




MODEL NUMBER	DESCRIPTION	LIST PRICE
G16100	single bowl sink	1809.85
	ACCESSORIES	
22539	cut-out template	15.80
GA760	bottom grid	170.15

1600 SERIES PROFESSIONAL STYLE BAR/PREP SINK



- drain opening size: 3 1/2"
- depth size: 10"
- minimum cabinet size: 24"
- drain location: center
- weight: 21.85



MODEL NUMBER	DESCRIPTION	LIST PRICE
G16430	single bowl sink	1070.30
	ACCESSORIES	
22540	cut-out template	15.80
GA763	bottom grid	125.80

Drains and accessories sold separately. See pages 73- 76.

SINKS

SoundSHIELD™

All stainlees steel sinks feature SoundSHIELD™, a sound-deadening system that offers exceptional noise reduction and quiet dependability.

1800™ Series Sinks

Constructed with strong, high quality 18-gauge steel, the 1800™ Series provides a solid base for a wide array of design options.

- 18 gauge
- brushed stainless steel finish
- includes mounting brackets
- includes cut-out template where applicable




	MODEL NUMBER	DESCRIPTION	LIST PRICE

1800 SERIES PROFESSIONAL STYLE DOUBLE OFFSET BOWL UNDERMOUNT SINK



- drain opening size: 3 1/2"
- depth size: 8.5"
- minimum cabinet size: 36"
- drain location: rear center
- weight: 30.51




G18287	double bowl sink	747.10
	ACCESSORIES	
22517	sink cut-out template	15.80
GA782B	bottom grid	125.80
GA785B	bottom grid	137.25
GA922	cutting board	111.65

1800 SERIES PROFESSIONAL STYLE DOUBLE EQUAL BOWL UNDERMOUNT SINK



- drain opening size: 3 1/2"
- depth size: 8.5"
- minimum cabinet size: 33"
- drain location: rear center
- weight: 28.20




G18288	double bowl sink	694.70
	ACCESSORIES	
22518	sink cut-out template	15.80
GA782B	bottom grid	125.80
GA922	cutting board	111.65

1800 SERIES PROFESSIONAL STYLE SINGLE BOWL UNDERMOUNT SINK




- drain opening size: 3 1/2"
- depth size: 8.5"
- minimum cabinet size: 36"
- drain location: rear center
- weight: 27.35



G18180	single bowl sink	693.65
	ACCESSORIES	
22519	sink cut-out template	15.80
GA780B	bottom grid	166.25
GA922	cutting board	111.65



- drain opening size: 3 1/2"
- depth size: 8.5"
- minimum cabinet size: 27"
- drain location: rear center
- weight: 21.00




G18185	single bowl sink	586.80
	ACCESSORIES	
22516	sink cut-out template	15.80
GA781B	bottom grid	148.45
GA922	cutting board	111.65

1800 SERIES APRON FRONT DOUBLE EQUAL BOWL UNDERMOUNT SINK



- drain opening size: 3 1/2"
- depth size: 9"
- minimum cabinet size: 30"
- drain location: rear center
- weight: 42.20




G18220	double bowl sink	1048.45
	ACCESSORIES	
22512	sink template	16.90
GA772	bottom grid	125.30
GA922	cutting board	111.65

1800 SERIES APRON FRONT SINGLE BOWL UNDERMOUNT SINK



- drain opening size: 3 1/2"
- depth size: 9"
- minimum cabinet size: 30"
- drain location: rear center
- weight: 38.25




MODEL NUMBER	DESCRIPTION	LIST PRICE
G18121	single bowl sink	997.80
	ACCESSORIES	
22512	sink template	16.90
GA771	bottom grid	163.50
GA922	cutting board	111.65

1800 SERIES LOW MIDDLE DIVIDE DOUBLE OFFSET BOWL UNDERMOUNT SINK



- drain opening size: 3 1/2"
- depth size: 9"
- minimum cabinet size: 36"
- drain location: center
- weight: 20.30




MODEL NUMBER	DESCRIPTION	LIST PRICE
G18253	double bowl sink	940.05
	ACCESSORIES	
22527	template kit	15.80
GA841	rinse basket	125.30

1800 SERIES LOW MIDDLE DIVIDE DOUBLE EQUAL BOWL UNDERMOUNT SINK



- drain opening size: 3 1/2"
- depth size: 9"
- minimum cabinet size: 36"
- drain location: center
- weight: 19.40




MODEL NUMBER	DESCRIPTION	LIST PRICE
G18252	double bowl sink	889.95
	ACCESSORIES	
22526	template kit	15.80
GA726	bottom grid	70.75
GA821	rinse basket	92.60
GA922	cutting board	111.65

1800 SERIES D SHAPE DOUBLE OFFSET BOWL UNDERMOUNT SINK




- bowl type: d shape
- drain opening size: 3 1/2"
- depth size: 8", 10"
- minimum cabinet size: 36"
- drain location: rear center
- weight: 21.10



MODEL NUMBER	DESCRIPTION	LIST PRICE
G18246	double bowl sink	961.70
	ACCESSORIES	
22523	cut-out template	15.80
GA746B	bottom grid	119.85
GA748B	bottom grid	135.90
GA841	rinse basket	125.30
GA944	cutting board	163.20




- bowl type: d shape
- drain opening size: 3 1/2"
- depth size: 10", 8"
- minimum cabinet size: 36"
- drain location: rear center
- weight: 21.20



MODEL NUMBER	DESCRIPTION	LIST PRICE
G18264	double bowl sink	961.70
	ACCESSORIES	
22522	cut-out template	15.80
GA746B	bottom grid	119.85
GA748B	bottom grid	135.90
GA841	rinse basket	125.30
GA944	cutting board	163.20




- bowl type: d shape
- drain opening size: 3 1/2"
- depth size: 6", 10"
- minimum cabinet size: 33"
- drain location: rear center
- weight: 18.70



MODEL NUMBER	DESCRIPTION	LIST PRICE
G18237	double bowl sink	918.45
	ACCESSORIES	
22521	cut-out template	15.80
GA748B	bottom grid	135.90



- bowl type: d shape
- drain opening size: 3 1/2"
- depth size: 10", 6"
- minimum cabinet size: 33"
- drain location: rear center
- weight: 20.35




MODEL NUMBER	DESCRIPTION	LIST PRICE
G18273	double bowl sink	918.45
	ACCESSORIES	
22520	cut-out template	15.80
GA748B	bottom grid	135.90

1800™ Series

1800 SERIES D SHAPE DOUBLE OFFSET BOWL UNDERMOUNT SINK (CONTINUED)



- bowl type: d shape
- drain opening size: 3 1/2"
- depth size: 8"
- minimum cabinet size: 36"
- drain location: rear center
- weight: 20.00




MODEL NUMBER	DESCRIPTION	LIST PRICE
G18265	double bowl sink	649.40
	ACCESSORIES	
22543	cut-out template	15.80
GA746B	bottom grid	119.85
GA748B	bottom grid	135.90
GA841	rinse basket	125.30
GA944	cutting board	163.20

1800 SERIES D SHAPE DOUBLE EQUAL BOWL UNDERMOUNT SINK




- bowl type: d shape
- drain opening size: 3 1/2"
- depth size: 10"
- minimum cabinet size: 33"
- drain location: rear center
- weight: 20.40



MODEL NUMBER	DESCRIPTION	LIST PRICE
G18255	double bowl sink	783.35
	ACCESSORIES	
22524	cut-out template	15.80
GA746B	bottom grid	119.85
GA841	rinse basket	125.30
GA944	cutting board	163.20




- bowl type: d shape
- drain opening size: 3 1/2"
- depth size: 7"
- minimum cabinet size: 33"
- drain location: rear center
- weight: 17.55



MODEL NUMBER	DESCRIPTION	LIST PRICE
G18256	double bowl sink	432.20
	ACCESSORIES	
22524	cut-out template	15.80
GA746B	bottom grid	119.85
GA841	rinse basket	125.30
GA944	cutting board	163.20



- bowl type: d shape
- drain opening size: 3 1/2"
- depth size: 6"
- minimum cabinet size: 33"
- drain location: rear center
- ADA installation compatible: yes
- weight: 20.40




MODEL NUMBER	DESCRIPTION	LIST PRICE
G18258B	double bowl sink	406.25
	ACCESSORIES	
22524	cut-out template	15.80
GA746B	bottom grid	119.85

1800 SERIES D SHAPE SINGLE BOWL UNDERMOUNT SINK




- bowl type: d shape
- drain opening size: 3 1/2"
- depth size: 9"
- minimum cabinet size: 36"
- drain location: rear center
- weight: 19.86



MODEL NUMBER	DESCRIPTION	LIST PRICE
G18165	single bowl sink	929.85
	ACCESSORIES	
22511	sink template	15.80
GA749B	bottom grid	152.10




- bowl type: d shape
- drain opening size: 3 1/2"
- depth size: 7"
- minimum cabinet size: 36"
- drain location: rear center
- ADA installation compatible: yes
- weight: 16.80



MODEL NUMBER	DESCRIPTION	LIST PRICE
G18163	single bowl sink	716.85
	ACCESSORIES	
22511	sink template	15.80
GA749B	bottom grid	152.10




- drain opening size: 3 1/2"
- depth size: 6"
- minimum cabinet size: 36"
- drain location: rear center
- ADA installation compatible: yes
- weight: 16.8"



MODEL NUMBER	DESCRIPTION	LIST PRICE
G18161	single bowl sink	673.85
	ACCESSORIES	
22511	sink template	15.80
GA749B	bottom grid	152.10



- bowl type: d shape
- drain opening size: 3 1/2"
- depth size: 8"
- minimum cabinet size: 24"
- drain location: rear center
- weight: 12.92




MODEL NUMBER	DESCRIPTION	LIST PRICE
G18160	single bowl sink	627.80
	ACCESSORIES	
22510	cut-out template	16.90
GA748B	bottom grid	135.90

1800 SERIES DOUBLE OFFSET BOWL UNDERMOUNT SINK




- drain opening size: 3 1/2"
- depth size: 10", 8"
- minimum cabinet size: 36"
- drain location: center
- weight: 21.85



MODEL NUMBER	DESCRIPTION	LIST PRICE
G18231	double bowl sink	821.20
	ACCESSORIES	
22509	cut-out template	15.80
GA726	bottom grid	70.75
GA728	bottom grid	95.45
GA821	rinse basket	92.60
GA922	cutting board	111.65



- drain opening size: 3 1/2"
- depth size: 8"
- minimum cabinet size: 36"
- drain location: center
- weight: 18.10




MODEL NUMBER	DESCRIPTION	LIST PRICE
G18232	double bowl sink	625.30
	ACCESSORIES	
22542	cut-out template	15.80
GA726	bottom grid	70.75
GA728	bottom grid	95.45
GA821	rinse basket	92.60
GA922	cutting board	111.65

1800 SERIES DOUBLE EQUAL BOWL UNDERMOUNT SINK




- drain opening size: 3 1/2"
- depth size: 10", 8"
- minimum cabinet size: 36"
- reversible bowl: yes
- drain location: center
- weight: 19.00



MODEL NUMBER	DESCRIPTION	LIST PRICE
G18242	double bowl sink	826.55
	ACCESSORIES	
22509	cut-out template	15.80
GA726	bottom grid	70.75
GA821	rinse basket	92.60
GA922	cutting board	111.65




- drain opening size: 3 1/2"
- depth size: 9"
- minimum cabinet size: 36"
- G18212 drain location: center
- G18212B drain location: rear center
- weight: 20.90



MODEL NUMBER	DESCRIPTION	LIST PRICE
G18212	double bowl sink/center drain	808.25
G18212B	double bowl sink/rear center drain	808.25
	ACCESSORIES	
22541	cut-out template	15.80
GA726	bottom grid for center sink drain only	70.75
GA821	rinse basket	92.60
GA922	cutting board	111.65




- drain opening size: 3 1/2"
- depth size: 8"
- minimum cabinet size: 36"
- drain location: center
- weight: 18.15



MODEL NUMBER	DESCRIPTION	LIST PRICE
G18211	double bowl sink	557.40
	ACCESSORIES	
22541	cut-out template	15.80
GA726	bottom grid	70.75
GA821	rinse basket	92.60
GA922	cutting board	111.65




- drain opening size: 3 1/2"
- depth size: 7"
- minimum cabinet size: 36"
- drain location: center
- weight: 18.20



MODEL NUMBER	DESCRIPTION	LIST PRICE
G18210	double bowl sink	529.50
	ACCESSORIES	
22541	cut-out template	15.80
GA726	bottom grid	70.75
GA821	rinse basket	92.60
GA922	cutting board	111.65



- drain opening size: 3 1/2"
- depth size: 5.5"
- minimum cabinet size: 36"
- ADA installation compatible: yes
- drain location: rear center
- weight: 14.35




MODEL NUMBER	DESCRIPTION	LIST PRICE
G18215	double bowl sink	304.35
	ACCESSORIES	
22541	cut-out template	15.80
GA821	rinse basket	92.60
GA922	cutting board	111.65

1800™ Series

1800 SERIES SINGLE BOWL UNDERMOUNT SINK




- drain opening size: 3 1/2"
- depth size: 10"
- minimum cabinet size: 36"
- drain location: center
- weight: 19.95



MODEL NUMBER	DESCRIPTION	LIST PRICE
G18110	single bowl sink	875.25
	ACCESSORIES	
22525	cut-out template	15.80
GA719	bottom grid	145.45
GA821	rinse basket	92.60
GA922	cutting board	111.65




- drain opening size: 3 1/2"
- depth size: 10"
- minimum cabinet size: 27"
- drain location: center
- weight: 13.90



MODEL NUMBER	DESCRIPTION	LIST PRICE
G18190	single bowl sink	582.40
	ACCESSORIES	
22507	cut-out template	15.80
GA716	bottom grid	100.65
GA922	cutting board	111.65



- drain opening size: 3 1/2"
- depth size: 8"
- minimum cabinet size: 27"
- drain location: center
- weight: 13.60



MODEL NUMBER	DESCRIPTION	LIST PRICE
G18191	single bowl sink	351.15
	ACCESSORIES	
22507	cut-out template	15.80
GA716	bottom grid	100.65
GA922	cutting board	111.65




- drain opening size: 3 1/2"
- depth size: 7"
- minimum cabinet size: 27"
- ADA installation compatible: yes G18192B and G18192L only
- G18192 drain location: center
- G18192B drain location: rear center
- G18192L drain location: rear left
- weight: 13.75



MODEL NUMBER	DESCRIPTION	LIST PRICE
G18192	single bowl sink	329.50
G18192B	single bowl sink	329.50
G18192L	single bowl sink	329.50
	ACCESSORIES	
22507	cut-out template	15.80
GA716	bottom grid for center sink drain only	100.65
GA922	cutting board	111.65



- drain opening size: 3 1/2"
- depth size: 5.5"
- minimum cabinet size: 27"
- ADA installation compatible: yes
- G18195 drain location: rear center
- G18195L drain location: rear left
- weight: 10.75




MODEL NUMBER	DESCRIPTION	LIST PRICE
G18195	single bowl sink	307.70
G18195L	single bowl sink	307.70
	ACCESSORIES	
22507	cut-out template	15.80
GA781B	bottom grid for rear center sink drain only	148.45
GA922	cutting board	111.65

1800 SERIES D SHAPE BAR/PREP UNDERMOUNT SINK



- bowl type: d shape
- drain opening size: 3 1/2"
- depth size: 8"
- minimum cabinet size: 15"
- drain location: rear center
- weight: 10.75




MODEL NUMBER	DESCRIPTION	LIST PRICE
G18461	single bowl sink	426.50
	ACCESSORIES	
22514	sink template	15.80
GA746B	bottom grid	119.85
GA841	rinse basket	125.30
GA944	cutting board	163.20

Drains and accessories sold separately. See pages 73 - 76.

1800 SERIES BAR/PREP UNDERMOUNT SINK




- drain opening size: 3 1/2"
- depth size: 10"
- minimum cabinet size: 21"
- drain location: center
- weight: 10.60



MODEL NUMBER	DESCRIPTION	LIST PRICE
G18442	single bowl sink	420.35
	ACCESSORIES	
22505	cut-out template	15.80
GA726	bottom grid	70.75
GA821	rinse basket	92.60
GA922	cutting board	111.65




- drain opening size: 3 1/2"
- depth size: 8"
- minimum cabinet size: 24"
- drain location: center
- weight: 10.50



MODEL NUMBER	DESCRIPTION	LIST PRICE
G18440	single bowl sink	340.35
	ACCESSORIES	
22506	cut-out template	15.80
GA728	bottom grid	95.45
GA821	rinse basket	92.60




- drain opening size: 3 1/2"
- depth size: 8"
- minimum cabinet size: 21"
- drain location: center
- weight: 13.60



MODEL NUMBER	DESCRIPTION	LIST PRICE
G18443	single bowl sink	332.30
	ACCESSORIES	
22505	cut-out template	15.80
GA726	bottom grid	70.75
GA821	rinse basket	92.60
GA922	cutting board	111.65



- drain opening size: 3 1/2"
- depth size: 6"
- minimum cabinet size: 15"
- drain location: center
- weight: 6.00




MODEL NUMBER	DESCRIPTION	LIST PRICE
G18450	single bowl sink	248.55
	ACCESSORIES	
22504	cut-out template	15.80

1800 SERIES D SHAPE DOUBLE EQUAL BOWL DROP IN SINK








- bowl type: d shape
- drain opening size: 3 1/2"
- drop-in with: u channel
- depth size: 10"
- minimum cabinet size: 36"
- drain location: rear center
- weight: 22.85
- quickmount installation hardware included



MODEL NUMBER	DESCRIPTION	LIST PRICE
G182571Q	double bowl one hole sink	775.65
G182574Q	double bowl four hole sink	775.65
	ACCESSORIES	
GA746B	bottom grid	119.85
GA841	rinse basket	125.30

1800™ Series

			MODEL NUMBER	DESCRIPTION	LIST PRICE
1800 SERIES DOUBLE EQUAL BOWL DROP IN SINK					
	• drain opening size: 3 1/2" • drop-in with: u channel • depth size: 8" • minimum cabinet size: 36" • drain location: center • weight: 20.30 • quickmount installation hardware included		**G182133Q**	double bowl three hole sink	392.80
			G182134Q	double bowl four hole sink	392.80
				ACCESSORIES	
			GA726	bottom grid	70.75
			GA821	rinse basket	92.60
	• drain opening size: 3 1/2" • drop-in with: u channel • depth size: 7" • minimum cabinet size: 36" • drain location: center • weight: 20.60 • quickmount installation hardware included		**G182154Q**	double bowl four hole sink	374.85
				ACCESSORIES	
			GA726	bottom grid	70.75
			GA821	rinse basket	92.60
	• drain opening size: 3 1/2" • drop-in with: u channel • depth size: 9" • minimum cabinet size: 36" • drain location: center • drain assembly size: 1-1/4" • weight: 23.85 • quickmount installation hardware included		**G182114Q**	double bowl four hole sink	493.85
				ACCESSORIES	
			GA726	bottom grid	70.75
			GA821	rinse basket	92.60
1800 SERIES SINGLE BOWL DROP IN SINK					
	• drain opening size: 3 1/2" • drop-in with: u channel • depth size: 10" • minimum cabinet size: 27" • drain location: center • drain assembly size: 1-1/4" • weight: 16.80 • quickmount installation hardware included		**G181953Q**	single bowl three hole sink	577.75
			G181954Q	single bowl four hole sink	577.75
				ACCESSORIES	
			GA716	bottom grid	100.65
	• drain opening size: 3 1/2" • drop-in with: u channel • depth size: 7" • minimum cabinet size: 36" • ADA installation compatible: yes • drain location: rear center • drain assembly size: 1-1/4" • weight: 20.00 • quickmount installation hardware included		**G181631Q**	single bowl one hole sink	522.20
				ACCESSORIES	
			GA749B	bottom grid	152.10

Drains and accessories sold separately. See pages 73 - 76.

SoundSHIELD™

All stainlees steel sinks feature SoundSHIELD™, a sound-deadening system that offers exceptional noise reduction and quiet dependability.

2000™ Series Sinks

A variety of configurations and mounting options give you choices that fit almost any countertop material.


- 20 gauge
- brushed stainless steel finish
- includes mounting brackets
- includes cut-out template where applicable



2000 SERIES D SHAPE DOUBLE EQUAL BOWL UNDERMOUNT SINK




- bowl type: d shape
- drain opening size: 3 1/2"
- depth size: 7.5"
- minimum cabinet size: 36"
- drain location: center
- weight: 14.85



MODEL NUMBER	DESCRIPTION	LIST PRICE
G20256	double bowl sink	391.45
	ACCESSORIES	
22524	cut-out template	15.80
GA841	rinse basket	125.30
GA944	cutting board	163.20



- bowl type: d shape
- drain opening size: 3 1/2"
- depth size: 6.5"
- minimum cabinet size: 36"
- drain location: center
- weight: 15.00




MODEL NUMBER	DESCRIPTION	LIST PRICE
G20253	double bowl sink	315.50
	ACCESSORIES	
22524	cut-out template	15.80
GA841	rinse basket	125.30
GA944	cutting board	163.20

2000 SERIES D SHAPE SINGLE BOWL UNDERMOUNT SINK



- bowl type: d shape
- drain opening size: 3 1/2"
- depth size: 6.5"
- minimum cabinet size: 24"
- drain location: center
- weight: 9.95




MODEL NUMBER	DESCRIPTION	LIST PRICE
G20160	single bowl sink	361.95
	ACCESSORIES	
22510	cut-out template	16.90

2000 SERIES DOUBLE OFFSET BOWL UNDERMOUNT SINK



- drain opening size: 3 1/2"
- depth size: 7.5", 5.5"
- minimum cabinet size: 27"
- reversible bowl: yes
- drain location: center
- weight: 12.65



MODEL NUMBER	DESCRIPTION	LIST PRICE
G20273	double bowl sink	356.60
	ACCESSORIES	
22002	cut-out template	15.80
GA726	bottom grid	70.75
GA821	rinse basket	92.60
GA922	cutting board	111.65


Drains and accessories sold separately. See pages 73- 76.

2000™ Series

2000 SERIES DOUBLE EQUAL BOWL UNDERMOUNT SINK




- drain opening size: 3 1/2"
- depth size: 7.5"
- minimum cabinet size: 36"
- G20210 drain location: center
- G20210B drain location: rear center
- weight: 15.80



G20210	double bowl sink	298.25
G20210B	double bowl sink	298.25
	ACCESSORIES	
22508	cut-out template	15.80
GA726	bottom grid for center sink drain only	70.75
GA821	rinse basket	92.60
GA922	cutting board	111.65



- drain opening size: 3 1/2"
- depth size: 6"
- minimum cabinet size: 36"
- ADA installation compatible: yes G20214B only
- G20214 drain location: center
- G20214B drain location: rear center
- weight: 18.90




G20214	double bowl sink	269.60
G20214B	double bowl sink	269.60
	ACCESSORIES	
22508	cut-out template	15.80
GA726	bottom grid for center sink drain only	70.75
GA821	rinse basket	92.60
GA922	cutting board	111.65

2000 SERIES SINGLE BOWL UNDERMOUNT SINK




- drain opening size: 3 1/2"
- depth size: 7.5"
- minimum cabinet size: 27"
- G20192 drain location: center
- G20192B drain location: rear center
- weight: 13.10



G20192	single bowl sink	224.25
G20192B	single bowl sink	224.25
	ACCESSORIES	
22507	cut-out template	15.80
GA716	bottom grid for center sink drain only	100.65
GA781B	bottom grid for rear center sink drain only	148.45
GA922	cutting board	111.65




- drain opening size: 3 1/2"
- depth size: 6.5"
- minimum cabinet size: 27"
- drain location: center
- weight: 12.50



G20193	single bowl sink	211.75
	ACCESSORIES	
22507	cut-out template	15.80
GA716	bottom grid	100.65
GA922	cutting board	111.65



- drain opening size: 3 1/2"
- depth size: 5.5"
- minimum cabinet size: 27"
- ADA installation compatible: yes
- drain location: rear center
- weight: 9.40




G20194B	single bowl sink	200.10
	ACCESSORIES	
22507	cut-out template	15.80
GA781B	bottom grid	148.45
GA922	cutting board	111.65

2000 SERIES BAR/PREP UNDERMOUNT SINK



- drain opening size: 2"
- depth size: 5.5"
- minimum cabinet size: 15"
- drain location: center
- weight: 5.45



G204502	single bowl sink	167.50
	ACCESSORIES	
22001	cut-out template	15.80


Drains and accessories sold separately. See pages 73 - 76.

2000™ Series

2000 SERIES D SHAPE DOUBLE EQUAL BOWL DROP IN SINK



- bowl type: d shape
- drain opening size: 3 1/2"
- drop-in with: u channel
- depth size: 7"
- minimum cabinet size: 36"
- drain location: center
- weight: 17.95




MODEL NUMBER	DESCRIPTION	LIST PRICE
G202591	double bowl one hole sink	334.40
G202594	double bowl four hole sink	334.40
	ACCESSORIES	
GA841	rinse basket	125.30
GA944	cutting board	163.20

2000 SERIES DOUBLE OFFSET BOWL DROP IN SINK




- drain opening size: 3 1/2"
- drop-in with: u channel
- depth size: 9", 7"
- minimum cabinet size: 36"
- drain location: center
- weight: 21.05



G202334	double bowl four hole sink	273.05
	ACCESSORIES	
GA726	bottom grid	70.75
GA821	rinse basket	92.60




- drain opening size: 3 1/2"
- drop-in with: u channel
- depth size: 5.5", 8"
- minimum cabinet size: 27"
- drain location: center
- weight: 18.00



G202861	double bowl one hole sink	218.70
G202864	double bowl four hole sink	218.70
	ACCESSORIES	
GA716	bottom grid	100.65
GA922	cutting board	111.65




- drain opening size: 3 1/2"
- drop-in with: u channel
- depth size: 7", 5.5"
- minimum cabinet size: 27"
- drain location: center
- weight: 13.20



G202721	double bowl one hole sink	206.40




- drain opening size: 3 1/2"
- drop-in with: u channel
- depth size: 7", 5.5"
- minimum cabinet size: 27"
- drain location: center
- weight: 14.20



G202714	double bowl four hole sink	192.55
	ACCESSORIES	
GA726	bottom grid	70.75
GA821	rinse basket	92.60
GA922	cutting board	111.65




- drain opening size: 3 1/2"
- drop-in with: u channel
- depth size: 5.5", 6.5"
- minimum cabinet size: 27"
- ADA installation compatible: yes
- drain location: rear center
- weight: 15.70



G202852B	double bowl two hole sink	172.50
	ACCESSORIES	
GA922	cutting board	111.65



- drain opening size: 3 1/2"
- drop-in with: u channel
- depth size: 5.5", 6.5"
- minimum cabinet size: 27"
- drain location: center
- weight: 15.25




G202853	double bowl three hole sink	172.50
G202854	double bowl four hole sink	172.50
	ACCESSORIES	
GA716	bottom grid	100.65
GA922	cutting board	111.65

2000™ Series

2000 SERIES DOUBLE EQUAL BOWL DROP IN SINK




- drain opening size: 3 1/2"
- drop-in with: u channel
- depth size: 8"
- minimum cabinet size: 36"
- drain location: center
- weight: 18.35



MODEL NUMBER	DESCRIPTION	LIST PRICE
G202131	double bowl one hole sink	194.50
G202133	double bowl three hole sink	194.50
G202134	double bowl four hole sink	194.50
	ACCESSORIES	
GA726	bottom grid	70.75




- drain opening size: 3 1/2"
- drop-in with: u channel
- depth size: 7"
- minimum cabinet size: 36"
- drain location: center
- weight: 18.15



MODEL NUMBER	DESCRIPTION	LIST PRICE
G202153	double bowl three hole sink	187.25
G202154	double bowl four hole sink	187.25
	ACCESSORIES	
GA726	bottom grid	70.75
GA821	rinse basket	92.60



- drain opening size: 3 1/2"
- drop-in with: u channel
- depth size: 5.5"
- minimum cabinet size: 36"
- ADA installation compatible: yes
- drain location: rear center
- weight: 15.00




MODEL NUMBER	DESCRIPTION	LIST PRICE
G202173B	double bowl three hole sink	176.00
G202174B	double bowl four hole sink	176.00
	ACCESSORIES	
GA782B	bottom grid	125.80
GA821	rinse basket	92.60

2000 SERIES SINGLE BOWL DROP IN SINK




- drain opening size: 3 1/2"
- drop-in with: u channel
- depth size: 7"
- minimum cabinet size: 27"
- drain location: center
- weight: 13.15



MODEL NUMBER	DESCRIPTION	LIST PRICE
G201961	single bowl one hole sink	133.95
G201962	single bowl two hole sink	133.95
G201963	single bowl three hole sink	133.95
G201964	single bowl four hole sink	133.95
	ACCESSORIES	
GA716	bottom grid	100.65




- drain opening size: 3 1/2"
- drop-in with: u channel
- depth size: 5.5"
- minimum cabinet size: 27"
- ADA installation compatible: yes
- drain location: rear left
- weight: 11.20



MODEL NUMBER	DESCRIPTION	LIST PRICE
G201974L	single bowl four hole sink	125.95








- drain opening size: 3 1/2"
- drop-in with: u channel
- depth size: 5.5"
- minimum cabinet size: 27"
- ADA installation compatible: yes
- drain location: rear right
- weight: 11.25



MODEL NUMBER	DESCRIPTION	LIST PRICE
G201974R	single bowl four hole sink	125.95

Drains and accessories sold separately. See pages 73 - 76.

2000 SERIES BAR/PREP DROP IN SINK

			MODEL NUMBER	DESCRIPTION	LIST PRICE
	• drain opening size: 2" • drop-in with: u channel • strainer drop-in: included • integrated drain: sealtite • depth size: 5.5" • minimum cabinet size: 15" • drain location: center • bar faucet included: 4904 • weight: 12.55		**TG2045522**	single bowl two hole sink	254.60
	• drain opening size: 2" • drop-in with: u channel • strainer drop-in: included • integrated drain: sealtite • depth size: 5.5" • minimum cabinet size: 18" • drain location: center • bar faucet included: 4904 • weight: 12.00		**TG2045622**	single bowl two hole sink	254.60
	• drain opening size: 3 1/2" • drop-in with: u channel • depth size: 7" • minimum cabinet size: 18" • drain location: center • weight: 10.85		**G204571** **G204573**	single bowl one hole sink single bowl three hole sink	194.55 194.55
				ACCESSORIES	
			GA726 **GA922**	bottom grid cutting board	70.75 111.65
	• drain opening size: 2" • drop-in with: u channel • strainer drop-in: included • integrated drain: sealtite • depth size: 5.5" • minimum cabinet size: 15" • drain location: center • weight: 7.20		**KG2045522**	single bowl two hole sink	97.05
	• drain opening size: 2" • drop-in with: u channel • strainer drop-in: included • integrated drain: sealtite • depth size: 5.5" • minimum cabinet size: 18" • drain location: center • weight: 7.10		**KG2045622**	single bowl two hole sink	97.05

Drains and accessories sold separately. See pages 73- 76.

SoundSHIELD™

All stainlees steel sinks feature SoundSHIELD™, a sound-deadening system that offers exceptional noise reduction and quiet dependability.

2200™ Series Sinks

The 2200™ Series offers 22-gauge stainless steel construction that provides sturdy functionality and most commonly used configurations.


- 22 gauge
- brushed stainless steel finish
- includes mounting brackets
- includes cut-out template where applicable



2200 SERIES DOUBLE EQUAL BOWL DROP IN SINK




- drain opening size: 3 1/2"
- drop-in with: u channel
- depth size: 8"
- minimum cabinet size: 36"
- drain location: center
- weight: 15.60



MODEL NUMBER	DESCRIPTION	LIST PRICE
G222133	double bowl three hole sink	181.50
G222134	double bowl four hole sink	181.50
	ACCESSORIES	
GA726	bottom grid	70.75



- drain opening size: 3 1/2"
- drop-in with: integrated mounting rails
- depth size: 6.5"
- minimum cabinet size: 36"
- drain location: center
- weight: 13.15




MODEL NUMBER	DESCRIPTION	LIST PRICE
G222173	double bowl three hole sink	115.90
G222174	double bowl four hole sink	115.90
	ACCESSORIES	
GA726	bottom grid	70.75

2200 SERIES SINGLE BOWL DROP IN SINK




- drain opening size: 3 1/2"
- drop-in with: integrated mounting rails
- depth size: 7"
- minimum cabinet size: 27"
- drain location: center
- weight: 11.20



MODEL NUMBER	DESCRIPTION	LIST PRICE
G221963	single bowl three hole sink	131.10
G221964	single bowl four hole sink	131.10
	ACCESSORIES	
GA716	bottom grid	100.65



- drain opening size: 3 1/2"
- drop-in with: integrated mounting rails
- depth size: 6.5"
- minimum cabinet size: 27"
- drain location: center
- weight: 8.85




MODEL NUMBER	DESCRIPTION	LIST PRICE
G221983	single bowl three hole sink	97.65
G221984	single bowl four hole sink	97.65
	ACCESSORIES	
GA716	bottom grid	100.65

2200 SERIES BAR/PREP DROP IN SINK



- drain opening size: 2"
- drop-in with: integrated mounting rails
- depth size: 5"
- minimum cabinet size: 18"
- drain location: center
- weight: 4.60



MODEL NUMBER	DESCRIPTION	LIST PRICE
G2245622	single bowl two hole sink	80.40

Drains and accessories sold separately. See pages 73 - 76.

SoundSHIELD™

All stainlees steel sinks feature SoundSHIELD™, a sound-deadening system that offers exceptional noise reduction and quiet dependability.

Commercial Series Sinks

Durable 18- and 20-gauge stainless steel sinks for commercial applications – backed by a 5-year limited warranty.

- durable 18 or 20 gauge stainless steel
- includes mounting brackets



		MODEL NUMBER	DESCRIPTION	LIST PRICE
18 GAUGE DROP IN DOUBLE EQUAL BOWL SINK				
	• drain opening size: 3 1/2" • drop-in with: U channel • depth size: 11" • drain location: center • weight: 23.80 • quickmount installation hardware included	**22121Q**	double bowl four hole sink	800.90
	• drain opening size: 3 1/2" • drop-in with: U channel • depth size: left 11", 8" • drain location: center • weight: 23.00 • quickmount installation hardware included	**22123Q**	double bowl four hole sink	702.10
18 GAUGE DROP IN SINGLE BOWL SINK				
	• drain opening size: 3 1/2" • drop-in with: U channel • depth size: 8" • drain location: center • weight: 15.60 • quickmount installation hardware included	**22106Q**	single bowl three hole sink	492.90
	• drain opening size: 3 1/2" • drop-in with: U channel • depth size: 11" • drain location: center • weight: 11.40 • quickmount installation hardware included	**22124Q**	single bowl no hole sink	464.55
20 GAUGE DROP IN SINGLE BOWL SINK				
	• drain opening size: 3 1/2" • drop-in with: U channel • depth size: 7" • drain location: center • weight: 11.10	**22128**	single bowl two hole sink	311.95
	• drain opening size: 3 1/2" • drop-in with: U channel • depth size: 5.5" • drain location: center • weight: 10.20	**22132**	single bowl two hole sink	300.10

BAA compliant

SoundSHIELD™

All stainlees steel sinks feature SoundSHIELD™, a sound-deadening system that offers exceptional noise reduction and quiet dependability.

2200™ Bulk Series Sinks

The 2200™ Series offers 22-gauge stainless steel construction that provides sturdy functionality and most commonly used configurations.


- 22 gauge
- brushed stainless steel finish
- includes mounting brackets
- includes cut-out template where applicable



2200 SERIES DOUBLE EQUAL BOWL DROP IN SINK



- drain opening size: 3 1/2"
- drop-in with: integrated mounting rails
- depth size: 6.5"
- minimum cabinet size: 36"
- drain location: center
- weight: 13.15
- minimum order quantity: 25




MODEL NUMBER	DESCRIPTION	CASE QTY	LIST PRICE
BG222173	double bowl three hole sink	1	108.45
BG222174	double bowl four hole sink	1	108.45

Custom Sink Accessories

Tasks in and around the sink are easier with Moen® custom sink accessories. Available in a variety of sizes for the perfect fit, these accessories protect the sink from tough tasks and are a great complement to Moen® stainless steel sinks.



		MODEL NUMBER	DESCRIPTION	LIST PRICE
D SHAPE REAR DRAIN GRID ACCESSORY				
	• features: stainless steel construction • fits bowl size: 29" x 16" d-shaped rear drain	**GA749B**	Stainless bottom grid	152.10
	• features: stainless steel construction • fits bowl size: 18" x 18" d-shaped rear drain	**GA748B**	Stainless bottom grid	135.90
	• features: stainless steel construction • fits bowl size: 13" x 16.5" d-shaped rear drain	**GA746B**	Stainless bottom grid	119.85
CENTER DRAIN GRID ACCESSORY				
	• features: stainless steel construction • fits bowl size: 30" x 18" professional center drain	**GA760**	Stainless bottom grid	170.15
	• features: stainless steel construction • fits bowl size: 18" x 18" center drain	**GA768**	Stainless bottom grid	148.45
	• features: stainless steel construction • fits bowl size: 29" x 16" center drain	**GA719**	Stainless bottom grid	145.45
	• features: stainless steel construction • fits bowl size: 13" x 18" professional center drain	**GA763**	Stainless bottom grid	125.80

Stainless steel construction for all baskets and grids.

Custom Sink Accessories

		MODEL NUMBER	DESCRIPTION	LIST PRICE
CENTER DRAIN GRID ACCESSORY (CONTINUED)				
	• features: stainless steel construction • fits bowl size: 21" x 16" center drain	**GA716**	Stainless bottom grid	100.65
	• features: stainless steel construction • fits bowl size: 14" x 18" center drain	**GA728**	Stainless bottom grid	95.45
	• features: stainless steel construction • fits bowl size: 14" x 16" center drain	**GA726**	Stainless bottom grid	70.75
REAR DRAIN GRID ACCESSORY				
	• features: stainless steel construction • fits bowl size: 29" x 16" professional rear drain	**GA780B**	Stainless bottom grid	166.25
	• features: stainless steel construction • fits bowl size: 28" x 16" rear drain	**GA771**	Stainless bottom grid	163.50
	• features: stainless steel construction • fits bowl size: 20" x 16" professional rear drain	**GA781B**	Stainless bottom grid	148.45
	• features: stainless steel construction • fits bowl size: 16" x 16" professional rear drain	**GA785B**	Stainless bottom grid	137.25
	• features: stainless steel construction • fits bowl size: 12.5" x 16" professional rear drain	**GA782B**	Stainless bottom grid	125.80
	• features: stainless steel construction • fits bowl size: 13.6" x 16.6" rear drain	**GA772**	Stainless bottom grid	125.30




Stainless steel construction for all baskets and grids.

Custom Sink Accessories

		MODEL NUMBER	DESCRIPTION	LIST PRICE
D SHAPE RINSE BASKET ACCESSORY				
	• features: stainless steel construction • fits bowl size: 13" x 16.5"	**GA841**	Stainless rinse basket	125.30
RINSE BASKET ACCESSORY				
	• features: stainless steel construction • fits bowl size: 14" x 16"	**GA821**	Stainless rinse basket	92.60
D SHAPE CUTTING BOARD ACCESSORY				
	• fits bowl size: 13" x 16.5"	**GA944**	Natural wood cutting board	163.20
CUTTING BOARD ACCESSORY				
	• fits bowl size: 16" front-to-back bowl	**GA922**	Natural wood cutting board	111.65
DRAIN ASSEMBLY				
	• drop-in basket strainer with drain assembly: 3-1/2" • includes: lock nut	**22036**	Stainless composite sink accessories	19.35
	• drop-in basket strainer with drain assembly: 3-1/2" • includes: lock nut	**22037**	Satin stainless steel sink accessory	16.90
	• basket strainer with drain assembly: 2"	**22174**	Stainless stainless steel sink accessory	8.75

Stainless steel construction for all baskets and grids.

Custom Sink Accessories

		MODEL NUMBER	DESCRIPTION	LIST PRICE
SEALTITE DRAIN ASSEMBLY				
	• sealtite drain assembly: 2"	**22201**	Stainless steel sink accessory	14.50
BASKET STRAINER				
	• drop-in basket strainer: 3-1/2"	**22194**	Stainless steel sink accessory	6.10
INSTALLATION CLIP				
	• pivoting installation clip: 10 pieces • use with: integrated rail systems	**22601**	Sink installation clip	6.40
	• pivoting installation clip: 10 pieces • use with: integrated rail systems • extended length: accommodates counter thicknesses up to 1.75" thick	**22602**	Sink installation clip	8.90
INSTALLATION CLAMP				
	• quickmount installation hardware: 10 pieces • accommodates counter depth up to 1-5/8" • U-channel drop-in installation hardware	**181250**	Stainless steel sink accessory	45.00
	• u-channel clamp: 8 pieces	**22684**	Stainless steel sink accessory	3.75
	• u-channel clamp: 10 pieces	**22681**	Stainless steel sink accessory	4.55
	• u-channel clamp: 12 pieces	**22682**	Stainless steel sink accessory	5.40
INSTALLATION BRACKET				
	• undermount bracket pack: 10 pieces	**22650**	Stainless steel sink accessory	12.35
INSTALLATION SCREW				
	• u-channel 3" extention screw: 1 piece	**22175**	Stainless steel sink accessory	4.20
HOLE COVER				
	• hole cover: 1-1/2" • finish: stainless	**22897**	Stainless steel sink accessory	1.05



Garbage Disposals

GX Series, GX PRO Series and Accessories

GX Series 1 HP Garbage Disposal / GXL1000c

Please see **moen.com/consumer-support/warranty** for complete product warranty information.

GX SERIES Garbage Disposals

GX SERIES

		MODEL NUMBER	LIST PRICE	CASE QTY
	• 1 horsepower, 2800 RPM, continuous feed • 7/8" dishwasher connection with 1 1/2" drain outlet • 13.00 lbs., 16" height • grind component material: stainless steel • includes pre-installed power cord, removable splash guard, polished stainless steel sink flange with drain stopper, drain elbow and mounting assembly • 10 year limited warranty with in-home service	**GXL1000C**	452.00	1
	• 1 horsepower, 2800 RPM, continuous feed • 7/8" dishwasher connection with 1 1/2" drain outlet • 13.00 lbs., 16" height • grind component material: stainless steel • includes pre-installed power cord, removable splash guard, polished stainless steel sink flange with drain stopper, drain elbow and mounting assembly • 7 year limited warranty with in-home service	**GX100C**	372.00	1
NEW! Ships Q1 	• 3/4 horsepower, 2700 RPM, batch feed • 7/8" dishwasher connection with 1 1/2" drain outlet • 11.00 lbs., 15-5/8" height • grind component material: galvanized steel • includes pre-installed power cord, removable splash guard, polished stainless steel sink flange with drain stopper, drain elbow and mounting assembly • 8 year limited warranty with in-home service	**GXB75C**	319.75	2
	• 3/4 horsepower, 2700 RPM, continuous feed • 7/8" dishwasher connection with 1 1/2" drain outlet • 12.00 lbs., 14-3/8" height • grind component material: stainless steel • includes pre-installed power cord, removable splash guard, polished stainless steel sink flange with drain stopper, drain elbow and mounting assembly • 6 year limited warranty with in-home service	**GX75C**	292.00	2
	• 3/4 horsepower, 2700 RPM, continuous feed • 7/8" dishwasher connection with 1 1/2" drain outlet • 10.25 lbs., 13-3/8" height • grind component material: galvanized steel • includes pre-installed power cord, removable splash guard, polished stainless steel sink flange with drain stopper, drain elbow and mounting assembly • 5 year limited warranty with in-home service	**GXS75C**	238.70	2

NOTES

- Universal Xpress Mount™ fits Moen and most existing 3-bolt mounting assemblies
- High-speed VORTEX™ motor provides fast, powerful grinding
- Continuous feed grinds as long as power is on
- Batch Feed Stopper activates disposal for safer operation. No wall switch required
- Permanent magnet motor designed to help reduce jamming
- SoundSHIELD™ designed to provide sound deadening insulation
- Pre-installed power cord is a savings over other models where cord must be purchased separately

	MODEL NUMBER	LIST PRICE	CASE QTY
GX SERIES (CONTINUED)			
 • 1/2 horsepower, 2600 RPM, continuous feed • 7/8" dishwasher connection with 1 1/2" drain outlet • 9.25 lbs., 13-3/8" height • grind component material: stainless steel • includes pre-installed power cord, removable splash guard, polished stainless steel sink flange with drain stopper, drain elbow and mounting assembly • 4 year limited warranty with in-home service	**GX50C**	172.00	2
GX PRO SERIES			
 • 1/2 horsepower, 2600 RPM, continuous feed • 7/8" dishwasher connection with 1 1/2" drain outlet • 8.50 lbs., 13-3/8" height • grind component material: galvanized steel • includes pre-installed power cord, removable splash guard, polished stainless steel sink flange with drain stopper, drain elbow and mounting assembly • 3 year limited warranty with in-home service	**GXP50C**	133.25	2
 • 1/3 horsepower, 1900 RPM, continuous feed • 7/8" dishwasher connection with 1 1/2" drain outlet • 7.75 lbs., 13-3/8" height • grind component material: galvanized steel • includes pre-installed power cord, removable splash guard, polished stainless steel sink flange with drain stopper, drain elbow and mounting assembly • 2 year limited warranty with in-home service	**GXP33C**	113.25	2

GARBAGE DISPOSAL ACCESSORIES

	MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
DISPOSAL AIR SWITCH CONTROLLER				
 • air tubing size: 1/8" • mounting hole size: 1-3/8" • air tube length: 10' • ideal application for island countertops or where electrical switch is unavailable	**ARC-4200**	62.50	N/A	60
DISPOSAL AIR SWITCH BUTTON				
 • diameter: 1-13/16" • use with ARC-4200 • color assortment available to match faucet and sink	**AS-4201-AL**	12.50	Almond	100
	AS-4201-BIS	12.50	Biscuit	100
	AS-4201-WH	12.50	White	100
	AS-4201-BR	21.00	Polished Brass	100
	AS-4201-CH	21.00	Chrome	100
	AS-4201-BRB	31.75	Mediterranean Bronze	100
	AS-4201-SN	42.00	Satin Nickel	100

NOTES

Universal Xpress Mount™ fits Moen and most existing 3-bolt mounting assemblies

High-speed VORTEX™ motor provides fast, powerful grinding

Continuous feed grinds as long as power is on

Batch Feed Stopper activates disposal for safer operation. No wall switch required

Permanent magnet motor designed to help reduce jamming

SoundSHIELD™ designed to provide sound deadening insulation

Pre-installed power cord is a savings over other models where cord must be purchased separately



Bath and Shower
Collections

Wynford® One-Handle Bathroom Faucet / 4507
Wynford® Moentrol® Shower / T5502
Wynford® Towel Bar / YB5224
Wynford® Towel Ring / YB5286
Wynford® Drawer Pulls / YB9807
Wynford® Shower Basket / YB5275
Coordinating Waterhill® Three-Globe Light / YB9863

Please see **moen.com/consumer-support/warranty** for complete product warranty information.

Easily Change Your Style

The Moen® M•PACT® Common Valve system lets you upgrade the style of your faucet or shower as easily as changing a light bulb, saving you time, money and effort.


Little Effort, Big Difference

With an M•PACT compatible fixture, you can upgrade your bath or shower faucets at any time and never touch the plumbing. All changes can be made above the deck or in front of the wall.

- Untwist your current fixture from the top to remove
- Choose any M•PACT style fixture you like
- Lock right into place

Upgrade Anytime

The system is available in a variety of attractive styles and elegant finishes. Change fixtures at any point while decorating, during construction or years down the road.



The M•PACT Common Valve System is available in the following applications:

- Widespread lav faucets
- Roman tub faucets
- Wallmount lav faucets
- Tub/shower trim

What Sets Moen Apart?

Our M•PACT Common Valve System allows the homeowner to completely upgrade the style of their lavatory or shower faucet without replacing any of the faucet plumbing.

M•PACT® Common Valve System

The M•PACT Common Valve System is compatible with Moen bath and shower faucets featuring this logo.

Save Time With The Pro-Fit® Installation System

The Moen three-step Pro-Fit Installation System is the most innovative, simple way to mount bath accessories. Installation is as easy as 1-2-3.

1. **DRILL IT!** Use the installation mounting template with built-in level.
2. **SCREW IT!** Screw in the pre-attached fastener.
3. **CLICK IT!** Press on the post until it locks into place.

It really is that simple! Plus, we've eliminated the set screw. Designed with input from professional installers, the Pro-Fit Installation System was made for faster inst lation and fewer call backs. And of course, there's the extra assurance of quality that comes with the Moen brand. *Available on select collections.*

The Pro-Fit System eliminates set screws for faster, more durable mounting. There's even a template with a built-in level.



YB8081 Pro-Fit Installation Template



DRILL IT! The innovative template has a built-in level for accurate drilling of pilot holes for both 18" and 24" towel bars or paper holders.



SCREW IT! Single screw mounting system uses pre-attached hollow wall anchor for a fast, solid installation.



CLICK IT! Locking tab clicks to hold the post firmly in place and eliminates the need for a set screw.

Roman Tub Valves.
Versatile. Durable. Built To Perform.

Moen roman tub valve improvements are designed for faster, more secure mounting on a wider variety of tub decks. Plus, an expanded portfolio of connection options makes installation even easier for installers of all skill levels.

Key Features and Improvements

MORE!

Supply Connection Options

Moen also recognizes the increased use of PEX, cold expansion PEX and CPVC supply lines. Plumbers can now order valves designed to work directly with all types of piping — including copper. No other manufacturer offers more options.

NEW!

Dura-Grip® Mounting System

This robust engineered system, where the mounting hardware components work together to prevent the valves and spout from moving after installation, also provides features that work with all types of surfaces (on both fixed and adjustable valves).

IMPROVED!


Standardized Drill Holes

Only one drill bit (1¼") is needed for all spout and handle holes to further speed and simplify installation.

TEST PLUG


All models include a brass test plug for high-pressure testing after rough-in.

Fixed Roman Tub Valve



1. **Robust, Pre-Soldered Design**
   Set to standard 10" centers.
2. **Dura-Grip Mounting Hardware**
   Improved design works with all deck materials including wood, fiberglass, tile and stone.
3. **Versatile**
   Fits tub decks from ⅛" to 1⅞" thick.
4. **M•PACT® Common Valve System Compatible**
   Accepts all Moen roman tub trim kits.

Adjustable Roman Tub Valve



1. **No-Cut Adjustable Spout Shank**
   Loosen an expansion nut, extend and lock in place using the supplied metal tool.
2. **Quick-Connect Flexible Hose**
   Braided PVC tube for easy connections.
3. **3⅜" Rough-In Deck Thickness**
   Adapts to decks from ⅛" to 2¾"thick — with an additional 1¼" of available adjustability to accommodate finish materials.
4. **Dura-Grip Mounting System**
   Anti-rotation bracket and spout shank assembly provide secure installation to a variety of surfaces both above and below the deck.
5. **M•PACT Common Valve System Compatible**
   Accepts all Moen roman tub trim kits.

MOEN Limited LIFETIME WARRANTY

All Moen products are backed by a Limited Lifetime Warranty.
See moen.com/consumer-support/warranty for complete product warranty information.

WEYMOUTH® Bathroom Faucets

All Brushed Nickel and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

ONE-HANDLE BATHROOM FAUCET



- application: one hole
- supply line length: flexible
- connection size: 3/8"
- connection type: compression
- drain assembly: push-button
- drain assembly type: spring loaded pop-up

WaterSense Meets EPA Criteria Certified by IAPMO R&T

DURALAST®

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
PREMIUM			
S42107	513.20	Chrome	3
S42107BN	789.45	Brushed Nickel	3
S42107NL	789.45	Polished Nickel	3
S42107ORB	851.80	Oil Rubbed Bronze	3

TWO-HANDLE WIDESPREAD BATHROOM FAUCET



- application: three hole
- center dimensions: 8" - 16" center
- drain assembly: metal
- drain assembly type: lift rod
- valve sold separately

WaterSense Meets EPA Criteria Certified by IAPMO R&T

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
PREMIUM			
TS42108	544.90	Chrome	3
TS42108BN	826.75	Brushed Nickel	3
TS42108NL	826.75	Polished Nickel	3
TS42108ORB	892.00	Oil Rubbed Bronze	3



- application: three hole
- center dimensions: 8" - 16" center
- drain assembly: metal
- drain assembly type: lift rod
- valve sold separately

WaterSense Meets EPA Criteria Certified by IAPMO R&T

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
PREMIUM			
TS42114	544.90	Chrome	3
TS42114BN	826.75	Brushed Nickel	3
TS42114NL	826.75	Polished Nickel	3
TS42114ORB	892.00	Oil Rubbed Bronze	3



- application: three hole
- center dimensions: 8" - 16" center
- drain assembly: metal
- drain assembly type: lift rod

DURALOCK® DURALAST®


MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
9000 ◆	119.05	1/2" IPS	6



- description: finished handle cap kit
- language: english version only

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
221672	21.95	Chrome	12
221672BN	29.20	Brushed Nickel	12
221672NL	29.20	Polished Nickel	12
221672ORB	32.25	Oil Rubbed Bronze	12

HOW TO ORDER A COMPLETE BATHROOM FAUCET



Trim Part No. | Valve Part No. | Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

DURALOCK® Duralock® Quick Connections

DURALAST® Duralast® Cartridge

Refer to lavatory waste assemblies on page 367.
Refer to specification sheet for critical dimensions for installation.

WEYMOUTH® Bathroom Faucets

All Brushed Nickel and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

TWO-HANDLE WALLMOUNT BATHROOM FAUCET

	MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
 • application: three hole • center dimensions: 8" center • drain assembly: 140780 sold separately • valve sold separately	**PREMIUM**			
	TS42106	557.50	Chrome	3
	TS42106BN	783.25	Brushed Nickel	3
	TS42106NL	783.25	Polished Nickel	3
	TS42106ORB	845.05	Oil Rubbed Bronze	3
 • application: three hole • center dimensions: 8" center • drain assembly: 140780 sold separately • valve sold separately	**PREMIUM**			
	TS42112	557.50	Chrome	3
	TS42112BN	783.25	Brushed Nickel	3
	TS42112NL	783.25	Polished Nickel	3
	TS42112ORB	845.05	Oil Rubbed Bronze	3
 • application: three hole • center dimensions: 8" center • drain assembly: 140780 sold separately • includes: mounting brackets	**9700**	168.35	1/2" CC	3
 • drain assembly: metal • drain assembly type: spring loaded pop-up • drain assembly size: 1-1/4" • drain assembly: 1-1/4" non-overflow	**140780**	57.05	Chrome	12
	140780BN	79.60	Brushed Nickel	12
	140780NL	78.90	Polished Nickel	12
	140780ORB	89.90	Oil Rubbed Bronze	12
 • description: finished handle cap kit • language: english version only	**221672**	21.95	Chrome	12
	221672BN	29.20	Brushed Nickel	12
	221672NL	29.20	Polished Nickel	12
	221672ORB	32.25	Oil Rubbed Bronze	12

HOW TO ORDER A COMPLETE BATHROOM FAUCET



Trim Part No. + Valve Part No. = Complete Faucet

NOTES

Moen® **M•PACT®** Common Valve System


Refer to specification sheet for critical dimensions for installation.

WEYMOUTH® Tub Fillers

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
FREESTANDING TUB FILLER					
	• application: two hole • center dimensions: 8" center • connection size: 3/4" • connection type: male • showerhead type: handshower • handshower functions: one-function • handshower flow rate: 2.0 gpm (7.6 L/min) max. • spout reach: 9.00" DURALAST®	**PREMIUM**			
		S22105	1,604.15	Chrome	1
		S22105BN	2,326.05	Brushed Nickel	1
	• application: two hole • center dimensions: 8" center • connection size: 3/4" • connection type: male • showerhead type: handshower • handshower functions: one-function • handshower flow rate: 2.0 gpm (7.6 L/min) max. • spout reach: 9.00" DURALAST®	**PREMIUM**			
		S22110	1,604.15	Chrome	1
		S22110BN	2,326.05	Brushed Nickel	1
	• description: floor mount tub filler risers • application: two hole • connection size: 3/4" • connection type: male • requires: floor mounting kit • fits: S22105 and S22100	**PREMIUM**			
		TS25105	669.25	Chrome	3
		TS25105BN	970.40	Brushed Nickel	3
	• description: double riser floor joist mounting kit • application: two hole • center dimensions: 8" center • quarter turn stops: included	**PREMIUM**			
		TS50200	398.50	1/2" CC, NPT	2
	• description: double riser concrete mounting kit • application: two hole • center dimensions: 8" center • quarter turn stops: included	**PREMIUM**			
		TS50210	338.70	1/2" CC, NPT	2
	• description: finished handle cap kit • language: english version only	**221672**	21.95	Chrome	12
		221672BN	29.20	Brushed Nickel	12
	• description: finished diverter handle cap kit	**221772**	14.10	Chrome	12
		221772BN	18.75	Brushed Nickel	12

HOW TO ORDER A COMPLETE FLOORMOUNT TUB FILLER FAUCET



Trim Part No. | Trim Part No. | Valve Part No. | Complete Faucet

NOTES

Moen® **M•PACT®** Common Valve System



DURALAST® Duralast® Cartridge

S22105 and S22110 can be installed as a wallmount tub filler.


WEYMOUTH® Roman Tubs

All Brushed Nickel and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

TWO-HANDLE ROMAN TUB

	MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
 • application: three hole • spout reach: 8.10" • valve sold separately	**PREMIUM**			
	TS22101	750.50	Chrome	3
	TS22101BN	1,062.25	Brushed Nickel	3
	TS22101NL	1,062.25	Polished Nickel	3
	TS221010RB	1,146.00	Oil Rubbed Bronze	3
 • application: three hole • spout reach: 8.10" • valve sold separately	**PREMIUM**			
	TS22103	750.50	Chrome	3
	TS22103BN	1,062.25	Brushed Nickel	3
	TS22103NL	1,062.25	Polished Nickel	3
	TS221030RB	1,146.00	Oil Rubbed Bronze	3
 • application: three hole • deck thickness: 1/8" to 3-3/8" rough-in deck • center dimensions: adjustable • adjustable spout shank: included • test plug: included	**4792**	138.45	1/2" CC	6
 • application: three hole • deck thickness: 1/8" to 2-3/4" rough-in deck • center dimensions: 10" - 24" center • adjustable spout shank: included • test plug: included	**4793**	156.75	1/2" CPVC, Crimp ring PEX	6
	4794	149.45	1/2" Crimp ring PEX, Cold Expansion PEX	6
 • application: three hole • deck thickness: 1/8" to 1-7/8" rough-in deck • center dimensions: 10" center • non-adjustable spout shank: included • test plug: included	**4796**	130.40	1/2" CC	6
	4797	132.95	1/2" CPVC, Crimp ring PEX	6
	4798	132.95	1/2" Crimp ring PEX, Cold Expansion PEX	6
 • description: high flow thermostatic mixing valve for roman tubs • ports: three • ASSE standard 1070: yes • flow rate: 12.0 gpm (45.4 L/min) max.	**104465**	173.00	1/2" CC	12
	104466	173.00	1/2" IPS	12
 • description: PEX transition fittings (2) and clips • connections: adapts standard 1/2" PEX barb to 1/2" PEX cold expansion	**140715 ◆**	10.35	1/2" PEX	200
 • description: finished handle cap kit • language: english version only	**221672**	21.95	Chrome	12
	221672BN	29.20	Brushed Nickel	12
	221672NL	29.20	Polished Nickel	12
	2216720RB	32.25	Oil Rubbed Bronze	12

HOW TO ORDER A COMPLETE ROMAN TUB FAUCET



Trim Part No. + Valve Part No. = Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System


Thermostatic Mixing Valve service kits, see page 462.

WEYMOUTH® Roman Tubs

All Brushed Nickel and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TWO-HANDLE ROMAN TUB WITH HANDSHOWER					
	• application: four hole • showerhead type: handshower • handshower flow rate: 2.0 gpm (7.6 L/min) max. • spray functions: one-function • spout reach: 8.10" • valve sold separately	PREMIUM			
		TS21102	1,144.15	Chrome	3
		TS21102BN	1,991.65	Brushed Nickel	3
		TS21102NL	1,991.65	Polished Nickel	3
		TS21102ORB	2,148.80	Oil Rubbed Bronze	3
	• application: four hole • showerhead type: handshower • handshower flow rate: 2.0 gpm (7.6 L/min) max. • spray functions: one-function • spout reach: 8.10" • valve sold separately	PREMIUM			
		TS21104	1,144.15	Chrome	3
		TS21104BN	1,991.65	Brushed Nickel	3
		TS21104NL	1,991.65	Polished Nickel	3
		TS21104ORB	2,148.80	Oil Rubbed Bronze	3
	• application: four hole • deck thickness: 1/8" to 2-5/8" rough-in deck • center dimensions: adjustable • non-adjustable spout shank: included • test plug: included	**9792**	311.90	1/2" CC	6
	• application: four hole • deck thickness: 1/8" to 2-5/8" rough-in deck • center dimensions: 10" - 24" center • non-adjustable spout shank: included • test plug: included	**9793**	319.20	1/2" CPVC, Crimp ring PEX	6
	• description: high flow thermostatic mixing valve for roman tubs • ports: three • ASSE standard 1070: yes • flow rate: 12.0 gpm (45.4 L/min) max.	**104465**	173.00	1/2" CC	12
		104466	173.00	1/2" IPS	12
	• description: PEX transition fittings (2) and clips • connections: adapts standard 1/2" PEX barb to 1/2" PEX cold expansion	**140715** ◆	10.35	1/2" PEX	200
	• description: finished handle cap kit • language: english version only	**221672**	21.95	Chrome	12
		221672BN	29.20	Brushed Nickel	12
		221672NL	29.20	Polished Nickel	12
		221672ORB	32.25	Oil Rubbed Bronze	12

HOW TO ORDER A COMPLETE ROMAN TUB FAUCET



Trim Part No. + Valve Part No. = Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

Thermostatic Mixing Valve service kits, see page 462.

WEYMOUTH® 3/4" Thermostatic Showering

All Brushed Nickel and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

EXACTTEMP® VALVE ONLY



- description: temperature control valve trim
- requires: separate volume control valve
- valve sold separately

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
PREMIUM			
TS32110	319.90	Chrome	3
TS32110BN	470.80	Brushed Nickel	3
TS32110NL	470.80	Polished Nickel	3
TS32110ORB	507.85	Oil Rubbed Bronze	3



- description: thermostatic rough-in valve
- ports: four
- adjustable temp limit stop: included
- check stops: included

PREMIUM			
S3371	490.25	3/4" IPS	6



- description: finished handle cap kit
- language: english version only

221672	21.95	Chrome	12
221672BN	29.20	Brushed Nickel	12
221672NL	29.20	Polished Nickel	12
221672ORB	32.25	Oil Rubbed Bronze	12

EXACTTEMP® VOLUME CONTROL VALVE ONLY



- valve sold separately


PREMIUM			
TS52104	166.05	Chrome	6
TS52104BN	229.40	Brushed Nickel	6
TS52104NL	229.40	Polished Nickel	6
TS52104ORB	247.35	Oil Rubbed Bronze	6



- description: volume control rough-in valve
- includes: volume control

PREMIUM			
S3600	124.60	3/4" IPS	12

HOW TO ORDER AN EXACTTEMP VALVE



Trim Part No. | Valve Part No. | Valve Part No. | Complete Faucet

NOTES

Moen® **M•PACT®** Common Valve System

WEYMOUTH® Transfer Valve Shower Spa Components

All Brushed Nickel and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TRANSFER VALVE ONLY					
	• valve sold separately	**PREMIUM**			
		TS32205	238.05	Chrome	6
		TS32205BN	280.65	Brushed Nickel	6
		TS32205NL	280.65	Polished Nickel	6
		TS32205ORB	302.80	Oil Rubbed Bronze	6
	• type of function: two independent one shared • must be used with: Posi-Temp® or Moentrol® valve	**3372**	165.70	1/2" CC	12
	• type of function: two independent functions • must be used with: Posi-Temp® or Moentrol® valve	**3375**	165.70	1/2" CC	12
	• description: finished arrow cap kit	**221673**	14.90	Chrome	12
		221673BN	19.85	Brushed Nickel	12
		221673NL	19.85	Polished Nickel	12
		221673ORB	21.90	Oil Rubbed Bronze	12

HOW TO ORDER A COMPLETE TRANSFER VALVE



Trim Part No. + Valve Part No. = Complete Faucet

NOTES

Moen® **M•PACT®** Common Valve System

WEYMOUTH® Posi-Temp® Showering

All Brushed Nickel and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

POSI-TEMP® TUB/SHOWER

	MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
 • showerhead functions: two-function • showerhead type: rainshower • showerhead size: 9" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • spout length: 6 3/4" • spout connection type: slip fit • tub spout type: diverter • valve sold separately	**PREMIUM**			
	TS32104	615.15	Chrome	3
	TS32104BN	863.05	Brushed Nickel	3
	TS32104NL	863.05	Polished Nickel	3
	TS321040RB	931.15	Oil Rubbed Bronze	3
 • showerhead functions: two-function • showerhead type: eco-performance rainshower • showerhead size: 9" diameter spray head • showerhead flow rate: 2.0 gpm (7.6 L/min) max. • spout length: 6 3/4" • spout connection type: slip fit • tub spout type: diverter • valve sold separately	**PREMIUM**			
	TS32104EP	615.15	Chrome	3
	TS32104EPBN	863.05	Brushed Nickel	3
	TS32104EPNL	863.05	Polished Nickel	3
	TS32104EP0RB	931.15	Oil Rubbed Bronze	3
 • description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included	**2510** ◆	115.35	1/2" IPS	6
	2520 ◆	115.35	1/2" CC	6
	2580 ◆	115.35	1/2" Crimp ring PEX	6
 • description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included • quarter turn stops: included	**2570** ◆	140.05	1/2" CC	6
	2590 ◆	140.05	1/2" IPS	6
 • description: finished handle cap kit • language: english version only	**221672**	21.95	Chrome	12
	221672BN	29.20	Brushed Nickel	12
	221672NL	29.20	Polished Nickel	12
	2216720RB	32.25	Oil Rubbed Bronze	12
 • description: finished arrow cap kit	**221673**	14.90	Chrome	12
	221673BN	19.85	Brushed Nickel	12
	221673NL	19.85	Polished Nickel	12
	2216730RB	21.90	Oil Rubbed Bronze	12

HOW TO ORDER A COMPLETE TUB/SHOWER FAUCET



Trim Part No. + Valve Part No. = Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

IMMERSION Immersion® Rainshower

WEYMOUTH® Posi-Temp® Showering

All Brushed Nickel and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® SHOWER ONLY					
	• showerhead functions: two-function • showerhead type: rainshower • showerhead size: 9" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • valve sold separately	**PREMIUM**			
		TS32102	504.45	Chrome	3
		TS32102BN	736.35	Brushed Nickel	3
		TS32102NL	736.35	Polished Nickel	3
		TS32102ORB	794.35	Oil Rubbed Bronze	3
	• showerhead functions: two-function • showerhead type: eco-performance rainshower • showerhead size: 9" diameter spray head • showerhead flow rate: 2.0 gpm (7.6 L/min) max. • valve sold separately	**PREMIUM**			
		TS32102EP	504.45	Chrome	3
		TS32102EPBN	736.35	Brushed Nickel	3
		TS32102EPNL	736.35	Polished Nickel	3
		TS32102EPORB	794.35	Oil Rubbed Bronze	3
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included	**2510** ◆	115.35	1/2" IPS	6
		2520 ◆	115.35	1/2" CC	6
		2580 ◆	115.35	1/2" Crimp ring PEX	6
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included • quarter turn stops: included	**2570** ◆	140.05	1/2" CC	6
		2590 ◆	140.05	1/2" IPS	6
	• description: finished handle cap kit • language: english version only	**221672**	21.95	Chrome	12
		221672BN	29.20	Brushed Nickel	12
		221672NL	29.20	Polished Nickel	12
		221672ORB	32.25	Oil Rubbed Bronze	12
	• description: finished arrow cap kit	**221673**	14.90	Chrome	12
		221673BN	19.85	Brushed Nickel	12
		221673NL	19.85	Polished Nickel	12
		221673ORB	21.90	Oil Rubbed Bronze	12

HOW TO ORDER A COMPLETE SHOWER FAUCET



Trim Part No. | Valve Part No. | Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

IMMERSION Immersion® Rainshower

WEYMOUTH® Posi-Temp® Showering

All Brushed Nickel and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

POSI-TEMP® VALVE ONLY

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
	• valve sold separately	**PREMIUM**			
		TS3210	264.55	Chrome	3
		TS3210BN	374.15	Brushed Nickel	3
		TS3210NL	374.15	Polished Nickel	3
		TS3210ORB	403.75	Oil Rubbed Bronze	3
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included	**2510** ◆	115.35	1/2" IPS	6
		2520 ◆	115.35	1/2" CC	6
		2580 ◆	115.35	1/2" Crimp ring PEX	6
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included • quarter turn stops: included	**2570** ◆	140.05	1/2" CC	6
		2590 ◆	140.05	1/2" IPS	6
	• description: finished handle cap kit • language: english version only	**221672**	21.95	Chrome	12
		221672BN	29.20	Brushed Nickel	12
		221672NL	29.20	Polished Nickel	12
		221672ORB	32.25	Oil Rubbed Bronze	12
	• description: finished arrow cap kit	**221673**	14.90	Chrome	12
		221673BN	19.85	Brushed Nickel	12
		221673NL	19.85	Polished Nickel	12
		221673ORB	21.90	Oil Rubbed Bronze	12

HOW TO ORDER A COMPLETE VALVE



Trim Part No. | Valve Part No. | Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

WEYMOUTH® Perfectly Matched Bath Accessories

Moen® bath accessories CANNOT be combined with Moen faucet parts on a Purchase Order.

Moen makes it easy to coordinate the entire style and look of the bathroom. Our Weymouth® bath accessories perfectly match the style and finish of our Weymouth® faucets. Total coordination of the bath has never been easier.

For more information on ordering Weymouth® bath accessories or other matching Moen® bath accessories, contact Moen Bath Accessory Customer Service at **800-882-0116**, contact your local Moen sales representative, or visit us at **www.moen.com**.

	MODEL NUMBER	LIST PRICE EACH	DESCRIPTION	5/8-in. Round Bar QTY
	Chrome (CH)			
	YB8401CH	83.90	Tank Lever	24
	YB8403CH	76.15	Double Robe Hook	24
	YB8405CH	14.05	Drawer Knob	48
	YB8407CH	26.25	Drawer Pull	48
P	**YB8408CH**	109.95	Pivoting Paper Holder	6
	YB8418CH	124.20	18" Towel Bar	6
	YB8424CH	134.00	24" Towel Bar	6
	YB8486CH	86.60	Towel Ring	6
	Brushed Nickel (BN)			
	YB8401BN	95.50	Tank Lever	24
	YB8403BN	87.20	Double Robe Hook	24
	YB8405BN	15.95	Drawer Knob	48
	YB8407BN	28.15	Drawer Pull	48
P	**YB8408BN**	120.55	Pivoting Paper Holder	6
	YB8418BN	141.05	18" Towel Bar	6
	YB8424BN	152.05	24" Towel Bar	6
	YB8486BN	98.85	Towel Ring	6
	Polished Nickel (NL)			
	YB8401NL	105.05	Tank Lever	24
	YB8403NL	96.00	Double Robe Hook	24
	YB8405NL	17.50	Drawer Knob	48
	YB8407NL	30.90	Drawer Pull	48
P	**YB8408NL**	132.60	Pivoting Paper Holder	6
	YB8418NL	155.25	18" Towel Bar	6
	YB8424NL	167.25	24" Towel Bar	6
	YB8486NL	108.75	Towel Bar	6
	Oil Rubbed Bronze (ORB)			
	YB8401ORB	105.05	Tank Lever	24
	YB8403ORB	96.00	Double Robe Hook	24
	YB8405ORB	17.50	Drawer Knob	48
	YB8407ORB	30.90	Drawer Pull	48
P	**YB8408ORB**	132.60	Pivoting Paper Holder	6
	YB8418ORB	155.25	18" Towel Bar	6
	YB8424ORB	167.25	24" Towel Bar	6
	YB8486ORB	108.75	Towel Ring	6



YB8401
Tank Lever



YB8403
Double Robe Hook



YB8405
Drawer Knob



YB8407
Drawer Pull



YB8408 (P)
Pivoting Paper Holder



YB8418
18" Towel Bar



YB8424
24" Towel Bar



YB8486
Towel Ring

(P) Denotes pivoting paper holder

List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

ARRIS® Bathroom Faucets

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

ONE-HANDLE BATHROOM FAUCET



- application: one hole
- supply line length: flexible
- connection size: 3/8"
- connection type: compression
- drain assembly: push-button
- drain assembly type: spring loaded pop-up

WaterSense Meets EPA Criteria Certified by IAPMO R&T · DURALAST®

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
PREMIUM			
S43001	468.50	Chrome	3
S43001BN	682.95	Brushed Nickel	3

TWO-HANDLE WIDESPREAD BATHROOM FAUCET



- application: three hole
- center dimensions: 8" - 16" center
- drain assembly: metal
- drain assembly type: lift rod
- valve sold separately

WaterSense Meets EPA Criteria Certified by IAPMO R&T · DURALOCK®

PREMIUM			
TS43002	507.25	Chrome	3
TS43002BN	784.55	Brushed Nickel	3



- application: three hole
- center dimensions: 8" - 16" center
- drain assembly: metal
- drain assembly type: lift rod

DURALOCK® DURALAST®

9000 ◆	119.05	1/2" IPS	6

TWO-HANDLE WALLMOUNT BATHROOM FAUCET



- application: three hole
- center dimensions: 8" center
- drain assembly: 140780 sold separately
- valve sold separately

WaterSense Meets EPA Criteria Certified by IAPMO R&T

PREMIUM			
TS43003	519.15	Chrome	3
TS43003BN	782.60	Brushed Nickel	3



- application: three hole
- center dimensions: 8" center
- drain assembly: 140780 sold separately
- includes: mounting brackets


9700	168.35	1/2" CC	3



- drain assembly: metal
- drain assembly type: spring loaded pop-up
- drain assembly size: 1-1/4"
- drain assembly: 1-1/4" non-overflow

140780	57.05	Chrome	12
140780BN	79.60	Brushed Nickel	12

HOW TO ORDER A COMPLETE BATHROOM FAUCET



Trim Part No. + Valve Part No. = Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

DURALOCK® Duralock® Quick Connections

DURALAST® Duralast® Cartridge

Refer to lavatory waste assemblies on page 367.
Refer to specification sheet for critical dimensions for installation.

ARRIS® Tub Fillers

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

FREESTANDING TUB FILLER



- application: one hole
- showerhead type: handshower
- handshower functions: one-function
- handshower flow rate: 2.0 gpm (7.6 L/min) max.
- spout reach: 11.00"
- valve sold separately

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
PREMIUM			
S93005	1,512.20	Chrome	1
S93005BN	2,192.70	Brushed Nickel	1



- description: single riser floor joist mounting kit
- application: one hole
- quarter turn stops: included

PREMIUM			
TS50100	265.65	1/2" CC, NPT	2



- description: single riser concrete mounting kit
- application: one hole
- quarter turn stops: included

PREMIUM			
TS50110	225.80	1/2" CC, NPT	2

HOW TO ORDER A COMPLETE FLOORMOUNT TUB FILLER





Trim Part No. | Valve Part No. | Complete Faucet

NOTES

Moen® **M•PACT®** Common Valve System

ARRIS® Roman Tubs

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TWO-HANDLE ROMAN TUB					
	• application: three hole • spout reach: 8.08" • valve sold separately	**PREMIUM**			
		TS93003	660.70	Chrome	3
		TS93003BN	955.50	Brushed Nickel	3
	• application: three hole • deck thickness: 1/8" to 3-3/8" rough-in deck • center dimensions: adjustable • adjustable spout shank: included • test plug: included	**4792**	138.45	1/2" CC	6
	• application: three hole • deck thickness: 1/8" to 2-3/4" rough-in deck • center dimensions: 10" - 24" center • adjustable spout shank: included • test plug: included	**4793**	156.75	1/2" CPVC, Crimp ring PEX	6
		4794	149.45	1/2" Crimp ring PEX, Cold Expansion PEX	6
	• application: three hole • deck thickness: 1/8" to 1-7/8" rough-in deck • center dimensions: 10" center • non-adjustable spout shank: included • test plug: included	**4796**	130.40	1/2" CC	6
		4797	132.95	1/2" CPVC, Crimp ring PEX	6
		4798	132.95	1/2" Crimp ring PEX, Cold Expansion PEX	6
	• description: high flow thermostatic mixing valve for roman tubs • ports: three • ASSE standard 1070: yes • flow rate: 12.0 gpm (45.4 L/min) max.	**104465**	173.00	1/2" CC	12
		104466	173.00	1/2" IPS	12
	• description: PEX transition fittings (2) and clips • connections: adapts standard 1/2" PEX barb to 1/2" PEX cold expansion	**140715** ◆	10.35	1/2" PEX	200

ARRIS®

HOW TO ORDER A COMPLETE ROMAN TUB FAUCET



Trim Part No. + Valve Part No. = Complete Faucet

NOTES


◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

Thermostatic Mixing Valve service kits, see page 462.


ARRIS® Roman Tubs

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TWO-HANDLE ROMAN TUB WITH HANDSHOWER					
	• application: four hole • showerhead type: handshower • handshower flow rate: 2.0 gpm (7.6 L/min) max. • spray functions: one-function • spout reach: 8.08" • valve sold separately	**PREMIUM**			
		TS93004	1,008.70	Chrome	3
		TS93004BN	1,799.15	Brushed Nickel	3
	• application: four hole • deck thickness: 1/8" to 2-5/8" rough-in deck • center dimensions: adjustable • non-adjustable spout shank: included • test plug: included	**9792**	311.90	1/2" CC	6
	• application: four hole • deck thickness: 1/8" to 2-5/8" rough-in deck • center dimensions: 10" - 24" center • non-adjustable spout shank: included • test plug: included	**9793**	319.20	1/2" CPVC, Crimp ring PEX	6
	• description: high flow thermostatic mixing valve for roman tubs • ports: three • ASSE standard 1070: yes • flow rate: 12.0 gpm (45.4 L/min) max.	**104465**	173.00	1/2" CC	12
		104466	173.00	1/2" IPS	12
	• description: PEX transition fittings (2) and clips • connections: adapts standard 1/2" PEX barb to 1/2" PEX cold expansion	**140715** ◆	10.35	1/2" PEX	200

ARRIS®

HOW TO ORDER A COMPLETE ROMAN TUB FAUCET



Trim Part No. + Valve Part No. = Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System


Thermostatic Mixing Valve service kits, see page 462.

ARRIS® 3/4" Thermostatic Showering, Transfer Valve Shower Spa Component

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
EXACTTEMP® VALVE ONLY					
	• description: temperature control valve trim • requires: separate volume control valve • valve sold separately	**PREMIUM**			
		TS33002	263.00	Chrome	3
		TS33002BN	394.55	Brushed Nickel	3
	• description: thermostatic rough-in valve • ports: four • adjustable temp limit stop: included • check stops: included	**PREMIUM**			
		S3371	490.25	3/4" IPS	6
EXACTTEMP® VOLUME CONTROL VALVE ONLY					
	• valve sold separately	**PREMIUM**			
		TS33003	150.25	Chrome	6
		TS33003BN	219.20	Brushed Nickel	6
	• description: volume control rough-in valve • includes: volume control	**PREMIUM**			
		S3600	124.60	3/4" IPS	12
TRANSFER VALVE ONLY					
	• valve sold separately	**PREMIUM**			
		TS23005	221.20	Chrome	6
		TS23005BN	274.15	Brushed Nickel	6
	• type of function: two independent one shared • must be used with: Posi-Temp® or Moentrol® valve	**3372**	165.70	1/2" CC	12
	• type of function: two independent functions • must be used with: Posi-Temp® or Moentrol® valve	**3375**	165.70	1/2" CC	12

HOW TO ORDER AN EXACTTEMP VALVE



Trim Part No. | Valve Part No. | Valve Part No. | Complete Faucet

HOW TO ORDER A COMPLETE VALVE



Trim Part No. | Valve Part No. | Complete Faucet

NOTES

Moen® **M•PACT®** Common Valve System

ARRIS® Posi-Temp® Showering

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® TUB/SHOWER					
	• showerhead functions: one-function • showerhead type: rainshower • showerhead size: 10" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • spout length: 6 3/4" • spout connection type: slip fit • tub spout type: diverter • valve sold separately	**PREMIUM**			
		TS22003	573.60	Chrome	3
		TS22003BN	832.05	Brushed Nickel	3
	• showerhead functions: one-function • showerhead type: eco-performance rainshower • showerhead size: 10" diameter spray head • showerhead flow rate: 2.0 gpm (7.6 L/min) max. • spout length: 6 3/4" • spout connection type: slip fit • tub spout type: diverter • valve sold separately	**PREMIUM**			
		TS22003EP	573.60	Chrome	3
		TS22003EPBN	832.05	Brushed Nickel	3
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included	**2510** ◆	115.35	1/2" IPS	6
		2520 ◆	115.35	1/2" CC	6
		2580 ◆	115.35	1/2" Crimp ring PEX	6
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included • quarter turn stops: included	**2570** ◆	140.05	1/2" CC	6
		2590 ◆	140.05	1/2" IPS	6

HOW TO ORDER A COMPLETE TUB/SHOWER FAUCET



Trim Part No. + Valve Part No. = Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

IMMERSION Immersion® Rainshower

ARRIS® Posi-Temp® Showering

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

POSI-TEMP® SHOWER ONLY

	MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
 • showerhead functions: one-function • showerhead type: rainshower • showerhead size: 10" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • valve sold separately	**PREMIUM**			
	TS22002	479.10	Chrome	3
	TS22002BN	699.70	Brushed Nickel	3
 • showerhead functions: one-function • showerhead type: eco-performance rainshower • showerhead size: 10" diameter spray head • showerhead flow rate: 2.0 gpm (7.6 L/min) max. • valve sold separately	**PREMIUM**			
	TS22002EP	479.10	Chrome	3
	TS22002EPBN	699.70	Brushed Nickel	3
 • description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included	**2510** ◆	115.35	1/2" IPS	6
	2520 ◆	115.35	1/2" CC	6
	2580 ◆	115.35	1/2" Crimp ring PEX	6
 • description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included • quarter turn stops: included	**2570** ◆	140.05	1/2" CC	6
	2590 ◆	140.05	1/2" IPS	6

HOW TO ORDER A COMPLETE SHOWER FAUCET



Trim Part No. + Valve Part No. = Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

IMMERSION Immersion® Rainshower

ARRIS® Posi-Temp® Showering

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® VALVE ONLY					
	• valve sold separately	**PREMIUM**			
		TS22001	245.85	Chrome	3
		TS22001BN	365.60	Brushed Nickel	3
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included	**2510** ◆	115.35	1/2" IPS	6
		2520 ◆	115.35	1/2" CC	6
		2580 ◆	115.35	1/2" Crimp ring PEX	6
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included • quarter turn stops: included	**2570** ◆	140.05	1/2" CC	6
		2590 ◆	140.05	1/2" IPS	6

HOW TO ORDER A COMPLETE VALVE



Trim Part No. | Valve Part No. | Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System


Moen® bath accessories CANNOT be combined with Moen® faucet parts on a Purchase Order.

Moen makes it easy to coordinate the entire style and look of the bathroom. Our Arris® bath accessories perfectly match the style and finish of our Arris® faucets. Total coordination of the bath has never been easier.

For more information on ordering Arris® bath accessories or other matching Moen® bath accessories, contact Moen Bath Accessory Customer Service at **800-882-0116**, contact your local Moen sales representative, or visit us at **www.moen.com**.

1/2-in. Round Bar


	MODEL NUMBER	LIST PRICE EACH	DESCRIPTION	QTY
	Chrome (CH)			
	YB0801CH	74.05	Tank Lever	24
	YB0803CH	71.10	Double Robe Hook	24
P	**YB0808CH**	101.20	Pivoting Paper Holder	6
	YB0818CH	117.15	18" Towel Bar	6
	YB0824CH	126.45	24" Towel Bar	6
	YB0886CH	81.80	Towel Ring	6
	YB0892CH	204.00	5x Magnifying Mirror	3
	Brushed Nickel (BN)			
	YB0801BN	89.95	Tank Lever	24
	YB0803BN	78.05	Double Robe Hook	24
P	**YB0808BN**	111.30	Pivoting Paper Holder	6
	YB0818BN	128.80	18" Towel Bar	6
	YB0824BN	139.30	24" Towel Bar	6
	YB0886BN	89.85	Towel Ring	6
	YB0892BN	233.15	5x Magnifying Mirror	3



YB0801
Tank Lever



YB0803
Double Robe Hook



YB0808 P
Pivoting Paper Holder



YB0818
18" Towel Bar



YB0824
24" Towel Bar



YB0886
Towel Ring

GRAB BARS

PERFECTLY MATCHED to Moen® Arris® faucets and bath accessories. ADA-compliant.



SecureMount™ Grab Bars are manufactured with an innovative flange design that makes it easy to connect to the stud at multiple points.
Tested to withstand 500 lb.
To install grab bars securely without studs, use SecureMount™ Anchors.
Sold separately.

MODEL NUMBER	LIST PRICE EACH	DESCRIPTION	QTY
1-1/4" • Chrome (CH)			
YG0812CH	133.40	12" Designer Grab Bar	6
YG0818CH	139.35	18" Designer Grab Bar	6
YG0824CH	145.60	24" Designer Grab Bar	6
YG0836CH	165.80	36" Designer Grab Bar	6
YG0842CH	232.05	42" Designer Grab Bar	3
1-1/4" • Brushed Nickel (BN)			
YG0812BN	144.15	12" Designer Grab Bar	6
YG0818BN	151.05	18" Designer Grab Bar	6
YG0824BN	163.05	24" Designer Grab Bar	6
YG0836BN	183.60	36" Designer Grab Bar	6
YG0842BN	257.00	42" Designer Grab Bar	3



YB0892
Wallmount 5X
Magnifying Mirror



YG0824
24" length Designer Grab Bar

P Denotes pivoting paper holder

Complies with Americans with Disabilities Act (ADA) specifications.
SecureMount™ Grab Bars are tested to withstand 500 lb. pull when securely installed per instructions.

List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

WATERHILL® Bathroom Faucets

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

ONE-HANDLE BATHROOM FAUCET



- application: one or three hole
- supply line length: flexible
- connection size: 3/8"
- connection type: compression
- deckplate: included
- drain assembly: metal
- drain assembly type: lift rod

WaterSense Meets EPA Criteria Certified by IAPMO R&T

DURALAST®

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
PREMIUM			
S411	447.50	Chrome	3
S411BN	685.70	Brushed Nickel	3
S411NL	685.70	Polished Nickel	3
S411ORB	739.65	Oil Rubbed Bronze	3



- description: vessel extension kit for s411 series
- includes: 3" extensions
- includes: grid drain cover
- includes: parts to convert to grid drain

PREMIUM			
S115	135.10	Chrome	6
S115BN	223.15	Brushed Nickel	6
S115NL	223.15	Polished Nickel	6
S115ORB	245.45	Oil Rubbed Bronze	6

TWO-HANDLE WIDESPREAD BATHROOM FAUCET



- application: three hole
- center dimensions: 8" - 16" center
- drain assembly: metal
- drain assembly type: lift rod
- valve sold separately

WaterSense Meets EPA Criteria Certified by IAPMO R&T

PREMIUM			
TS418	527.20	Chrome	3
TS418BN	799.90	Brushed Nickel	3
TS418NL	799.90	Polished Nickel	3
TS418ORB	863.05	Oil Rubbed Bronze	3




- application: three hole
- center dimensions: 8" - 16" center
- drain assembly: metal
- drain assembly type: lift rod

DURALOCK® DURALAST®

9000 ◆	119.05	1/2" IPS	6

HOW TO ORDER A COMPLETE BATHROOM FAUCET



Trim Part No. + Valve Part No. = Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

DURALOCK® Duralock® Quick Connections

DURALAST® Duralast® Cartridge



Refer to lavatory waste assemblies on page 367.

Refer to specification sheet for critical dimensions for installation.


WATERHILL® Roman Tubs

All Brushed Nickel and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

TWO-HANDLE ROMAN TUB

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
	• application: three hole • spout reach: 8.86" • valve sold separately	**PREMIUM**			
		TS214	686.60	Chrome	3
		TS214BN	974.30	Brushed Nickel	3
		TS214NL	974.30	Polished Nickel	3
		TS2140RB	1,051.25	Oil Rubbed Bronze	3
	• application: three hole • deck thickness: 1/8" to 3-3/8" rough-in deck • center dimensions: adjustable • adjustable spout shank: included • test plug: included	**4792**	138.45	1/2" CC	6
	• application: three hole • deck thickness: 1/8" to 2-3/4" rough-in deck • center dimensions: 10" - 24" center • adjustable spout shank: included • test plug: included	**4793**	156.75	1/2" CPVC, Crimp ring PEX	6
		4794	149.45	1/2" Crimp ring PEX, Cold Expansion PEX	6
	• application: three hole • deck thickness: 1/8" to 1-7/8" rough-in deck • center dimensions: 10" center • non-adjustable spout shank: included • test plug: included	**4796**	130.40	1/2" CC	6
		4797	132.95	1/2" CPVC, Crimp ring PEX	6
		4798	132.95	1/2" Crimp ring PEX, Cold Expansion PEX	6
	• description: high flow thermostatic mixing valve for roman tubs • ports: three • ASSE standard 1070: yes • flow rate: 12.0 gpm (45.4 L/min) max.	**104465**	173.00	1/2" CC	12
		104466	173.00	1/2" IPS	12
	• description: PEX transition fittings (2) and clips • connections: adapts standard 1/2" PEX barb to 1/2" PEX cold expansion	**140715** ◆	10.35	1/2" PEX	200

HOW TO ORDER A COMPLETE ROMAN TUB FAUCET



Trim Part No. + Valve Part No. = Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.


Moen® **M•PACT®** Common Valve System

Thermostatic Mixing Valve service kits, see page 462.

WATERHILL® 3/4" Thermostatic Showering, Transfer Valve Shower Spa Component

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
EXACTTEMP® SHOWER ONLY					
	• description: temperature control valve trim • requires: separate volume control valve • valve sold separately	**PREMIUM**			
		TS3110	255.75	Chrome	3
		TS3110BN	376.45	Brushed Nickel	3
		TS3110NL	376.45	Polished Nickel	3
		TS31100RB	406.15	Oil Rubbed Bronze	3
	• description: thermostatic rough-in valve • ports: four • adjustable temp limit stop: included • check stops: included	**PREMIUM**			
		S3371	490.25	3/4" IPS	6
EXACTTEMP® VOLUME CONTROL VALVE ONLY					
	• valve sold separately	**PREMIUM**			
		TS514	146.15	Chrome	6
		TS514BN	209.15	Brushed Nickel	6
		TS514NL	209.15	Polished Nickel	6
		TS5140RB	225.70	Oil Rubbed Bronze	6
	• description: volume control rough-in valve • includes: volume control	**PREMIUM**			
		S3600	124.60	3/4" IPS	12
TRANSFER VALVE ONLY					
	• valve sold separately	**PREMIUM**			
		TS325	215.15	Chrome	6
		TS325BN	261.60	Brushed Nickel	6
		TS325NL	261.60	Polished Nickel	6
		TS3250RB	282.25	Oil Rubbed Bronze	6
		TS325WR	282.25	Wrought Iron	6
	• type of function: two independent one shared • must be used with: Posi-Temp® or Moentrol® valve	**3372**	165.70	1/2" CC	12
	• type of function: two independent functions • must be used with: Posi-Temp® or Moentrol® valve	**3375**	165.70	1/2" CC	12

HOW TO ORDER AN EXACTTEMP VALVE



Trim Part No. | Valve Part No. | Valve Part No. | Complete Faucet

HOW TO ORDER A COMPLETE TRANSFER VALVE



Trim Part No. | Valve Part No. | Complete Faucet

NOTES

Moen® **M•PACT®** Common Valve System

WATERHILL® Posi-Temp® Showering

All Brushed Nickel and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

POSI-TEMP® TUB/SHOWER



- showerhead functions: one-function
- showerhead type: rainshower
- showerhead size: 10" diameter spray head
- showerhead flow rate: 2.5 gpm (9.5 L/min) max.
- spout length: 6 3/4"
- spout connection type: slip fit
- tub spout type: diverter
- valve sold separately

IMMERSION®

PREMIUM			
TS314	557.90	Chrome	3
TS314BN	793.90	Brushed Nickel	3
TS314NL	793.90	Polished Nickel	3
TS3140RB	856.45	Oil Rubbed Bronze	3



- description: pressure balanced cycling valve
- ports: four
- adjustable temp limit stop: included

2510 ◆	115.35	1/2" IPS	6
2520 ◆	115.35	1/2" CC	6
2580 ◆	115.35	1/2" Crimp ring PEX	6



- description: pressure balanced cycling valve
- ports: four
- adjustable temp limit stop: included
- quarter turn stops: included

2570 ◆	140.05	1/2" CC	6
2590 ◆	140.05	1/2" IPS	6

POSI-TEMP® SHOWER ONLY



- showerhead functions: one-function
- showerhead type: rainshower
- showerhead size: 10" diameter spray head
- showerhead flow rate: 2.5 gpm (9.5 L/min) max.
- valve sold separately

IMMERSION®

PREMIUM			
TS312	465.90	Chrome	3
TS312BN	667.55	Brushed Nickel	3
TS312NL	667.55	Polished Nickel	3
TS3120RB	720.25	Oil Rubbed Bronze	3



- description: pressure balanced cycling valve
- ports: four
- adjustable temp limit stop: included

2510 ◆	115.35	1/2" IPS	6
2520 ◆	115.35	1/2" CC	6
2580 ◆	115.35	1/2" Crimp ring PEX	6



- description: pressure balanced cycling valve
- ports: four
- adjustable temp limit stop: included
- quarter turn stops: included

2570 ◆	140.05	1/2" CC	6
2590 ◆	140.05	1/2" IPS	6

HOW TO ORDER A COMPLETE SHOWER FAUCET



Trim Part No. + Valve Part No. = Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

IMMERSION® Immersion® Rainshower

WATERHILL® Posi-Temp® Showering

All Brushed Nickel and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® SHOWER ONLY					
	• valve sold separately	**PREMIUM**			
		TS310	239.05	Chrome	3
		TS310BN	348.85	Brushed Nickel	3
		TS310NL	348.85	Polished Nickel	3
		TS310ORB	376.40	Oil Rubbed Bronze	3
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included	**2510** ◆	115.35	1/2" IPS	6
		2520 ◆	115.35	1/2" CC	6
		2580 ◆	115.35	1/2" Crimp ring PEX	6
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included • quarter turn stops: included	**2570** ◆	140.05	1/2" CC	6
		2590 ◆	140.05	1/2" IPS	6

HOW TO ORDER A COMPLETE VALVE



Trim Part No. + Valve Part No. = Complete Faucet

NOTES

Moen® **M•PACT®** Common Valve System

WATERHILL® Perfectly Matched Bath Accessories

Moen® bath accessories CANNOT be combined with Moen® faucet parts on a Purchase Order.

Moen makes it easy to coordinate the entire style and look of the bathroom. Our Waterhill® bath accessories perfectly match the style and finish of our Waterhill® faucets. Total coordination of the bath has never been easier.

For more information on ordering Waterhill® bath accessories or other matching Moen® bath accessories, contact Moen Bath Accessory Customer Service at **800-882-0116**, contact your local Moen sales representative, or visit us at **www.moen.com**.

	MODEL NUMBER	LIST PRICE EACH	DESCRIPTION	1/2-in. Round Bar QTY
	Chrome (CH)			
	YB9801CH	71.50	Tank Lever	3
	YB9803CH	71.10	Double Robe Hook	6
	YB9805CH	14.05	Drawer Knob	48
	YB9807CH	26.25	Drawer Pull	48
P	**YB9808CH**	101.20	Pivoting Paper Holder	6
	YB9818CH	117.15	18" Towel Bar	6
	YB9824CH	126.45	24" Towel Bar	6
	YB9886CH	81.80	Towel Ring	6
	Brushed Nickel (BN)			
	YB9801BN	89.90	Tank Lever	3
	YB9803BN	78.05	Double Robe Hook	24
	YB9805BN	15.95	Drawer Knob	48
	YB9807BN	28.15	Drawer Pull	48
P	**YB9808BN**	111.30	Pivoting Paper Holder	6
	YB9818BN	128.80	18" Towel Bar	6
	YB9824BN	139.30	24" Towel Bar	6
	YB9886BN	89.85	Towel Ring	6
	Polished Nickel (NL)			
	YB9801NL	95.65	Tank Lever	3
	YB9803NL	85.80	Double Robe Hook	24
P	**YB9808NL**	122.45	Pivoting Paper Holder	6
	YB9818NL	141.75	18" Towel Bar	6
	YB9824NL	153.20	24" Towel Bar	6
	YB9886NL	98.90	Towel Ring	6
	Oil Rubbed Bronze (ORB)			
	YB9801ORB	95.65	Tank Lever	3
	YB9803ORB	85.80	Double Robe Hook	24
	YB9805ORB	17.50	Drawer Knob	48
	YB9807ORB	30.90	Drawer Pull	48
P	**YB9808ORB**	122.45	Pivoting Paper Holder	6
	YB9818ORB	141.75	18" Towel Bar	6
	YB9824ORB	153.20	24" Towel Bar	6
	YB9886ORB	98.90	Towel Ring	6



YB9801
Tank Lever



YB9803
Double Robe Hook
with Swivel Top



YB9805
Drawer Knob
(Available in CH, BN
and ORB only)



YB9807
Drawer Pull
(Available in CH, BN
and ORB only)



YB9808
Pivoting Paper Holder



YB9818
18" Towel Bar



YB9824
24" Towel Bar



YB9886
Towel Ring

P Denotes pivoting paper holder

List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

WATERHILL® Perfectly Matched Bath Accessories



LIGHTING

MODEL NUMBER	LIST PRICE EACH	DESCRIPTION	QTY
Chrome (CH)			
YB9861CH	147.90	One Globe Bath Light	2
YB9862CH	206.90	Two Globe Bath Light	2
YB9863CH	256.95	Three Globe Bath Light	2
YB9864CH	329.10	Four Globe Bath Light	2
Brushed Nickel (BN)			
YB9861BN	184.85	One Globe Bath Light	2
YB9862BN	258.65	Two Globe Bath Light	2
YB9863BN	321.35	Three Globe Bath Light	2
YB9864BN	411.35	Four Globe Bath Light	2
Oil Rubbed Bronze (ORB)			
YB9861ORB	184.85	One Globe Bath Light	2
YB9862ORB	258.65	Two Globe Bath Light	2
YB9863ORB	321.30	Three Globe Bath Light	2
YB9864ORB	411.35	Four Globe Bath Light	2
Replacement Globe			
YB9869	27.10	Replacement Globe	3



YB9861
One Globe Light



YB9862
Two Globe Light



YB9863
Three Globe Light



YB9864
Four Globe Light

YB9869
Replacement Globe

c UL us LISTED

Bulbs not included.

All Waterhill® lighting fixtures can be mounted facing either upward or downward (rings need to be removed if mounted up).
List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

90°™ Bathroom Faucets

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

ONE-HANDLE BATHROOM FAUCET



- application: one or three hole
- supply line length: flexible
- connection size: 3/8"
- connection type: compression
- deckplate: sold separately
- drain assembly: metal
- drain assembly type: lift rod

WaterSense Meets EPA Criteria Certified by IAPMO R&T

DURALAST®

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
PREMIUM			
S6700	400.40	Chrome	3
S6700BN	661.00	Brushed Nickel	3
	DECKPLATE SOLD SEPARATELY		
147204	24.85	Chrome	12
147204BN	60.15	Brushed Nickel	12



- application: one or three hole
- supply line length: flexible
- connection size: 3/8"
- connection type: compression
- deckplate: sold separately
- drain assembly: metal
- drain assembly type: lift rod

WaterSense Meets EPA Criteria Certified by IAPMO R&T

DURALAST®

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
PREMIUM			
S6705	500.45	Chrome	3
S6705BN	826.20	Brushed Nickel	3
	DECKPLATE SOLD SEPARATELY		
147204	24.85	Chrome	12
147204BN	60.15	Brushed Nickel	12



- application: one or three hole
- supply line length: flexible
- connection size: 3/8"
- connection type: compression
- deckplate: sold separately
- drain assembly: 140780 sold separately

WaterSense Meets EPA Criteria Certified by IAPMO R&T

DURALAST®

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
PREMIUM			
S6711	560.40	Chrome	3
S6711BN	844.95	Brushed Nickel	3
	DECKPLATE SOLD SEPARATELY		
147204	24.85	Chrome	12
147204BN	60.15	Brushed Nickel	12



- description: vessel extension kit
- included: parts to convert to grid drain
- included: two extensions
- fits: S6700, S6705

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
147556	130.75	Chrome	6
147556BN	191.75	Brushed Nickel	6



- drain assembly: metal
- drain assembly type: spring loaded pop-up
- drain assembly size: 1-1/4"
- drain assembly: 1-1/4" non-overflow

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
140780	57.05	Chrome	12
140780BN	79.60	Brushed Nickel	12

NOTES

DURALAST® Duralast® Cartridge

Refer to lavatory waste assemblies on page 367.

90°™ Bathroom Faucets

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

TWO-HANDLE WIDESPREAD BATHROOM FAUCET



- application: three hole
- center dimensions: 8" - 16" center
- drain assembly: metal
- drain assembly type: lift rod
- red/blue markings: included
- valve sold separately

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
PREMIUM			
TS6720	358.45	Chrome	3
TS6720BN	614.10	Brushed Nickel	3



- application: three hole
- center dimensions: 8" - 16" center
- drain assembly: metal
- drain assembly type: lift rod

DURALOCK® DURALAST®

9000 ◆	119.05	1/2" IPS	6

TWO-HANDLE WALLMOUNT BATHROOM FAUCET



- application: three hole
- center dimensions: 8" center
- drain assembly: 140780 sold separately
- valve sold separately

PREMIUM			
TS6730	415.70	Chrome	3
TS6730BN	693.45	Brushed Nickel	3



- application: three hole
- center dimensions: 8" center
- drain assembly: 140780 sold separately
- includes: mounting brackets

9700	168.35	1/2" CC	3



- drain assembly: metal
- drain assembly type: spring loaded pop-up
- drain assembly size: 1-1/4"
- drain assembly: 1-1/4" non-overflow

140780	57.05	Chrome	12
140780BN	79.60	Brushed Nickel	12

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

DURALOCK® Duralock® Quick Connections



DURALAST® Duralast® Cartridge

Refer to lavatory waste assemblies on page 367.
Refer to specification sheet for critical dimensions for installation.


90°™ Roman Tubs

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

TWO-HANDLE ROMAN TUB

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
	• application: three hole • spout reach: 7.63" • valve sold separately	**PREMIUM**			
		TS903	491.60	Chrome	3
		TS903BN	700.05	Brushed Nickel	3
	• application: three hole • deck thickness: 1/8" to 3-3/8" rough-in deck • center dimensions: adjustable • adjustable spout shank: included • test plug: included	**4792**	138.45	1/2" CC	6
	• application: three hole • deck thickness: 1/8" to 2-3/4" rough-in deck • center dimensions: 10" - 24" center • adjustable spout shank: included • test plug: included	**4793**	156.75	1/2" CPVC, Crimp ring PEX	6
		4794	149.45	1/2" Crimp ring PEX, Cold Expansion PEX	6
	• application: three hole • deck thickness: 1/8" to 1-7/8" rough-in deck • center dimensions: 10" center • non-adjustable spout shank: included • test plug: included	**4796**	130.40	1/2" CC	6
		4797	132.95	1/2" CPVC, Crimp ring PEX	6
		4798	132.95	1/2" Crimp ring PEX, Cold Expansion PEX	6
	• description: high flow thermostatic mixing valve for roman tubs • ports: three • ASSE standard 1070: yes • flow rate: 12.0 gpm (45.4 L/min) max.	**104465**	173.00	1/2" CC	12
		104466	173.00	1/2" IPS	12
	• description: PEX transition fittings (2) and clips • connections: adapts standard 1/2" PEX barb to 1/2" PEX cold expansion	**140715** ◆	10.35	1/2" PEX	200

HOW TO ORDER A COMPLETE ROMAN TUB FAUCET



Trim Part No. + Valve Part No. = Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System


Thermostatic Mixing Valve service kits, see page 462.

90°™ Roman Tubs

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TWO-HANDLE ROMAN TUB WITH HANDSHOWER					
	• application: four hole • showerhead type: handshower • handshower flow rate: 2.0 gpm (7.6 L/min) max. • spray functions: one-function • spout reach: 7.63" • valve sold separately	**PREMIUM**			
		TS904	765.70	Chrome	3
		TS904BN	1,284.65	Brushed Nickel	3
	• application: four hole • deck thickness: 1/8" to 2-5/8" rough-in deck • center dimensions: adjustable • non-adjustable spout shank: included • test plug: included	**9792**	311.90	1/2" CC	6
	• application: four hole • deck thickness: 1/8" to 2-5/8" rough-in deck • center dimensions: 10" - 24" center • non-adjustable spout shank: included • test plug: included	**9793**	319.20	1/2" CPVC, Crimp ring PEX	6
	• description: high flow thermostatic mixing valve for roman tubs • ports: three • ASSE standard 1070: yes • flow rate: 12.0 gpm (45.4 L/min) max.	**104465**	173.00	1/2" CC	12
		104466	173.00	1/2" IPS	12
	• description: PEX transition fittings (2) and clips • connections: adapts standard 1/2" PEX barb to 1/2" PEX cold expansion	**140715** ◆	10.35	1/2" PEX	200

HOW TO ORDER A COMPLETE ROMAN TUB FAUCET



Trim Part No. + Valve Part No. = Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System


Thermostatic Mixing Valve service kits, see page 462.

90°™ 3/4" Thermostatic Showering, Transfer Valve Shower Spa Component

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
EXACTTEMP® VALVE ONLY					
	• description: temperature control valve trim • requires: separate volume control valve • valve sold separately	**PREMIUM**			
		TS3100	263.85	Chrome	3
		TS3100BN	399.20	Brushed Nickel	3
	• description: thermostatic rough-in valve • ports: four • adjustable temp limit stop: included • check stops: included	**PREMIUM**			
		S3371	490.25	3/4" IPS	6
EXACTTEMP® VOLUME CONTROL VALVE ONLY					
	• valve sold separately	**PREMIUM**			
		TS3300	121.80	Chrome	6
		TS3300BN	162.45	Brushed Nickel	6
	• description: volume control rough-in valve • includes: volume control	**PREMIUM**			
		S3600	124.60	3/4" IPS	12
TRANSFER VALVE ONLY					
	• valve sold separately	**PREMIUM**			
		TS4172	137.80	Chrome	6
		TS4172BN	186.15	Brushed Nickel	6
	• type of function: two independent one shared • must be used with: Posi-Temp® or Moentrol® valve	**3372**	165.70	1/2" CC	12
	• type of function: two independent functions • must be used with: Posi-Temp® or Moentrol® valve	**3375**	165.70	1/2" CC	12

HOW TO ORDER AN EXACTTEMP VALVE



Trim Part No. | Valve Part No. | Valve Part No. | Complete Faucet

HOW TO ORDER A COMPLETE TRANSFER VALVE




Trim Part No. | Valve Part No. | Complete Faucet

NOTES

Moen® **M•PACT®** Common Valve System

90°™ Moentrol® Tub/Showering

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
MOENTROL® TUB/SHOWER					
	• showerhead functions: one-function • showerhead type: rainshower • showerhead size: 6" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • spout length: 7 1/4" • spout connection type: slip fit • tub spout type: diverter • valve sold separately	**PREMIUM**			
		TS3713	305.40	Chrome	3
		TS3713BN	695.00	Brushed Nickel	3
NEW!  	• showerhead type: showerhead sold separately • spout length: 7 1/4" • spout connection type: slip fit • tub spout type: diverter • valve sold separately	**PREMIUM**			
		TS3713NH	207.65	Chrome	3
	• description: pressure balanced valve with volume control • ports: four • adjustable temp limit stop: included • checks: included • includes: volume control	**3510**	158.10	1/2" IPS	6
		3520	158.10	1/2" CC	6
	• description: pressure balanced valve with volume control • ports: four • adjustable temp limit stop: included • check stops: included • includes: volume control	**3570** ◆	188.35	1/2" CC	6

HOW TO ORDER A COMPLETE TUB/SHOWER FAUCET



Trim Part No. + Valve Part No. = Complete Faucet

NOTES


◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

IMMERSION Immersion® Rainshower

90°™ Moentrol® Tub/Showering

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
MOENTROL® SHOWER ONLY					
 	• showerhead functions: one-function • showerhead type: rainshower • showerhead size: 6" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • valve sold separately	**PREMIUM**			
		TS3715	224.95	Chrome	3
		TS3715BN	544.30	Brushed Nickel	3
NEW!  	• showerhead type: showerhead sold separately • valve sold separately	**PREMIUM**			
		TS3715NH	152.95	Chrome	3
	• description: pressure balanced valve with volume control • ports: four • adjustable temp limit stop: included • checks: included • includes: volume control	**3510**	158.10	1/2" IPS	6
		3520	158.10	1/2" CC	6
	• description: pressure balanced valve with volume control • ports: four • adjustable temp limit stop: included • check stops: included • includes: volume control	**3570** ◆	188.35	1/2" CC	6

HOW TO ORDER A COMPLETE SHOWER FAUCET



Trim Part No. + Valve Part No. = Complete Faucet

NOTES


◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

IMMERSION Immersion® Rainshower

90°™ Moentrol® Tub/Showering

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
MOENTROL® VALVE ONLY					
	• valve sold separately	**PREMIUM**			
		TS3711	168.65	Chrome	3
		TS3711BN	419.95	Brushed Nickel	3
	• description: pressure balanced valve with volume control • ports: four • adjustable temp limit stop: included • checks: included • includes: volume control	**3510**	158.10	1/2" IPS	6
		3520	158.10	1/2" CC	6
	• description: pressure balanced valve with volume control • ports: four • adjustable temp limit stop: included • check stops: included • includes: volume control	**3570 ◆**	188.35	1/2" CC	6

HOW TO ORDER A COMPLETE VALVE



Trim Part No. | Valve Part No. | Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

90°™ Posi-Temp® Showering

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

POSI-TEMP® TUB/SHOWER

	MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
 • showerhead functions: one-function • showerhead type: rainshower • showerhead size: 6" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • spout length: 7 1/4" • spout connection type: slip fit • tub spout type: diverter • valve sold separately	**PREMIUM**			
	TS2713	265.50	Chrome	3
	TS2713BN	491.90	Brushed Nickel	3
 • showerhead functions: one-function • showerhead type: eco-performance rainshower • showerhead size: 6" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • spout length: 7 1/4" • spout connection type: slip fit • tub spout type: diverter • valve sold separately	**PREMIUM**			
	TS2713EP	265.50	Chrome	3
	TS2713EPBN	491.90	Brushed Nickel	3
 • showerhead type: showerhead sold separately • spout length: 7 1/4" • spout connection type: slip fit • tub spout type: diverter • valve sold separately	**PREMIUM**			
	TS2713NH	178.75	Chrome	3
	TS2713NHBN	356.40	Brushed Nickel	3
 • description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included	**2510** ◆	115.35	1/2" IPS	6
	2520 ◆	115.35	1/2" CC	6
	2580 ◆	115.35	1/2" Crimp ring PEX	6
 • description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included • quarter turn stops: included	**2570** ◆	140.05	1/2" CC	6
	2590 ◆	140.05	1/2" IPS	6

HOW TO ORDER A COMPLETE SHOWER FAUCET



Trim Part No. + Valve Part No. = Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

IMMERSION Immersion® Rainshower

90°™ Posi-Temp® Showering

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® SHOWER ONLY					
 	• showerhead functions: one-function • showerhead type: rainshower • showerhead size: 6" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • valve sold separately	PREMIUM			
		TS2712	208.85	Chrome	3
		TS2712BN	386.90	Brushed Nickel	3
 	• showerhead functions: one-function • showerhead type: eco-performance rainshower • showerhead size: 6" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • valve sold separately	PREMIUM			
		TS2712EP	208.85	Chrome	3
		TS2712EPBN	386.90	Brushed Nickel	3
 	• showerhead type: showerhead sold separately • valve sold separately	PREMIUM			
		TS2712NH	165.95	Chrome	3
		TS2712NHBN	307.40	Brushed Nickel	3
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included	**2510** ◆	115.35	1/2" IPS	6
		2520 ◆	115.35	1/2" CC	6
		2580 ◆	115.35	1/2" Crimp ring PEX	6
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included • quarter turn stops: included	**2570** ◆	140.05	1/2" CC	6
		2590 ◆	140.05	1/2" IPS	6

HOW TO ORDER A COMPLETE SHOWER FAUCET



Trim Part No. | Valve Part No. | Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

IMMERSION Immersion® Rainshower

90°™ Posi-Temp® Showering

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

POSI-TEMP® VALVE ONLY



- valve sold separately

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
PREMIUM			
TS2711	156.60	Chrome	3
TS2711BN	290.00	Brushed Nickel	3



- description: pressure balanced cycling valve
- ports: four
- adjustable temp limit stop: included

2510 ◆	115.35	1/2" IPS	6
2520 ◆	115.35	1/2" CC	6
2580 ◆	115.35	1/2" Crimp ring PEX	6



- description: pressure balanced cycling valve
- ports: four
- adjustable temp limit stop: included
- quarter turn stops: included

2570 ◆	140.05	1/2" CC	6
2590 ◆	140.05	1/2" IPS	6

HOW TO ORDER A COMPLETE VALVE



Trim Part No. + Valve Part No. = Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

90°™ Perfectly Matched Bath Accessories

Moen® bath accessories CANNOT be combined with Moen® faucet parts on a Purchase Order.

Moen makes it easy to coordinate the entire style and look of the bathroom. Our 90°™ bath accessories perfectly match the style and finish of our 90°™ faucets. Total coordination of the bath has never been easier.

For more information on ordering 90°™ bath accessories or other matching Moen® bath accessories, contact Moen Bath Accessory Customer Service at **800-882-0116**, contact your local Moen sales representative, or visit us at **www.moen.com**.

1-in. Rectangular Bar

	MODEL NUMBER	LIST PRICE EACH	DESCRIPTION	QTY
	Chrome (CH)			
	YB8801CH	57.55	Tank Lever	24
	YB8803CH	44.10	Single Robe Hook	24
	YB8805CH	11.60	Drawer Knob	144
	YB8807CH	23.25	Drawer Pull	144
P	**YB8808CH**	81.15	Pivoting Paper Holder	6
	YB8818CH	93.35	18" Towel Bar	6
	YB8824CH	96.70	24" Towel Bar	6
	YB8886CH	65.20	Hand Towel Bar	6
	Brushed Nickel (BN)			
	YB8801BN	62.15	Tank Lever	24
	YB8803BN	47.70	Single Robe Hook	24
	YB8805BN	13.45	Drawer Knob	144
	YB8807BN	25.10	Drawer Pull	144
P	**YB8808BN**	87.55	Pivoting Paper Holder	6
	YB8818BN	100.80	18" Towel Bar	6
	YB8824BN	104.55	24" Towel Bar	6
	YB8886BN	70.35	Hand Towel Bar	6



YB8801
Tank Lever




YB8803
Single Robe Hook



YB8805
Drawer Knob



YB8807
Drawer Pull



YB8808 P
Pivoting Paper Holder

GRAB BARS

PERFECTLY MATCHED to Moen® 90°™ faucets and bath accessories. ADA-compliant.



SecureMount™ Grab Bars are manufactured with an innovative flange design that makes it easy to connect to the stud at multiple points.

To install grab bars securely without studs, use SecureMount™ Anchors. Sold separately.


MODEL NUMBER	LIST PRICE EACH	DESCRIPTION	QTY
1-1/4" • Chrome (CH)			
YG8812CH	133.40	12" Designer Grab Bar	6
YG8818CH	139.35	18" Designer Grab Bar	6
YG8824CH	145.60	24" Designer Grab Bar	6
YG8836CH	165.80	36" Designer Grab Bar	6
YG8842CH	244.00	42" Designer Grab Bar	6
1-1/4" • Brushed Nickel (BN)			
YG8812BN	144.15	12" Designer Grab Bar	6
YG8818BN	151.05	18" Designer Grab Bar	6
YG8824BN	163.05	24" Designer Grab Bar	6
YG8836BN	183.60	36" Designer Grab Bar	6
YG8842BN	269.75	42" Designer Grab Bar	6



YB8818
18" Towel Bar



YB8824
24" Towel Bar



YB8886
Hand Towel Bar



YG8824
24" length
Designer Grab Bar

P Denotes pivoting paper holder

Complies with Americans with Disabilities Act (ADA) specifications.
SecureMount™ Grab Bars are tested to withstand 500 lb. pull when securely installed per instructions.

List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.



LIGHTING


MODEL NUMBER	LIST PRICE EACH	DESCRIPTION	QTY
Chrome (CH)			
YB8861CH	147.90	One Globe Bath Light	2
YB8862CH	206.90	Two Globe Bath Light	2
YB8863CH	256.95	Three Globe Bath Light	2
YB8864CH	329.10	Four Globe Bath Light	2
Brushed Nickel (BN)			
YB8861BN	184.85	One Globe Bath Light	2
YB8862BN	258.65	Two Globe Bath Light	2
YB8863BN	321.35	Three Globe Bath Light	2
YB8864BN	411.35	Four Globe Bath Light	2
Replacement Globe			
YB8869	27.10	Replacement Globe	3



YB8861
One Globe Light



YB8862
Two Globe Light



YB8863
Three Globe Light



YB8864
Four Globe Light



YB8869
Replacement Globe

c UL us LISTED


Bulbs not included.

All 90°™ lighting fixtures can be mounted facing either upward or downward.
List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

VIA™ Bathroom Faucets

	MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
ONE-HANDLE BATHROOM FAUCET				
 • application: one hole • supply line length: flexible • connection size: 3/8" • connection type: compression • drain assembly: metal • drain assembly type: lift rod • red/blue markings: included   DURALAST®	PREMIUM			
	S8000	320.00	Chrome	3
 • application: one hole • supply line length: flexible • connection size: 3/8" • connection type: compression • drain assembly: metal • drain assembly type: lift rod • red/blue markings: included   DURALAST®	PREMIUM			
	S8001	310.00	Chrome	3
TWO-HANDLE WIDESPREAD BATHROOM FAUCET				
 • application: three hole • center dimensions: 8" - 16" center • drain assembly: metal • drain assembly type: lift rod • red/blue markings: included • valve sold separately   	PREMIUM			
	TS8002	342.10	Chrome	3
 • application: three hole • center dimensions: 8" - 16" center • drain assembly: metal • drain assembly type: lift rod  DURALOCK® DURALAST®	**9000** ◆	119.05	1/2" IPS	6

HOW TO ORDER A COMPLETE WIDESPREAD BATHROOM FAUCET



Trim Part No. + Valve Part No. = Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

DURALOCK® Duralock® Quick Connections

DURALAST® Duralast® Cartridge

Refer to lavatory waste assemblies on page 367.

Refer to specification sheet for critical dimensions for installation.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® TUB/SHOWER					
	• showerhead functions: one-function • showerhead type: rainshower • showerhead size: 6" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • spout length: 7 1/4" • spout connection type: slip fit • tub spout type: diverter • red/blue markings: included • valve sold separately	**PREMIUM**			
		TS8713	253.40	Chrome	3
	• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 6" diameter spray head • showerhead flow rate: 2.0 gpm (7.6 L/min) max. • spout length: 7 1/4" • spout connection type: slip fit • tub spout type: diverter • red/blue markings: included • valve sold separately	**PREMIUM**			
		TS8713EP	253.40	Chrome	3
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included	**2510** ◆	115.35	1/2" IPS	6
		2520 ◆	115.35	1/2" CC	6
		2580 ◆	115.35	1/2" Crimp ring PEX	6
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included • quarter turn stops: included	**2570** ◆	140.05	1/2" CC	6
		2590 ◆	140.05	1/2" IPS	6

HOW TO ORDER A COMPLETE TUB/SHOWER FAUCET



Trim Part No. + Valve Part No. = Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.
Moen® **M•PACT®** Common Valve System
IMMERSION Immersion® Rainshower

VIA™ Posi-Temp® Showering

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® SHOWER ONLY					
	• showerhead functions: one-function • showerhead type: rainshower • showerhead size: 6" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • red/blue markings: included • valve sold separately	PREMIUM **TS8712**	199.30	Chrome	3
	• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 6" diameter spray head • showerhead flow rate: 2.0 gpm (7.6 L/min) max. • red/blue markings: included • valve sold separately	PREMIUM **TS8712EP**	199.30	Chrome	3
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included	**2510** ◆ **2520** ◆ **2580** ◆	115.35 115.35 115.35	1/2" IPS 1/2" CC 1/2" Crimp ring PEX	6 6 6
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included • quarter turn stops: included	**2570** ◆ **2590** ◆	140.05 140.05	1/2" CC 1/2" IPS	6 6

HOW TO ORDER A COMPLETE SHOWER FAUCET



Trim Part No. | Valve Part No. | Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

IMMERSION Immersion® Rainshower

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® VALVE ONLY					
	• red/blue markings: included • valve sold separately	**PREMIUM**			
		TS8711	149.45	Chrome	3
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included	**2510** ◆	115.35	1/2" IPS	6
		2520 ◆	115.35	1/2" CC	6
		2580 ◆	115.35	1/2" Crimp ring PEX	6
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included • quarter turn stops: included	**2570** ◆	140.05	1/2" CC	6
		2590 ◆	140.05	1/2" IPS	6

VIA™

HOW TO ORDER A COMPLETE VALVE



Trim Part No. | Valve Part No. | Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

VIA™ Perfectly Matched Bath Accessories

Moen® bath accessories CANNOT be combined with Moen® faucet parts on a Purchase Order.

Moen makes it easy to coordinate the entire style and look of the bathroom. Our Via™ bath accessories perfectly match the style and finish of our Via™ faucets. Total coordination of the bath has never been easier.

For more information on ordering Our Via™ bath accessories or other matching Moen® bath accessories, contact Moen Bath Accessory Customer Service at **800-882-0116**, contact your local Moen sales representative, or visit us at **www.moen.com**.

	MODEL NUMBER	LIST PRICE EACH	DESCRIPTION	QTY
	Chrome (CH)			
	YB5003CH	41.70	Single Robe Hook	24
P	**YB5008CH**	76.70	Pivoting Paper Holder	6
	YB5012CH	82.95	12" Towel Bar	6
	YB5018CH	88.25	18" Towel Bar	6
	YB5024CH	91.45	24" Towel Bar	6
	YB5086CH	61.65	Hand Towel Bar	6



YB5003
Single Robe Hook



YB5008 (P)
Pivoting
Paper Holder



YB5086
Hand Towel Bar



YB5012
12" Towel Bar



YB5018
18" Towel Bar



YB5024
24" Towel Bar

(P) Denotes pivoting paper holder

List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

ROTHBURY™ Bathroom Faucets

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

ONE-HANDLE BATHROOM FAUCET



- application: one or three hole
- supply line length: flexible
- connection size: 3/8"
- connection type: compression
- deckplate: included
- drain assembly: metal
- drain assembly type: spring loaded pop-up

WaterSense Meets EPA Criteria Certified by IAPMO R&T

DURALAST®

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
PREMIUM			
S6202	400.40	Chrome	3
S6202BN	661.00	Brushed Nickel	3
S6202ORB	696.25	Oil Rubbed Bronze	3



- description: vessel extension kit
- includes: parts to convert to grid drain
- includes: two extensions

A1616	117.40	Chrome	6
A1616BN	168.10	Brushed Nickel	6
A1616ORB	185.00	Oil Rubbed Bronze	6

TWO-HANDLE WIDESPREAD BATHROOM FAUCET



- application: three hole
- center dimensions: 8" - 16" center
- drain assembly: metal
- drain assembly type: lift rod
- valve sold separately

WaterSense Meets EPA Criteria Certified by IAPMO R&T

PREMIUM			
TS6205	358.45	Chrome	3
TS6205BN	614.10	Brushed Nickel	3
TS6205ORB	646.95	Oil Rubbed Bronze	3



- application: three hole
- center dimensions: 8" - 16" center
- drain assembly: metal
- drain assembly type: lift rod

DURALOCK® DURALAST®

9000 ◆	119.05	1/2" IPS	6

ROTHBURY™

HOW TO ORDER A COMPLETE BATHROOM FAUCET



Trim Part No. + Valve Part No. = Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

DURALOCK® Duralock® Quick Connections


DURALAST® Duralast® Cartridge

Refer to lavatory waste assemblies on page 367.

Refer to specification sheet for critical dimensions for installation.

ROTHBURY™ Roman Tubs

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TWO-HANDLE ROMAN TUB					
	• application: three hole • spout reach: 8.14" • valve sold separately	**PREMIUM**			
		TS923	516.25	Chrome	3
		TS923BN	735.05	Brushed Nickel	3
		TS9230RB	774.20	Oil Rubbed Bronze	3
	• application: three hole • deck thickness: 1/8" to 3-3/8" rough-in deck • center dimensions: adjustable • adjustable spout shank: included • test plug: included	**4792**	138.45	1/2" CC	6
	• application: three hole • deck thickness: 1/8" to 2-3/4" rough-in deck • center dimensions: 10" - 24" center • adjustable spout shank: included • test plug: included	**4793**	156.75	1/2" CPVC, Crimp ring PEX	6
		4794	149.45	1/2" Crimp ring PEX, Cold Expansion PEX	6
	• application: three hole • deck thickness: 1/8" to 1-7/8" rough-in deck • center dimensions: 10" center • non-adjustable spout shank: included • test plug: included	**4796**	130.40	1/2" CC	6
		4797	132.95	1/2" CPVC, Crimp ring PEX	6
		4798	132.95	1/2" Crimp ring PEX, Cold Expansion PEX	6
	• description: high flow thermostatic mixing valve for roman tubs • ports: three • ASSE standard 1070: yes • flow rate: 12.0 gpm (45.4 L/min) max.	**104465**	173.00	1/2" CC	12
		104466	173.00	1/2" IPS	12
	• description: PEX transition fittings (2) and clips • connections: adapts standard 1/2" PEX barb to 1/2" PEX cold expansion	**140715 ◆**	10.35	1/2" PEX	200

HOW TO ORDER A COMPLETE ROMAN TUB FAUCET



Trim Part No. + Valve Part No. = Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

Thermostatic Mixing Valve service kits, see page 462.


ROTHBURY™ Roman Tubs

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

TWO-HANDLE ROMAN TUB WITH HANDSHOWER

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
	• application: four hole • showerhead type: handshower • handshower flow rate: 2.0 gpm (7.6 L/min) max. • spray functions: one-function • spout reach: 8.14" • valve sold separately	**PREMIUM**			
		TS925	803.95	Chrome	3
		TS925BN	1,348.95	Brushed Nickel	3
		TS9250RB	1,420.85	Oil Rubbed Bronze	3
	• application: four hole • deck thickness: 1/8" to 2-5/8" rough-in deck • center dimensions: adjustable • non-adjustable spout shank: included • test plug: included	**9792**	311.90	1/2" CC	6
	• application: four hole • deck thickness: 1/8" to 2-5/8" rough-in deck • center dimensions: 10" - 24" center • non-adjustable spout shank: included • test plug: included	**9793**	319.20	1/2" CPVC, Crimp ring PEX	6
	• description: high flow thermostatic mixing valve for roman tubs • ports: three • ASSE standard 1070: yes • flow rate: 12.0 gpm (45.4 L/min) max.	**104465**	173.00	1/2" CC	12
		104466	173.00	1/2" IPS	12
	• description: PEX transition fittings (2) and clips • connections: adapts standard 1/2" PEX barb to 1/2" PEX cold expansion	**140715** ◆	10.35	1/2" PEX	200

HOW TO ORDER A COMPLETE ROMAN TUB FAUCET



Trim Part No. + Valve Part No. = Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

Thermostatic Mixing Valve service kits, see page 462.

ROTHBURY™ 3/4" Thermostatic Showering

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

EXACTTEMP® VALVE ONLY



- description: temperature control valve trim
- requires: separate volume control valve
- valve sold separately

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
PREMIUM			
TS3760	263.85	Chrome	3
TS3760BN	399.20	Brushed Nickel	3
TS3760ORB	420.50	Oil Rubbed Bronze	3



- description: thermostatic rough-in valve
- ports: four
- adjustable temp limit stop: included
- check stops: included

PREMIUM			
S3371	490.25	3/4" IPS	6

EXACTTEMP® VOLUME CONTROL VALVE ONLY



- valve sold separately


PREMIUM			
TS3820	121.80	Chrome	6
TS3820BN	162.45	Brushed Nickel	6
TS3820ORB	171.10	Oil Rubbed Bronze	6



- description: volume control rough-in valve
- includes: volume control

PREMIUM			
S3600	124.60	3/4" IPS	12

HOW TO ORDER AN EXACTTEMP VALVE



NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

ROTHBURY™ Moentrol® Transfer Valve Shower Spa Components

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

TRANSFER VALVE ONLY

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
	• valve sold separately	**PREMIUM**			
		TS5205	148.00	Chrome	6
		TS5205BN	197.85	Brushed Nickel	6
		TS5205ORB	208.45	Oil Rubbed Bronze	6
	• type of function: two independent one shared • must be used with: Posi-Temp® or Moentrol® valve	**3372**	165.70	1/2" CC	12
	• type of function: two independent functions • must be used with: Posi-Temp® or Moentrol® valve	**3375**	165.70	1/2" CC	12

MOENTROL® WITH TRANSFER VALVE ONLY

	• showerhead type: showerhead sold separately • valve sold separately	**PREMIUM**			
		TS4211	225.70	Chrome	3
		TS4211BN	309.05	Brushed Nickel	3
		TS4211ORB	325.55	Oil Rubbed Bronze	3
	• ports: four; two outlets • adjustable temp limit stop: included • check stops: included • type of function: two independent one shared • includes: volume control • not recommended: for tub spout application	**3320**	265.75	1/2" IPS inlets/cc outlets	6
		3330	265.75	1/2" CC	6
	• ports: four; two outlets • adjustable temp limit stop: included • check stops: included • type of function: two independent functions • includes: volume control • not recommended: for tub spout application	**3350**	265.75	1/2" CC	6

HOW TO ORDER A COMPLETE TRANSFER VALVE



Trim Part No. + Valve Part No. = Complete Faucet

HOW TO ORDER A COMPLETE MOENTROL WITH TRANSFER VALVE




Trim Part No. + Valve Part No. = Complete Faucet

NOTES

Moen® **M•PACT®** Common Valve System

ROTHBURY™ Moentrol® Tub/Showering

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
MOENTROL® TUB/SHOWER					
	• showerhead functions: one-function • showerhead type: standard • showerhead size: 6-1/2" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • spout length: 7 5/8" • spout connection type: slip fit • tub spout type: diverter • valve sold separately	**PREMIUM**			
		TS3213	320.65	Chrome	3
		TS3213BN	729.75	Brushed Nickel	3
		TS32130RB	768.70	Oil Rubbed Bronze	3
	• description: pressure balanced valve with volume control • ports: four • adjustable temp limit stop: included • checks: included • includes: volume control	**3510**	158.10	1/2" IPS	6
		3520	158.10	1/2" CC	6
	• description: pressure balanced valve with volume control • ports: four • adjustable temp limit stop: included • check stops: included • includes: volume control	**3570 ◆**	188.35	1/2" CC	6
MOENTROL® SHOWER ONLY					
	• showerhead functions: one-function • showerhead type: standard • showerhead size: 6-1/2" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • valve sold separately	**PREMIUM**			
		TS3212	236.25	Chrome	3
		TS3212BN	571.40	Brushed Nickel	3
		TS32120RB	601.95	Oil Rubbed Bronze	3
	• description: pressure balanced valve with volume control • ports: four • adjustable temp limit stop: included • checks: included • includes: volume control	**3510**	158.10	1/2" IPS	6
		3520	158.10	1/2" CC	6
	• description: pressure balanced valve with volume control • ports: four • adjustable temp limit stop: included • check stops: included • includes: volume control	**3570 ◆**	188.35	1/2" CC	6

HOW TO ORDER A COMPLETE TUB/SHOWER FAUCET



Trim Part No. | Valve Part No. | Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

ROTHBURY™ Moentrol® Tub/Showering

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

MOENTROL® VALVE ONLY




- valve sold separately

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
PREMIUM			
TS3211	177.00	Chrome	3
TS3211BN	440.95	Brushed Nickel	3
TS32110RB	464.50	Oil Rubbed Bronze	3



- description: pressure balanced valve with volume control
- ports: four
- adjustable temp limit stop: included
- checks: included
- includes: volume control

3510	158.10	1/2" IPS	6
3520	158.10	1/2" CC	6



- description: pressure balanced valve with volume control
- ports: four
- adjustable temp limit stop: included
- check stops: included
- includes: volume control

3570 ◆	188.35	1/2" CC	6

ROTHBURY™

HOW TO ORDER A COMPLETE VALVE



Trim Part No. | Valve Part No. | Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

ROTHBURY™ Posi-Temp® Showering

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® TUB/SHOWER					
	• showerhead functions: one-function • showerhead type: standard • showerhead size: 6-1/2" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • spout length: 7 5/8" • spout connection type: slip fit • tub spout type: diverter • valve sold separately	**PREMIUM**			
		TS2213	278.80	Chrome	3
		TS2213BN	516.55	Brushed Nickel	3
		TS2213ORB	544.15	Oil Rubbed Bronze	3
	• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 6-1/2" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • spout length: 7 5/8" • spout connection type: slip fit • tub spout type: diverter • valve sold separately	**PREMIUM**			
		TS2213EP	278.80	Chrome	3
		TS2213EPBN	516.55	Brushed Nickel	3
		TS2213EPORB	544.15	Oil Rubbed Bronze	3
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included	**2510** ◆	115.35	1/2" IPS	6
		2520 ◆	115.35	1/2" CC	6
		2580 ◆	115.35	1/2" Crimp ring PEX	6
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included • quarter turn stops: included	**2570** ◆	140.05	1/2" CC	6
		2590 ◆	140.05	1/2" IPS	6

HOW TO ORDER A COMPLETE TUB/SHOWER FAUCET



Trim Part No. + Valve Part No. = Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

ROTHBURY™ Posi-Temp® Showering

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

POSI-TEMP® SHOWER ONLY

	MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
 • showerhead functions: one-function • showerhead type: standard • showerhead size: 6-1/2" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • valve sold separately	**PREMIUM**			
	TS2212	219.20	Chrome	3
	TS2212BN	406.30	Brushed Nickel	3
	TS2212ORB	427.85	Oil Rubbed Bronze	3
 • showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 6-1/2" diameter spray head • showerhead flow rate: 2.0 gpm (7.6 L/min) max. • valve sold separately	**PREMIUM**			
	TS2212EP	219.20	Chrome	3
	TS2212EPBN	406.30	Brushed Nickel	3
	TS2212EPORB	427.85	Oil Rubbed Bronze	3
 • description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included	**2510** ◆	115.35	1/2" IPS	6
	2520 ◆	115.35	1/2" CC	6
	2580 ◆	115.35	1/2" Crimp ring PEX	6
 • description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included • quarter turn stops: included	**2570** ◆	140.05	1/2" CC	6
	2590 ◆	140.05	1/2" IPS	6

HOW TO ORDER A COMPLETE SHOWER FAUCET



Trim Part No. + Valve Part No. = Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

ROTHBURY™ Posi-Temp® Showering

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® VALVE ONLY					
	• valve sold separately	**PREMIUM**			
		TS2211	164.45	Chrome	3
		TS2211BN	304.45	Brushed Nickel	3
		TS2211ORB	320.70	Oil Rubbed Bronze	3
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included	**2510** ◆	115.35	1/2" IPS	6
		2520 ◆	115.35	1/2" CC	6
		2580 ◆	115.35	1/2" Crimp ring PEX	6
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included • quarter turn stops: included	**2570** ◆	140.05	1/2" CC	6
		2590 ◆	140.05	1/2" IPS	6

ROTHBURY™

HOW TO ORDER A COMPLETE VALVE



Trim Part No. + Valve Part No. = Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

ROTHBURY™ Perfectly Matched Bath Accessories

Moen® bath accessories CANNOT be combined with Moen® faucet parts on a Purchase Order.

Moen makes it easy to coordinate the entire style and look of the bathroom. Our Rothbury™ bath accessories perfectly match the style and finish of our Rothbury™ faucets. Total coordination of the bath has never been easier.

For more information on ordering Rothbury™ bath accessories or other matching Moen® bath accessories, contact Moen Bath Accessory Customer Service at **800-882-0116**, contact your local Moen sales representative, or visit us at **www.moen.com**.

	MODEL NUMBER	LIST PRICE EACH	DESCRIPTION	QTY
	Chrome (CH)			
	YB8201CH	57.55	Tank Lever	24
	YB8203CH	44.10	Double Robe Hook	24
	YB8205CH	11.60	Drawer Knob	48
	YB8207CH	23.25	Drawer Pull	48
P	**YB8208CH**	81.15	Pivoting Paper Holder	6
	YB8218CH	93.35	18" Towel Bar	6
	YB8224CH	96.70	24" Towel Bar	6
	YB8286CH	65.20	Hand Towel Bar	6
	Brushed Nickel (BN)			
	YB8201BN	62.15	Tank Lever	24
	YB8203BN	47.70	Double Robe Hook	24
	YB8205BN	13.45	Drawer Knob	48
	YB8207BN	25.10	Drawer Pull	48
P	**YB8208BN**	87.55	Pivoting Paper Holder	6
	YB8218BN	100.80	18" Towel Bar	6
	YB8224BN	104.55	24" Towel Bar	6
	YB8286BN	70.35	Hand Towel Bar	6
	Oil Rubbed Bronze (ORB)			
	YB8201ORB	68.30	Tank Lever	24
	YB8203ORB	52.45	Double Robe Hook	24
	YB8205ORB	14.70	Drawer Knob	48
	YB8207ORB	27.35	Drawer Pull	48
P	**YB8208ORB**	96.35	Pivoting Paper Holder	6
	YB8218ORB	110.90	18" Towel Bar	6
	YB8224ORB	115.00	24" Towel Bar	6
	YB8286ORB	77.40	Hand Towel Bar	6



YB8201
Tank Lever




YB8203
Double Robe Hook



YB8205
Drawer Knob



YB8207
Drawer Pull



YB8208 P
Pivoting Paper Holder



YB8218
18" Towel Bar



YB8224
24" Towel Bar



YB8286
Hand Towel Bar

ROTHBURY™

P Denotes pivoting paper holder

List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

ROTHBURY™ Perfectly Matched Bath Accessories



LIGHTING

MODEL NUMBER	LIST PRICE EACH	DESCRIPTION	QTY
Chrome (CH)			
YB8261CH	147.90	One Globe Bath Light	2
YB8262CH	206.95	Two Globe Bath Light	2
YB8263CH	256.95	Three Globe Bath Light	2
Brushed Nickel (BN)			
YB8261BN	184.85	One Globe Bath Light	2
YB8262BN	258.65	Two Globe Bath Light	2
YB8263BN	321.30	Three Globe Bath Light	2
Oil Rubbed Bronze (ORB)			
YB8261ORB	184.85	One Globe Bath Light	2
YB8262ORB	258.65	Two Globe Bath Light	2
YB8263ORB	321.30	Three Globe Bath Light	2
Replacement Globe			
YB8269	27.10	Replacement Globe	3



YB8261
One Globe Light



YB8262
Two Globe Light



YB8263
Three Globe Light



YB8269
Replacement Globe

c UL us LISTED

Bulbs not included.

All Rothbury™ lighting fixtures can be mounted facing either upward or downward (rings need to be removed if mounted up).

List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

ICON™ Bathroom Faucets

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

ONE-HANDLE BATHROOM FAUCET



- application: one or three hole
- supply line length: flexible
- connection size: 3/8"
- connection type: compression
- deckplate: included
- drain assembly: metal
- drain assembly type: lift rod

DURALAST®

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
PREMIUM			
S6500	348.55	Chrome	3
S6500BN	575.55	Brushed Nickel	3



- description: vessel extension kit
- includes: parts to convert to grid drain
- includes: two 2.5" extensions

A1717	130.40	Chrome	6
A1717BN	186.85	Brushed Nickel	6

TWO-HANDLE CENTERSET BATHROOM FAUCET



- application: three hole
- center dimensions: 4" center
- connection size: 1/2"
- connection type: IPS
- drain assembly: metal
- drain assembly type: lift rod

PREMIUM			
S6510	286.80	Chrome	3
S6510BN	435.25	Brushed Nickel	3

TWO-HANDLE WIDESPREAD BATHROOM FAUCET



- application: three hole
- center dimensions: 8" - 16" center
- drain assembly: metal
- drain assembly type: lift rod
- valve sold separately

PREMIUM			
TS6520	299.65	Chrome	3
TS6520BN	513.35	Brushed Nickel	3




- application: three hole
- center dimensions: 8" - 16" center
- drain assembly: metal
- drain assembly type: lift rod

DURALOCK® DURALAST®

9000 ◆	119.05	1/2" IPS	6

HOW TO ORDER A COMPLETE BATHROOM TUB FAUCET



Trim Part No. + Valve Part No. = Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

DURALOCK® Duralock® Quick Connections



DURALAST® Duralast® Cartridge

Refer to lavatory waste assemblies on page 367.


Refer to specification sheet for critical dimensions for installation

ICON™ Roman Tubs

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TWO-HANDLE ROMAN TUB					
	• application: three hole • spout reach: 7.88" • valve sold separately	**PREMIUM**			
		TS963	418.85	Chrome	3
		TS963BN	596.35	Brushed Nickel	3
	• application: three hole • deck thickness: 1/8" to 3-3/8" rough-in deck • center dimensions: adjustable • adjustable spout shank: included • test plug: included	**4792**	138.45	1/2" CC	6
	• application: three hole • deck thickness: 1/8" to 2-3/4" rough-in deck • center dimensions: 10" - 24" center • adjustable spout shank: included • test plug: included	**4793**	156.75	1/2" CPVC, Crimp ring PEX	6
		4794	149.45	1/2" Crimp ring PEX, Cold Expansion PEX	6
	• application: three hole • deck thickness: 1/8" to 1-7/8" rough-in deck • center dimensions: 10" center • non-adjustable spout shank: included • test plug: included	**4796**	130.40	1/2" CC	6
		4797	132.95	1/2" CPVC, Crimp ring PEX	6
		4798	132.95	1/2" Crimp ring PEX, Cold Expansion PEX	6
	• description: high flow thermostatic mixing valve for roman tubs • ports: three • ASSE standard 1070: yes • flow rate: 12.0 gpm (45.4 L/min) max.	**104465**	173.00	1/2" CC	12
		104466	173.00	1/2" IPS	12
	• description: PEX transition fittings (2) and clips • connections: adapts standard 1/2" PEX barb to 1/2" PEX cold expansion	**140715** ◆	10.35	1/2" PEX	200

HOW TO ORDER A COMPLETE ROMAN TUB FAUCET



Trim Part No. | Valve Part No. | Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

Thermostatic Mixing Valve service kits, see page 462.


ICON™ Roman Tubs

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

TWO-HANDLE ROMAN TUB WITH HANDSHOWER

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
	• application: four hole • showerhead type: handshower • handshower flow rate: 2.0 gpm (7.6 L/min) max. • spray functions: one-function • spout reach: 7.88" • valve sold separately	**PREMIUM**			
		TS964	652.45	Chrome	3
		TS964BN	1,094.60	Brushed Nickel	3
	• application: four hole • deck thickness: 1/8" to 2-5/8" rough-in deck • center dimensions: adjustable • non-adjustable spout shank: included • test plug: included	**9792**	311.90	1/2" CC	6
	• application: four hole • deck thickness: 1/8" to 2-5/8" rough-in deck • center dimensions: 10" - 24" center • non-adjustable spout shank: included • test plug: included	**9793**	319.20	1/2" CPVC, Crimp ring PEX	6
	• description: high flow thermostatic mixing valve for roman tubs • ports: three • ASSE standard 1070: yes • flow rate: 12.0 gpm (45.4 L/min) max.	**104465**	173.00	1/2" CC	12
		104466	173.00	1/2" IPS	12
	• description: PEX transition fittings (2) and clips • connections: adapts standard 1/2" PEX barb to 1/2" PEX cold expansion	**140715** ◆	10.35	1/2" PEX	200

HOW TO ORDER A COMPLETE ROMAN TUB FAUCET



Trim Part No. | Valve Part No. | Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

Thermostatic Mixing Valve service kits, see page 462.

ICON™ 3/4" Thermostatic Showering

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

EXACTTEMP® VALVE ONLY



- description: temperature control valve trim
- requires: separate volume control valve
- valve sold separately

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
PREMIUM			
TS3900	263.85	Chrome	3
TS3900BN	399.20	Brushed Nickel	3



- description: thermostatic rough-in valve
- ports: four
- adjustable temp limit stop: included
- check stops: included

PREMIUM			
S3371	490.25	3/4" IPS	6

EXACTTEMP® VOLUME CONTROL VALVE ONLY



- valve sold separately


PREMIUM			
TS3200	121.80	Chrome	6
TS3200BN	162.45	Brushed Nickel	6



- description: volume control rough-in valve
- includes: volume control

PREMIUM			
S3600	124.60	3/4" IPS	12

HOW TO ORDER AN EXACTTEMP VALVE



Trim Part No. | Valve Part No. | Valve Part No. | Complete Faucet



NOTES

Moen® **M•PACT®** Common Valve System

ICON™ Moentrol® Transfer Valve Shower Spa Components

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

MOENTROL® WITH TRANSFER VALVE

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
	• showerhead type: showerhead sold separately • valve sold separately	**PREMIUM**			
		TS4112	183.20	Chrome	3
		TS4112BN	250.80	Brushed Nickel	3
	• ports: four; two outlets • adjustable temp limit stop: included • check stops: included • type of function: two independent one shared • includes: volume control • not recommended: for tub spout application	**3320**	265.75	1/2" IPS inlets/cc outlets	6
		3330	265.75	1/2" CC	6
	• ports: four; two outlets • adjustable temp limit stop: included • check stops: included • type of function: two independent functions • includes: volume control • not recommended: for tub spout application	**3350**	265.75	1/2" CC	6

HOW TO ORDER A COMPLETE MOENTROL WITH TRANSFER VALVE



Trim Part No. | Valve Part No. | Complete Faucet

NOTES

Moen® **M•PACT®** Common Valve System

ICON™ Moentrol® Showering

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

MOENTROL® TUB/SHOWER




- showerhead functions: one-function
- showerhead type: standard
- showerhead size: 5-7/8" diameter spray head
- showerhead flow rate: 2.5 gpm (9.5 L/min) max.
- spout length: 7 1/4"
- spout connection type: slip fit
- tub spout type: diverter
- valve sold separately

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
PREMIUM			
TS2156	255.90	Chrome	3
TS2156BN	556.10	Brushed Nickel	3



- description: pressure balanced valve with volume control
- ports: four
- adjustable temp limit stop: included
- checks: included
- includes: volume control

3510	158.10	1/2" IPS	6
3520	158.10	1/2" CC	6



- description: pressure balanced valve with volume control
- ports: four
- adjustable temp limit stop: included
- check stops: included
- includes: volume control

3570 ◆	188.35	1/2" CC	6

MOENTROL® SHOWER ONLY




- showerhead functions: one-function
- showerhead type: standard
- showerhead size: 5-7/8" diameter spray head
- showerhead flow rate: 2.5 gpm (9.5 L/min) max.
- valve sold separately

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
PREMIUM			
TS2155	188.55	Chrome	3
TS2155BN	435.40	Brushed Nickel	3



- description: pressure balanced valve with volume control
- ports: four
- adjustable temp limit stop: included
- checks: included
- includes: volume control

3510	158.10	1/2" IPS	6
3520	158.10	1/2" CC	6



- description: pressure balanced valve with volume control
- ports: four
- adjustable temp limit stop: included
- check stops: included
- includes: volume control

3570 ◆	188.35	1/2" CC	6

HOW TO ORDER A COMPLETE TUB/SHOWER FAUCET



Trim Part No. + Valve Part No. = Complete Faucet

NOTES


◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

ICON™ Moentrol® Showering

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

MOENTROL® VALVE ONLY

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
	• valve sold separately	**PREMIUM**			
		TS2154	141.35	Chrome	3
		TS2154BN	335.95	Brushed Nickel	3
	• description: pressure balanced valve with volume control • ports: four • adjustable temp limit stop: included • checks: included • includes: volume control	**3510**	158.10	1/2" IPS	6
		3520	158.10	1/2" CC	6
	• description: pressure balanced valve with volume control • ports: four • adjustable temp limit stop: included • check stops: included • includes: volume control	**3570** ◆	188.35	1/2" CC	6

HOW TO ORDER A COMPLETE VALVE



Trim Part No. + Valve Part No. = Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

ICON™ Posi-Temp® Showering

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® TUB/SHOWER					
	• showerhead functions: one-function • showerhead type: standard • showerhead size: 5-7/8" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • spout length: 7 1/4" • spout connection type: slip fit • tub spout type: diverter • valve sold separately	**PREMIUM**			
		TS2143	226.35	Chrome	3
		TS2143BN	419.15	Brushed Nickel	3
	• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 5-7/8" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • spout length: 7 1/4" • spout connection type: slip fit • tub spout type: diverter • valve sold separately	**PREMIUM**			
		TS2143EP	226.35	Chrome	3
		TS2143EPBN	419.15	Brushed Nickel	3
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included	**2510** ◆	115.35	1/2" IPS	6
		2520 ◆	115.35	1/2" CC	6
		2580 ◆	115.35	1/2" Crimp ring PEX	6
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included • quarter turn stops: included	**2570** ◆	140.05	1/2" CC	6
		2590 ◆	140.05	1/2" IPS	6

HOW TO ORDER A COMPLETE TUB/SHOWER FAUCET



Trim Part No. + Valve Part No. = Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

ICON™ Posi-Temp® Showering

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® SHOWER ONLY					
	• showerhead functions: one-function • showerhead type: standard • showerhead size: 5-7/8" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • valve sold separately	**PREMIUM**			
		TS2142	177.90	Chrome	3
		TS2142BN	329.65	Brushed Nickel	3
	• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 5-7/8" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • valve sold separately	**PREMIUM**			
		TS2142EP	177.90	Chrome	3
		TS2142EPBN	329.65	Brushed Nickel	3
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included	**2510** ◆	115.35	1/2" IPS	6
		2520 ◆	115.35	1/2" CC	6
		2580 ◆	115.35	1/2" Crimp ring PEX	6
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included • quarter turn stops: included	**2570** ◆	140.05	1/2" CC	6
		2590 ◆	140.05	1/2" IPS	6

HOW TO ORDER A COMPLETE SHOWER FAUCET



Trim Part No. + Valve Part No. = Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

ICON™ Posi-Temp® Showering

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® VALVE ONLY					
	• valve sold separately	**PREMIUM**			
		TS2141	133.40	Chrome	3
		TS2141BN	247.05	Brushed Nickel	3
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included	**2510** ◆	115.35	1/2" IPS	6
		2520 ◆	115.35	1/2" CC	6
		2580 ◆	115.35	1/2" Crimp ring PEX	6
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included • quarter turn stops: included	**2570** ◆	140.05	1/2" CC	6
		2590 ◆	140.05	1/2" IPS	6

HOW TO ORDER A COMPLETE VALVE



Trim Part No. | Valve Part No. | Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

ICON™ Perfectly Matched Bath Accessories

See page 82 for details.

Moen® bath accessories CANNOT be combined with Moen® faucet parts on a Purchase Order.

Moen makes it easy to coordinate the entire style and look of the bathroom. Our Icon™ bath accessories perfectly match the style and finish of our Icon™ faucets. Total coordination of the bath has never been easier.

For more information on ordering Icon™ bath accessories or other matching Moen® bath accessories, contact Moen Bath Accessory Customer Service at **800-882-0116**, contact your local Moen sales representative, or visit us at **www.moen.com**.

	MODEL NUMBER	LIST PRICE EACH	DESCRIPTION	1/2-in. Round Bar QTY
	Chrome (CH)			
	YB5801CH	41.40	Tank Lever	24
	YB5803CH	31.85	Double Robe Hook	24
	YB5805CH	9.85	Drawer Knob	144
	YB5807CH	19.55	Drawer Pull	144
P	**YB5808CH**	58.30	Pivoting Paper Holder	6
	YB5818CH	67.55	18" Towel Bar	6
	YB5822CH	90.55	24" Double Towel Bar	6
	YB5824CH	69.75	24" Towel Bar	6
	YB5886CH	47.50	Towel Ring	6
	YB5890CH	89.70	Vanity Shelf	6
	Brushed Nickel (BN)			
	YB5801BN	44.90	Tank Lever	24
	YB5803BN	34.45	Double Robe Hook	24
	YB5805BN	12.85	Drawer Knob	144
	YB5807BN	23.85	Drawer Pull	144
P	**YB5808BN**	63.25	Pivoting Paper Holder	6
	YB5818BN	72.80	18" Towel Bar	6
	YB5822BN	95.65	24" Double Towel Bar	6
	YB5824BN	75.55	24" Towel Bar	6
	YB5886BN	50.85	Towel Ring	6
	YB5890BN	94.75	Vanity Shelf	6



YB8081
Pro-Fit® Installation Mounting Template (See page 82 for more information about the Pro-Fit® Installation System.)



YB5801
Tank Lever




YB5803
Double Robe Hook



YB5805
Drawer Knob



YB5807
Drawer Pull



YB5808 P
Pivoting Paper Holder



YB5818
18" Towel Bar




YB5822
24" Double Towel Bar



YB5824
24" Towel Bar



YB5886
Towel Ring



YB5890
Vanity Shelf

P Denotes pivoting paper holder

List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

WYNFORD® Bathroom Faucets

All Brushed Nickel and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
ONE-HANDLE BATHROOM FAUCET					
	• application: one or three hole • supply line length: flexible • connection size: 3/8" • connection type: compression • deckplate: included • drain assembly: metal • drain assembly type: lift rod WaterSense Meets EPA Criteria Certified by IAPMO R&T DURALAST®	**4500**	249.35	Chrome	3
		4500BN	371.45	Brushed Nickel	3
		4500NL	371.45	Polished Nickel	3
		4500ORB	408.60	Oil Rubbed Bronze	3
	• application: one hole • supply line length: flexible • connection size: 3/8" • connection type: compression • drain assembly: 140780 sold separately WaterSense Meets EPA Criteria Certified by IAPMO R&T DURALAST®	**4507**	369.20	Chrome	3
		4507BN	539.75	Brushed Nickel	3
		4507ORB	593.70	Oil Rubbed Bronze	3
	• drain assembly: metal • drain assembly type: spring loaded pop-up • drain assembly size: 1-1/4" • drain assembly: 1-1/4" non-overflow	**140780**	57.05	Chrome	12
		140780BN	79.60	Brushed Nickel	12
		140780ORB	89.90	Oil Rubbed Bronze	12
TWO-HANDLE CENTERSET BATHROOM FAUCET					
	• application: three hole • center dimensions: 4" center • connection size: 1/2" • connection type: IPS • drain assembly: metal • drain assembly type: lift rod WaterSense Meets EPA Criteria Certified by IAPMO R&T	**4505**	237.55	Chrome	3
		4505BN	353.80	Brushed Nickel	3
		4505NL	353.80	Polished Nickel	3
		4505ORB	389.20	Oil Rubbed Bronze	3

NOTES

DURALAST® Duralast® Cartridge


Refer to lavatory waste assemblies on page 367.

WYNFORD® Bathroom Faucets

All Brushed Nickel and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TWO-HANDLE WIDESPREAD BATHROOM FAUCET					
	• application: three hole • center dimensions: 8" - 16" center • drain assembly: metal • drain assembly type: lift rod • valve sold separately	**T4520**	248.15	Chrome	3
		T4520BN	417.10	Brushed Nickel	3
		T4520NL	417.10	Polished Nickel	3
		T4520ORB	458.75	Oil Rubbed Bronze	3
	• application: three hole • center dimensions: 8" - 16" center • drain assembly: metal • drain assembly type: lift rod • valve sold separately	**T4524**	253.10	Chrome	3
		T4524BN	425.40	Brushed Nickel	3
		T4524NL	425.40	Polished Nickel	3
		T4524ORB	467.95	Oil Rubbed Bronze	3
	• application: three hole • center dimensions: 8" - 16" center • drain assembly: metal • drain assembly type: lift rod	**9000** ◆	119.05	1/2" IPS	6

HOW TO ORDER A COMPLETE BATHROOM FAUCET



Trim Part No. | Valve Part No. | Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System



DURALOCK® Duralock® Quick Connections

DURALAST® Duralast® Cartridge

Refer to specification sheet for critical dimensions for installation.

WYNFORD® Roman Tubs

All Brushed Nickel and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TWO-HANDLE ROMAN TUB					
	• application: three hole • spout reach: 7.50" • valve sold separately	**T653**	351.20	Chrome	3
		T653BN	490.80	Brushed Nickel	3
		T653NL	490.80	Polished Nickel	3
		T653ORB	539.85	Oil Rubbed Bronze	3
	• application: three hole • spout reach: 7.50" • valve sold separately	**T657**	358.20	Chrome	3
		T657BN	500.60	Brushed Nickel	3
		T657NL	500.60	Polished Nickel	3
		T657ORB	550.65	Oil Rubbed Bronze	3
	• application: three hole • deck thickness: 1/8" to 3-3/8" rough-in deck • center dimensions: adjustable • adjustable spout shank: included • test plug: included	**4792**	138.45	1/2" CC	6
	• application: three hole • deck thickness: 1/8" to 2-3/4" rough-in deck • center dimensions: 10" - 24" center • adjustable spout shank: included • test plug: included	**4793**	156.75	1/2" CPVC, Crimp ring PEX	6
		4794	149.45	1/2" Crimp ring PEX, Cold Expansion PEX	6
	• application: three hole • deck thickness: 1/8" to 1-7/8" rough-in deck • center dimensions: 10" center • non-adjustable spout shank: included • test plug: included	**4796**	130.40	1/2" CC	6
		4797	132.95	1/2" CPVC, Crimp ring PEX	6
		4798	132.95	1/2" Crimp ring PEX, Cold Expansion PEX	6
	• description: high flow thermostatic mixing valve for roman tubs • ports: three • ASSE standard 1070: yes • flow rate: 12.0 gpm (45.4 L/min) max.	**104465**	173.00	1/2" CC	12
		104466	173.00	1/2" IPS	12
	• description: PEX transition fittings (2) and clips • connections: adapts standard 1/2" PEX barb to 1/2" PEX cold expansion	**140715 ◆**	10.35	1/2" PEX	200

HOW TO ORDER A COMPLETE ROMAN TUB FAUCET



Trim Part No. + Valve Part No. = Complete Faucet

NOTES


◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

Thermostatic Mixing Valve service kits, see page 462.


WYNFORD® Roman Tubs

All Brushed Nickel and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TWO-HANDLE ROMAN TUB WITH HANDSHOWER					
	• application: four hole • showerhead type: handshower • handshower flow rate: 2.0 gpm (7.6 L/min) max. • spray functions: one-function • spout reach: 7.50" • valve sold separately	**T654**	547.10	Chrome	3
		T654BN	900.60	Brushed Nickel	3
		T654NL	900.60	Polished Nickel	3
		T654ORB	990.60	Oil Rubbed Bronze	3
	• application: four hole • showerhead type: handshower • handshower flow rate: 2.0 gpm (7.6 L/min) max. • spray functions: one-function • spout reach: 7.50" • valve sold separately	**T658**	558.10	Chrome	3
		T658BN	918.60	Brushed Nickel	3
		T658ORB	1,010.40	Oil Rubbed Bronze	3
	• application: four hole • deck thickness: 1/8" to 2-5/8" rough-in deck • center dimensions: adjustable • non-adjustable spout shank: included • test plug: included	**9792**	311.90	1/2" CC	6
	• application: four hole • deck thickness: 1/8" to 2-5/8" rough-in deck • center dimensions: 10" - 24" center • non-adjustable spout shank: included • test plug: included	**9793**	319.20	1/2" CPVC, Crimp ring PEX	6
	• description: high flow thermostatic mixing valve for roman tubs • ports: three • ASSE standard 1070: yes • flow rate: 12.0 gpm (45.4 L/min) max.	**104465**	173.00	1/2" CC	12
		104466	173.00	1/2" IPS	12
	• description: PEX transition fittings (2) and clips • connections: adapts standard 1/2" PEX barb to 1/2" PEX cold expansion	**140715** ◆	10.35	1/2" PEX	200

WYNFORD®

HOW TO ORDER A COMPLETE ROMAN TUB FAUCET



Trim Part No. + Valve Part No. = Complete Faucet

NOTES



◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

Thermostatic Mixing Valve service kits, see page 462.

WYNFORD® Transfer Valve Shower Spa Components, Moentrol® Showering

All Brushed Nickel and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TRANSFER VALVE ONLY					
	• valve sold separately	**T4511**	102.60	Chrome	12
		T4511BN	137.85	Brushed Nickel	12
		T4511NL	137.85	Polished Nickel	12
		T4511ORB	151.65	Oil Rubbed Bronze	12
	• type of function: two independent one shared • must be used with: Posi-Temp® or Moentrol® valve	**3372**	165.70	1/2" CC	12
	• type of function: two independent functions • must be used with: Posi-Temp® or Moentrol® valve	**3375**	165.70	1/2" CC	12
MOENTROL® TUB/SHOWER					
	• showerhead functions: one-function • showerhead type: rainshower • showerhead size: 7" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • spout length: 7 15/16" • spout connection type: slip fit • tub spout type: diverter • valve sold separately	**T5503**	239.95	Chrome	3
		T5503BN	467.05	Brushed Nickel	3
		T5503NL	467.05	Polished Nickel	3
		T5503ORB	513.75	Oil Rubbed Bronze	3
NEW! 	• showerhead type: showerhead sold separately • spout length: 7 15/16" • spout connection type: slip fit • tub spout type: diverter • valve sold separately	**T5503NH**	163.20	Chrome	3
		T5503NHBN	317.60	Brushed Nickel	3
		T5503NHORB	349.35	Oil Rubbed Bronze	3
	• description: pressure balanced valve with volume control • ports: four • adjustable temp limit stop: included • checks: included • includes: volume control	**3510**	158.10	1/2" IPS	6
		3520	158.10	1/2" CC	6
	• description: pressure balanced valve with volume control • ports: four • adjustable temp limit stop: included • check stops: included • includes: volume control	**3570 ◆**	188.35	1/2" CC	6

HOW TO ORDER A COMPLETE TUB/SHOWER FAUCET



Trim Part No. + Valve Part No. = Complete Faucet


NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

WYNFORD® Moentrol® Showering

All Brushed Nickel and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
MOENTROL® SHOWER ONLY					
	• showerhead functions: one-function • showerhead type: rainshower • showerhead size: 7" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • valve sold separately	**T5502**	176.80	Chrome	3
		T5502BN	365.80	Brushed Nickel	3
		T5502NL	365.80	Polished Nickel	3
		T5502ORB	402.35	Oil Rubbed Bronze	3
NEW! 	• showerhead type: showerhead sold separately • valve sold separately	**T5502NH**	120.25	Chrome	3
		T5502NHBN	248.75	Brushed Nickel	3
		T5502NHORB	273.65	Oil Rubbed Bronze	3
	• description: pressure balanced valve with volume control • ports: four • adjustable temp limit stop: included • checks: included • includes: volume control	**3510**	158.10	1/2" IPS	6
		3520	158.10	1/2" CC	6
	• description: pressure balanced valve with volume control • ports: four • adjustable temp limit stop: included • check stops: included • includes: volume control	**3570 ◆**	188.35	1/2" CC	6
MOENTROL® VALVE ONLY					
	• valve sold separately	**T5501**	132.45	Chrome	3
		T5501BN	282.20	Brushed Nickel	3
		T5501NL	282.20	Polished Nickel	3
		T5501ORB	310.45	Oil Rubbed Bronze	3
	• description: pressure balanced valve with volume control • ports: four • adjustable temp limit stop: included • checks: included • includes: volume control	**3510**	158.10	1/2" IPS	6
		3520	158.10	1/2" CC	6
	• description: pressure balanced valve with volume control • ports: four • adjustable temp limit stop: included • check stops: included • includes: volume control	**3570 ◆**	188.35	1/2" CC	6

HOW TO ORDER A COMPLETE SHOWER FAUCET



Trim Part No. + Valve Part No. = Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

WYNFORD® Posi-Temp® Showering

All Brushed Nickel and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® TUB/SHOWER					
	• showerhead functions: one-function • showerhead type: standard • showerhead size: 5-7/8" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • spout length: 7 15/16" • spout connection type: slip fit • tub spout type: diverter • valve sold separately	**T4503**	189.70	Chrome	3
		T4503BN	344.80	Brushed Nickel	3
		T4503NL	344.80	Polished Nickel	3
		T4503ORB	379.45	Oil Rubbed Bronze	3
	• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 5-7/8" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • spout length: 7 15/16" • spout connection type: slip fit • tub spout type: diverter • valve sold separately	**T4503EP**	189.70	Chrome	3
		T4503EPBN	344.80	Brushed Nickel	3
		T4503EPORB	379.45	Oil Rubbed Bronze	3
	• showerhead type: showerhead sold separately • spout length: 7 15/16" • spout connection type: slip fit • tub spout type: diverter • valve sold separately	**T4503NH**	127.75	Chrome	3
		T4503NHBN	249.85	Brushed Nickel	3
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included	**2510** ◆	115.35	1/2" IPS	6
		2520 ◆	115.35	1/2" CC	6
		2580 ◆	115.35	1/2" Crimp ring PEX	6
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included • quarter turn stops: included	**2570** ◆	140.05	1/2" CC	6
		2590 ◆	140.05	1/2" IPS	6

HOW TO ORDER A COMPLETE TUB/SHOWER FAUCET



Trim Part No. + Valve Part No. = Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

WYNFORD® Posi-Temp® Showering

All Brushed Nickel and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® SHOWER ONLY					
	• showerhead functions: one-function • showerhead type: standard • showerhead size: 5-7/8" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • valve sold separately	**T4502**	149.15	Chrome	3
		T4502BN	271.25	Brushed Nickel	3
		T4502NL	271.25	Polished Nickel	3
		T4502ORB	298.30	Oil Rubbed Bronze	3
	• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 5-7/8" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • valve sold separately	**T4502EP**	149.15	Chrome	3
		T4502EPBN	271.25	Brushed Nickel	3
		T4502EPORB	298.30	Oil Rubbed Bronze	3
	• showerhead type: showerhead sold separately • valve sold separately	**T4502NH**	118.65	Chrome	3
		T4502NHBN	215.45	Brushed Nickel	3
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included	**2510** ◆	115.35	1/2" IPS	6
		2520 ◆	115.35	1/2" CC	6
		2580 ◆	115.35	1/2" Crimp ring PEX	6
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included • quarter turn stops: included	**2570** ◆	140.05	1/2" CC	6
		2590 ◆	140.05	1/2" IPS	6

HOW TO ORDER A COMPLETE SHOWER FAUCET



Trim Part No. + Valve Part No. = Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

WYNFORD® Posi-Temp® Showering, Bidets

All Brushed Nickel and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.


		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® VALVE ONLY					
	• valve sold separately	**T4501**	111.90	Chrome	3
		T4501BN	203.20	Brushed Nickel	3
		T4501NL	203.20	Polished Nickel	3
		T4501ORB	223.55	Oil Rubbed Bronze	3
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included	**2510** ◆	115.35	1/2" IPS	6
		2520 ◆	115.35	1/2" CC	6
		2580 ◆	115.35	1/2" Crimp ring PEX	6
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included • quarter turn stops: included	**2570** ◆	140.05	1/2" CC	6
		2590 ◆	140.05	1/2" IPS	6
TWO-HANDLE BIDET					
	• center dimensions: 8" - 16" center • valve sold separately	**T5245**	386.80	Chrome	3
		T5245BN	529.70	Brushed Nickel	3
		T5245ORB	582.65	Oil Rubbed Bronze	3
	• application: three hole • center dimensions: 8" - 16" center DURALOCK® DURALAST®	**9265**	245.15	1/2" IPS	6

HOW TO ORDER A COMPLETE VALVE



Trim Part No. + Valve Part No. = Complete Faucet

HOW TO ORDER A COMPLETE BIDET FAUCET



Trim Part No. + Valve Part No. = Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

DURALOCK® Duralock™ Quick Connections

DURALAST® Duralast® Cartridge

Moen® bath accessories CANNOT be combined with Moen® faucet parts on a Purchase Order.

Moen makes it easy to coordinate the entire style and look of the bathroom. Our Wynford® bath accessories perfectly match the style and finish of our Wynford® faucets. Total coordination of the bath has never been easier.

For more information on ordering Wynford® bath accessories or other matching Moen® bath accessories, contact Moen Bath Accessory Customer Service at **800-882-0116**, contact your local Moen sales representative, or visit us at **www.moen.com**.


	MODEL NUMBER	LIST PRICE EACH	DESCRIPTION (3/4-in. x 3/8-in. Oval Bar)	QTY
	Chrome (CH)			
	YB5201CH	31.30	Tank Lever	24
	YB5203CH	24.05	Double Robe Hook	24
P	YB5208CH	44.00	Pivoting Paper Holder	6
	YB5218CH	51.05	18" Towel Bar	6
	YB5222CH	68.35	24" Double Towel Bar	6
	YB5224CH	52.65	24" Towel Bar	6
	YB5275CH	108.90	Shower Basket	6
	YB5286CH	35.85	Towel Ring	6
	Brushed Nickel (BN)			
	YB5201BN	34.55	Tank Lever	24
	YB5203BN	26.50	Double Robe Hook	24
P	YB5208BN	48.65	Pivoting Paper Holder	6
	YB5218BN	56.10	18" Towel Bar	6
	YB5222BN	73.65	24" Double Towel Bar	6
	YB5224BN	58.10	24" Towel Bar	6
	YB5275BN	124.60	Shower Basket	6
	YB5286BN	39.20	Towel Ring	6
	Polished Nickel (NL)			
	YB5201NL	37.95	Tank Lever	24
	YB5203NL	29.15	Double Robe Hook	24
P	YB5208NL	53.55	Pivoting Paper Holder	6
	YB5218NL	61.70	18" Towel Bar	6
	YB5222NL	81.10	24" Double Towel Bar	6
	YB5224NL	63.95	24" Towel Bar	6
	YB5286NL	43.10	Towel Ring	6
	Oil Rubbed Bronze (ORB)			
	YB5201ORB	37.95	Tank Lever	24
	YB5203ORB	29.15	Double Robe Hook	24
P	YB5208ORB	53.55	Pivoting Paper Holder	6
	YB5218ORB	61.70	18" Towel Bar	6
	YB5222ORB	81.10	24" Double Towel Bar	6
	YB5224ORB	63.95	24" Towel Bar	6
	YB5286ORB	43.10	Towel Ring	6
	Old World Bronze			
	YB5275OWB	135.10	Shower Basket	6



YB5201
Tank Lever



YB5203
Double Robe Hook



YB5208 P
Pivoting Paper Holder



YB5218
18" Towel Bar




YB5222
24" Double Towel Bar



YB5224
24" Towel Bar



YB5286
Towel Ring



YB5275
Corner Shower Basket
(Available in CH, BN and OWB)

P Denotes pivoting paper holder

List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

ALIGN® Bathroom Faucets

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

	MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
ONE-HANDLE BATHROOM FAUCET				
 • application: one or three hole • supply line length: flexible • connection size: 3/8" • connection type: compression • deckplate: included • drain assembly: metal • drain assembly type: lift rod • red/blue markings: included WaterSense Meets EPA Criteria Certified by IAPMO R&T · DURALAST®	**6190**	249.35	Chrome	3
	6190BN	371.45	Brushed Nickel	3
	NEW! **6190BL**	408.60	Matte Black	3
	Ships Q2			
 • application: one or three hole • supply line length: flexible • connection size: 3/8" • connection type: compression • deck plate: sold separately • drain assembly: metal • drain assembly type: lift rod • red/blue markings: included WaterSense Meets EPA Criteria Certified by IAPMO R&T · DURALAST®	**6191**	242.75	Chrome	3
	6191BN	364.85	Brushed Nickel	3
	NEW! **6191BL**	401.35	Matte Black	3
	Ships Q2			
		DECKPLATE SOLD SEPARATELY		
	172666	15.55	Chrome	20
	172666BN	19.30	Brushed Nickel	20
	172666BL	21.25	Matte Black	20
 • application: one or three hole • supply line length: flexible • connection size: 3/8" • connection type: compression • deck plate: sold separately • drain assembly: 140780 sold separately WaterSense Meets EPA Criteria Certified by IAPMO R&T · DURALAST®	**6192**	369.20	Chrome	3
	6192BN	539.75	Brushed Nickel	3
		DECKPLATE SOLD SEPARATELY		
	172666	15.55	Chrome	20
	172666BN	19.30	Brushed Nickel	20
 • drain assembly: metal • drain assembly type: spring loaded pop-up • drain assembly size: 1-1/4" • drain assembly: 1-1/4" non-overflow	**140780**	57.05	Chrome	12
	140780BN	79.60	Brushed Nickel	12
TWO-HANDLE WIDESPREAD BATHROOM FAUCET				
 • application: three hole • center dimensions: 8" - 16" center • drain assembly: metal • drain assembly type: lift rod • valve sold separately WaterSense Meets EPA Criteria Certified by IAPMO R&T · Moen® M•PACT®	**T6193**	248.15	Chrome	3
	T6193BN	417.10	Brushed Nickel	3
	T6193BL	458.75	Matte Black	3
 • application: three hole • center dimensions: 8" - 16" center • drain assembly: metal • drain assembly type: lift rod DURALOCK® DURALAST®	**9000** ◆	119.05	1/2" IPS	6

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System



DURALOCK® Duralock® Quick Connections

DURALAST® Duralast® Cartridge


Refer to lavatory waste assemblies on page 367.

ALIGN® Roman Tubs

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TWO-HANDLE ROMAN TUB					
	• application: three hole • spout reach: 7.90" • valve sold separately	**T393**	351.20	Chrome	3
		T393BN	490.80	Brushed Nickel	3
	• application: three hole • deck thickness: 1/8" to 3-3/8" rough-in deck • center dimensions: adjustable • adjustable spout shank: included • test plug: included	**4792**	138.45	1/2" CC	6
	• application: three hole • deck thickness: 1/8" to 2-3/4" rough-in deck • center dimensions: 10" - 24" center • adjustable spout shank: included • test plug: included	**4793**	156.75	1/2" CPVC, Crimp ring PEX	6
		4794	149.45	1/2" Crimp ring PEX, Cold Expansion PEX	6
	• application: three hole • deck thickness: 1/8" to 1-7/8" rough-in deck • center dimensions: 10" center • non-adjustable spout shank: included • test plug: included	**4796**	130.40	1/2" CC	6
		4797	132.95	1/2" CPVC, Crimp ring PEX	6
		4798	132.95	1/2" Crimp ring PEX, Cold Expansion PEX	6
	• description: high flow thermostatic mixing valve for roman tubs • ports: three • ASSE standard 1070: yes • flow rate: 12.0 gpm (45.4 L/min) max.	**104465**	173.00	1/2" CC	12
		104466	173.00	1/2" IPS	12
	• description: PEX transition fittings (2) and clips • connections: adapts standard 1/2" PEX barb to 1/2" PEX cold expansion	**140715** ◆	10.35	1/2" PEX	200

HOW TO ORDER A COMPLETE ROMAN TUB FAUCET



Trim Part No. + Valve Part No. = Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System


Thermostatic Mixing Valve service kits, see page 462.

ALIGN® Roman Tubs

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TWO-HANDLE ROMAN TUB WITH HANDSHOWER					
	• application: four hole • showerhead type: handshower • handshower flow rate: 2.0 gpm (7.6 L/min) max. • spray functions: one-function • spout reach: 7.90" • valve sold separately	**T394** **T394BN**	547.10 900.60	Chrome Brushed Nickel	3 3
	• application: four hole • deck thickness: 1/8" to 2-5/8" rough-in deck • center dimensions: adjustable • non-adjustable spout shank: included • test plug: included	**9792**	311.90	1/2" CC	6
	• application: four hole • deck thickness: 1/8" to 2-5/8" rough-in deck • center dimensions: 10" - 24" center • non-adjustable spout shank: included • test plug: included	**9793**	319.20	1/2" CPVC, Crimp ring PEX	6
	• description: high flow thermostatic mixing valve for roman tubs • ports: three • ASSE standard 1070: yes • flow rate: 12.0 gpm (45.4 L/min) max.	**104465** **104466**	173.00 173.00	1/2" CC 1/2" IPS	12 12
	• description: PEX transition fittings (2) and clips • connections: adapts standard 1/2" PEX barb to 1/2" PEX cold expansion	**140715** ◆	10.35	1/2" PEX	200

HOW TO ORDER A COMPLETE ROMAN TUB FAUCET



Trim Part No. + Valve Part No. = Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

Thermostatic Mixing Valve service kits, see page 462.

ALIGN® Transfer Valve Shower Spa Components

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TRANSFER VALVE ONLY					
	• valve sold separately	**T4191**	102.60	Chrome	12
		T4191BN	137.85	Brushed Nickel	12
		NEW! **T4191BL** Ships Q2	151.65	Matte Black	12
	• type of function: two independent one shared • must be used with: Posi-Temp® or Moentrol® valve	**3372**	165.70	1/2" CC	12
	• type of function: two independent functions • must be used with: Posi-Temp® or Moentrol® valve	**3375**	165.70	1/2" CC	12
	• valve sold separately	**T4192**	137.00	Chrome	12
	• cartridge type: ceramic disc • valve type: transfer • no of ports: four • three distinct functions DURALAST®	**3360**	192.60	1/2" CC	6

HOW TO ORDER A COMPLETE VALVE



Trim Part No. + Valve Part No. = Complete Faucet

NOTES


◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

IMMERSION Immersion® Rainshower

ALIGN® Moentrol® Showering

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
MOENTROL® TUB/SHOWER					
	• showerhead functions: one-function • showerhead type: rainshower • showerhead size: 6" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • spout length: 7" • spout connection type: slip fit • tub spout type: diverter • valve sold separately	**T3293**	239.95	Chrome	3
		T3293BN	467.05	Brushed Nickel	3
NEW! 	• showerhead type: showerhead sold separately • spout length: 5 1/2" • spout connection type: slip fit • tub spout type: diverter • valve sold separately	**T3293NH**	163.20	Chrome	3
		T3293NHBN	317.60	Brushed Nickel	3
	• description: pressure balanced valve with volume control • ports: four • adjustable temp limit stop: included • checks: included • includes: volume control	**3510**	158.10	1/2" IPS	6
		3520	158.10	1/2" CC	6
	• description: pressure balanced valve with volume control • ports: four • adjustable temp limit stop: included • check stops: included • includes: volume control	**3570** ◆	188.35	1/2" CC	6

HOW TO ORDER A COMPLETE TUB/SHOWER FAUCET



Trim Part No. + Valve Part No. = Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

IMMERSION Immersion® Rainshower

ALIGN® Moentrol® Showering

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
MOENTROL® SHOWER ONLY					
	• showerhead functions: one-function • showerhead type: rainshower • showerhead size: 6" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • valve sold separately	**T3292** **T3292BN**	176.80 365.80	Chrome Brushed Nickel	3 3
NEW! 	• showerhead type: showerhead sold separately • valve sold separately	**T3292NH** **T3292NHBN**	120.25 248.75	Chrome Brushed Nickel	3 3
	• description: pressure balanced valve with volume control • ports: four • adjustable temp limit stop: included • checks: included • includes: volume control	**3510** **3520**	158.10 158.10	1/2" IPS 1/2" CC	6 6
	• description: pressure balanced valve with volume control • ports: four • adjustable temp limit stop: included • check stops: included • includes: volume control	**3570** ◆	188.35	1/2" CC	6
MOENTROL VALVE ONLY					
	• valve sold separately	**T3291** **T3291BN**	132.45 282.20	Chrome Brushed Nickel	3 3
	• description: pressure balanced valve with volume control • ports: four • adjustable temp limit stop: included • checks: included • includes: volume control	**3510** **3520**	158.10 158.10	1/2" IPS 1/2" CC	6 6
	• description: pressure balanced valve with volume control • ports: four • adjustable temp limit stop: included • check stops: included • includes: volume control	**3570** ◆	188.35	1/2" CC	6

HOW TO ORDER A COMPLETE SHOWER FAUCET



Trim Part No. + Valve Part No. = Complete Faucet

HOW TO ORDER A COMPLETE VALVE



Trim Part No. + Valve Part No. = Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

IMMERSION Immersion® Rainshower

ALIGN® Posi-Temp® Showering

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® TUB/SHOWER					
	• showerhead functions: one-function • showerhead type: standard • showerhead size: 3-5/8" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • spout length: 7 3/8" • spout connection type: slip fit • tub spout type: diverter • valve sold separately	**T2193**	189.70	Chrome	3
		T2193BN	344.80	Brushed Nickel	3
	• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 3-5/8" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • spout length: 7 3/8" • spout connection type: slip fit • tub spout type: diverter • valve sold separately	**T2193EP**	189.70	Chrome	3
		T2193EPBN	344.80	Brushed Nickel	3
	• showerhead type: showerhead sold separately • spout length: 7 3/8" • spout connection type: slip fit • tub spout type: diverter • valve sold separately	**T2193NH**	127.75	Chrome	3
		T2193NHBN	249.85	Brushed Nickel	3
		NEW! **T2193NHBL** Ships Q2	458.75	Matte Black	3
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included	**2510** ◆	115.35	1/2" IPS	6
		2520 ◆	115.35	1/2" CC	6
		2580 ◆	115.35	1/2" Crimp ring PEX	6
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included • quarter turn stops: included	**2570** ◆	140.05	1/2" CC	6
		2590 ◆	140.05	1/2" IPS	6

HOW TO ORDER A COMPLETE TUB/SHOWER FAUCET



Trim Part No. + Valve Part No. = Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

ALIGN® Posi-Temp® Showering

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® SHOWER ONLY					
	• showerhead functions: one-function • showerhead type: standard • showerhead size: 3-5/8" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • valve sold separately	**T2192**	149.15	Chrome	3
		T2192BN	271.25	Brushed Nickel	3
	• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 3-5/8" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • valve sold separately	**T2192EP**	149.15	Chrome	3
		T2192EPBN	271.25	Brushed Nickel	3
	• showerhead type: showerhead sold separately • valve sold separately	**T2192NH**	118.65	Chrome	3
		T2192NHBN	215.45	Brushed Nickel	3
		NEW! **T2192NHBL** Ships Q2	287.00	Matte Black	3
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included	**2510** ◆	115.35	1/2" IPS	6
		2520 ◆	115.35	1/2" CC	6
		2580 ◆	115.35	1/2" Crimp ring PEX	6
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included • quarter turn stops: included	**2570** ◆	140.05	1/2" CC	6
		2590 ◆	140.05	1/2" IPS	6

HOW TO ORDER A COMPLETE SHOWER FAUCET



Trim Part No. | Valve Part No. | Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

ALIGN® Posi-Temp® Showering, Bidets

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.


		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® VALVE ONLY					
	• red/blue markings: included • valve sold separately	**T2191**	111.90	Chrome	3
		T2191BN	203.20	Brushed Nickel	3
		NEW! **T2191BL**	223.55	Matte Black	3
		Ships Q2			
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included	**2510** ◆	115.35	1/2" IPS	6
		2520 ◆	115.35	1/2" CC	6
		2580 ◆	115.35	1/2" Crimp ring PEX	6
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included • quarter turn stops: included	**2570** ◆	140.05	1/2" CC	6
		2590 ◆	140.05	1/2" IPS	6
TWO-HANDLE BIDET					
	• center dimensions: 8" - 16" center • valve sold separately	**T5191**	386.80	Chrome	3
		T5191BN	529.70	Brushed Nickel	3
	• application: three hole • center dimensions: 8" - 16" center DURALOCK® DURALAST®	**9265**	245.15	1/2" IPS	6

HOW TO ORDER A COMPLETE VALVE



Trim Part No. + Valve Part No. = Complete Faucet

HOW TO ORDER A COMPLETE BIDET FAUCET



Trim Part No. + Valve Part No. = Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

DURALOCK® Duralock® Quick Connections

DURALAST® Duralast® Cartridge

Moen® bath accessories CANNOT be combined with Moen® faucet parts on a Purchase Order.

Moen makes it easy to coordinate the entire style and look of the bathroom. Our Align® bath accessories perfectly match the style and finish of our Align® faucets. Total coordination of the bath has never been easier.

For more information on ordering Align® bath accessories or other matching Moen® bath accessories, contact Moen Bath Accessory Customer Service at **800-882-0116**, contact your local Moen sales representative, or visit us at **www.moen.com**.


	MODEL NUMBER	LIST PRICE EACH	DESCRIPTION	5/8-in. Round Bar QTY
	Chrome (CH)			
	YB0402CH	43.60	Double Robe Hook	24
	YB0403CH	24.05	Single Robe Hook	24
P	**YB0408CH**	44.00	Pivoting Paper Holder	6
	YB0409CH	37.45	Single-Post Paper Holder	6
	YB0418CH	51.05	18" Towel Bar	6
	YB0424CH	52.65	24" Towel Bar	6
	YB0486CH	35.85	Hand Towel Bar	6
	Brushed Nickel (BN)			
	YB0402BN	49.55	Double Robe Hook	24
	YB0403BN	26.50	Single Robe Hook	24
P	**YB0408BN**	48.65	Pivoting Paper Holder	6
	YB0409BN	41.20	Single-Post Paper Holder	6
	YB0418BN	56.10	18" Towel Bar	6
	YB0424BN	58.10	24" Towel Bar	6
	YB0486BN	39.20	Hand Towel Bar	6
NEW!	**Matte Black (BL)**			
Ships Q2	**YB0402BL**	54.50	Double Robe Hook	24
	YB0403BL	29.15	Single Robe Hook	24
P	**YB0408BL**	53.50	Pivoting Paper Holder	6
	YB0409BL	45.30	Single-Post Paper Holder	6
	YB0418BL	61.70	18" Towel Bar	6
	YB0424BL	63.90	24" Towel Bar	6
	YB0486BL	43.10	Hand Towel Bar	6



YB0402
Swiveling Double Robe Hook



YB0403
Single Robe Hook



YB0408 (P)
Pivoting Paper Holder



YB0409
Single-Post Paper Holder



YB0418
18" Towel Bar



YB0424
24" Towel Bar



YB0486
Hand Towel Bar

GRAB BARS

PERFECTLY MATCHED to Moen® Align® faucets and bath accessories. ADA-compliant.



SecureMount™ Grab Bars are manufactured with an innovative flange design that makes it easy to connect to the stud at multiple points.

To install grab bars securely without studs, use SecureMount™ Anchors. Sold separately.

MODEL NUMBER	LIST PRICE EACH	DESCRIPTION	QTY
1-1/4" • Chrome (CH)			
YG0412CH	85.60	12" Designer Grab Bar	6
YG0418CH	89.45	18" Designer Grab Bar	6
YG0424CH	93.40	24" Designer Grab Bar	6
YG0436CH	106.35	36" Designer Grab Bar	6
YG0442CH	156.05	42" Designer Grab Bar	6
1-1/4" • Brushed Nickel (BN)			
YG0412BN	103.45	12" Designer Grab Bar	6
YG0418BN	108.50	18" Designer Grab Bar	6
YG0424BN	117.05	24" Designer Grab Bar	6
YG0436BN	131.75	36" Designer Grab Bar	6
YG0442BN	195.10	42" Designer Grab Bar	6



YG0424
24" length Designer Grab Bar

(P) Denotes pivoting paper holder

Complies with Americans with Disabilities Act (ADA) specifications.
SecureMount™ Grab Bars are tested to withstand 500 lb. pull when securely installed per instructions.


List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

VOSS™ Bathroom Faucets

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

	MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
ONE-HANDLE BATHROOM FAUCET				
 • application: one or three hole • supply line length: flexible • connection size: 3/8" • connection type: compression • deckplate: included • drain assembly: metal • drain assembly type: lift rod WaterSense Meets EPA Criteria Certified by IAPMO R&T · DURALAST®	**6903**	249.35	Chrome	3
	6903BN	371.45	Brushed Nickel	3
	6903ORB	408.60	Oil Rubbed Bronze	3
TWO-HANDLE CENTERSET BATHROOM FAUCET				
 • application: three hole • center dimensions: 4" center • connection size: 1/2" • connection type: IPS • drain assembly: metal • drain assembly type: lift rod WaterSense Meets EPA Criteria Certified by IAPMO R&T	**6901**	237.55	Chrome	3
	6901BN	353.80	Brushed Nickel	3
	6901ORB	389.20	Oil Rubbed Bronze	3
TWO-HANDLE WIDESPREAD BATHROOM FAUCET				
 • application: three hole • center dimensions: 8" - 16" center • drain assembly: metal • drain assembly type: lift rod • valve sold separately WaterSense Meets EPA Criteria Certified by IAPMO R&T · Moen®	**T6905**	248.15	Chrome	3
	T6905BN	417.10	Brushed Nickel	3
	T6905ORB	458.75	Oil Rubbed Bronze	3
 • application: three hole • center dimensions: 8" - 16" center • drain assembly: metal • drain assembly type: lift rod Moen® DURALOCK® DURALAST®	**9000** ◆	119.05	1/2" IPS	6

HOW TO ORDER A COMPLETE BATHROOM FAUCET



Trim Part No. + Valve Part No. = Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.
Moen® **M•PACT®** Common Valve System
DURALOCK® Duralock® Quick Connections
DURALAST® Duralast® Cartridge

Refer to lavatory waste assemblies on page 367.
Refer to specification sheet for critical dimensions for installation.

VOSS™ Bathroom Faucets

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TWO-HANDLE WALLMOUNT BATHROOM FAUCET					
	• application: three hole • center dimensions: 8" center • drain assembly: 140780 sold separately • valve sold separately	**T6906**	282.95	Chrome	3
		T6906BN	460.75	Brushed Nickel	3
		T6906ORB	506.95	Oil Rubbed Bronze	3
	• application: three hole • center dimensions: 8" center • drain assembly: 140780 sold separately • includes: mounting brackets	**9700**	168.35	1/2" CC	3
	• drain assembly: metal • drain assembly type: spring loaded pop-up • drain assembly size: 1-1/4" • drain assembly: 1-1/4" non-overflow	**140780**	57.05	Chrome	12
		140780BN	79.60	Brushed Nickel	12
		140780ORB	89.90	Oil Rubbed Bronze	12

HOW TO ORDER A COMPLETE BATHROOM FAUCET



Trim Part No. + Valve Part No. = Complete Faucet



NOTES

Moen® **M•PACT®** Common Valve System


Refer to specification sheet for critical dimensions for installation.

VOSS™ Roman Tubs

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TWO-HANDLE ROMAN TUB					
	• application: three hole • spout reach: 8.25" • valve sold separately	**T693**	351.20	Chrome	3
		T693BN	490.80	Brushed Nickel	3
		T693ORB	539.85	Oil Rubbed Bronze	3
	• application: three hole • deck thickness: 1/8" to 3-3/8" rough-in deck • center dimensions: adjustable • adjustable spout shank: included • test plug: included	**4792**	138.45	1/2" CC	6
	• application: three hole • deck thickness: 1/8" to 2-3/4" rough-in deck • center dimensions: 10" - 24" center • adjustable spout shank: included • test plug: included	**4793**	156.75	1/2" CPVC, Crimp ring PEX	6
		4794	149.45	1/2" Crimp ring PEX, Cold Expansion PEX	6
	• application: three hole • deck thickness: 1/8" to 1-7/8" rough-in deck • center dimensions: 10" center • non-adjustable spout shank: included • test plug: included	**4796**	130.40	1/2" CC	6
		4797	132.95	1/2" CPVC, Crimp ring PEX	6
		4798	132.95	1/2" Crimp ring PEX, Cold Expansion PEX	6
	• description: high flow thermostatic mixing valve for roman tubs • ports: three • ASSE standard 1070: yes • flow rate: 12.0 gpm (45.4 L/min) max.	**104465**	173.00	1/2" CC	12
		104466	173.00	1/2" IPS	12
	• description: PEX transition fittings (2) and clips • connections: adapts standard 1/2" PEX barb to 1/2" PEX cold expansion	**140715** ◆	10.35	1/2" PEX	200

HOW TO ORDER A COMPLETE ROMAN TUB FAUCET



Trim Part No. + Valve Part No. = Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

Thermostatic Mixing Valve service kits, see page 462.


VOSS™ Roman Tubs

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TWO-HANDLE ROMAN TUB WITH HANDSHOWER					
	• application: four hole • showerhead type: handshower • handshower flow rate: 2.0 gpm (7.6 L/min) max. • spray functions: one-function • spout reach: 8.25" • valve sold separately	**T694** **T694BN** **T694ORB**	547.10 900.60 990.60	Chrome Brushed Nickel Oil Rubbed Bronze	3 3 3
	• application: four hole • deck thickness: 1/8" to 2-5/8" rough-in deck • center dimensions: adjustable • non-adjustable spout shank: included • test plug: included	**9792**	311.90	1/2" CC	6
	• application: four hole • deck thickness: 1/8" to 2-5/8" rough-in deck • center dimensions: 10" - 24" center • non-adjustable spout shank: included • test plug: included	**9793**	319.20	1/2" CPVC, Crimp ring PEX	6
	• description: high flow thermostatic mixing valve for roman tubs • ports: three • ASSE standard 1070: yes • flow rate: 12.0 gpm (45.4 L/min) max.	**104465** **104466**	173.00 173.00	1/2" CC 1/2" IPS	12 12
	• description: PEX transition fittings (2) and clips • connections: adapts standard 1/2" PEX barb to 1/2" PEX cold expansion	**140715** ◆	10.35	1/2" PEX	200

VOSS™

HOW TO ORDER A COMPLETE ROMAN TUB FAUCET



Trim Part No. + Valve Part No. = Complete Faucet

NOTES


◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

Thermostatic Mixing Valve service kits, see page 462.

VOSS™ Transfer Valve Shower Spa Components, Moentrol® Showering

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TRANSFER VALVE ONLY					
	• valve sold separately	**T4611**	102.60	Chrome	12
		T4611BN	137.85	Brushed Nickel	12
		T4611ORB	151.65	Oil Rubbed Bronze	12
	• type of function: two independent one shared • must be used with: Posi-Temp® or Moentrol® valve	**3372**	165.70	1/2" CC	12
	• type of function: two independent functions • must be used with: Posi-Temp® or Moentrol® valve	**3375**	165.70	1/2" CC	12
MOENTROL® TUB/SHOWER					
	• showerhead functions: one-function • showerhead type: rainshower • showerhead size: 6" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • spout length: 7 15/16" • spout connection type: slip fit • tub spout type: diverter • valve sold separately	**T3693**	239.95	Chrome	3
		T3693BN	467.05	Brushed Nickel	3
		T3693ORB	513.75	Oil Rubbed Bronze	3
NEW! 	• showerhead type: showerhead sold separately • spout length: 7 15/16" • spout connection type: slip fit • tub spout type: diverter • valve sold separately	**T3693NH**	163.20	Chrome	3
		T3693NHBN	317.60	Brushed Nickel	3
	• description: pressure balanced valve with volume control • ports: four • adjustable temp limit stop: included • checks: included • includes: volume control	**3510**	158.10	1/2" IPS	6
		3520	158.10	1/2" CC	6
	• description: pressure balanced valve with volume control • ports: four • adjustable temp limit stop: included • check stops: included • includes: volume control	**3570** ◆	188.35	1/2" CC	6

VOSS™

HOW TO ORDER A COMPLETE TUB/SHOWER FAUCET



Trim Part No. + Valve Part No. = Complete Faucet

NOTES



◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

IMMERSION Immersion® Rainshower

VOSS™ Moentrol® Showering

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
MOENTROL® SHOWER ONLY					
	• showerhead functions: one-function • showerhead type: rainshower • showerhead size: 6" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • valve sold separately	**T3692**	176.80	Chrome	3
		T3692BN	365.80	Brushed Nickel	3
		T3692ORB	402.35	Oil Rubbed Bronze	3
NEW!  	• showerhead type: showerhead sold separately • valve sold separately	**T3692NH**	120.25	Chrome	3
		T3692NHBN	248.75	Brushed Nickel	3
	• description: pressure balanced valve with volume control • ports: four • adjustable temp limit stop: included • checks: included • includes: volume control	**3510**	158.10	1/2" IPS	6
		3520	158.10	1/2" CC	6
	• description: pressure balanced valve with volume control • ports: four • adjustable temp limit stop: included • check stops: included • includes: volume control	**3570 ◆**	188.35	1/2" CC	6
MOENTROL® VALVE ONLY					
	• valve sold separately	**T3691**	132.45	Chrome	3
		T3691BN	282.20	Brushed Nickel	3
		T3691ORB	310.45	Oil Rubbed Bronze	3
	• description: pressure balanced valve with volume control • ports: four • adjustable temp limit stop: included • checks: included • includes: volume control	**3510**	158.10	1/2" IPS	6
		3520	158.10	1/2" CC	6
	• description: pressure balanced valve with volume control • ports: four • adjustable temp limit stop: included • check stops: included • includes: volume control	**3570 ◆**	188.35	1/2" CC	6

HOW TO ORDER A COMPLETE SHOWER FAUCET



Trim Part No. + Valve Part No. = Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

VOSS™ Posi-Temp® Showering

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® TUB/SHOWER					
	• showerhead functions: one-function • showerhead type: standard • showerhead size: 4-1/16" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • spout length: 7 3/4" • spout connection type: slip fit • tub spout type: diverter • valve sold separately	**T2693** **T2693BN** **T2693ORB**	189.70 344.80 379.45	Chrome Brushed Nickel Oil Rubbed Bronze	3 3 3
	• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 4-1/16" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • spout length: 7 3/4" • spout connection type: slip fit • tub spout type: diverter • valve sold separately	**T2693EP** **T2693EPBN** **T2693EPORB**	189.70 344.80 379.45	Chrome Brushed Nickel Oil Rubbed Bronze	3 3 3
	• showerhead type: showerhead sold separately • spout length: 7 3/4" • spout connection type: slip fit • tub spout type: diverter • valve sold separately	**T2693NH** **T2693NHBN** **T2693NHORB**	127.75 249.85 274.85	Chrome Brushed Nickel Oil Rubbed Bronze	3 3 3
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included	**2510** ◆ **2520** ◆ **2580** ◆	115.35 115.35 115.35	1/2" IPS 1/2" CC 1/2" Crimp ring PEX	6 6 6
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included • quarter turn stops: included	**2570** ◆ **2590** ◆	140.05 140.05	1/2" CC 1/2" IPS	6 6

VOSS™

HOW TO ORDER A COMPLETE TUB/SHOWER FAUCET



Trim Part No. + Valve Part No. = Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

VOSS™ Posi-Temp® Showering

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® SHOWER ONLY					
	• showerhead functions: one-function • showerhead type: standard • showerhead size: 4-1/16" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • valve sold separately	**T2692**	149.15	Chrome	3
		T2692BN	271.25	Brushed Nickel	3
		T2692ORB	298.30	Oil Rubbed Bronze	3
	• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 4-1/16" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • valve sold separately	**T2692EP**	149.15	Chrome	3
		T2692EPBN	271.25	Brushed Nickel	3
		T2692EPORB	298.30	Oil Rubbed Bronze	3
	• showerhead type: showerhead sold separately • valve sold separately	**T2692NH**	118.65	Chrome	3
		T2692NHBN	215.45	Brushed Nickel	3
		T2692NHORB	237.00	Oil Rubbed Bronze	3
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included	**2510** ◆	115.35	1/2" IPS	6
		2520 ◆	115.35	1/2" CC	6
		2580 ◆	115.35	1/2" Crimp ring PEX	6
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included • quarter turn stops: included	**2570** ◆	140.05	1/2" CC	6
		2590 ◆	140.05	1/2" IPS	6

HOW TO ORDER A COMPLETE SHOWER FAUCET



Trim Part No. + Valve Part No. = Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

VOSS™ Posi-Temp® Showering, Bidets

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.


		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® VALVE ONLY					
	• valve sold separately	**T2691**	111.90	Chrome	3
		T2691BN	203.20	Brushed Nickel	3
		T2691ORB	223.55	Oil Rubbed Bronze	3
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included	**2510** ◆	115.35	1/2" IPS	6
		2520 ◆	115.35	1/2" CC	6
		2580 ◆	115.35	1/2" Crimp ring PEX	6
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included • quarter turn stops: included	**2570** ◆	140.05	1/2" CC	6
		2590 ◆	140.05	1/2" IPS	6
TWO-HANDLE BIDET					
	• center dimensions: 8" - 16" center • valve sold separately	**T5269**	386.80	Chrome	3
		T5269BN	529.70	Brushed Nickel	3
		T5269ORB	582.65	Oil Rubbed Bronze	3
	• application: three hole • center dimensions: 8" - 16" center DURALOCK® DURALAST®	**9265**	245.15	1/2" IPS	6

HOW TO ORDER A COMPLETE VALVE



Trim Part No. + Valve Part No. = Complete Faucet

HOW TO ORDER A COMPLETE BIDET FAUCET



Trim Part No. + Valve Part No. = Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

DURALOCK® Duralock™ Quick Connections

DURALAST® Duralast® Cartridge

Moen® bath accessories CANNOT be combined with Moen® faucet parts on a Purchase Order.

Moen makes it easy to coordinate the entire style and look of the bathroom. Our Voss™ bath accessories perfectly match the style and finish of our Voss™ faucets. Total coordination of the bath has never been easier.

For more information on ordering Voss™ bath accessories or other matching Moen® bath accessories, contact Moen Bath Accessory Customer Service at **800-882-0116**, contact your local Moen sales representative, or visit us at **www.moen.com**.

	MODEL NUMBER	LIST PRICE EACH	DESCRIPTION	Rectangular Bar QTY
	Chrome (CH)			
	YB5101CH	31.30	Tank Lever	24
	YB5103CH	24.05	Double Robe Hook	24
P	**YB5108CH**	44.00	Pivoting Paper Holder	6
	YB5118CH	51.05	18" Towel Bar	6
	YB5124CH	52.65	24" Towel Bar	6
	YB5170CH	34.25	Hair Dryer Holder	6
	YB5186CH	35.85	Towel Ring	6
	Brushed Nickel (BN)			
	YB5101BN	34.55	Tank Lever	24
	YB5103BN	26.50	Double Robe Hook	24
P	**YB5108BN**	48.65	Pivoting Paper Holder	6
	YB5118BN	56.10	18" Towel Bar	6
	YB5124BN	58.10	24" Towel Bar	6
	YB5170BN	36.75	Hair Dryer Holder	6
	YB5186BN	39.20	Towel Ring	6
	Oil Rubbed Bronze (ORB)			
	YB5101ORB	37.95	Tank Lever	24
	YB5103ORB	29.15	Double Robe Hook	24
P	**YB5108ORB**	53.55	Pivoting Paper Holder	6
	YB5118ORB	61.70	18" Towel Bar	6
	YB5124ORB	63.95	24" Towel Bar	6
	YB5170ORB	42.40	Hair Dryer Holder	6
	YB5186ORB	43.10	Towel Ring	6



YB5101
Tank Lever



YB5103
Double Robe Hook




YB5108 (P)
Pivoting Paper Holder



YB5118
18" Towel Bar



YB5124
24" Towel Bar



YB5170
Wallmount Hairdryer Holder

GRAB BARS

PERFECTLY MATCHED to Moen® Voss™ faucets and bath accessories. ADA-compliant.

SecureMount™ Grab Bars are manufactured with an innovative flange design that makes it easy to connect to the stud at multiple points.

To install grab bars securely without studs, use SecureMount™ Anchors. Sold separately.

MODEL NUMBER	LIST PRICE EACH	DESCRIPTION	QTY
1-1/4" • Chrome (CH)			
YG5112CH	85.60	12" Designer Grab Bar	6
YG5118CH	89.45	18" Designer Grab Bar	6
YG5124CH	93.40	24" Designer Grab Bar	6
1-1/4" • Brushed Nickel (BN)			
YG5112BN	103.45	12" Designer Grab Bar	6
YG5118BN	108.50	18" Designer Grab Bar	6
YG5124BN	117.05	24" Designer Grab Bar	6
1-1/4" • Oil Rubbed Bronze (ORB)			
YG5112ORB	113.80	12" Designer Grab Bar	6
YG5118ORB	119.35	18" Designer Grab Bar	6
YG5124ORB	128.80	24" Designer Grab Bar	6



YB5186
Towel Ring



YG5124
24" length Designer Grab Bar

(P) Denotes pivoting paper holder

Complies with Americans with Disabilities Act (ADA) specifications.
SecureMount™ Grab Bars are tested to withstand 500 lb. pull when securely installed per instructions.

List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

VOSS™ Perfectly Matched Bath Accessories



LIGHTING

MODEL NUMBER	LIST PRICE EACH	DESCRIPTION	QTY
Chrome (CH)			
YB5161CH	122.70	One Globe Bath Light	2
YB5162CH	171.70	Two Globe Bath Light	2
YB5163CH	213.20	Three Globe Bath Light	2
YB5164CH	273.05	Four Globe Bath Light	2
Brushed Nickel (BN)			
YB5161BN	153.40	One Globe Bath Light	2
YB5162BN	214.60	Two Globe Bath Light	2
YB5163BN	266.55	Three Globe Bath Light	2
YB5164BN	341.30	Four Globe Bath Light	2
Oil Rubbed Bronze (ORB)			
YB5161ORB	153.40	One Globe Bath Light	2
YB5162ORB	214.60	Two Globe Bath Light	2
YB5163ORB	266.55	Three Globe Bath Light	2
YB5164ORB	341.30	Four Globe Bath Light	2
Replacement Globe			
YB5169	22.50	Replacement Globe	3



YB5161
One Globe Light



YB5162
Two Globe Light



YB5163
Three Globe Light



YB5164
Four Globe Light



YB5169
Replacement Globe

c UL us LISTED

Bulbs not included.

All Voss™ lighting fixtures can be mounted facing either upward or downward.
List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

KINGSLEY® Bathroom Faucets

All Brushed Nickel and Polished Brass faucet components feature the LifeShine® Non-Tarnish Finish.

ONE-HANDLE BATHROOM FAUCET



- application: one or three hole
- supply line length: flexible
- connection size: 3/8"
- connection type: compression
- deckplate: included
- drain assembly: metal
- drain assembly type: lift rod

WaterSense Meets EPA Criteria Certified by IAPMO R&T

DURALAST®

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
6102	249.35	Chrome	3
6102BN	371.45	Brushed Nickel	3
6102ORB	408.60	Oil Rubbed Bronze	3
6102WR	408.60	Wrought Iron	3
6102P	415.95	Polished Brass	3



- description: vessel extension kit
- includes: parts to convert to grid drain
- includes: two extensions

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
A1616	117.40	Chrome	6
A1616BN	168.10	Brushed Nickel	6
A1616ORB	185.00	Oil Rubbed Bronze	6
A1616WR	185.00	Wrought Iron	6
A1616P	188.30	Polished Brass	6

TWO-HANDLE CENTERSET BATHROOM FAUCET



- application: three hole
- center dimensions: 4" center
- connection size: 1/2"
- connection type: IPS
- drain assembly: metal
- drain assembly type: lift rod

WaterSense Meets EPA Criteria Certified by IAPMO R&T

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
6101	237.55	Chrome	6
6101BN	353.80	Brushed Nickel	6
6101ORB	389.20	Oil Rubbed Bronze	6



- application: three hole
- center dimensions: 4" center
- connection size: 1/2"
- connection type: IPS
- drain assembly: metal
- drain assembly type: lift rod

WaterSense Meets EPA Criteria Certified by IAPMO R&T

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
6121	273.15	Chrome	3
6121BN	406.80	Brushed Nickel	3
6121ORB	447.55	Oil Rubbed Bronze	3
6121WR	447.55	Wrought Iron	3
6121P	455.70	Polished Brass	3

NOTES

DURALAST® Duralast® Cartridge


Refer to lavatory waste assemblies on page 367.

KINGSLEY® Bathroom Faucets

All Brushed Nickel and Polished Brass faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TWO-HANDLE WIDESPREAD BATHROOM FAUCET					
	• application: three hole • center dimensions: 8" - 16" center • drain assembly: metal • drain assembly type: lift rod • valve sold separately	**T6105**	248.15	Chrome	3
		T6105BN	417.10	Brushed Nickel	3
		T6105ORB	458.75	Oil Rubbed Bronze	3
	• application: three hole • center dimensions: 8" - 16" center • drain assembly: metal • drain assembly type: lift rod • valve sold separately	**T6125**	285.35	Chrome	3
		T6125BN	479.55	Brushed Nickel	3
		T6125ORB	527.55	Oil Rubbed Bronze	3
		T6125WR	527.55	Wrought Iron	3
		T6125P	539.95	Polished Brass	3
	• application: three hole • center dimensions: 8" - 16" center • drain assembly: metal • drain assembly type: lift rod	**9000** ◆	119.05	1/2" IPS	6
TWO-HANDLE WALLMOUNT BATHROOM FAUCET					
	• application: three hole • center dimensions: 8" center • drain assembly: 140780 sold separately • valve sold separately	**T6107**	282.95	Chrome	3
		T6107BN	460.75	Brushed Nickel	3
		T6107ORB	506.95	Oil Rubbed Bronze	3
	• application: three hole • center dimensions: 8" center • drain assembly: 140780 sold separately • includes: mounting brackets	**9700**	168.35	1/2" CC	3
	• drain assembly: metal • drain assembly type: spring loaded pop-up • drain assembly size: 1-1/4" • drain assembly: 1-1/4" non-overflow	**140780**	57.05	Chrome	12
		140780BN	79.60	Brushed Nickel	12
		140780ORB	89.90	Oil Rubbed Bronze	12

HOW TO ORDER A COMPLETE BATHROOM FAUCET



Trim Part No. + Valve Part No. = Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System


DURALOCK® Duralock® Quick Connections

DURALAST® Duralast® Cartridge

Refer to specification sheet for critical dimensions for installation.


KINGSLEY® Roman Tubs

All Brushed Nickel and Polished Brass faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TWO-HANDLE ROMAN TUB					
	• application: three hole • spout reach: 9.00" • valve sold separately	**T920**	403.90	Chrome	3
		T920BN	564.30	Brushed Nickel	3
		T920P	617.00	Polished Brass	3
		T920ORB	620.70	Oil Rubbed Bronze	3
		T920WR	620.70	Wrought Iron	3
	• application: three hole • deck thickness: 1/8" to 3-3/8" rough-in deck • center dimensions: adjustable • adjustable spout shank: included • test plug: included	**4792**	138.45	1/2" CC	6
	• application: three hole • deck thickness: 1/8" to 2-3/4" rough-in deck • center dimensions: 10" - 24" center • adjustable spout shank: included • test plug: included	**4793**	156.75	1/2" CPVC, Crimp ring PEX	6
		4794	149.45	1/2" Crimp ring PEX, Cold Expansion PEX	6
	• application: three hole • deck thickness: 1/8" to 1-7/8" rough-in deck • center dimensions: 10" center • non-adjustable spout shank: included • test plug: included	**4796**	130.40	1/2" CC	6
		4797	132.95	1/2" CPVC, Crimp ring PEX	6
		4798	132.95	1/2" Crimp ring PEX, Cold Expansion PEX	6
	• description: high flow thermostatic mixing valve for roman tubs • ports: three • ASSE standard 1070: yes • flow rate: 12.0 gpm (45.4 L/min) max.	**104465**	173.00	1/2" CC	12
		104466	173.00	1/2" IPS	12
	• description: PEX transition fittings (2) and clips • connections: adapts standard 1/2" PEX barb to 1/2" PEX cold expansion	**140715** ◆	10.35	1/2" PEX	200

KINGSLEY®

HOW TO ORDER A COMPLETE ROMAN TUB FAUCET



Trim Part No. | Valve Part No. | Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System


Thermostatic Mixing Valve service kits, see page 462.

KINGSLEY® Roman Tubs

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TWO-HANDLE ROMAN TUB WITH HANDSHOWER					
	• application: four hole • showerhead type: handshower • handshower flow rate: 2.0 gpm (7.6 L/min) max. • spray functions: one-function • spout reach: 9.00" • valve sold separately	**T922**	629.20	Chrome	3
		T922BN	1,035.65	Brushed Nickel	3
		T922ORB	1,139.20	Oil Rubbed Bronze	3
	• application: four hole • deck thickness: 1/8" to 2-5/8" rough-in deck • center dimensions: adjustable • non-adjustable spout shank: included • test plug: included	**9792**	311.90	1/2" CC	6
	• application: four hole • deck thickness: 1/8" to 2-5/8" rough-in deck • center dimensions: 10" - 24" center • non-adjustable spout shank: included • test plug: included	**9793**	319.20	1/2" CPVC, Crimp ring PEX	6
	• description: high flow thermostatic mixing valve for roman tubs • ports: three • ASSE standard 1070: yes • flow rate: 12.0 gpm (45.4 L/min) max.	**104465**	173.00	1/2" CC	12
		104466	173.00	1/2" IPS	12
	• description: PEX transition fittings (2) and clips • connections: adapts standard 1/2" PEX barb to 1/2" PEX cold expansion	**140715** ◆	10.35	1/2" PEX	200

HOW TO ORDER A COMPLETE ROMAN TUB FAUCET



Trim Part No. + Valve Part No. = Complete Faucet

NOTES



◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

Thermostatic Mixing Valve service kits, see page 462.

KINGSLEY® Moentrol® Transfer Valve Shower Spa Components

All Brushed Nickel and Polished Brass faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TRANSFER VALVE ONLY					
	• valve sold separately	**T4311**	102.60	Chrome	6
		T4311BN	137.85	Brushed Nickel	6
		T4311ORB	151.65	Oil Rubbed Bronze	6
	• type of function: two independent one shared • must be used with: Posi-Temp® or Moentrol® valve	**3372**	165.70	1/2" CC	12
	• type of function: two independent functions • must be used with: Posi-Temp® or Moentrol® valve	**3375**	165.70	1/2" CC	12
MOENTROL® WITH TRANSFER VALVE					
	• showerhead type: showerhead sold separately • valve sold separately	**T4111**	153.55	Chrome	3
		T4111BN	206.25	Brushed Nickel	3
		T4111ORB	226.90	Oil Rubbed Bronze	3
		T4111P	227.80	Polished Brass	3
	• ports: four; two outlets • adjustable temp limit stop: included • check stops: included • type of function: two independent one shared • includes: volume control • not recommended: for tub spout application	**3320**	265.75	1/2" IPS inlets/cc outlets	6
		3330	265.75	1/2" CC	6
	• ports: four; two outlets • adjustable temp limit stop: included • check stops: included • type of function: two independent functions • includes: volume control • not recommended: for tub spout application	**3350**	265.75	1/2" CC	6

HOW TO ORDER A COMPLETE MOENTROL WITH TRANSFER VALVE




Trim Part No. | Valve Part No. | Complete Faucet

NOTES

Moen® **M•PACT®** Common Valve System

KINGSLEY® Moentrol® Showering

All Brushed Nickel and Polished Brass faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
MOENTROL® TUB/SHOWER					
	• showerhead functions: one-function • showerhead type: standard • showerhead size: 4-3/8" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • spout length: 5 1/2" • spout connection type: slip fit • tub spout type: diverter • valve sold separately	**T3113**	214.55	Chrome	3
		T3113BN	457.55	Brushed Nickel	3
		T3113ORB	503.20	Oil Rubbed Bronze	3
		T3113P	531.60	Polished Brass	3
NEW!  	• showerhead type: showerhead sold separately • spout length: 5 1/2" • spout connection type: slip fit • tub spout type: diverter • valve sold separately	**T3113NH**	145.90	Chrome	3
		T3113NHBN	311.15	Brushed Nickel	3
		T3113NHORB	342.20	Oil Rubbed Bronze	3
	• description: pressure balanced valve with volume control • ports: four • adjustable temp limit stop: included • checks: included • includes: volume control	**3510**	158.10	1/2" IPS	6
		3520	158.10	1/2" CC	6
	• description: pressure balanced valve with volume control • ports: four • adjustable temp limit stop: included • check stops: included • includes: volume control	**3570** ◆	188.35	1/2" CC	6

HOW TO ORDER A COMPLETE TUB/SHOWER FAUCET



Trim Part No. + Valve Part No. = Complete Faucet


NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

KINGSLEY® Moentrol® Showering

All Brushed Nickel and Polished Brass faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
MOENTROL® SHOWER ONLY					
	• showerhead functions: one-function • showerhead type: standard • showerhead size: 4-3/8" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • valve sold separately	**T3112**	158.15	Chrome	3
		T3112BN	358.25	Brushed Nickel	3
		T3112ORB	394.10	Oil Rubbed Bronze	3
		T3112P	416.40	Polished Brass	3
NEW!  	• showerhead type: showerhead sold separately • valve sold separately	**T3112NH**	107.55	Chrome	3
		T3112NHBN	243.60	Brushed Nickel	3
		T3112NHORB	268.00	Oil Rubbed Bronze	3
	• description: pressure balanced valve with volume control • ports: four • adjustable temp limit stop: included • checks: included • includes: volume control	**3510**	158.10	1/2" IPS	6
		3520	158.10	1/2" CC	6
	• description: pressure balanced valve with volume control • ports: four • adjustable temp limit stop: included • check stops: included • includes: volume control	**3570** ◆	188.35	1/2" CC	6

KINGSLEY®

HOW TO ORDER A COMPLETE TUB/SHOWER FAUCET



Trim Part No. + Valve Part No. = Complete Faucet


NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

KINGSLEY® Moentrol® Showering

All Brushed Nickel and Polished Brass faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
MOENTROL® VALVE ONLY					
	• valve sold separately	**T3111**	118.50	Chrome	3
		T3111BN	276.50	Brushed Nickel	3
		T3111ORB	304.15	Oil Rubbed Bronze	3
		T3111P	321.25	Polished Brass	3
	• description: pressure balanced valve with volume control • ports: four • adjustable temp limit stop: included • checks: included • includes: volume control	**3510**	158.10	1/2" IPS	6
		3520	158.10	1/2" CC	6
	• description: pressure balanced valve with volume control • ports: four • adjustable temp limit stop: included • check stops: included • includes: volume control	**3570 ◆**	188.35	1/2" CC	6

KINGSLEY®

HOW TO ORDER A COMPLETE VALVE



Trim Part No. + Valve Part No. = Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

KINGSLEY® Posi-Temp® Showering

All Brushed Nickel and Polished Brass faucet components feature the LifeShine® Non-Tarnish Finish.

POSI-TEMP® TUB/SHOWER

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
	• showerhead functions: one-function • showerhead type: standard • showerhead size: 4-3/8" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • spout length: 5 1/2" • spout connection type: slip fit • tub spout type: diverter • valve sold separately	**T2113**	189.70	Chrome	3
		T2113BN	344.80	Brushed Nickel	3
		T2113ORB	379.45	Oil Rubbed Bronze	3
		T2113WR	379.45	Wrought Iron	3
		T2113P	469.30	Polished Brass	3
	• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 4-3/8" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • spout length: 5 1/2" • spout connection type: slip fit • tub spout type: diverter • valve sold separately	**T2113EP**	189.70	Chrome	3
		T2113EPBN	344.80	Brushed Nickel	3
		T2113EPORB	379.45	Oil Rubbed Bronze	3
		T2113EPP	469.30	Polished Brass	3
	• showerhead type: showerhead sold separately • spout length: 5 1/2" • spout connection type: slip fit • tub spout type: diverter • valve sold separately	**T2113NH**	127.75	Chrome	3
		T2113NHBN	249.85	Brushed Nickel	3
		T2113NHORB	274.85	Oil Rubbed Bronze	3
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included	**2510** ◆	115.35	1/2" IPS	6
		2520 ◆	115.35	1/2" CC	6
		2580 ◆	115.35	1/2" Crimp ring PEX	6
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included • quarter turn stops: included	**2570** ◆	140.05	1/2" CC	6
		2590 ◆	140.05	1/2" IPS	6

HOW TO ORDER A COMPLETE TUB/SHOWER FAUCET



Trim Part No. | Valve Part No. | Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

KINGSLEY® Posi-Temp® Showering

All Brushed Nickel and Polished Brass faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® SHOWER ONLY					
	• showerhead functions: one-function • showerhead type: standard • showerhead size: 4-3/8" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • valve sold separately	**T2112**	149.15	Chrome	3
		T2112BN	271.25	Brushed Nickel	3
		T2112ORB	298.30	Oil Rubbed Bronze	3
		T2112WR	298.30	Wrought Iron	3
		T2112P	380.20	Polished Brass	3
	• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 4-3/8" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • valve sold separately	**T2112EP**	149.15	Chrome	3
		T2112EPBN	271.25	Brushed Nickel	3
		T2112EPORB	298.30	Oil Rubbed Bronze	3
		T2112EPP	380.20	Polished Brass	3
	• showerhead type: showerhead sold separately • valve sold separately	**T2112NH**	118.65	Chrome	3
		T2112NHBN	215.45	Brushed Nickel	3
		T2112NHORB	237.00	Oil Rubbed Bronze	3
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included	**2510** ◆	115.35	1/2" IPS	6
		2520 ◆	115.35	1/2" CC	6
		2580 ◆	115.35	1/2" Crimp ring PEX	6
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included • quarter turn stops: included	**2570** ◆	140.05	1/2" CC	6
		2590 ◆	140.05	1/2" IPS	6

HOW TO ORDER A COMPLETE SHOWER FAUCET



Trim Part No. + Valve Part No. = Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

KINGSLEY® Posi-Temp® Showering, Bidets

All Brushed Nickel and Polished Brass faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® VALVE ONLY					
	• valve sold separately	**T2111**	111.90	Chrome	3
		T2111BN	203.20	Brushed Nickel	3
		T2111ORB	223.55	Oil Rubbed Bronze	3
		T2111WR	223.55	Wrought Iron	3
		T2111P	302.25	Polished Brass	3
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included	**2510** ◆	115.35	1/2" IPS	6
		2520 ◆	115.35	1/2" CC	6
		2580 ◆	115.35	1/2" Crimp ring PEX	6
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included • quarter turn stops: included	**2570** ◆	140.05	1/2" CC	6
		2590 ◆	140.05	1/2" IPS	6
TWO-HANDLE BIDET					
	• center dimensions: 8" - 16" center • valve sold separately	**T5210**	386.80	Chrome	3
		T5210BN	529.70	Brushed Nickel	3
		T5210ORB	582.65	Oil Rubbed Bronze	3
	• application: three hole • center dimensions: 8" - 16" center DURALOCK® DURALAST®	**9265**	245.15	1/2" IPS	6


KINGSLEY®

HOW TO ORDER A COMPLETE VALVE



Trim Part No. + Valve Part No. = Complete Faucet

HOW TO ORDER A COMPLETE BIDET FAUCET



Trim Part No. + Valve Part No. = Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

DURALOCK® Duralock® Quick Connections

DURALAST® Duralast® Cartridge

KINGSLEY® Perfectly Matched Bath Accessories

Moen® bath accessories CANNOT be combined with Moen® faucet parts on a Purchase Order.

Moen makes it easy to coordinate the entire style and look of the bathroom. Our Kingsley® bath accessories perfectly match the style and finish of our Kingsley® faucets. Total coordination of the bath has never been easier.

For more information on ordering Kingsley® bath accessories or other matching Moen® bath accessories, contact Moen Bath Accessory Customer Service at **800-882-0116**, contact your local Moen sales representative, or visit us at **www.moen.com**.

	MODEL NUMBER	LIST PRICE EACH	DESCRIPTION	5/8-in. Round Bar QTY
	Chrome (CH)			
	YB5401CH	31.30	Tank Lever	24
	YB5403CH	24.05	Double Robe Hook	6
	YB5405CH	7.40	Drawer Knob	48
	YB5407CH	14.80	Drawer Pull	48
P	YB5408CH	44.00	Pivoting Paper Holder	6
	YB5418CH	51.05	18" Towel Bar	6
	YB5422CH	68.35	24" Double Towel Bar	6
	YB5424CH	52.65	24" Towel Bar	6
	YB5486CH	35.85	Towel Ring	6
	YB5490CH	67.80	Vanity Shelf	3
	YB5494CH	171.00	Towel Shelf	2
	Brushed Nickel (BN)			
	YB5401BN	34.55	Tank Lever	24
	YB5403BN	26.50	Double Robe Hook	24
	YB5405BN	9.35	Drawer Knob	48
	YB5407BN	18.40	Drawer Pull	48
P	YB5408BN	48.65	Pivoting Paper Holder	6
	YB5418BN	56.10	18" Towel Bar	6
	YB5422BN	73.65	24" Double Towel Bar	6
	YB5424BN	58.10	24" Towel Bar	6
	YB5486BN	39.20	Towel Ring	6
	YB5490BN	72.95	Vanity Shelf	3
	YB5494BN	188.50	Towel Shelf	2
	Oil Rubbed Bronze (ORB)			
	YB5401ORB	37.95	Tank Lever	24
	YB5403ORB	29.15	Double Robe Hook	24
	YB5405ORB	9.90	Drawer Knob	48
	YB5407ORB	20.05	Drawer Pull	48
P	YB5408ORB	53.55	Pivoting Paper Holder	6
	YB5418ORB	61.70	18" Towel Bar	6
	YB5422ORB	81.10	24" Double Towel Bar	6
	YB5424ORB	63.95	24" Towel Bar	6
	YB5486ORB	43.10	Towel Ring	6
	YB5490ORB	80.30	Vanity Shelf	3
	YB5494ORB	207.35	Towel Shelf	2
	Wrought Iron			
	YB5401WR	37.95	Tank Lever	24
	YB5403WR	29.15	Double Robe Hook	24
P	YB5408WR	53.55	Pivoting Paper Holder	6
	YB5418WR	61.70	18" Towel Bar	6
	YB5422WR	81.10	24" Double Towel Bar	6
	YB5424WR	63.95	24" Towel Bar	6
	YB5486WR	43.10	Towel Ring	6
	YB5490WR	80.30	Vanity Shelf	3
	Polished Brass			
	YB5401PB	29.05	Tank Lever	24
	YB5403PB	22.35	Double Robe Hook	6
P	YB5408PB	40.85	Pivoting Paper Holder	6
	YB5418PB	50.25	18" Towel Bar	6
	YB5422PB	65.95	24" Double Towel Bar	6
	YB5424PB	48.60	24" Towel Bar	6
	YB5486PB	33.25	Towel Ring	6

P Denotes pivoting paper holder

List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

KINGSLEY® Perfectly Matched Bath Accessories



YB5401
Tank Lever



YB5403
Double Robe Hook



YB5405
Drawer Knob
(Available in BN, CH and ORB only)



YB5407
Drawer Pull
(Available in BN, CH and ORB only)



YB5408 (P)
Pivoting Paper Holder



YB5418
18" Towel Bar



YB5422
24" Double Towel Bar



YB5424
24" Towel Bar



YB5486
Towel Ring



YB5490
Vanity Shelf
(Not available in PB)



YB5494
Towel Shelf
(Available in BN, CH and ORB only)

GRAB BARS

PERFECTLY MATCHED to Moen® Kingsley® faucets and bath accessories. ADA-compliant.



SecureMount™ Grab Bars are manufactured with an innovative flange design that makes it easy to connect to the stud at multiple points.

To install grab bars securely without studs, use SecureMount™ Anchors. Sold separately.

MODEL NUMBER	LIST PRICE EACH	DESCRIPTION	QTY
1-1/4" • Chrome (CH)			
YG5412CH	85.60	12" Designer Grab Bar	3
YG5418CH	89.45	18" Designer Grab Bar	3
YG5424CH	93.40	24" Designer Grab Bar	3
YG5430CH	99.95	30" Designer Grab Bar	3
YG5436CH	106.35	36" Designer Grab Bar	3
YG5442CH	156.05	42" Designer Grab Bar	3
1-1/4" • Brushed Nickel (BN)			
YG5412BN	103.45	12" Designer Grab Bar	3
YG5418BN	108.50	18" Designer Grab Bar	3
YG5424BN	117.05	24" Designer Grab Bar	3
YG5430BN	121.90	30" Designer Grab Bar	3
YG5436BN	131.75	36" Designer Grab Bar	3
YG5442BN	195.10	42" Designer Grab Bar	3
1-1/4" • Oil Rubbed Bronze (ORB)			
YG5412ORB	113.80	12" Designer Grab Bar	3
YG5418ORB	119.35	18" Designer Grab Bar	3
YG5424ORB	128.80	24" Designer Grab Bar	3



YG5424
24" length
Designer Grab Bar

(P) Denotes pivoting paper holder

Complies with Americans with Disabilities Act (ADA) specifications.
SecureMount™ Grab Bars are tested to withstand 500 lb. pull when securely installed per instructions.


List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

RIZON® Bathroom Faucets

	MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
ONE-HANDLE BATHROOM FAUCET				
 • application: one or three hole • supply line length: flexible • connection size: 3/8" • connection type: compression • deckplate: sold separately • drain assembly: metal • drain assembly type: lift rod • red/blue markings: included WaterSense Meets EPA Criteria Certified by IAPMO R&T · DURALAST®	**6900**	249.35	Chrome	3
		DECKPLATE SOLD SEPARATELY		
	165006	22.75	Chrome	20
TWO-HANDLE WIDESPREAD BATHROOM FAUCET				
 • application: three hole • center dimensions: 8" - 16" center • drain assembly: metal • drain assembly type: lift rod • red/blue markings: included • valve sold separately WaterSense Meets EPA Criteria Certified by IAPMO R&T · Moen®	**T6920**	248.15	Chrome	3
 • application: three hole • center dimensions: 8" - 16" center • drain assembly: metal • drain assembly type: lift rod Moen® DURALOCK® DURALAST®	**9000** ◆	119.05	1/2" IPS	6

RIZON®

HOW TO ORDER A COMPLETE BATHROOM FAUCET




Trim Part No. + Valve Part No. = Complete Faucet

NOTES


◆ Also available in bulk pack. See page 399.
Moen® **M•PACT®** Common Valve System
DURALOCK® Duralock® Quick Connections
DURALAST® Duralast® Cartridge

Refer to lavatory waste assemblies on page 367.
Refer to specification sheet for critical dimensions for installation.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TWO-HANDLE ROMAN TUB					
	• application: three hole • spout reach: 7.68" • valve sold separately	**T935**	351.20	Chrome	3
	• application: three hole • deck thickness: 1/8" to 3-3/8" rough-in deck • center dimensions: adjustable • adjustable spout shank: included • test plug: included	**4792**	138.45	1/2" CC	6
	• application: three hole • deck thickness: 1/8" to 2-3/4" rough-in deck • center dimensions: 10" - 24" center • adjustable spout shank: included • test plug: included	**4793** **4794**	156.75 149.45	1/2" CPVC, Crimp ring PEX 1/2" Crimp ring PEX, Cold Expansion PEX	6 6
	• application: three hole • deck thickness: 1/8" to 1-7/8" rough-in deck • center dimensions: 10" center • non-adjustable spout shank: included • test plug: included	**4796** **4797** **4798**	130.40 132.95 132.95	1/2" CC 1/2" CPVC, Crimp ring PEX 1/2" Crimp ring PEX, Cold Expansion PEX	6 6 6
	• description: high flow thermostatic mixing valve for roman tubs • ports: three • ASSE standard 1070: yes • flow rate: 12.0 gpm (45.4 L/min) max.	**104465** **104466**	173.00 173.00	1/2" CC 1/2" IPS	12 12
	• description: PEX transition fittings (2) and clips • connections: adapts standard 1/2" PEX barb to 1/2" PEX cold expansion	**140715** ◆	10.35	1/2" PEX	200

RIZON®

HOW TO ORDER A COMPLETE ROMAN TUB FAUCET



Trim Part No. | Valve Part No. | Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.
Moen® **M•PACT®** Common Valve System


Thermostatic Mixing Valve service kits, see page 462.

RIZON® Roman Tubs

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TWO-HANDLE ROMAN TUB WITH HANDSHOWER					
	• application: four hole • showerhead type: handshower • handshower flow rate: 2.0 gpm (7.6 L/min) max. • spray functions: one-function • spout reach: 7.68" • valve sold separately	**T936**	547.10	Chrome	3
	• application: four hole • deck thickness: 1/8" to 2-5/8" rough-in deck • center dimensions: adjustable • non-adjustable spout shank: included • test plug: included	**9792**	311.90	1/2" CC	6
	• application: four hole • deck thickness: 1/8" to 2-5/8" rough-in deck • center dimensions: 10" - 24" center • non-adjustable spout shank: included • test plug: included	**9793**	319.20	1/2" CPVC, Crimp ring PEX	6
	• description: high flow thermostatic mixing valve for roman tubs • ports: three • ASSE standard 1070: yes • flow rate: 12.0 gpm (45.4 L/min) max.	**104465** **104466**	173.00 173.00	1/2" CC 1/2" IPS	12 12
	• description: PEX transition fittings (2) and clips • connections: adapts standard 1/2" PEX barb to 1/2" PEX cold expansion	**140715** ◆	10.35	1/2" PEX	200

RIZON®

HOW TO ORDER A COMPLETE ROMAN TUB FAUCET



Trim Part No. + Valve Part No. = Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

Thermostatic Mixing Valve service kits, see page 462.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® TUB/SHOWER					
	• showerhead functions: one-function • showerhead type: standard • showerhead size: 3.75" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • spout length: 7" • spout connection type: slip fit • tub spout type: diverter • red/blue markings: included • valve sold separately	**T2813**	189.70	Chrome	3
	• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 3.75" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • spout length: 7" • spout connection type: slip fit • tub spout type: diverter • red/blue markings: included • valve sold separately	**T2813EP**	189.70	Chrome	3
	• showerhead type: showerhead sold separately • spout length: 7" • spout connection type: slip fit • tub spout type: diverter • red/blue markings: included • valve sold separately	**T2813NH**	127.75	Chrome	3
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included	**2510** ◆ **2520** ◆ **2580** ◆	115.35 115.35 115.35	1/2" IPS 1/2" CC 1/2" Crimp ring PEX	6 6 6
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included • quarter turn stops: included	**2570** ◆ **2590** ◆	140.05 140.05	1/2" CC 1/2" IPS	6 6

HOW TO ORDER A COMPLETE TUB/SHOWER FAUCET



Trim Part No. | Valve Part No. | Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.
Moen® **M•PACT®** Common Valve System

RIZON® Posi-Temp® Showering

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® SHOWER ONLY					
	• showerhead functions: one-function • showerhead type: standard • showerhead size: 3.75" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • red/blue markings: included • valve sold separately	**T2812**	149.15	Chrome	3
	• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 3.75" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • red/blue markings: included • valve sold separately	**T2812EP**	149.15	Chrome	3
	• showerhead type: showerhead sold separately • red/blue markings: included • valve sold separately	**T2812NH**	118.65	Chrome	3
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included	**2510** ◆ **2520** ◆ **2580** ◆	115.35 115.35 115.35	1/2" IPS 1/2" CC 1/2" Crimp ring PEX	6 6 6
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included • quarter turn stops: included	**2570** ◆ **2590** ◆	140.05 140.05	1/2" CC 1/2" IPS	6 6

RIZON®

HOW TO ORDER A COMPLETE SHOWER FAUCET



Trim Part No. | Valve Part No. | Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® VALVE ONLY					
	• red/blue markings: included • valve sold separately	**T2811**	111.90	Chrome	3
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included	**2510** ◆	115.35	1/2" IPS	6
		2520 ◆	115.35	1/2" CC	6
		2580 ◆	115.35	1/2" Crimp ring PEX	6
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included • quarter turn stops: included	**2570** ◆	140.05	1/2" CC	6
		2590 ◆	140.05	1/2" IPS	6

RIZON®

HOW TO ORDER A COMPLETE VALVE



Trim Part No. | Valve Part No. | Complete Faucet

NOTES


◆ Also available in bulk pack. See page 399.
Moen® **M•PACT®** Common Valve System

DARTMOOR™ Bathroom Faucets

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

	MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TWO-HANDLE CENTERSET BATHROOM FAUCET				
 • application: three hole • center dimensions: 4" center • connection size: 1/2" • connection type: IPS • drain assembly: metal • drain assembly type: lift rod WaterSense Meets EPA Criteria Certified by IAPMO R&T; DURALAST®	**6802** ◆	168.65	Chrome	3
	6802BN	229.00	Brushed Nickel	3
	6802ORB	251.95	Oil Rubbed Bronze	3
TWO-HANDLE WIDESPREAD BATHROOM FAUCET				
 • application: three hole • center dimensions: 8" - 16" center • drain assembly: metal • drain assembly type: lift rod • valve sold separately WaterSense Meets EPA Criteria Certified by IAPMO R&T	**T6805**	176.60	Chrome	3
	T6805BN	259.80	Brushed Nickel	3
	T6805ORB	284.70	Oil Rubbed Bronze	3
 • application: three hole • center dimensions: 8" - 16" center • drain assembly: metal • drain assembly type: lift rod DURALOCK® DURALAST®	**9000** ◆	119.05	1/2" IPS	6

HOW TO ORDER A COMPLETE BATHROOM FAUCET



Trim Part No. + Valve Part No. = Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System



DURALOCK® Duralock® Quick Connections

DURALAST® Duralast® Cartridge

Refer to specification sheet for critical dimensions for installation.

DARTMOOR™ Roman Tubs

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TWO-HANDLE ROMAN TUB					
	• application: three hole • spout reach: 7.64" • valve sold separately	**T683** **T683BN** **T683ORB**	284.35 419.25 460.00	Chrome Brushed Nickel Oil Rubbed Bronze	3 3 3
	• application: three hole • deck thickness: 1/8" to 3-3/8" rough-in deck • center dimensions: adjustable • adjustable spout shank: included • test plug: included	**4792**	138.45	1/2" CC	6
	• application: three hole • deck thickness: 1/8" to 2-3/4" rough-in deck • center dimensions: 10" - 24" center • adjustable spout shank: included • test plug: included	**4793** **4794**	156.75 149.45	1/2" CPVC, Crimp ring PEX 1/2" Crimp ring PEX, Cold Expansion PEX	6 6
	• application: three hole • deck thickness: 1/8" to 1-7/8" rough-in deck • center dimensions: 10" center • non-adjustable spout shank: included • test plug: included	**4796** **4797** **4798**	130.40 132.95 132.95	1/2" CC 1/2" CPVC, Crimp ring PEX 1/2" Crimp ring PEX, Cold Expansion PEX	6 6 6
	• description: high flow thermostatic mixing valve for roman tubs • ports: three • ASSE standard 1070: yes • flow rate: 12.0 gpm (45.4 L/min) max.	**104465** **104466**	173.00 173.00	1/2" CC 1/2" IPS	12 12
	• description: PEX transition fittings (2) and clips • connections: adapts standard 1/2" PEX barb to 1/2" PEX cold expansion	**140715** ◆	10.35	1/2" PEX	200

DARTMOOR™

HOW TO ORDER A COMPLETE ROMAN TUB FAUCET



Trim Part No. + Valve Part No. = Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

Thermostatic Mixing Valve service kits, see page 462.

DARTMOOR™ Posi-Temp® Showering

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® TUB/SHOWER					
NEW! 	• showerhead functions: one-function • showerhead type: eco-performance rainshower • showerhead size: 8" diameter spray head • showerhead flow rate: 2.0 gpm (7.6 L/min) max. • spout length: 7" • spout connection type: slip fit • tub spout type: diverter • valve sold separately	**T2283EP**	156.05	Chrome	4
		T2283EPBN	256.55	Brushed Nickel	4
		T2283EPORB	277.20	Oil Rubbed Bronze	4
	• showerhead functions: one-function • showerhead type: standard • showerhead size: 4" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • spout length: 7" • spout connection type: slip fit • tub spout type: diverter • valve sold separately	**T2183 ◆**	116.05	Chrome	3
		T2183BN	216.55	Brushed Nickel	3
		T2183ORB	237.20	Oil Rubbed Bronze	3
	• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 4" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • spout length: 7" • spout connection type: slip fit • tub spout type: diverter • valve sold separately	**T2183EP**	116.05	Chrome	3
		T2183EPBN	216.55	Brushed Nickel	3
		T2183EPORB	237.20	Oil Rubbed Bronze	3
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included	**2510 ◆**	115.35	1/2" IPS	6
		2520 ◆	115.35	1/2" CC	6
		2580 ◆	115.35	1/2" Crimp ring PEX	6
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included • quarter turn stops: included	**2570 ◆**	140.05	1/2" CC	6
		2590 ◆	140.05	1/2" IPS	6

HOW TO ORDER A COMPLETE TUB/SHOWER FAUCET



Trim Part No. + Valve Part No. = Complete Faucet

DARTMOOR™ Posi-Temp® Showering

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

POSI-TEMP® SHOWER ONLY

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
	• showerhead functions: one-function • showerhead type: eco-performance rainshower • showerhead size: 8" diameter spray head • showerhead flow rate: 2.0 gpm (7.6 L/min) max. • valve sold separately	**T2282EP**	122.90	Chrome	4
		T2282EPBN	206.65	Brushed Nickel	4
		T2282EP0RB	220.20	Oil Rubbed Bronze	4
	• showerhead functions: one-function • showerhead type: standard • showerhead size: 4" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • valve sold separately	**T2182** ◆	82.90	Chrome	3
		**T2182BN**	166.65	Brushed Nickel	3
		T21820RB	182.20	Oil Rubbed Bronze	3
	• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 4" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • valve sold separately	**T2182EP**	82.90	Chrome	3
		T2182EPBN	166.65	Brushed Nickel	3
		**T2182EP0RB**	182.20	Oil Rubbed Bronze	3
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included	**2510** ◆	115.35	1/2" IPS	6
		2520 ◆	115.35	1/2" CC	6
		2580 ◆	115.35	1/2" Crimp ring PEX	6
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included • quarter turn stops: included	**2570** ◆	140.05	1/2" CC	6
		2590 ◆	140.05	1/2" IPS	6

HOW TO ORDER A COMPLETE SHOWER FAUCET



Trim Part No. + Valve Part No. = Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

DARTMOOR™ Posi-Temp® Showering

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® VALVE ONLY					
	• valve sold separately	**T2181**	65.70	Chrome	3
		T2181BN	136.80	Brushed Nickel	3
		T2181ORB	149.45	Oil Rubbed Bronze	3
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included	**2510** ◆	115.35	1/2" IPS	6
		2520 ◆	115.35	1/2" CC	6
		2580 ◆	115.35	1/2" Crimp ring PEX	6
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included • quarter turn stops: included	**2570** ◆	140.05	1/2" CC	6
		2590 ◆	140.05	1/2" IPS	6

HOW TO ORDER A COMPLETE VALVE



Trim Part No. | Valve Part No. | Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

DARTMOOR™ Perfectly Matched Bath Accessories

PRO-FIT INSTALLATION SYSTEM

See page 82 for details.

Moen® bath accessories CANNOT be combined with Moen® faucet parts on a Purchase Order.

Moen makes it easy to coordinate the entire style and look of the bathroom. Our Dartmoor™ bath accessories perfectly match the style and finish of our Dartmoor™ faucets. Total coordination of the bath has never been easier.

For more information on ordering Dartmoor™ bath accessories or other matching Moen® bath accessories, contact Moen Bath Accessory Customer Service at **800-882-0116**, contact your local Moen sales representative, or visit us at **www.moen.com**.

MODEL NUMBER	LIST PRICE EACH	DESCRIPTION	QTY
Chrome (CH)			
YB2101CH	19.75	Tank Lever	24
YB2103CH	14.00	Double Robe Hook	24
YB2108CH	19.10	Paper Holder	6
YB2118CH	30.85	18" Towel Bar	6
YB2124CH	32.50	24" Towel Bar	6
YB2186CH	19.15	Towel Ring	6
Brushed Nickel (BN)			
YB2101BN	30.30	Tank Lever	24
YB2103BN	21.40	Double Robe Hook	24
YB2108BN	29.15	Paper Holder	6
YB2118BN	47.35	18" Towel Bar	6
YB2124BN	49.80	24" Towel Bar	6
YB2186BN	29.20	Towel Ring	6
Oil Rubbed Bronze (ORB)			
YB2101ORB	33.30	Tank Lever	24
YB2103ORB	23.55	Double Robe Hook	24
YB2108ORB	32.20	Paper Holder	6
YB2118ORB	52.10	18" Towel Bar	6
YB2124ORB	54.75	24" Towel Bar	6
YB2186ORB	32.25	Towel Ring	6



YB2101
Tank Lever



YB2103
Double Robe Hook



YB2108
Paper Holder



YB2118
18" Towel Bar



YB2124
24" Towel Bar



YB2186
Towel Ring



YB8081
Pro-Fit® Installation Mounting Template (See page 82 for more information about the Pro-Fit® Installation System.)


GLYDE™ Bathroom Faucets

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TWO-HANDLE CENTERSET BATHROOM FAUCET					
	• application: three hole • center dimensions: 4" center • connection size: 1/2" • connection type: IPS • drain assembly: metal • drain assembly type: lift rod WaterSense Meets EPA Criteria Certified by IAPMO R&T DURALAST®	**6172** ◆	168.65	Chrome	3
		6172BN	229.00	Brushed Nickel	3
TWO-HANDLE WIDESPREAD BATHROOM FAUCET					
	• application: three hole • center dimensions: 8" - 16" center • drain assembly: metal • drain assembly type: lift rod • valve sold separately WaterSense Meets EPA Criteria Certified by IAPMO R&T	**T6173**	176.60	Chrome	3
		T6173BN	259.80	Brushed Nickel	3
	• application: three hole • center dimensions: 8" - 16" center • drain assembly: metal • drain assembly type: lift rod DURALOCK® DURALAST®	**9000** ◆	119.05	1/2" IPS	6

GLYDE™

HOW TO ORDER A COMPLETE BATHROOM FAUCET



Trim Part No. | Valve Part No. | Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System


DURALOCK® Duralock® Quick Connections

DURALAST® Duralast® Cartridge

Refer to lavatory waste assemblies on page 367.
Refer to specification sheet for critical dimensions for installation.


GLYDE™ Roman Tubs

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TWO-HANDLE ROMAN TUB					
	• application: three hole • spout reach: 7.65" • valve sold separately	**T373**	284.35	Chrome	3
		T373BN	419.25	Brushed Nickel	3
	• application: three hole • deck thickness: 1/8" to 3-3/8" rough-in deck • center dimensions: adjustable • adjustable spout shank: included • test plug: included	**4792**	138.45	1/2" CC	6
	• application: three hole • deck thickness: 1/8" to 2-3/4" rough-in deck • center dimensions: 10" - 24" center • adjustable spout shank: included • test plug: included	**4793**	156.75	1/2" CPVC, Crimp ring PEX	6
		4794	149.45	1/2" Crimp ring PEX, Cold Expansion PEX	6
	• application: three hole • deck thickness: 1/8" to 1-7/8" rough-in deck • center dimensions: 10" center • non-adjustable spout shank: included • test plug: included	**4796**	130.40	1/2" CC	6
		4797	132.95	1/2" CPVC, Crimp ring PEX	6
		4798	132.95	1/2" Crimp ring PEX, Cold Expansion PEX	6
	• description: high flow thermostatic mixing valve for roman tubs • ports: three • ASSE standard 1070: yes • flow rate: 12.0 gpm (45.4 L/min) max.	**104465**	173.00	1/2" CC	12
		104466	173.00	1/2" IPS	12
	• description: PEX transition fittings (2) and clips • connections: adapts standard 1/2" PEX barb to 1/2" PEX cold expansion	**140715** ◆	10.35	1/2" PEX	200

GLYDE™

HOW TO ORDER A COMPLETE ROMAN TUB FAUCET



Trim Part No. + Valve Part No. = Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

Thermostatic Mixing Valve service kits, see page 462.

GLYDE™ Posi-Temp® Showering

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® TUB/SHOWER					
NEW! 	• showerhead functions: one-function • showerhead type: eco-performance rainshower • showerhead size: 8" diameter spray head • showerhead flow rate: 2.0 gpm (7.6 L/min) max. • spout length: 7" • spout connection type: slip fit • tub spout type: diverter • valve sold separately	**T2843EP** **T2843EPBN**	156.05 256.55	Chrome Brushed Nickel	4 4
	• showerhead functions: one-function • showerhead type: standard • showerhead size: 3-3/4" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • spout length: 7" • spout connection type: slip fit • tub spout type: diverter • valve sold separately	**T2743** ◆ **T2743BN**	116.05 216.55	Chrome Brushed Nickel	3 3
	• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 3-3/4" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • spout length: 7" • spout connection type: slip fit • tub spout type: diverter • valve sold separately	**T2743EP** **T2743EPBN**	116.05 216.55	Chrome Brushed Nickel	3 3
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included	**2510** ◆ **2520** ◆ **2580** ◆	115.35 115.35 115.35	1/2" IPS 1/2" CC 1/2" Crimp ring PEX	6 6 6
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included • quarter turn stops: included	**2570** ◆ **2590** ◆	140.05 140.05	1/2" CC 1/2" IPS	6 6

HOW TO ORDER A COMPLETE TUB/SHOWER FAUCET



Trim Part No. + Valve Part No. = Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

GLYDE™ Posi-Temp® Showering

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® SHOWER ONLY					
	• showerhead functions: one-function • showerhead type: eco-performance rainshower • showerhead size: 8" diameter spray head • showerhead flow rate: 2.0 gpm (7.6 L/min) max. • valve sold separately	**T2842EP** **T2842EPBN**	122.90 206.65	Chrome Brushed Nickel	3 4
	• showerhead functions: one-function • showerhead type: standard • showerhead size: 3-3/4" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • valve sold separately	**T2742** ◆ **T2742BN**	82.90 166.65	Chrome Brushed Nickel	3 3
	• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 3-3/4" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • valve sold separately	**T2742EP** **T2742EPBN**	82.90 166.65	Chrome Brushed Nickel	3 3
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included	**2510** ◆ **2520** ◆ **2580** ◆	115.35 115.35 115.35	1/2" IPS 1/2" CC 1/2" Crimp ring PEX	6 6 6
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included • quarter turn stops: included	**2570** ◆ **2590** ◆	140.05 140.05	1/2" CC 1/2" IPS	6 6

GLYDE™

HOW TO ORDER A COMPLETE SHOWER FAUCET



Trim Part No. | Valve Part No. | Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

GLYDE™ Posi-Temp® Showering

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® VALVE ONLY					
	• valve sold separately	**T2741**	65.70	Chrome	3
		T2741BN	136.80	Brushed Nickel	3
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included	**2510** ◆	115.35	1/2" IPS	6
		2520 ◆	115.35	1/2" CC	6
		2580 ◆	115.35	1/2" Crimp ring PEX	6
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included • quarter turn stops: included	**2570** ◆	140.05	1/2" CC	6
		2590 ◆	140.05	1/2" IPS	6

HOW TO ORDER A COMPLETE VALVE



Trim Part No. + Valve Part No. = Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

GLYDE™ Perfectly Matched Bath Accessories

See page 82 for details.

Moen® bath accessories CANNOT be combined with Moen® faucet parts on a Purchase Order.

Moen makes it easy to coordinate the entire style and look of the bathroom. Our Glyde™ bath accessories perfectly match the style and finish of our Glyde™ faucets. Total coordination of the bath has never been easier.

For more information on ordering Glyde™ bath accessories or other matching Moen® bath accessories, contact Moen Bath Accessory Customer Service at **800-882-0116**, contact your local Moen sales representative, or visit us at **www.moen.com**.

MODEL NUMBER	LIST PRICE EACH	DESCRIPTION	QTY
Chrome (CH)			
YB2303CH	13.65	Double Robe Hook	24
YB2308CH	24.40	Paper Holder	6
YB2318CH	30.05	18" Towel Bar	6
YB2324CH	31.65	24" Towel Bar	6
YB2386CH	18.65	Towel Ring	6
Brushed Nickel (BN)			
YB2303BN	20.85	Double Robe Hook	24
YB2308BN	37.55	Paper Holder	6
YB2318BN	46.10	18" Towel Bar	6
YB2324BN	48.45	24" Towel Bar	6
YB2386BN	28.45	Towel Ring	6



YB2303
Double Robe Hook



YB2308
Paper Holder



YB2386
Towel Ring



YB2318
18" Towel Bar



YB2324
24" Towel Bar



YB8081
Pro-Fit® Installation Mounting Template (See page 82 for more information about the Pro-Fit® Installation System.)

NEW! VICHY™ Bathroom Faucets, Posi-Temp® Showering

	MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
ONE-HANDLE BATHROOM FAUCET				
NEW! Ships Q1  • application: one hole • center dimensions: 4" center • supply line length: flexible • connection size: 3/8" • connection type: compression • deck plate: sold separately • drain assembly: metal • drain assembly type: lift rod • red/blue markings: included WaterSense Meets EPA Criteria Certified by IAPMO R&T DURALAST®	**6710**	203.70	Chrome	3
		DECKPLATE SOLD SEPARATELY		
	172666	15.55	Chrome	20
POSI-TEMP® TUB/SHOWER				
NEW! Ships Q1  • showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 3.75" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • spout length: 6" • spout connection type: slip fit • tub spout type: diverter • red/blue markings: included • valve sold separately WaterSense Meets EPA Criteria Certified by IAPMO R&T	**T2663EP**	84.65	Chrome	3
NEW! Ships Q1  • showerhead type: showerhead sold separately • spout length: 6" • spout connection type: slip fit • tub spout type: diverter • red/blue markings: included • valve sold separately	**T2663NH**	72.50	Chrome	3
 • description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included	**2510** ◆	115.35	1/2" IPS	6
	2520 ◆	115.35	1/2" CC	6
	2580 ◆	115.35	1/2" Crimp ring PEX	6
 • description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included • quarter turn stops: included	**2570** ◆	140.05	1/2" CC	6
	2590 ◆	140.05	1/2" IPS	6

HOW TO ORDER A COMPLETE TUB/SHOWER FAUCET



Trim Part No. + Valve Part No. = Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

Refer to lavatory waste assemblies on page 367.

NEW! **VICHY™** Posi-Temp® Showering

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® SHOWER ONLY					
NEW! Ships Q1  	• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 3.75" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • red/blue markings: included • valve sold separately	**T2662EP**	56.20	Chrome	3
NEW! Ships Q1  	• showerhead type: showerhead sold separately • red/blue markings: included • valve sold separately	**T2662NH**	53.45	Chrome	3
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included	**2510** ◆ **2520** ◆ **2580** ◆	115.35 115.35 115.35	1/2" IPS 1/2" CC 1/2" Crimp ring PEX	6 6 6
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included • quarter turn stops: included	**2570** ◆ **2590** ◆	140.05 140.05	1/2" CC 1/2" IPS	6 6
POSI-TEMP® VALVE ONLY					
NEW! Ships Q1 	• red/blue markings: included • valve sold separately	**T2661**	51.70	Chrome	3
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included	**2510** ◆ **2520** ◆ **2580** ◆	115.35 115.35 115.35	1/2" IPS 1/2" CC 1/2" Crimp ring PEX	6 6 6
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included • quarter turn stops: included	**2570** ◆ **2590** ◆	140.05 140.05	1/2" CC 1/2" IPS	6 6

HOW TO ORDER A COMPLETE SHOWER FAUCET



Trim Part No. | Valve Part No. | Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System


BRANTFORD® Bathroom Faucets

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
ONE-HANDLE BATHROOM FAUCET					
	• application: one or three hole • supply line length: flexible • connection size: 3/8" • connection type: compression • deckplate: included • drain assembly: metal • drain assembly type: lift rod WaterSense Meets EPA Criteria Certified by IAPMO R&T · DURALAST®	**6600 ◆**	223.05	Chrome	3
		6600BN	291.85	Brushed Nickel	3
		6600ORB	321.05	Oil Rubbed Bronze	3
	• description: vessel extension kit • includes: parts to convert to grid drain • includes: two 2.5" extensions	**A1717**	130.40	Chrome	6
		A1717BN	186.85	Brushed Nickel	6
		A1717ORB	203.00	Oil Rubbed Bronze	6
TWO-HANDLE CENTERSET BATHROOM FAUCET					
	• application: three hole • center dimensions: 4" center • connection size: 1/2" • connection type: IPS • drain assembly: metal • drain assembly type: lift rod WaterSense Meets EPA Criteria Certified by IAPMO R&T · DURALAST®	**6610◆**	160.60	Chrome	6
		6610BN	218.15	Brushed Nickel	6
		6610ORB	240.00	Oil Rubbed Bronze	6
TWO-HANDLE WIDESPREAD BATHROOM FAUCET					
	• application: three hole • center dimensions: 8" - 16" center • drain assembly: metal • drain assembly type: lift rod • valve sold separately WaterSense Meets EPA Criteria Certified by IAPMO R&T · Moen® M•PACT®	**T6620**	158.65	Chrome	3
		T6620BN	237.85	Brushed Nickel	3
		T6620ORB	261.55	Oil Rubbed Bronze	3
	• application: three hole • center dimensions: 8" - 16" center • drain assembly: metal • drain assembly type: lift rod Moen® M•PACT® · DURALOCK® DURALAST®	**9000 ◆**	119.05	1/2" IPS	6

BRANTFORD®

HOW TO ORDER A COMPLETE BATHROOM FAUCET



Trim Part No. + Valve Part No. = Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

DURALOCK® Duralock® Quick Connections



DURALAST® Duralast® Cartridge

Refer to lavatory waste assemblies on page 367.

Refer to specification sheet for critical dimensions for installation.


BRANTFORD® Roman Tubs

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TWO-HANDLE ROMAN TUB					
	• for garden tub application • application: three hole • spout reach: 6.50" • valve sold separately	**T4943**	195.40	Chrome	3
		T4943BN	255.05	Brushed Nickel	3
		T49430RB	280.50	Oil Rubbed Bronze	3
	• application: three hole • spout reach: 8.13" • valve sold separately	**T933**	258.95	Chrome	3
		T933BN	387.45	Brushed Nickel	3
		T9330RB	426.25	Oil Rubbed Bronze	3
	• application: three hole • deck thickness: 1/8" to 3-3/8" rough-in deck • center dimensions: adjustable • adjustable spout shank: included • test plug: included	**4792**	138.45	1/2" CC	6
	• application: three hole • deck thickness: 1/8" to 2-3/4" rough-in deck • center dimensions: 10" - 24" center • adjustable spout shank: included • test plug: included	**4793**	156.75	1/2" CPVC, Crimp ring PEX	6
		4794	149.45	1/2" Crimp ring PEX, Cold Expansion PEX	6
	• application: three hole • deck thickness: 1/8" to 1-7/8" rough-in deck • center dimensions: 10" center • non-adjustable spout shank: included • test plug: included	**4796**	130.40	1/2" CC	6
		4797	132.95	1/2" CPVC, Crimp ring PEX	6
		4798	132.95	1/2" Crimp ring PEX, Cold Expansion PEX	6
	• description: high flow thermostatic mixing valve for roman tubs • ports: three • ASSE standard 1070: yes • flow rate: 12.0 gpm (45.4 L/min) max.	**104465**	173.00	1/2" CC	12
		104466	173.00	1/2" IPS	12
	• description: PEX transition fittings (2) and clips • connections: adapts standard 1/2" PEX barb to 1/2" PEX cold expansion	**140715** ◆	10.35	1/2" PEX	200

BRANTFORD®

HOW TO ORDER A COMPLETE ROMAN TUB FAUCET



Trim Part No. + Valve Part No. = Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

Thermostatic Mixing Valve service kits, see page 462.


BRANTFORD® Roman Tubs

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TWO-HANDLE ROMAN TUB WITH HANDSHOWER					
	• application: four hole • showerhead type: handshower • handshower flow rate: 2.0 gpm (7.6 L/min) max. • spray functions: one-function • spout reach: 8.13" • valve sold separately	**T924**	406.60	Chrome	3
		T924BN	515.10	Brushed Nickel	3
		T924ORB	566.60	Oil Rubbed Bronze	3
	• application: four hole • deck thickness: 1/8" to 2-5/8" rough-in deck • center dimensions: adjustable • non-adjustable spout shank: included • test plug: included	**9792**	311.90	1/2" CC	6
	• application: four hole • deck thickness: 1/8" to 2-5/8" rough-in deck • center dimensions: 10" - 24" center • non-adjustable spout shank: included • test plug: included	**9793**	319.20	1/2" CPVC, Crimp ring PEX	6
	• description: high flow thermostatic mixing valve for roman tubs • ports: three • ASSE standard 1070: yes • flow rate: 12.0 gpm (45.4 L/min) max.	**104465**	173.00	1/2" CC	12
		104466	173.00	1/2" IPS	12
	• description: PEX transition fittings (2) and clips • connections: adapts standard 1/2" PEX barb to 1/2" PEX cold expansion	**140715** ◆	10.35	1/2" PEX	200

BRANTFORD®

HOW TO ORDER A COMPLETE ROMAN TUB FAUCET



Trim Part No. + Valve Part No. = Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

Thermostatic Mixing Valve service kits, see page 462.

BRANTFORD® Posi-Temp® Showering

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® TUB/SHOWER					
NEW! 	• showerhead functions: one-function • showerhead type: eco-performance rainshower • showerhead size: 8" diameter spray head • showerhead flow rate: 2.0 gpm (7.6 L/min) max. • spout length: 6 1/2" • spout connection type: slip fit • tub spout type: diverter • valve sold separately	**T2253EP** **T2253EPBN** **T2253EP0RB**	138.65 232.35 251.60	Chrome Brushed Nickel Oil Rubbed Bronze	3 4 4
	• showerhead functions: one-function • showerhead type: standard • showerhead size: 3-3/8" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • spout length: 6 1/2" • spout connection type: slip fit • tub spout type: diverter • valve sold separately	**T2153 ◆** **T2153BN** **T2153ORB**	100.80 196.55 216.20	Chrome Brushed Nickel Oil Rubbed Bronze	3 3 3
NEW! 	• showerhead functions: one-function • showerhead type: standard • showerhead size: 3-3/8" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • spout length: 6 1/2" • spout connection type: slip fit • tub spout type: diverter • valve sold separately	**T2157EP** **T2157EPBN** **T2157EP0RB**	123.65 227.35 251.60	Chrome Brushed Nickel Oil Rubbed Bronze	3 3 3
	• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 3-3/8" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • spout length: 6 1/2" • spout connection type: slip fit • tub spout type: diverter • valve sold separately	**T62153EP ◆** **T2153EPBN** **T2153EP0RB**	86.50 196.55 216.20	Chrome Brushed Nickel Oil Rubbed Bronze	12 3 3
	• showerhead type: showerhead sold separately • spout length: 6 1/2" • spout connection type: slip fit • tub spout type: diverter • chrome sold in case qty only: no single pack • valve sold separately	**T62153NH ◆** **T2153NHBN** **T2153NH0RB**	74.10 150.55 161.10	Chrome Brushed Nickel Oil Rubbed Bronze	12 3 3
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included	**2510 ◆** **2520 ◆** **2580 ◆**	115.35 115.35 115.35	1/2" IPS 1/2" CC 1/2" Crimp ring PEX	6 6 6
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included • quarter turn stops: included	**2570 ◆** **2590 ◆**	140.05 140.05	1/2" CC 1/2" IPS	6 6

BRANTFORD®

HOW TO ORDER A COMPLETE TUB/SHOWER FAUCET



Trim Part No. + Valve Part No. = Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

BRANTFORD® Posi-Temp® Showering

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

	MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® SHOWER ONLY				
 NEW! • showerhead functions: one-function • showerhead type: eco-performance rainshower • showerhead size: 8" diameter spray head • showerhead flow rate: 2.0 gpm (7.6 L/min) max. • valve sold separately	**T2252EP**	107.75	Chrome	3
	T2252EPBN	185.85	Brushed Nickel	4
	T2252EP0RB	200.35	Oil Rubbed Bronze	4
 • showerhead functions: one-function • showerhead type: standard • showerhead size: 3-3/8" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • valve sold separately	**T2152**	69.20	Chrome	3
	T2152BN	149.00	Brushed Nickel	3
	T2152ORB	163.85	Oil Rubbed Bronze	3
 • showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 3-3/8" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • chrome sold in case qty only: no single pack • valve sold separately	**T62152EP ◆**	57.40	Chrome	12
	T2152EPBN	149.00	Brushed Nickel	3
	T2152EP0RB	163.85	Oil Rubbed Bronze	3
 • showerhead type: showerhead sold separately • chrome sold in case qty only: no single pack • valve sold separately	**T62152NH ◆**	54.60	Chrome	12
	T2152NHBN	127.75	Brushed Nickel	3
	T2152NH0RB	140.50	Oil Rubbed Bronze	3
 • description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included	**2510 ◆**	115.35	1/2" IPS	6
	2520 ◆	115.35	1/2" CC	6
	2580 ◆	115.35	1/2" Crimp ring PEX	6
 • description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included • quarter turn stops: included	**2570 ◆**	140.05	1/2" CC	6
	2590 ◆	140.05	1/2" IPS	6

BRANTFORD®

HOW TO ORDER A COMPLETE SHOWER FAUCET



Trim Part No. + Valve Part No. = Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.


Moen® **M•PACT®** Common Valve System

BRANTFORD® Posi-Temp® Showering, Bidets

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® VALVE ONLY					
	• valve sold separately	**T2151**	52.80	Chrome	3
		T2151BN	120.55	Brushed Nickel	3
		T21510RB	132.60	Oil Rubbed Bronze	3
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included	**2510** ◆	115.35	1/2" IPS	6
		2520 ◆	115.35	1/2" CC	6
		2580 ◆	115.35	1/2" Crimp ring PEX	6
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included • quarter turn stops: included	**2570** ◆	140.05	1/2" CC	6
		2590 ◆	140.05	1/2" IPS	6
TWO-HANDLE BIDET					
	• center dimensions: 8" - 16" center • valve sold separately	**T5225**	353.50	Chrome	3
		T5225BN	426.90	Brushed Nickel	3
		T52250RB	469.55	Oil Rubbed Bronze	3
	• application: three hole • center dimensions: 8" - 16" center DURALOCK® DURALAST®	**9265**	245.15	1/2" IPS	6

HOW TO ORDER A COMPLETE BIDET FAUCET



Trim Part No. + Valve Part No. = Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.
Moen® **M•PACT®** Common Valve System
DURALOCK® Duralock® Quick Connections
DURALAST® Duralast® Cartridge

BRANTFORD® Perfectly Matched Bath Accessories

PRO+FIT® INSTALLATION SYSTEM

See page 82 for details.

Moen® bath accessories CANNOT be combined with Moen® faucet parts on a Purchase Order.

Moen makes it easy to coordinate the entire style and look of the bathroom. Our Brantford® bath accessories perfectly match the style and finish of our Brantford® faucets. Total coordination of the bath has never been easier.

For more information on ordering Brantford® bath accessories or other matching Moen® bath accessories, contact Moen Bath Accessory Customer Service at **800-882-0116**, contact your local Moen sales representative, or visit us at **www.moen.com**.

MODEL NUMBER	LIST PRICE EACH	DESCRIPTION	5/8-in. Round Bar QTY
Chrome (CH)			
YB2201CH	18.50	Tank Lever	6
YB2203CH	13.15	Double Robe Hook	24
YB2208CH	23.50	Paper Holder	6
YB2218CH	28.85	18" Towel Bar	6
YB2224CH	30.40	24" Towel Bar	6
YB2286CH	17.95	Towel Ring	6
Brushed Nickel (BN)			
YB2201BN	28.35	Tank Lever	6
YB2203BN	20.05	Double Robe Hook	24
YB2208BN	36.10	Paper Holder	6
YB2218BN	44.30	18" Towel Bar	6
YB2224BN	46.60	24" Towel Bar	6
YB2286BN	27.35	Hand Towel Bar	6
Oil Rubbed Bronze (ORB)			
YB2201ORB	31.15	Tank Lever	6
YB2203ORB	22.05	Double Robe Hook	24
YB2208ORB	39.65	Paper Holder	6
YB2218ORB	48.75	18" Towel Bar	6
YB2224ORB	51.25	24" Towel Bar	6
YB2286ORB	30.20	Towel Ring	6



YB2201
Tank Lever



YB2203
Double Robe Hook



YB2208
Paper Holder



YB2218
18" Towel Bar



YB2224
24" Towel Bar



YB2286
Towel Ring

GRAB BARS

PERFECTLY MATCHED to Moen® Brantford® faucets and bath accessories. ADA-compliant.



SecureMount™ Grab Bars are manufactured with an innovative flange design that makes it easy to connect to the stud at multiple points.

To install grab bars securely without studs, use SecureMount™ Anchors. Sold separately.

MODEL NUMBER	LIST PRICE EACH	DESCRIPTION	QTY
1-1/4" • Chrome (CH)			
YG2212CH	77.55	12" Designer Grab Bar	6
YG2218CH	82.00	18" Designer Grab Bar	6
YG2224CH	85.85	24" Designer Grab Bar	6
1-1/4" • Brushed Nickel (BN)			
YG2212BN	94.60	12" Designer Grab Bar	6
YG2218BN	99.35	18" Designer Grab Bar	6
YG2224BN	107.60	24" Designer Grab Bar	6
1-1/4" • Oil Rubbed Bronze (ORB)			
YG2212ORB	103.35	12" Designer Grab Bar	6
YG2218ORB	108.70	18" Designer Grab Bar	6
YG2224ORB	119.95	24" Designer Grab Bar	6



YG2224
24" length
Designer Grab Bar



PRO+FIT® INSTALLATION SYSTEM

YB8081
Pro-Fit® Installation Mounting Template (See page 82 for more information about the Pro-Fit® Installation System.)

Complies with Americans with Disabilities Act (ADA) specifications.
SecureMount™ Grab Bars are tested to withstand 500 lb. pull when securely installed per instructions.

List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

BRANTFORD® Perfectly Matched Bath Accessories



LIGHTING

MODEL NUMBER	LIST PRICE EACH	DESCRIPTION	QTY
Chrome (CH)			
YB2261CH	104.15	One Globe Bath Light	2
YB2262CH	145.75	Two Globe Bath Light	2
YB2263CH	181.00	Three Globe Bath Light	2
YB2264CH	231.85	Four Globe Bath Light	2
Brushed Nickel (BN)			
YB2261BN	130.15	One Globe Bath Light	2
YB2262BN	182.25	Two Globe Bath Light	2
YB2263BN	226.30	Three Globe Bath Light	2
YB2264BN	289.75	Four Globe Bath Light	2
Oil Rubbed Bronze (ORB)			
YB2261ORB	130.15	One Globe Bath Light	2
YB2262ORB	182.25	Two Globe Bath Light	2
YB2263ORB	226.30	Three Globe Bath Light	2
YB2264ORB	289.75	Four Globe Bath Light	2
Replacement Globe			
YB2269	19.45	Replacement Globe	3



YB2261
One Globe Light



YB2262
Two Globe Light



YB2263
Three Globe Light



YB2264
Four Globe Light



YB2269
Replacement Globe

c UL us LISTED

Bulbs not included.

All Brantford® lighting fixtures can be mounted with globes either facing upward or downward.
List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

EVA® Bathroom Faucets

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

ONE-HANDLE BATHROOM FAUCET



- application: one or three hole
- supply line length: flexible
- connection size: 3/8"
- connection type: compression
- deckplate: included
- drain assembly: metal
- drain assembly type: lift rod

WaterSense Meets EPA Criteria Certified by IAPMO R&T · DURALAST®

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
6400	223.05	Chrome	3
6400BN	291.85	Brushed Nickel	3
6400ORB	321.05	Oil Rubbed Bronze	3



- description: vessel extension kit
- includes: parts to convert to grid drain
- includes: two 2.5" extensions

A1717	130.40	Chrome	6
A1717BN	186.85	Brushed Nickel	6
A1717ORB	203.00	Oil Rubbed Bronze	6

TWO-HANDLE CENTERSET BATHROOM FAUCET



- application: three hole
- center dimensions: 4" center
- connection size: 1/2"
- connection type: IPS
- drain assembly: metal
- drain assembly type: lift rod

WaterSense Meets EPA Criteria Certified by IAPMO R&T · DURALAST®

6410 ◆	160.60	Chrome	6
6410BN	218.15	Brushed Nickel	6
6410ORB	240.00	Oil Rubbed Bronze	6

TWO-HANDLE WIDESPREAD BATHROOM FAUCET



- application: three hole
- center dimensions: 8" - 16" center
- drain assembly: metal
- drain assembly type: lift rod
- valve sold separately

WaterSense Meets EPA Criteria Certified by IAPMO R&T · Moen® M•PACT® Common Valve System

T6420	158.65	Chrome	3
T6420BN	237.85	Brushed Nickel	3
T6420ORB	261.55	Oil Rubbed Bronze	3




- application: three hole
- center dimensions: 8" - 16" center
- drain assembly: metal
- drain assembly type: lift rod

DURALOCK® Duralock® Quick Connections · DURALAST® Duralast® Cartridge

9000 ◆	119.05	1/2" IPS	6

HOW TO ORDER A COMPLETE BATHROOM FAUCET



Trim Part No. + Valve Part No. = Complete Faucet



NOTES

◆ Also available in bulk pack. See page 399.
Moen® **M•PACT®** Common Valve System
DURALOCK® Duralock® Quick Connections
DURALAST® Duralast® Cartridge

Refer to lavatory waste assemblies on page 367.
Refer to specification sheet for critical dimensions for installation.


EVA® Roman Tubs

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TWO-HANDLE ROMAN TUB					
	• application: three hole • spout reach: 7.67" • valve sold separately	**T943**	258.95	Chrome	3
		T943BN	387.45	Brushed Nickel	3
		T9430RB	426.25	Oil Rubbed Bronze	3
	• application: three hole • deck thickness: 1/8" to 3-3/8" rough-in deck • center dimensions: adjustable • adjustable spout shank: included • test plug: included	**4792**	138.45	1/2" CC	6
	• application: three hole • deck thickness: 1/8" to 2-3/4" rough-in deck • center dimensions: 10" - 24" center • adjustable spout shank: included • test plug: included	**4793**	156.75	1/2" CPVC, Crimp ring PEX	6
		4794	149.45	1/2" Crimp ring PEX, Cold Expansion PEX	6
	• application: three hole • deck thickness: 1/8" to 1-7/8" rough-in deck • center dimensions: 10" center • non-adjustable spout shank: included • test plug: included	**4796**	130.40	1/2" CC	6
		4797	132.95	1/2" CPVC, Crimp ring PEX	6
		4798	132.95	1/2" Crimp ring PEX, Cold Expansion PEX	6
	• description: high flow thermostatic mixing valve for roman tubs • ports: three • ASSE standard 1070: yes • flow rate: 12.0 gpm (45.4 L/min) max.	**104465**	173.00	1/2" CC	12
		104466	173.00	1/2" IPS	12
	• description: PEX transition fittings (2) and clips • connections: adapts standard 1/2" PEX barb to 1/2" PEX cold expansion	**140715** ◆	10.35	1/2" PEX	200

EVA®

HOW TO ORDER A COMPLETE ROMAN TUB FAUCET



Trim Part No. + Valve Part No. = Complete Faucet

NOTES


◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

Thermostatic Mixing Valve service kits, see page 462.


EVA® Roman Tubs

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TWO-HANDLE ROMAN TUB WITH HANDSHOWER					
	• application: four hole • showerhead type: handshower • handshower flow rate: 2.0 gpm (7.6 L/min) max. • spray functions: one-function • spout reach: 7.67" • valve sold separately	**T944** **T944BN** **T9440RB**	406.60 515.10 566.60	Chrome Brushed Nickel Oil Rubbed Bronze	3 3 3
	• application: four hole • deck thickness: 1/8" to 2-5/8" rough-in deck • center dimensions: adjustable • non-adjustable spout shank: included • test plug: included	**9792**	311.90	1/2" CC	6
	• application: four hole • deck thickness: 1/8" to 2-5/8" rough-in deck • center dimensions: 10" - 24" center • non-adjustable spout shank: included • test plug: included	**9793**	319.20	1/2" CPVC, Crimp ring PEX	6
	• description: high flow thermostatic mixing valve for roman tubs • ports: three • ASSE standard 1070: yes • flow rate: 12.0 gpm (45.4 L/min) max.	**104465** **104466**	173.00 173.00	1/2" CC 1/2" IPS	12 12
	• description: PEX transition fittings (2) and clips • connections: adapts standard 1/2" PEX barb to 1/2" PEX cold expansion	**140715** ◆	10.35	1/2" PEX	200

EVA®

HOW TO ORDER A COMPLETE ROMAN TUB FAUCET



Trim Part No. + Valve Part No. = Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

Thermostatic Mixing Valve service kits, see page 462.

EVA® Posi-Temp® Showering

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® TUB/SHOWER					
NEW! 	• showerhead functions: one-function • showerhead type: eco-performance rainshower • showerhead size: 8" diameter spray head • showerhead flow rate: 2.0 gpm (7.6 L/min) max. • spout length: 7" • spout connection type: slip fit • tub spout type: diverter • valve sold separately	**T2233EP**	138.65	Chrome	4
		T2233EPBN	232.35	Brushed Nickel	4
		T2233EP0RB	251.60	Oil Rubbed Bronze	4
		WaterSense Meets EPA Criteria Certified by IAPMO R&T; Moen® **M•PACT®** Common Valve System			
	• showerhead functions: one-function • showerhead type: standard • showerhead size: 3-3/8" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • spout length: 7" • spout connection type: slip fit • tub spout type: diverter • valve sold separately	**T2133**	100.80	Chrome	3
		T2133BN	196.55	Brushed Nickel	3
		T2133ORB	216.20	Oil Rubbed Bronze	3
		Moen® **M•PACT®** Common Valve System			
NEW! 	• showerhead functions: one-function • showerhead type: standard • showerhead size: 3-3/8" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • spout length: 7" • spout connection type: slip fit • tub spout type: diverter • valve sold separately	**T2137EP**	123.65	Chrome	3
		T2137EPBN	227.35	Brushed Nickel	3
		T2137EP0RB	251.60	Oil Rubbed Bronze	3
		WaterSense Meets EPA Criteria Certified by IAPMO R&T; Moen® **M•PACT®** Common Valve System			
	• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 3-3/8" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • spout length: 7" • spout connection type: slip fit • tub spout type: diverter • chrome sold in case qty only: no single pack • valve sold separately	**T62133EP** ◆	86.50	Chrome	12
		T2133EPBN	196.55	Brushed Nickel	3
		T2133EP0RB	216.20	Oil Rubbed Bronze	3
		WaterSense Meets EPA Criteria Certified by IAPMO R&T; Moen® **M•PACT®** Common Valve System			
	• showerhead type: showerhead sold separately • spout length: 7" • spout connection type: slip fit • tub spout type: diverter • chrome sold in case qty only: no single pack • valve sold separately	**T62133NH** ◆	74.10	Chrome	12
		T2133NHBN	150.55	Brushed Nickel	3
		T2133NH0RB	161.10	Oil Rubbed Bronze	3
		Moen® **M•PACT®** Common Valve System			
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included	**2510** ◆	115.35	1/2" IPS	6
		2520 ◆	115.35	1/2" CC	6
		2580 ◆	115.35	1/2" Crimp ring PEX	6
		Moen® **M•PACT®** Common Valve System			
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included • quarter turn stops: included	**2570** ◆	140.05	1/2" CC	6
		2590 ◆	140.05	1/2" IPS	6
		Moen® **M•PACT®** Common Valve System			

HOW TO ORDER A COMPLETE TUB/SHOWER FAUCET



Trim Part No. | Valve Part No. | Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

EVA® Posi-Temp® Showering

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® SHOWER ONLY					
	• showerhead functions: one-function • showerhead type: eco-performance rainshower • showerhead size: 8" diameter spray head • showerhead flow rate: 2.0 gpm (7.6 L/min) max. • valve sold separately	**T2232EP**	107.75	Chrome	4
		T2232EPBN	185.85	Brushed Nickel	4
		T2232EP0RB	200.35	Oil Rubbed Bronze	4
	• showerhead functions: one-function • showerhead type: standard • showerhead size: 3-3/8" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • valve sold separately	**T2132◆**	69.20	Chrome	3
		T2132BN	149.00	Brushed Nickel	3
		T2132ORB	163.85	Oil Rubbed Bronze	3
	• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 3-3/8" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • chrome sold in case qty only: no single pack • valve sold separately	**T62132EP ◆**	57.40	Chrome	12
		T2132EPBN	149.00	Brushed Nickel	3
		T2132EP0RB	163.85	Oil Rubbed Bronze	3
	• showerhead type: showerhead sold separately • chrome sold in case qty only: no single pack • valve sold separately	**T62132NH ◆**	54.60	Chrome	12
		T2132NHBN	127.75	Brushed Nickel	3
		T2132NH0RB	140.50	Oil Rubbed Bronze	3
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included	**2510 ◆**	115.35	1/2" IPS	6
		2520 ◆	115.35	1/2" CC	6
		2580 ◆	115.35	1/2" Crimp ring PEX	6
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included • quarter turn stops: included	**2570 ◆**	140.05	1/2" CC	6
		2590 ◆	140.05	1/2" IPS	6

EVA®

HOW TO ORDER A COMPLETE SHOWER FAUCET



Trim Part No. + Valve Part No. = Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.


Moen® **M•PACT®** Common Valve System

EVA® Bidets

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® VALVE ONLY					
	• valve sold separately	**T2131**	52.80	Chrome	3
		T2131BN	120.55	Brushed Nickel	3
		T2131ORB	132.60	Oil Rubbed Bronze	3
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included	**2510** ◆	115.35	1/2" IPS	6
		2520 ◆	115.35	1/2" CC	6
		2580 ◆	115.35	1/2" Crimp ring PEX	6
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included • quarter turn stops: included	**2570** ◆	140.05	1/2" CC	6
		2590 ◆	140.05	1/2" IPS	6
TWO-HANDLE BIDET					
	• center dimensions: 8" - 16" center • valve sold separately	**T5220**	353.50	Chrome	3
		T5220BN	426.90	Brushed Nickel	3
		T5220ORB	469.55	Oil Rubbed Bronze	3
	• application: three hole • center dimensions: 8" - 16" center DURALOCK® DURALAST®	**9265**	245.15	1/2" IPS	6

HOW TO ORDER A COMPLETE BIDET FAUCET



Trim Part No. | Valve Part No. | Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.
Moen® **M•PACT®** Common Valve System
DURALOCK® Duralock® Quick Connections
DURALAST® Duralast® Cartridge

EVA® Perfectly Matched Bath Accessories

See page 82 for details.

Moen® bath accessories CANNOT be combined with Moen® faucet parts on a Purchase Order

Moen makes it easy to coordinate the entire style and look of the bathroom. Our Eva® bath accessories perfectly match the style and finish of our Eva® faucets. Total coordination of the bath has never been easier.

For more information on ordering Eva® bath accessories or other matching Moen® bath accessories, contact Moen Bath Accessory Customer Service at **800-882-0116**, contact your local Moen sales representative, or visit us at **www.moen.com**.

MODEL NUMBER	LIST PRICE EACH	3/4-in. Elliptical Bar DESCRIPTION	QTY
Chrome (CH)			
YB2801CH	18.50	Tank Lever	6
YB2803CH	13.15	Single Robe Hook	24
YB2808CH	23.50	Paper Holder	6
YB2818CH	28.85	18" Towel Bar	6
YB2824CH	30.40	24" Towel Bar	6
YB2886CH	17.95	Towel Ring	6
YB2894CH	147.10	Towel Shelf	2
Brushed Nickel (BN)			
YB2801BN	28.35	Tank Lever	6
YB2803BN	20.05	Single Robe Hook	24
YB2808BN	36.10	Paper Holder	6
YB2818BN	44.30	18" Towel Bar	6
YB2824BN	46.60	24" Towel Bar	6
YB2886BN	27.35	Towel Ring	6
YB2894BN	161.35	Towel Shelf	2
Oil Rubbed Bronze (ORB)			
YB2801ORB	31.15	Tank Lever	6
YB2803ORB	22.05	Single Robe Hook	24
YB2808ORB	39.65	Paper Holder	6
YB2818ORB	48.75	18" Towel Bar	6
YB2824ORB	51.25	24" Towel Bar	6
YB2886ORB	30.20	Towel Ring	6
YB2894ORB	177.50	Towel Shelf	2


YB2801
Tank Lever


YB2803
Single Robe Hook


YB2808
Paper Holder


YB2824
24" Towel Bar


YB2886
Towel Ring


YB2818
18" Towel Bar

GRAB BARS

PERFECTLY MATCHED to Moen® Eva® faucets and bath accessories. ADA-compliant.

SecureMount™ Grab Bars are manufactured with an innovative flange design that makes it easy to connect to the stud at multiple points.

To install grab bars securely without studs, use SecureMount™ Anchors. Sold separately.

MODEL NUMBER	LIST PRICE EACH	DESCRIPTION	QTY
1-1/4" • Chrome (CH)			
YG2812CH	77.55	12" Designer Grab Bar	6
YG2818CH	82.00	18" Designer Grab Bar	6
YG2824CH	85.85	24" Designer Grab Bar	6
1-1/4" • Brushed Nickel (BN)			
YG2812BN	94.60	12" Designer Grab Bar	6
YG2818BN	99.35	18" Designer Grab Bar	6
YG2824BN	107.60	24" Designer Grab Bar	6
1-1/4" • Oil Rubbed Bronze (ORB)			
YG2812ORB	103.35	12" Designer Grab Bar	6
YG2818ORB	108.70	18" Designer Grab Bar	6
YG2824ORB	119.95	24" Designer Grab Bar	6


YB2894
Towel Shelf
(Does not work with Pro-Fit® Installation)


YG2824
24" length
Designer Grab Bar


YB8081
Pro-Fit® Installation Mounting Template (See page 82 for more information about the Pro-Fit® Installation System.)

Complies with Americans with Disabilities Act (ADA) specifications.
SecureMount™ Grab Bars are tested to withstand 500 lb. pull when securely installed per instructions.

List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.



LIGHTING

MODEL NUMBER	LIST PRICE EACH	DESCRIPTION	QTY
Chrome (CH)			
YB2861CH	104.15	One Globe Bath Light	2
YB2862CH	145.75	Two Globe Bath Light	2
YB2863CH	181.00	Three Globe Bath Light	2
YB2864CH	231.85	Four Globe Bath Light	2
Brushed Nickel (BN)			
YB2861BN	130.15	One Globe Bath Light	2
YB2862BN	182.25	Two Globe Bath Light	2
YB2863BN	226.30	Three Globe Bath Light	2
YB2864BN	289.75	Four Globe Bath Light	2
Oil Rubbed Bronze (ORB)			
YB2861ORB	130.15	One Globe Bath Light	2
YB2862ORB	182.25	Two Globe Bath Light	2
YB2863ORB	226.30	Three Globe Bath Light	2
YB2864ORB	289.75	Four Globe Bath Light	2
Replacement Globe			
YB2869	19.45	Replacement Globe	3



YB2861
One Globe Light



YB2862
Two Globe Light



YB2863
Three Globe Light



YB2864
Four Globe Light



YB2869
Replacement Globe

c UL us LISTED

Bulbs not included.


All Eva™ lighting fixtures can be mounted with globes either facing upward or downward.
List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

METHOD™ Bathroom Faucets

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
ONE-HANDLE BATHROOM FAUCET					
	• application: one or three hole • supply line length: flexible • connection size: 3/8" • connection type: compression • deckplate: included • drain assembly: metal • drain assembly type: lift rod WaterSense Meets EPA Criteria Certified by IAPMO R&T · DURALAST®	**6810 ◆**	223.05	Chrome	3
		6810BN	291.85	Brushed Nickel	3
	• description: vessel extension kit • includes: parts to convert to grid drain	**A2020**	129.20	Chrome	6
		A2020BN	185.05	Brushed Nickel	6
TWO-HANDLE WIDESPREAD BATHROOM FAUCET					
	• application: three hole • center dimensions: 8" - 16" center • drain assembly: metal • drain assembly type: lift rod • valve sold separately WaterSense Meets EPA Criteria Certified by IAPMO R&T	**T6820**	158.65	Chrome	3
		T6820BN	237.85	Brushed Nickel	3
	• application: three hole • center dimensions: 8" - 16" center • drain assembly: metal • drain assembly type: lift rod DURALOCK® DURALAST®	**9000 ◆**	119.05	1/2" IPS	6

HOW TO ORDER A COMPLETE BATHROOM FAUCET



Trim Part No. + Valve Part No. = Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

DURALOCK® Duralock® Quick Connections


DURALAST® Duralast® Cartridge

Refer to lavatory waste assemblies on page 367.


Refer to specification sheet for critical dimensions for installation.

METHOD™ Roman Tubs

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TWO-HANDLE ROMAN TUB					
	• application: three hole • spout reach: 7.50" • valve sold separately	**T986**	258.95	Chrome	3
		T986BN	387.45	Brushed Nickel	3
	• application: three hole • deck thickness: 1/8" to 3-3/8" rough-in deck • center dimensions: adjustable • adjustable spout shank: included • test plug: included	**4792**	138.45	1/2" CC	6
	• application: three hole • deck thickness: 1/8" to 2-3/4" rough-in deck • center dimensions: 10" - 24" center • adjustable spout shank: included • test plug: included	**4793**	156.75	1/2" CPVC, Crimp ring PEX	6
		4794	149.45	1/2" Crimp ring PEX, Cold Expansion PEX	6
	• application: three hole • deck thickness: 1/8" to 1-7/8" rough-in deck • center dimensions: 10" center • non-adjustable spout shank: included • test plug: included	**4796**	130.40	1/2" CC	6
		4797	132.95	1/2" CPVC, Crimp ring PEX	6
		4798	132.95	1/2" Crimp ring PEX, Cold Expansion PEX	6
	• description: high flow thermostatic mixing valve for roman tubs • ports: three • ASSE standard 1070: yes • flow rate: 12.0 gpm (45.4 L/min) max.	**104465**	173.00	1/2" CC	12
		104466	173.00	1/2" IPS	12
	• description: PEX transition fittings (2) and clips • connections: adapts standard 1/2" PEX barb to 1/2" PEX cold expansion	**140715** ◆	10.35	1/2" PEX	200

HOW TO ORDER A COMPLETE ROMAN TUB FAUCET



Trim Part No. + Valve Part No. = Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System


Thermostatic Mixing Valve service kits, see page 462.

METHOD™ Roman Tubs

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TWO-HANDLE ROMAN TUB WITH HANDSHOWER					
	• application: four hole • showerhead type: handshower • handshower flow rate: 2.0 gpm (7.6 L/min) max. • spray functions: one-function • spout reach: 7.50" • valve sold separately	**T987** **T987BN**	406.60 515.10	Chrome Brushed Nickel	3 3
	• application: four hole • deck thickness: 1/8" to 2-5/8" rough-in deck • center dimensions: adjustable • non-adjustable spout shank: included • test plug: included	**9792**	311.90	1/2" CC	6
	• application: four hole • deck thickness: 1/8" to 2-5/8" rough-in deck • center dimensions: 10" - 24" center • non-adjustable spout shank: included • test plug: included	**9793**	319.20	1/2" CPVC, Crimp ring PEX	6
	• description: high flow thermostatic mixing valve for roman tubs • ports: three • ASSE standard 1070: yes • flow rate: 12.0 gpm (45.4 L/min) max.	**104465** **104466**	173.00 173.00	1/2" CC 1/2" IPS	12 12
	• description: PEX transition fittings (2) and clips • connections: adapts standard 1/2" PEX barb to 1/2" PEX cold expansion	**140715** ◆	10.35	1/2" PEX	200

HOW TO ORDER A COMPLETE ROMAN TUB FAUCET



Trim Part No. + Valve Part No. = Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

Thermostatic Mixing Valve service kits, see page 462.

METHOD™ Posi-Temp® Showering

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® TUB/SHOWER					
	• showerhead functions: one-function • showerhead type: standard • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • spout length: 5 7/8" • spout connection type: slip fit • tub spout type: diverter • valve sold separately	**T2803** ◆ **T2803BN**	100.80 196.55	Chrome Brushed Nickel	3 3
	• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • spout length: 5 7/8" • spout connection type: slip fit • tub spout type: diverter • valve sold separately	**T62803EP** ◆ **T2803EPBN**	86.50 196.55	Chrome Brushed Nickel	12 3
	• showerhead type: showerhead sold separately • spout length: 5 7/8" • spout connection type: slip fit • tub spout type: diverter • valve sold separately	**T2803NH** ◆ **T2803NHBN**	73.75 150.55	Chrome Brushed Nickel	3 3
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included	**2510** ◆ **2520** ◆ **2580** ◆	115.35 115.35 115.35	1/2" IPS 1/2" CC 1/2" Crimp ring PEX	6 6 6
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included • quarter turn stops: included	**2570** ◆ **2590** ◆	140.05 140.05	1/2" CC 1/2" IPS	6 6

HOW TO ORDER A COMPLETE TUB/SHOWER FAUCET



Trim Part No. + Valve Part No. = Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

METHOD™ Posi-Temp® Showering

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® SHOWER ONLY					
	• showerhead functions: one-function • showerhead type: standard • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • valve sold separately	**T2802◆**	69.20	Chrome	3
		T2802BN	149.00	Brushed Nickel	3
	• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • valve sold separately	**T62802EP ◆**	57.40	Chrome	12
		T2802EPBN	149.00	Brushed Nickel	3
	• showerhead type: showerhead sold separately • valve sold separately	**T2802NH ◆**	59.05	Chrome	3
		T2802NHBN	127.75	Brushed Nickel	3
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included	**2510 ◆**	115.35	1/2" IPS	6
		2520 ◆	115.35	1/2" CC	6
		2580 ◆	115.35	1/2" Crimp ring PEX	6
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included • quarter turn stops: included	**2570 ◆**	140.05	1/2" CC	6
		2590 ◆	140.05	1/2" IPS	6

HOW TO ORDER A COMPLETE SHOWER FAUCET



Trim Part No. | Valve Part No. | Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

METHOD™ Posi-Temp® Showering

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® VALVE ONLY					
	• valve sold separately	**T2801** ◆	52.80	Chrome	3
		T2801BN	120.55	Brushed Nickel	3
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included	**2510** ◆	115.35	1/2" IPS	6
		2520 ◆	115.35	1/2" CC	6
		2580 ◆	115.35	1/2" Crimp ring PEX	6
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included • quarter turn stops: included	**2570** ◆	140.05	1/2" CC	6
		2590 ◆	140.05	1/2" IPS	6

METHOD™

HOW TO ORDER A COMPLETE VALVE



Trim Part No. + Valve Part No. = Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

METHOD™ Perfectly Matched Bath Accessories

See page 82 for details.

Moen® bath accessories CANNOT be combined with Moen® faucet parts on a Purchase Order.

Moen makes it easy to coordinate the entire style and look of the bathroom. Our Method™ bath accessories perfectly match the style and finish of our Method™ faucets. Total coordination of the bath has never been easier.

For more information on ordering Method™ bath accessories or other matching Moen® bath accessories, contact Moen Bath Accessory Customer Service at **800-882-0116**, contact your local Moen sales representative, or visit us at **www.moen.com**.

	MODEL NUMBER	LIST PRICE EACH	DESCRIPTION	D-Shaped Bar QTY
	Chrome (CH)			
	YB2401CH	18.50	Tank Lever	24
	YB2403CH	13.15	Double Robe Hook	24
P	**YB2408CH**	23.50	Pivoting Paper Holder	6
	YB2418CH	28.85	18" Towel Bar	6
	YB2422CH	53.55	18" Double Towel Bar	6
	YB2424CH	30.40	24" Towel Bar	6
	YB2486CH	17.95	9" Hand Towel Bar	6
	Brushed Nickel (BN)			
	YB2401BN	28.35	Tank Lever	24
	YB2403BN	20.05	Double Robe Hook	24
P	**YB2408BN**	36.10	Pivoting Paper Holder	6
	YB2418BN	44.30	18" Towel Bar	6
	YB2422BN	68.15	18" Double Towel Bar	6
	YB2424BN	46.60	24" Towel Bar	6
	YB2486BN	27.35	9" Hand Towel Bar	6



YB2401
Tank Lever



YB2403
Double Robe Hook



YB2408 P
Pivoting Paper Holder



YB2422
18" Double Towel Bar
(Does not work with Pro-Fit® Installation)



NEW! YB2423
24" Double Towel Bar
(Does not work with Pro-Fit® Installation)



YB2418
18" Towel Bar



YB2424
24" Towel Bar



YB2486
Hand Towel Bar



P Denotes pivoting paper holder

List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.


METHOD™

NEW! **GIBSON™** Bathroom Faucets

	MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
ONE-HANDLE BATHROOM FAUCET				
NEW!  • application: one to three hole • supply line length: flexible • connection size: 3/8" • connection type: compression • deckplate: included • drain assembly: metal • drain assembly type: lift rod • red/blue markings: included WaterSense Meets EPA Criteria Certified by IAPMO R&T DURALAST®	**6145**	168.30	Chrome	3
TWO-HANDLE CENTERSET BATHROOM FAUCET				
NEW!  • application: three hole • connection size: 1/2" • connection type: IPS • drain assembly: metal • drain assembly type: lift rod WaterSense Meets EPA Criteria Certified by IAPMO R&T	**6150**	141.65	Chrome	3
TWO-HANDLE WIDESPREAD BATHROOM FAUCET				
NEW!  • application: three hole • center dimensions: 8" - 16" center • drain assembly: metal • drain assembly type: lift rod • red/blue markings: included • valve sold separately WaterSense Meets EPA Criteria Certified by IAPMO R&T	**T6142**	155.25	Chrome	3
 • application: three hole • center dimensions: 8" - 16" center • drain assembly: metal • drain assembly type: lift rod DURALOCK® DURALAST®	**9000** ◆	119.05	1/2" IPS	6

GIBSON™

HOW TO ORDER A COMPLETE BATHROOM FAUCET





Trim Part No. + Valve Part No. = Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.
Moen® **M•PACT®** Common Valve System
DURALOCK® Duralock® Quick Connections
DURALAST® Duralast® Cartridge


Refer to lavatory waste assemblies on page 367.
Refer to specification sheet for critical dimensions for installation.

NEW! GIBSON™ Roman Tubs

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TWO-HANDLE ROMAN TUB					
	• application: three hole • spout reach: 7.63" • valve sold separately	**T961**	253.45	Chrome	3
	• application: three hole • deck thickness: 1/8" to 3-3/8" rough-in deck • center dimensions: adjustable • adjustable spout shank: included • test plug: included	**4792**	138.45	1/2" CC	6
	• application: three hole • deck thickness: 1/8" to 2-3/4" rough-in deck • center dimensions: 10" - 24" center • adjustable spout shank: included • test plug: included	**4793** **4794**	156.75 149.45	1/2" CPVC, Crimp ring PEX 1/2" Crimp ring PEX, Cold Expansion PEX	6 6
	• application: three hole • deck thickness: 1/8" to 1-7/8" rough-in deck • center dimensions: 10" center • non-adjustable spout shank: included • test plug: included	**4796** **4797** **4798**	130.40 132.95 132.95	1/2" CC 1/2" CPVC, Crimp ring PEX 1/2" Crimp ring PEX, Cold Expansion PEX	6 6 6
	• description: high flow thermostatic mixing valve for roman tubs • ports: three • ASSE standard 1070: yes • flow rate: 12.0 gpm (45.4 L/min) max.	**104465** **104466**	173.00 173.00	1/2" CC 1/2" IPS	12 12
	• description: PEX transition fittings (2) and clips • connections: adapts standard 1/2" PEX barb to 1/2" PEX cold expansion	**140715** ◆	10.35	1/2" PEX	200

GIBSON™

HOW TO ORDER A COMPLETE ROMAN TUB FAUCET



Trim Part No. | Valve Part No. | Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

Thermostatic Mixing Valve service kits, see page 462.

NEW! **GIBSON™** Posi-Temp® Showering

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® TUB/SHOWER					
NEW! 	• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 8" diameter spray head • showerhead flow rate: 2.0 gpm (7.6 L/min) max. • spout length: 6 1/2" • spout connection type: slip fit • tub spout type: diverter • red/blue markings: included • valve sold separately	**T3003EP**	124.65	Chrome	4
NEW! 	• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 3.6" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • spout length: 6 1/2" • spout connection type: slip fit • tub spout type: diverter • red/blue markings: included • valve sold separately	**T2903EP**	84.65	Chrome	3
NEW! 	• showerhead type: showerhead sold separately • spout length: 6 1/2" • spout connection type: slip fit • tub spout type: diverter • red/blue markings: included • valve sold separately	**T2903NH**	72.50	Chrome	3
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included	**2510** ◆ **2520** ◆ **2580** ◆	115.35 115.35 115.35	1/2" IPS 1/2" CC 1/2" Crimp ring PEX	6 6 6
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included • quarter turn stops: included	**2570** ◆ **2590** ◆	140.05 140.05	1/2" CC 1/2" IPS	6 6

GIBSON™

HOW TO ORDER A COMPLETE TUB/SHOWER FAUCET



Trim Part No. + Valve Part No. = Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

NEW! GIBSON™ Posi-Temp® Showering

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® SHOWER ONLY					
NEW! 	• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 8" diameter spray head • showerhead flow rate: 2.0 gpm (7.6 L/min) max. • red/blue markings: included • valve sold separately	**T3002EP**	96.20	Chrome	4
NEW! 	• showerhead functions: one-function • showerhead type: standard • showerhead size: 3.6" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • red/blue markings: included • valve sold separately	**T2902EP**	56.20	Chrome	3
NEW! 	• showerhead type: showerhead sold separately • red/blue markings: included • valve sold separately	**T2902NH**	53.45	Chrome	3
NEW! 	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included	**2510** ◆ **2520** ◆ **2580** ◆	115.35 115.35 115.35	1/2" IPS 1/2" CC 1/2" Crimp ring PEX	6 6 6
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included • quarter turn stops: included	**2570** ◆ **2590** ◆	140.05 140.05	1/2" CC 1/2" IPS	6 6

GIBSON™

HOW TO ORDER A COMPLETE VALVE FAUCET



Trim Part No. | Valve Part No. | Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® VALVE ONLY					
NEW! 	• red/blue markings: included • valve sold separately	**T2901**	51.70	Chrome	3
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included	**2510** ◆	115.35	1/2" IPS	6
		2520 ◆	115.35	1/2" CC	6
		2580 ◆	115.35	1/2" Crimp ring PEX	6
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included • quarter turn stops: included	**2570** ◆	140.05	1/2" CC	6
		2590 ◆	140.05	1/2" IPS	6

GIBSON™

HOW TO ORDER A COMPLETE VALVE



Trim Part No. | Valve Part No. | Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.
Moen® **M•PACT®** Common Valve System

NEW! GENTA™ Bathroom Faucets, Posi-Temp® Showering

	MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
ONE-HANDLE BATHROOM FAUCET				
NEW!  • application: one or three hole • supply line length: flexible • connection size: 3/8" • connection type: compression • deckplate: included • drain assembly: metal • drain assembly type: lift rod • red/blue markings: included WaterSense Meets EPA Criteria Certified by IAPMO R&T DURALAST®	**6702**	168.30	Chrome	3
POSI-TEMP® TUB/SHOWER				
NEW!  • showerhead functions: three-function • showerhead type: eco-performance showerhead • showerhead size: 3-3/4" diameter spray head • showerhead flow rate: 2.0 gpm (7.6 L/min) max. • red/blue markings: included • valve sold separately WaterSense Meets EPA Criteria Certified by IAPMO R&T	**T2473EP**	84.65	Chrome	3
NEW!  • showerhead type: showerhead sold separately • red/blue markings: included • valve sold separately WaterSense Meets EPA Criteria Certified by IAPMO R&T	**T2473NH**	72.50	Chrome	3
 • description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included	**2510** ◆	115.35	1/2" IPS	6
	2520 ◆	115.35	1/2" CC	6
	2580 ◆	115.35	1/2" Crimp ring PEX	6
 • description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included • quarter turn stops: included	**2570** ◆	140.05	1/2" CC	6
	2590 ◆	140.05	1/2" IPS	6

GENTA™

HOW TO ORDER A COMPLETE TUB/SHOWER FAUCET



Trim Part No. + Valve Part No. = Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

DURALAST® Duralast® Cartridge

Refer to lavatory waste assemblies on page 367.

NEW! **GENTA™** Posi-Temp® Showering

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® SHOWER ONLY					
NEW!  	• showerhead functions: three-function • showerhead type: eco-performance showerhead • showerhead size: 3-3/4" diameter spray head • showerhead flow rate: 2.0 gpm (7.6 L/min) max. • red/blue markings: included • valve sold separately	**T2472EP**	56.20	Chrome	3
NEW!  	• showerhead type: showerhead sold separately • red/blue markings: included • valve sold separately	**T2472NH**	53.45	Chrome	3
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included	**2510** ◆ **2520** ◆ **2580** ◆	115.35 115.35 115.35	1/2" IPS 1/2" CC 1/2" Crimp ring PEX	6 6 6
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included • quarter turn stops: included	**2570** ◆ **2590** ◆	140.05 140.05	1/2" CC 1/2" IPS	6 6

GENTA™

HOW TO ORDER A COMPLETE SHOWER FAUCET



Trim Part No. + Valve Part No. = Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

NEW! GENTA™ Posi-Temp® Showering

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® VALVE ONLY					
NEW! 	• red/blue markings: included • valve sold separately	**T2471**	51.70	Chrome	3
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included	**2510** ◆	115.35	1/2" IPS	6
		2520 ◆	115.35	1/2" CC	6
		2580 ◆	115.35	1/2" Crimp ring PEX	6
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included • quarter turn stops: included	**2570** ◆	140.05	1/2" CC	6
		2590 ◆	140.05	1/2" IPS	6

GENTA™

HOW TO ORDER A COMPLETE VALVE



Trim Part No. + Valve Part No. = Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

NEW! **GENTA™** Perfectly Matched Bath Accessories

Moen® bath accessories CANNOT be combined with Moen® faucet parts on a Purchase Order.

Moen makes it easy to coordinate the entire style and look of the bathroom. Our Genta™ bath accessories perfectly match the style and finish of our Genta™ faucets.

Total coordination of the bath has never been easier.

For more information on ordering Genta™ bath accessories or other matching Moen® bath accessories, contact Moen Bath Accessory Customer Service at **800-882-0116**, contact your local Moen sales representative, or visit us at **www.moen.com**.

	MODEL NUMBER	LIST PRICE EACH	DESCRIPTION	QTY
	Chrome (CH)			
	BH3803CH	21.30	Single Robe Hook	12
P	**BH3808CH**	38.35	Pivoting Paper Holder	3
	BH3818CH	38.65	18" Towel Bar	3
	BH3824CH	40.00	24" Towel Bar	3
	BH3886CH	29.30	Hand Towel Bar	3



NEW!

BH3803
Single Robe Hook



NEW!

BH3808 P
Pivoting Paper Holder



NEW!

BH3818
18" Towel Bar



NEW!

BH3824
24" Towel Bar



NEW!

BH3886
Hand Towel Bar

GENTA™

P Denotes pivoting paper holder

List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

CHATEAU® Bathroom Faucets

All Polished Brass faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
ONE-HANDLE BATHROOM FAUCET					
	• application: three hole • center dimensions: 4" center • connection size: 1/2" • connection type: IPS • drain assembly: drain not included WaterSense Meets EPA Criteria Certified by IAPMO R&T DURALAST®	**L4601** ◆	128.70	Chrome	12
	• application: three hole • center dimensions: 4" center • connection size: 1/2" • connection type: IPS • drain assembly: drain not included • red/blue markings: included WaterSense Meets EPA Criteria Certified by IAPMO R&T DURALAST®	**L4605**	128.70	Chrome	12
	• application: three hole • center dimensions: 4" center • connection size: 1/2" • connection type: IPS • drain assembly: metal • drain assembly type: lift rod WaterSense Meets EPA Criteria Certified by IAPMO R&T DURALAST®	**L4621** ◆ **L4621BC** **L4621P** ◆	158.95 190.75 269.05	Chrome Brushed Chrome Polished Brass	12 12 12
	• application: three hole • center dimensions: 4" center • supply line length: 16" • connection size: 3/8" • connection type: compression • drain assembly: metal • drain assembly type: lift rod WaterSense Meets EPA Criteria Certified by IAPMO R&T DURALAST®	**L4625** **L4631BC**	158.95 190.75	Chrome Brushed Chrome	6 6
	• application: three hole • center dimensions: 4" center • connection size: 1/2" • connection type: IPS • drain assembly: metal • drain assembly type: lift rod • red/blue markings: included WaterSense Meets EPA Criteria Certified by IAPMO R&T DURALAST®	**L4635** ◆	158.95	Chrome	12

NOTES

◆ Also available in bulk pack. See page 399.

DURALAST® Duralast® Cartridge

Refer to lavatory waste assemblies on page 367.

TWO-HANDLE CENTERSET BATHROOM FAUCET



- application: three hole
- center dimensions: 4" center
- connection size: 1/2"
- connection type: IPS
- drain assembly: metal
- drain assembly type: lift rod

WaterSense Meets EPA Criteria Certified by IAPMO R&T

DURALAST®

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
4925 ◆	146.25	Chrome	12
4925BC	186.85	Brushed Chrome	12

TWO-HANDLE WIDESPREAD BATHROOM FAUCET



- application: three hole
- center dimensions: 8" - 16" center
- connection size: 1/2"
- connection type: IPS
- drain assembly: metal
- drain assembly type: lift rod
- includes: 9000 valve

WaterSense Meets EPA Criteria Certified by IAPMO R&T

DURALOCK® DURALAST®

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
4945	256.10	Chrome	6



- application: three hole
- center dimensions: 8" - 16" center
- connection size: 1/2"
- connection type: IPS
- drain assembly: metal
- drain assembly type: lift rod
- includes: 9000 valve

WaterSense Meets EPA Criteria Certified by IAPMO R&T

DURALOCK® DURALAST®

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
4962	236.90	Chrome	6


NOTES

◆ Also available in bulk pack. See page 399.

DURALOCK® Duralock® Quick Connections


Refer to specification sheet for critical dimensions for installation.

CHATEAU® Roman Tubs

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TWO-HANDLE GARDEN TUB					
	• for garden tub application • application: three hole • connection size: 1/2" • connection type: IPS • spout reach: 7.00" • includes: valve • center dimensions: 8" - 16" center	**4902**	179.10	Chrome	6
TWO-HANDLE ROMAN TUB					
	• for garden tub application • application: three hole • spout reach: 7.00" • valve sold separately	**T994** ◆	153.25	Chrome	6
	• application: three hole • spout reach: 9.00" • valve sold separately	**T990** ◆	248.50	Chrome	6
		T990BC ◆	306.80	Brushed Chrome	6
	• application: three hole • spout reach: 9.00" • valve sold separately	**T999** ◆	193.60	Chrome	6
	• application: three hole • deck thickness: 1/8" to 3-3/8" rough-in deck • center dimensions: adjustable • adjustable spout shank: included • test plug: included	**4792**	138.45	1/2" CC	6
	• application: three hole • deck thickness: 1/8" to 2-3/4" rough-in deck • center dimensions: 10" - 24" center • adjustable spout shank: included • test plug: included	**4793**	156.75	1/2" CPVC, Crimp ring PEX	6
		4794	149.45	1/2" Crimp ring PEX, Cold Expansion PEX	6
	• application: three hole • deck thickness: 1/8" to 1-7/8" rough-in deck • center dimensions: 10" center • non-adjustable spout shank: included • test plug: included	**4796**	130.40	1/2" CC	6
		4797	132.95	1/2" CPVC, Crimp ring PEX	6
		4798	132.95	1/2" Crimp ring PEX, Cold Expansion PEX	6
	• description: high flow thermostatic mixing valve for roman tubs • ports: three • ASSE standard 1070: yes • flow rate: 12.0 gpm (45.4 L/min) max.	**104465**	173.00	1/2" CC	12
		104466	173.00	1/2" IPS	12
	• description: PEX transition fittings (2) and clips • connections: adapts standard 1/2" PEX barb to 1/2" PEX cold expansion	**140715** ◆	10.35	1/2" PEX	200

CHATEAU®

HOW TO ORDER A COMPLETE ROMAN TUB FAUCET




Trim Part No. + Valve Part No. = Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.


Moen® **M•PACT®** Common Valve System

Thermostatic Mixing Valve service kits, see page 462.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TWO-HANDLE ROMAN TUB WITH HANDSHOWER					
	• application: four hole • showerhead type: handshower • handshower flow rate: 2.0 gpm (7.6 L/min) max. • spray functions: one-function • spout reach: 9.00" • valve sold separately	**T991**	369.60	Chrome	6
	• application: four hole • deck thickness: 1/8" to 2-5/8" rough-in deck • center dimensions: adjustable • non-adjustable spout shank: included • test plug: included	**9792**	311.90	1/2" CC	6
	• application: four hole • deck thickness: 1/8" to 2-5/8" rough-in deck • center dimensions: 10" - 24" center • non-adjustable spout shank: included • test plug: included	**9793**	319.20	1/2" CPVC, Crimp ring PEX	6
	• description: high flow thermostatic mixing valve for roman tubs • ports: three • ASSE standard 1070: yes • flow rate: 12.0 gpm (45.4 L/min) max.	**104465** **104466**	173.00 173.00	1/2" CC 1/2" IPS	12 12
	• description: PEX transition fittings (2) and clips • connections: adapts standard 1/2" PEX barb to 1/2" PEX cold expansion	**140715** ◆	10.35	1/2" PEX	200

CHATEAU®

HOW TO ORDER A COMPLETE ROMAN TUB FAUCET



Trim Part No. + Valve Part No. = Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.
Moen® **M•PACT®** Common Valve System

Thermostatic Mixing Valve service kits, see page 462.

CHATEAU® Posi-Temp® Showering

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® TUB/SHOWER WITH VALVE					
	• ports: four • connection size: 1/2" • connection type: CC • showerhead functions: one-function • showerhead type: standard • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • spout length: 5 1/2" • spout connection type: slip fit • tub spout type: diverter • red/blue markings: included • adjustable temp limit stop: included	**2353**	168.40	Chrome	12
	• ports: four • connection size: 1/2" • connection type: CC • showerhead functions: one-function • showerhead type: standard • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • spout length: 5 1/2" • spout connection type: slip fit • tub spout type: diverter • red/blue markings: included • adjustable temp limit stop: included • quarter turn stops: included	**2363**	192.40	Chrome	12
	• ports: four • connection size: 1/2" • connection type: CC • showerhead functions: one-function • showerhead type: standard • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • spout length: 5 1/2" • spout connection type: slip fit • tub spout type: diverter • red/blue markings: included • adjustable temp limit stop: included	**L2353**	168.40	Chrome	6
NEW! 	• ports: four • connection size: 1/2" • connection type: CC • showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • spout length: 5 1/2" • spout connection type: slip fit • tub spout type: diverter • red/blue markings: included • adjustable temp limit stop: included	**L2353EP**	168.40	Chrome	6
	• ports: four • connection size: 1/2" • connection type: CC • showerhead functions: one-function • showerhead type: standard • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • spout length: 5 1/2" • spout connection type: slip fit • tub spout type: diverter • red/blue markings: included • adjustable temp limit stop: included • quarter turn stops: included	**L2363**	192.40	Chrome	6

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

Thermostatic Mixing Valve service kits, see page 462.

POSI-TEMP® TUB/SHOWER WITH VALVE



- ports: four
- connection size: 1/2"
- connection type: CC
- showerhead functions: one-function
- showerhead type: eco-performance showerhead
- showerhead size: 2-1/2" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- spout length: 5 1/2"
- spout connection type: slip fit
- tub spout type: diverter
- adjustable temp limit stop: included
- quarter turn stops: included

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
L2369EP	229.85	Chrome	3

POSI-TEMP® TUB/SHOWER



- showerhead functions: one-function
- showerhead type: standard
- showerhead size: 2-1/2" diameter spray head
- showerhead flow rate: 2.5 gpm (9.5 L/min) max.
- spout length: 5 1/2"
- spout connection type: slip fit
- tub spout type: diverter
- red/blue markings: included
- valve sold separately

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TL183 ◆	59.45	Chrome	12



- showerhead functions: one-function
- showerhead type: eco-performance showerhead
- showerhead size: 2-1/2" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- spout length: 5 1/2"
- spout connection type: slip fit
- tub spout type: diverter
- red/blue markings: included
- valve sold separately

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TL183EP ◆	59.45	Chrome	12
TL183EPBC ◆	91.90	Brushed Chrome	12



- showerhead functions: one-function
- showerhead type: eco-performance showerhead
- showerhead size: 2-1/2" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- spout length: 5 1/2"
- spout connection type: slip fit
- tub spout type: diverter
- valve sold separately

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TL2369EP	94.00	Chrome	6



- description: pressure balanced cycling valve
- ports: four
- adjustable temp limit stop: included

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
2510 ◆	115.35	1/2" IPS	6
2520 ◆	115.35	1/2" CC	6
2580 ◆	115.35	1/2" Crimp ring PEX	6



- description: pressure balanced cycling valve
- ports: four
- adjustable temp limit stop: included
- quarter turn stops: included

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
2570 ◆	140.05	1/2" CC	6
2590 ◆	140.05	1/2" IPS	6

HOW TO ORDER A COMPLETE TUB/SHOWER FAUCET



Trim Part No. | Valve Part No. | Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.
Moen® **M•PACT®** Common Valve System

Thermostatic Mixing Valve service kits, see page 462.

CHATEAU® Posi-Temp® Showering

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® SHOWER ONLY WITH VALVE					
	• ports: four • connection size: 1/2" • connection type: CC • showerhead functions: one-function • showerhead type: standard • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • red/blue markings: included • adjustable temp limit stop: included	**2352**	147.35	Chrome	12
	• ports: four • connection size: 1/2" • connection type: CC • showerhead functions: one-function • showerhead type: standard • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • red/blue markings: included • adjustable temp limit stop: included	**L2352**	147.35	Chrome	6
NEW! 	• ports: four • connection size: 1/2" • connection type: CC • showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • red/blue markings: included • adjustable temp limit stop: included	**L2352EP**	147.35	Chrome	6
	• ports: four • connection size: 1/2" • connection type: CC • showerhead functions: one-function • showerhead type: standard • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • red/blue markings: included • adjustable temp limit stop: included • quarter turn stops: included	**L2362**	171.30	Chrome	6
	• ports: four • connection size: 1/2" • connection type: CC • showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • red/blue markings: included • adjustable temp limit stop: included • quarter turn stops: included	**L2368EP**	213.05	Chrome	3

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® SHOWER ONLY					
	• showerhead functions: one-function • showerhead type: standard • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • red/blue markings: included • valve sold separately	**TL182** ◆	36.65	Chrome	12
NEW! 	• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • red/blue markings: included • valve sold separately	**TL182EP** ◆	36.65	Chrome	12
		TL182EPBC ◆	68.70	Brushed Chrome	12
	• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • valve sold separately	**TL2368EP**	77.20	Chrome	6
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included	**2510** ◆	115.35	1/2" IPS	6
		2520 ◆	115.35	1/2" CC	6
		2580 ◆	115.35	1/2" Crimp ring PEX	6
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included • quarter turn stops: included	**2570** ◆	140.05	1/2" CC	6
		2590 ◆	140.05	1/2" IPS	6

HOW TO ORDER A COMPLETE SHOWER FAUCET



Trim Part No. | Valve Part No. | Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.
Moen® **M•PACT®** Common Valve System

CHATEAU® Posi-Temp® Showering

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® VALVE TRIM WITH VALVE					
	• ports: four • connection size: 1/2" • connection type: CC • showerhead type: showerhead sold separately • red/blue markings: included • adjustable temp limit stop: included • quarter turn stops: included	**L2361**	160.50	Chrome	6
POSI-TEMP® VALVE TRIM ONLY					
	• red/blue markings: included • valve sold separately	**T181**	33.30	Chrome	12
	• red/blue markings: included • valve sold separately	**TL181**	33.30	Chrome	12
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included	**2510** ◆ **2520** ◆ **2580** ◆	115.35 115.35 115.35	1/2" IPS 1/2" CC 1/2" Crimp ring PEX	6 6 6
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included • quarter turn stops: included	**2570** ◆ **2590** ◆	140.05 140.05	1/2" CC 1/2" IPS	6 6

HOW TO ORDER A COMPLETE SHOWER FAUCET



Trim Part No. | Valve Part No. | Complete Faucet


NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
THREE-HANDLE NON-PRESSURE BALANCED TUB/SHOWER					
NEW! 	• ports: four • connection size: 1/2" • connection type: CC; IPS • showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • spout length: 5 1/2" • spout connection type: IPS • tub spout type: non diverter WaterSense Meets EPA Criteria Certified by IAPMO R&T	**2995EP**	193.30	Chrome	6
TWO-HANDLE NON-PRESSURE BALANCED TUB/SHOWER					
NEW! 	• ports: four • connection size: 1/2" • connection type: CC • showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • spout length: 5 1/2" • spout connection type: slip fit • tub spout type: diverter WaterSense Meets EPA Criteria Certified by IAPMO R&T	**2919EP**	165.15	Chrome	6
NEW! 	• ports: four • connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • spout length: 5 1/2" • spout connection type: IPS • tub spout type: diverter WaterSense Meets EPA Criteria Certified by IAPMO R&T	**2982EP**	165.15	Chrome	6
TWO-HANDLE BIDET					
	• center dimensions: 8" - 16" center • valve sold separately	**TL5265**	218.10	Chrome	3
	• application: three hole • center dimensions: 8" - 16" center DURALOCK® DURALAST®	**9265**	245.15	1/2" IPS	6

HOW TO ORDER A COMPLETE BIDET FAUCET



Trim Part No. | Valve Part No. | Complete Faucet

NOTES

Moen® **M•PACT®** Common Valve System
DURALOCK® Duralock® Quick Connections
DURALAST® Duralast® Cartridge

MASON® Perfectly Matches Chateau® Bath Faucets

See page 82 for details.

Moen® bath accessories CANNOT be combined with Moen® faucet parts on a Purchase Order.

Moen makes it easy to coordinate the entire style and look of the bathroom. Our Mason® bath accessories perfectly match the style and finish of our Chateau® faucets. Total coordination of the bath has never been easier.

For more information on ordering Mason® bath accessories or other matching Moen® bath accessories, contact Moen Bath Accessory Customer Service at **800-882-0116**, contact your local Moen sales representative, or visit us at **www.moen.com**.

MODEL NUMBER	LIST PRICE EACH	DESCRIPTION	5/8-in. Round Bar QTY
Chrome (CH)			
YB8000CH	4.40	Mounting Posts	50
YB8003CH	3.85	Double Robe Hook	50
YB8086CH	7.25	Towel Ring	50
YB8088CH	8.00	Double Paper Holder	25
YB8094CH	3.65	24" Towel Bar Only	50
YB8098CH	3.15	18" Towel Bar Only	50
YB8099CH	1.55	Paper Holder - Roller Only	50
Brushed Chrome (CH)			
YB8000BC	5.60	Mounting Posts	50
YB8003BC	4.90	Double Robe Hook	50
YB8086BC	9.60	Towel Ring	50
YB8094BC	4.70	24" Towel Bar Only	50
YB8098BC	4.00	18" Towel Bar Only	50
YB8099BC	2.65	Paper Holder - Roller Only	50
Satin Nickel			
YB8000SN	7.25	Mounting Posts	50
YB8003SN	5.05	Double Robe Hook	50
YB8086SN	10.40	Towel Ring	50
YB8088SN	13.00	Double Paper Holder	25
YB8094SN	6.05	24" Towel Bar Only	50
YB8098SN	4.80	18" Towel Bar Only	50
YB8099SN	2.30	Paper Holder - Roller Only	50
Old World Bronze			
YB8000OWB	9.40	Mounting Posts	50
YB8003OWB	5.70	Double Robe Hook	50
YB8086OWB	11.10	Towel Ring	50
YB8094OWB	7.45	24" Towel Bar Only	50
YB8098OWB	5.60	18" Towel Bar Only	50
YB8099OWB	1.95	Paper Holder - Roller Only	50
N/A or Unfinished			
YB8081	10.90	30" Installation Kit	25



YB8003
Double Robe Hook



YB8099
Paper Holder (Roller only)
+
YB8000
Mounting Posts (Pair)



YB8098
18" Towel Bar (Bar only)
+
YB8000
Mounting Posts (Pair)



YB8094
24" Towel Bar (Bar only)
+
YB8000
Mounting Posts (Pair)



YB8086
Towel Ring



YB8088
Double Paper Holder
(3 Mounting Posts, rollers not included)
(Available in CH and SN only)



YB8081
Pro-Fit® Installation Mounting Template (See page 82 for more information about the Pro-Fit® Installation System.)

List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.



Custom Showering Options

How-To-Order Spa Shower and Showering Components

U by Moen™ Shower Controller / TS3302TB
Handheld Shower / 3669EPBN

Please see **moen.com/consumer-support/warranty** for complete product warranty information.



WAKE UP TO A

SMARTER

WAY TO SHOWER

The home of the future is here today.

Moen is changing showering forever

with the introduction of U by Moen™ shower. This next-generation Wi-Fi/cloud-based digital showering system offers mobile connectivity and unmatched personalization, providing countless ways to create your ideal showering experience with the push of the button.

Personalization
Create settings for every occassion – post workouts, lazy mornings and more.

Warm Up and Pause
Save water by having the shower warm up to temperature and pause until you are ready to get in.

Remote Activation
Sync your shower to your smartphone to start, stop and pause remotely.

Flexible Installation
The compact valve size and a 30-foot data cable provide flexible installation options.

BY MOEN™
SHOWER





SEE
PG 264

Learn more at
moen.com/u

Magnetix™, It's a Snap to Use.™






Everyone who's ever used a handheld showerhead will see the appeal of Magnetix. With this innovation, a powerful magnetic dock easily releases the handshower for use while also securely snapping it back into place — even when eyes are closed. Since the magnet eliminates the need for a cradle, these handshowers also feature a more streamlined appearance and less clutter.

Not only is docking easier, but Magnetix handshowers also provide superior spray performance and exceptional water coverage. In addition, they include a flexible, kink-free, 60-inch metal hose for greater reach in the tub or shower — allowing users to accomplish other tasks, such as bathing children, washing pets and cleaning the shower, with ease. Six high-performance spray options feature optimized pressure ranging from massage to combinations of soft and forceful full-rinse sprays to meet anyone's shower preference.

MAGNETIX™

Let it Rain!

IMMERSION®
rainshower technology



We've Redefined Invigorating with Immersion® Rainshower Technology.

Our exclusive Immersion Rainshower Technology concentrates and magnifies the natural force of water to dramatically enhance your showering experience. Featured on every premium Moen rainshower showerhead, Immersion channels water through a spoke design in the showerhead cavity. As a result, it delivers optimal water pressure and excellent coverage across the showerhead.

Think Outside the Wall

The Annex™ Shower Rail installs without disturbing existing tile or changing the height of the showerhead.



With industrial-inspired sophistication, Annex offers the perfect combination of fashion and function. Its integrated slide bar allows the handshower to be placed at different heights. Combine that flexibility with the option to switch between showerheads, or use both at the same time, and Annex brings streamlined luxury to any shower. Since it eliminates the need to tear through finished walls, Annex is ideal for new and retrofit projects alike. Plus, its secure mounting system meets ADA pull-force requirements, up to 250 lbs.



Make Every Bath a Safe Bath™

While bath safety is often only considered for older adults, it should be for all stages of life. From babies to boomers, Moen® Home Care® offers a full range of products to make baths safe and stylish.

GRAB BARS
SAFETY AND STORAGE



Soaps, shampoo and safety are all within reach. Our exclusive Shelf with Grab Bar is rated to support up to 250 lbs. as a grab bar when securely installed per instructions, but also does double-duty as a convenient shelf with room to house shower essentials.

SHOWER SEATING
SITTING PRETTY



Moen Home Care seats, chairs and transfer benches make showering safer and more relaxing. Our products not only provide stability, but they also offer a host of convenient features that will make every shower more pleasant, safe and enjoyable.

DECORATIVE
GRAB BARS



Transitional style Voss™ grab bars bring safety to the bath in style in your choice of Chrome, Brushed Nickel and Oil Rubbed Bronze finishes. Even better, SecureMount™ Anchors make installation possible anywhere on the wall, with or without studs.

U by Moen™ Shower Options

Due to Department of Energy regulations, plumbing manufacturers can no longer sell vertical spas packaged together as a single SKU. Moen has all the components necessary for you to build a custom Spa Shower a la carte. And, we're making it easy for you to pull together the sku numbers you need. Charts of common spa shower configurations are included so that all the components can be ordered. For additional assistance, call your Moen Sales Representative.

BY MOEN™ SHOWER



U by MOEN™ Shower Spa with Showerhead, Handshower & Flushmount Body Sprays

NEW! Product	Description	QTY.	Chrome	Chrome List Price	Brushed Nickel	Brushed Nickel List Price	Oil Rubbed Bronze	Oil Rubbed Bronze List Price
	U by Moen four-outlet controller	1	TS3304TB	700.00	TS3304TB	700.00	TS3304TB	700.00
	U by Moen four-outlet valve	1	S3104	1,500.00	S3104	1,500.00	S3104	1,500.00
	Rainshower	1	S6310	161.40	S6310BN	221.95	S6310ORB	233.00
	Shower arm & flange	1	S122	40.80	S122BN	84.40	S122ORB	92.85
	Body spray trim	4	TS1322	124.05 x 4	TS1322BN	174.80 x 4	TS1322ORB	197.30 x 4
	Body spray rough-in	4	S1300	84.60 x 4	S1300	84.60 x 4	S1300	84.60 x 4
	Four-function handheld shower with slide bar	1	3667EP	258.00	3667EPBN	510.15	3667EPORB	561.15
	Drop ell	1	A725	47.60	A725BN	67.35	A725ORB	74.10
			Total: $3,542.40		**Total: $4,121.45**		**Total: $4,288.70**	

Optional	QTY.	Product	List Price
Battery backup	1	179573	65.00

U by MOEN™ Shower Spa with Showerhead, Handshower & Exposed Body Sprays

NEW! Product	Description	QTY.	Chrome	Chrome List Price	Brushed Nickel	Brushed Nickel List Price	Oil Rubbed Bronze	Oil Rubbed Bronze List Price
	U by Moen four-outlet controller	1	TS3304TB	700.00	TS3304TB	700.00	TS3304TB	700.00
	U by Moen four-outlet controller	1	S3104	1,500.00	S3104	1,500.00	S3104	1,500.00
	Rainshower	1	S6310	161.40	S6310BN	221.95	S6310ORB	233.00
	Shower arm & flange	1	S122	40.80	S122BN	84.40	S122ORB	92.85
	Body spray trim	4	A501	88.35 x 4	A501BN	110.45 x 4	A501ORB	121.50 x 4
	Four-function handheld shower with slide bar	1	3667EP	258.00	3667EPBN	510.15	3667EPORB	561.15
	Drop ell	1	A725	47.60	A725BN	67.35	A725ORB	74.10
			Total: $3,061.20		**Total: $3,525.65**		**Total: $3,647.10**	

Optional	QTY.	Product	List Price
Battery backup	1	179573	65.00

U by Moen™ Shower Configurations

U BY MOEN™ SHOWER FOUR-OUTLET CONTROLLER

NEW!



- description: wifi connected, app driven shower controller
- showerhead type: showerhead sold separately
- smart phone app: available for Apple iOS and Android OS
- features: precise temperature control
- features: remote activation via smart phone app
- features: warm-up and pause mode
- features: optional shower timer
- presets: two on controller, 12 total with smart phone app
- valve sold separately

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
PREMIUM			
TS3304TB	700.00	Terra Beige (TB)	3

U BY MOEN™ SHOWER FOUR-OUTLET VALVE

NEW!



- description: digital thermostatic shower valve
- ports: four outlets
- features: precise temperature control
- connection size: 3/4" inlets & 1/2" outlets
- installation: fits standard 2x4 wall
- includes: 30 foot data cable

PREMIUM			
S3104	1,500.00	3/4" CC / 1/2" CC	3
ACCESSORIES			
179573	65.00	Battery Backup Kit	1

U BY MOEN™ SHOWER TWO-OUTLET CONTROLLER

NEW!



- description: wifi connected, app driven shower controller
- showerhead type: showerhead sold separately
- smart phone app: available for Apple iOS and Android OS
- features: precise temperature control
- features: remote activation via smart phone app
- features: warm-up and pause mode
- features: optional shower timer
- presets: two on controller, 12 total with smart phone app
- valve sold separately

PREMIUM			
TS3302TB	460.00	Terra Beige (TB)	3

U BY MOEN™ SHOWER TWO-OUTLET VALVE

NEW!



- description: digital thermostatic shower valve
- ports: two outlets
- features: precise temperature control
- connection size: 1/2" inlets & 1/2" outlets
- installation: fits standard 2x4 wall
- includes: 30 foot data cable

PREMIUM			
S3102	700.00	1/2" CC	3
ACCESSORIES			
179573	65.00	Battery Backup Kit	1

Valve	Flow Rate @ 20 PSI	Flow Rate @ 40 PSI	Flow Rate @ 60 PSI	Used with 2- or 3-Function Transfer	Maximum Components
U by Moen™ S3104	9.0	13.0	16.0	No	4 Components: Any combination of Showerheads, Handshowers and Bodysprays (4 Max)
U by Moen™ S3102	6.0	8.5	10.0	No	Showerhead, Handshower or Showerhead, 2 Bodysprays

U by Moen™ Shower Configurations

Must order Rough-In-Valve and Trim Pack separately.

U by MOEN™ Shower Spa with Showerhead & Flushmount Body Sprays


NEW! Product	Description	QTY.	Chrome	Chrome List Price	Brushed Nickel	Brushed Nickel List Price	Oil Rubbed Bronze	Oil Rubbed Bronze List Price
	U by Moen two-outlet controller	1	TS3302TB	460.00	TS3302TB	460.00	TS3302TB	460.00
	U by Moen two-outlet controller	1	S3102	700.00	S3102	700.00	S3102	700.00
	Rainshower	1	S6310	161.40	S6310BN	221.95	S6310ORB	233.00
	Shower arm & flange	1	S122	40.80	S122BN	84.40	S122ORB	92.85
	Body spray trim	3	TS1422	191.85 x 3	TS1422BN	260.00 x 3	TS1422ORB	286.15 x 3
	Body spray rough-in	3	S1300	84.60 x 3	S1300	84.60 x 3	S1300	84.60 x 3
			Total: $2,191.55		**Total: $2,500.15**		**Total: $2,598.10**	

Optional	QTY.	Product	List Price
Battery backup	1	179573	65.00

U by MOEN™ Shower Spa with Showerhead & Handshower


NEW! Product	Description	QTY.	Chrome	Chrome List Price	Brushed Nickel	Brushed Nickel List Price	Oil Rubbed Bronze	Oil Rubbed Bronze List Price
	U by Moen two-outlet controller	1	TS3302TB	460.00	TS3302TB	460.00	TS3302TB	460.00
	U by Moen two-outlet controller	1	S3102	700.00	S3102	700.00	S3102	700.00
	Rainshower	1	S6310	161.40	S6310BN	221.95	S6310ORB	233.00
	Shower arm & flange	1	S122	40.80	S122BN	84.40	S122ORB	92.85
	Four-function handheld shower with slide bar	1	3667EP	258.00	3667EPBN	510.15	3667EPORB	561.15
	Drop ell	1	A725	47.60	A725BN	67.35	A725ORB	74.10
			Total: $1,667.80		**Total: $2,043.85**		**Total: $2,121.10**	

Optional	QTY.	Product	List Price
Battery backup	1	179573	65.00




U by Moen™

SHOWER SPA CONFIGURATION-OPTION A	SKU#	TO ORDER...
A. (1) Shower arm & Flange	S113	See page 315
B. (1) Showerhead	S1311	See page 303
C. (1) Hand Shower	3861EP	See page 321
D. (1) Drop Ell	A725	See page 329
E. (4) Rough-in Body Spray Valves (behind the wall, not shown)	S1300	See page 332
E. (4) Body Spray Trims	TS1322*	See page 332
F. (1) Valve (behind the wall, not shown)	S3104	See page 265
F. (1) Controller	TS3304TB	See page 265



U by Moen™

SHOWER SPA CONFIGURATION-OPTION B	SKU#	TO ORDER...
A. (2) Shower arms & Flanges	S113	See page 315
B. (2) Showerheads	S1311	See page 303
C. (4) Rough-in Body Spray Valves (behind the wall, not shown)	S1300	See page 332
C. (4) Body Spray Trims	TS1322*	See page 332
D. (1) Valve (behind the wall, not shown)	S3104	See page 265
D. (1) Controller	TS3304TB	See page 265



U by Moen™

SHOWER SPA CONFIGURATION-OPTION C	SKU#	TO ORDER...
A. (2) Shower arm	226651	See page 316
A. (2) Shower arm Flanges	AT2199	See page 317
B. (2) Showerheads	S1311	See page 303
C. (2) Hand Showers	3861EP	See page 321
D. (2) Drop Ells	A725	See page 329
E. (1) Valve (behind the wall, not shown)	S3104	See page 265
E. (1) Controller	TS3304TB	See page 265

*TS1422 Multi-Function body sprays may also be used.

3/4" THERMOSTATIC SHOWERING

ExactTemp® 3/4" Thermostatic Valve and Showering

Due to Department of Energy regulations, plumbing manufacturers can no longer sell vertical spas packaged together as a single SKU. Moen has all the components necessary for you to build a custom Spa Shower a la carte. And, we're making it easy for you to pull together the sku numbers you need. Charts of common spa shower configurations are included so that all the components can be ordered. For additional assistance, call your Moen Sales Representative.



EXACTTEMP® Shower Spa with Showerhead, Handshower & Flushmount Body Sprays

Product	Description	QTY.	Chrome	Chrome List Price	Brushed Nickel	Brushed Nickel List Price	Oil Rubbed Bronze	Oil Rubbed Bronze List Price
	ExactTemp valve only trim	1	TS3411	197.40	TS3411BN	310.10	TS3411ORB	325.70
	ExactTemp valve	1	S3371	490.25	S3371	490.25	S3371	490.25
	Volume control trim	3	TS3600	101.95 x 3	TS3600BN	181.35 x 3	TS3600ORB	190.50 x 3
	Volume control valve	3	S3600	124.60 x 3	S3600	124.60 x 3	S3600	124.60 x 3
	Rainshower	1	S6310	161.40	S6310BN	221.95	S6310ORB	233.00
	Shower arm & flange	1	S122	40.80	S122BN	84.40	S122ORB	92.85
	Body spray trim	4	TS1422	191.85 x 4	TS1422BN	260.00 x 4	TS1422ORB	286.15 x 4
	Body spray rough-in	4	S1300	84.60 x 4	S1300	84.60 x 4	S1300	84.60 x 4
	Four-function handheld shower with slide bar	1	3667EP	258.00	3667EPBN	510.15	3667EPORB	561.15
	Drop ell	1	A725	47.60	A725BN	67.35	A725ORB	74.10
			Total: $2,980.90		**Total: $3,980.45**		**Total: $4,205.35**	

EXACTTEMP® Shower Spa with Showerhead, Handshower & Exposed Body Sprays

Product	Description	QTY.	Chrome	Chrome List Price	Brushed Nickel	Brushed Nickel List Price	Oil Rubbed Bronze	Oil Rubbed Bronze List Price
	ExactTemp valve only trim	1	TS3411	197.40	TS3411BN	310.10	TS3411ORB	325.70
	ExactTemp valve	1	S3371	490.25	S3371	490.25	S3371	490.25
	Volume control trim	3	TS3600	101.95 x 3	TS3600BN	181.35 x 3	TS3600ORB	190.50 x 3
	Volume control valve	3	S3600	124.60 x 3	S3600	124.60 x 3	S3600	124.60 x 3
	Rainshower	1	S6310	161.40	S6310BN	221.95	S6310ORB	233.00
	Shower arm & flange	1	S122	40.80	S122BN	84.40	S122ORB	92.85
	Body spray	4	A501	88.35 x 4	A501BN	110.45 x 4	A501ORB	121.50 x 4
	Four-function handheld shower with slide bar	1	3667EP	258.00	3667EPBN	510.15	3667EPORB	561.15
	Drop ell	1	A725	47.60	A725BN	67.35	A725ORB	74.10
			Total: $2,228.50		**Total: $3.043.85**		**Total: $3,208.35**	

EXACTTEMP® Shower Spa with Showerhead & Handshower

Product	Description	QTY.	Chrome	Chrome List Price	Brushed Nickel	Brushed Nickel List Price	Oil Rubbed Bronze	Oil Rubbed Bronze List Price
	ExactTemp valve only trim	1	TS3411	197.40	TS3411BN	310.10	TS3411ORB	325.70
	ExactTemp valve	1	S3371	490.25	S3371	490.25	S3371	490.25
	Volume control trim	2	TS3600	101.95 x 2	TS3600BN	181.35 x 2	TS3600ORB	190.50 x 2
	Volume control valve	2	S3600	124.60 x 2	S3600	124.60 x 2	S3600	124.60 x 2
	Rainshower	1	S6310	161.40	S6310BN	221.95	S6310ORB	233.00
	Shower arm & flange	1	S122	40.80	S122BN	84.40	S122ORB	92.85
	Four-function handheld shower with slide bar	1	3667EP	258.00	3667EPBN	510.15	3667EPORB	561.15
	Drop ell	1	A725	47.60	A725BN	67.35	A725ORB	74.10
			Total: $1,648.55		**Total: $2,296.10**		**Total: $2,407.25**	


ExactTemp® 3/4" Thermostatic Showering Configurations

Must order Rough-In-Valve and Trim Pack separately.

Thermostatic — Dials in a pinpoint temperature that automatically adjusts to fluctuations in the water supply for a consistent shower, day after day.


Style — Select from a variety of ExactTemp® 3/4" thermostatic trim and individual volume control styles to fulfill your dream shower.

ExactTemp® offers complete design flexibility. Add up to four different types of spray outlets on up to three walls.



ExactTemp® 3/4" THERMOSTATIC


SHOWER/SPA CONFIGURATION-OPTION A	SKU#	TO ORDER...
A. (1) Shower arm & Flange	S133	See page 315
B. (1) Showerhead	S6340	See page 305
C. (1) Hand Shower	S3879EP	See page 318
D. (1) Drop Ell	A721	See page 329
E. (2) Volume Control Valves (behind the wall, not shown)	S3600	See page 270
E. (2) Volume Controls Trims	TS3300	See page 272
F. (1) ExactTemp® Valve (behind the wall, not shown)	S3371	See page 270
F. (1) ExactTemp® Trim	TS3100	See page 272



ExactTemp® 3/4" THERMOSTATIC

SHOWER/SPA CONFIGURATION-OPTION B	SKU#	TO ORDER...
A. (1) Shower arm & Flange	S133	See page 315
B. (1) Showerhead	S6340	See page 305
C. (1) Hand Shower	S3879EP	See page 318
D. (1) Drop Ell	A721	See page 329
E. (4) Rough-in Body Spray Valves (behind the wall, not shown)	S1300	See page 332
E. (4) Body Spray Trims*	TS1320	See page 332
F. (3) Volume Control Valves (behind the wall, not shown)	S3600	See page 270
F. (3) Volume Control Trims	TS3300	See page 272
G. (1) ExactTemp® Valve (behind the wall, not shown)	S3371	See page 270
G. (1) ExactTemp® Trim	TS3100	See page 272

*TS1422 Multi-Function body sprays may also be used.



ExactTemp® 3/4" THERMOSTATIC

SHOWER/SPA CONFIGURATION-OPTION C	SKU#	TO ORDER...
A. (1) Shower arm & Flange	S133	See page 315
B. (2) Showerheads	S6340	See page 305
C. (1) Hand Shower	S3879EP	See page 318
D. (1) Drop Ell	A721	See page 329
E. (3) Volume Control Valves (behind the wall, not shown)	S3600	See page 270
E. (3) Volume Control Trims	TS3300	See page 272
F. (1) ExactTemp® Valve (behind the wall, not shown)	S3371	See page 270
F. (1) ExactTemp® Trim	TS3100	See page 272
G. (1) Shower arm	226651	See page 316
G. (1) Shower arm Flange	147572	See page 317

Valve	Flow Rate through shower port (GPM) @ 20 PSI	Flow Rate through shower port (GPM) @ 40 PSI	Flow Rate through shower port (GPM) @ 60 PSI	Used with 2- or 3-Function Transfer	Maximum Components
3/4" ExactTemp® S3371	11.4	15.7	18.0	No	4 Components: Any combination of Showerheads, Handshowers and Bodysprays (4 Max)

ExactTemp® 3/4" Thermostatic Showering Configurations

Must order Rough-In-Valve and Trim Pack separately.
All Brushed Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
MOEN®	**EXACTTEMP® SHOWER ONLY**				
	• showerhead functions: one-function • showerhead type: rainshower • showerhead size: 7" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • requires: separate volume control valve • valves sold separately • must be used with at least one S3600 valve	PREMIUM			
		TS3400	410.45	Chrome	3
		TS3400BN	697.55	Brushed Nickel	3
		TS3400ORB	732.30	Oil Rubbed Bronze	3
MOEN®	**EXACTTEMP® VALVE ONLY**				
	• description: thermostatic rough-in valve • ports: four • adjustable temp limit stop: included • check stops: included	PREMIUM			
		S3371	490.25	3/4" IPS	6
MOEN®	**EXACTTEMP® VOLUME CONTROL VALVE ONLY**				
	• description: volume control rough-in valve • includes: volume control	PREMIUM			
		S3600	124.60	3/4" IPS	12
MOEN®	**TWIN ELL**				
	• description: twin ell • usage: with tub/shower installations where needed	**128284**	24.70	1/2" x 1/2" x 3/4" IPS	12

Diverter tub spout options on page 333 - 337.
Showering extension kits available on page 364.
Matching tub and shower drains available. See page 341.

Valve	Flow Rate through shower port (GPM) @ 20 PSI	Flow Rate through shower port (GPM) @ 40 PSI	Flow Rate through shower port (GPM) @ 60 PSI	Used with 2- or 3-Function Transfer	Maximum Components
3/4" ExactTemp S3371	11.4	15.7	18.0	No	4 Components: Any combination of Showerheads, Handshowers and Bodysprays (4 Max)

HOW TO ORDER A COMPLETE TUB/SHOWER FAUCET



Valve Part No. + Valve Part No. + Twin Ell Part No. + Trim Part No. = Complete Shower

NOTES

Moen® **M•PACT®** Common Valve System
IMMERSION Immersion® Rainshower

ExactTemp® 3/4" Thermostatic Showering Configurations

Must order Rough-In-Valve and Trim Pack separately.
All Brushed Nickel and Polished Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

WEYMOUTH® — EXACTTEMP® THERMOSTATIC VALVE TRIM



- description: temperature control valve trim
- requires: separate volume control valve
- valve sold separately

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
PREMIUM			
TS32110	319.90	Chrome	3
TS32110BN	470.80	Brushed Nickel	3
TS32110NL	470.80	Polished Nickel	3
TS32110ORB	507.85	Oil Rubbed Bronze	3

WEYMOUTH® — EXACTTEMP® VOLUME CONTROL TRIM



- valve sold separately

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
PREMIUM			
TS52104	166.05	Chrome	6
TS52104BN	229.40	Brushed Nickel	6
TS52104NL	229.40	Polished Nickel	6
TS52104ORB	247.35	Oil Rubbed Bronze	6

ARRIS® — EXACTTEMP® THERMOSTATIC VALVE TRIM



- description: temperature control valve trim
- requires: separate volume control valve
- valve sold separately

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
PREMIUM			
TS33002	263.00	Chrome	3
TS33002BN	394.55	Brushed Nickel	3

ARRIS® — EXACTTEMP® VOLUME CONTROL TRIM



- valve sold separately

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
PREMIUM			
TS33003	150.25	Chrome	6
TS33003BN	219.20	Brushed Nickel	6

WATERHILL® — EXACTTEMP® THERMOSTATIC VALVE TRIM



- description: temperature control valve trim
- requires: separate volume control valve
- valve sold separately

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
PREMIUM			
TS3110	255.75	Chrome	3
TS3110BN	376.45	Brushed Nickel	3
TS3110NL	376.45	Polished Nickel	3
TS3110ORB	406.15	Oil Rubbed Bronze	3


WATERHILL® — EXACTTEMP® VOLUME CONTROL TRIM



- valve sold separately

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
PREMIUM			
TS514	146.15	Chrome	6
TS514BN	209.15	Brushed Nickel	6
TS514NL	209.15	Polished Nickel	6
TS514ORB	225.70	Oil Rubbed Bronze	6

HOW TO ORDER A COMPLETE FAUCET



NOTES

Moen® **M•PACT®** Common Valve System

ExactTemp® 3/4" Thermostatic Showering Configurations

Must order Rough-In-Valve and Trim Pack separately.
All Brushed Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

90 DEGREE™ EXACTTEMP® THERMOSTATIC VALVE TRIM



- description: temperature control valve trim
- requires: separate volume control valve
- valve sold separately

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
PREMIUM			
TS3100	263.85	Chrome	3
TS3100BN	399.20	Brushed Nickel	3

90 DEGREE™ EXACTTEMP® VOLUME CONTROL TRIM



- valve sold separately

PREMIUM			
TS3300	121.80	Chrome	6
TS3300BN	162.45	Brushed Nickel	6

ROTHBURY™ EXACTTEMP® THERMOSTATIC VALVE TRIM



- description: temperature control valve trim
- requires: separate volume control valve
- valve sold separately

PREMIUM			
TS3760	263.85	Chrome	3
TS3760BN	399.20	Brushed Nickel	3
TS3760ORB	420.50	Oil Rubbed Bronze	3

ROTHBURY™ EXACTTEMP® VOLUME CONTROL TRIM



- valve sold separately

PREMIUM			
TS3820	121.80	Chrome	6
TS3820BN	162.45	Brushed Nickel	6
TS3820ORB	171.10	Oil Rubbed Bronze	6

ICON™ EXACTTEMP® THERMOSTATIC VALVE TRIM



- description: temperature control valve trim
- requires: separate volume control valve
- valve sold separately

PREMIUM			
TS3900	263.85	Chrome	3
TS3900BN	399.20	Brushed Nickel	3

ICON™ EXACTTEMP® VOLUME CONTROL TRIM



- valve sold separately

PREMIUM			
TS3200	121.80	Chrome	6
TS3200BN	162.45	Brushed Nickel	6

MOEN® EXACTTEMP® THERMOSTATIC VALVE TRIM



- description: temperature control valve trim
- requires: separate volume control valve
- valve sold separately

PREMIUM			
TS3411	197.40	Chrome	3
TS3411BN	310.10	Brushed Nickel	3
TS3411ORB	325.70	Oil Rubbed Bronze	3

MOEN® EXACTTEMP® VOLUME CONTROL TRIM



- valve sold separately

PREMIUM			
TS3600	101.95	Chrome	6
TS3600BN	181.35	Brushed Nickel	6
TS3600ORB	190.50	Oil Rubbed Bronze	6

NOTES

Moen® **M•PACT®** Common Valve System

MOENTROL®
Multi-Function Showering Options

Due to Department of Energy regulations, plumbing manufacturers can no longer sell vertical spas packaged together as a single SKU. Moen has all the components necessary for you to build a custom Spa Shower a la carte. And, we're making it easy for you to pull together the sku numbers you need. Charts of common spa shower configurations are included so that all the components can be ordered. For additional assistance, call your Moen Sales Representative.



ROTHBURY™ Moentrol® Multi-Function Shower Spa with Showerhead & Exposed Body Sprays

Product	Description	QTY.	Chrome	Chrome List Price	Brushed Nickel	Brushed Nickel List Price	Oil Rubbed Bronze	Oil Rubbed Bronze List Price
	Rothbury multi-function Moentrol trim	1	TS4211	225.70	TS4211BN	309.05	TS4211ORB	325.55
	Three-function Moentrol valve	1	3330*	265.75	3330*	265.75	3330*	265.75
	Showerhead	1	S6335	126.55	S6335BN	172.30	S6335ORB	189.45
	Shower arm	1	10154	19.05	10154BN	34.15	10154ORB	37.55
	Shower arm flange	1	AT2199	7.35	AT2199BN	19.35	AT2199ORB	21.35
	Body spray	2	A501	88.35 x 2	A501BN	110.45 x 2	A501ORB	121.50 x 2
			Total: $821.10		**Total: $1,021.50**		**Total: $1, 082.65**	

*For 2-Function Moentrol Spa Shower configurations, use 3350 valve.

ROTHBURY™ Moentrol® Multi-Function Shower Spa with Showerhead & Handshower

Product	Description	QTY.	Chrome	Chrome List Price	Brushed Nickel	Brushed Nickel List Price	Oil Rubbed Bronze	Oil Rubbed Bronze List Price
	Rothbury multi-function Moentrol trim	1	TS4211	225.70	TS4211BN	309.05	TS4211ORB	325.55
	Three-function Moentrol valve	1	3330*	265.75	3330*	265.75	3330*	265.75
	Showerhead	1	S6335	126.55	S6335BN	172.30	S6335ORB	189.45
	Shower arm	1	10154	19.05	10154BN	34.15	10154ORB	37.55
	Shower arm flange	1	AT2199	7.35	AT2199BN	19.35	AT2199ORB	21.35
	Four-function handheld shower with slide bar	1	3667EP	258.00	3667EPBN	510.15	3667EPORB	561.15
	Drop ell	1	A725	47.60	A725BN	67.35	A725ORB	74.10
			Total: $950.00		**Total: $1,378.10**		**Total: $1,474.90**	

*For 2-Function Moentrol Spa Shower configurations, use 3350 valve.

Icon™ Moentrol® Multi-Function Shower Spa with Showerhead & Exposed Body Sprays

Product	Description	QTY.	Chrome	Chrome List Price	Brushed Nickel	Brushed Nickel List Price
	Icon multi-function Moentrol trim	1	TS4112	183.20	TS4112BN	250.80
	Three-function Moentrol valve	1	3330*	265.75	3330*	265.75
	Showerhead	1	S6312	105.00	S6312BN	124.80
	Shower arm	1	10154	19.05	10154BN	34.15
	Shower arm flange	1	AT2199	7.35	AT2199BN	19.35
	Body spray	2	A501	88.35 x 2	A501BN	110.45 x 2
			Total: $757.05		**Total: $915.75**	

*For 2-Function Moentrol Spa Shower configurations, use 3350 valve.

Moentrol® Multi-Function Showering Options

ICON™ Moentrol® Multi-Function Shower Spa with Showerhead & Handshower

Product	Description	QTY.	Chrome	Chrome List Price	Brushed Nickel	Brushed Nickel List Price
	Icon multi-function Moentrol trim	1	TS4112	183.20	TS4112BN	250.80
	Three-function Moentrol valve	1	3330*	265.75	3330*	265.75
	Showerhead	1	S6312	105.00	S6312BN	124.80
	Shower arm	1	10154	19.05	10154BN	34.15
	Shower arm flange	1	AT2199	7.35	AT2199BN	19.35
	One-function handheld shower with slide bar	1	3887EP	239.65	3887EPBN	476.15
	Drop ell	1	A725	47.60	A725BN	67.35
			Total: $867.60		**Total: $1238.35**	

*For 2-Function Moentrol Spa Shower configurations, use 3350 valve.

KINGSLEY® Moentrol® Multi-Function Shower Spa with Showerhead & Exposed Body Sprays

Product	Description	QTY.	Chrome	Chrome List Price	Brushed Nickel	Brushed Nickel List Price	Oil Rubbed Bronze	Oil Rubbed Bronze List Price
	Kingsley multi-function Moentrol trim	1	T4111	153.55	T4111BN	206.25	T4111ORB	226.90
	Three-function Moentrol valve	1	3330*	265.75	3330*	265.75	3330*	265.75
	Showerhead	1	6302	82.55	6302BN	128.95	6302ORB	141.85
	Shower arm	1	10154	19.05	10154BN	34.15	10154ORB	37.55
	Shower arm flange	1	AT2199	7.35	AT2199BN	19.35	AT2199ORB	21.35
	Body spray	2	A501	88.35 x 2	A501BN	110.45 x 2	A501ORB	121.50 x 2
			Total: $704.90		**Total: $875.35**		**Total: $ 936.40**	

*For 2-Function Moentrol Spa Shower configurations, use 3350 valve.

KINGSLEY® Moentrol® Multi-Function Shower Spa with Showerhead & Handshower


Product	Description	QTY.	Chrome	Chrome List Price	Brushed Nickel	Brushed Nickel List Price	Oil Rubbed Bronze	Oil Rubbed Bronze List Price
	Kingsley multi-function Moentrol trim	1	T4111	153.55	T4111BN	206.25	T4111ORB	226.90
	Three-function Moentrol valve	1	3330*	265.75	3330*	265.75	3330*	265.75
	Showerhead	1	6302	82.55	6302BN	128.95	6302ORB	141.85
	Shower arm	1	10154	19.05	10154BN	34.15	10154ORB	37.55
	Shower arm flange	1	AT2199	7.35	AT2199BN	19.35	AT2199ORB	21.35
	Four-function handheld shower with slide bar	1	3667EP	258.00	3667EPBN	510.15	3667EPORB	561.15
	Drop ell	1	A725	47.60	A725BN	67.35	A725ORB	74.10
			Total: $833.85		**Total: $1,231.95**		**Total: $1.328.65**	

*For 2-Function Moentrol Spa Shower configurations, use 3350 valve.

Moentrol® Multi-Function Showering Options

With Moentrol, creating your ideal shower is easy. This valve offers you volume and temperature control, which means you can adjust temperature and flow to your desired level without the worries of hot or cold surges.


Moentrol with built-in transfer valves allows the user to add a hand shower or body spray to showerhead to create an affordable, custom, multiple-outlet shower experience.



MOENTROL®

MULTI-FUNCTION SHOWER SPA CONFIGURATION-OPTION A

	SKU#	TO ORDER...
A. (1) Shower arm & Flange	S113	See page 315
B. (1) Showerhead	S1311	See page 303
C. (1) Hand Shower	3667EP	See page 319
D. (1) Drop Ell	A725	See page 329
E. (1) Moentrol® MF Valve (behind the wall, not shown)	3330	See page 276
E. (1) Moentrol® MF Trim	TS4211	See page 276



MOENTROL®

MULTI-FUNCTION SHOWER SPA CONFIGURATION-OPTION B

	SKU#	TO ORDER...
A. (2) Shower arms & Flanges	S113	See page 315
B. (2) Showerheads	S1311	See page 303
C. (1) Moentrol® MF Valve	3330	See page 276
C. (1) Moentrol® MF Trim	TS4211	See page 276

Moentrol® Multi-Function Showering Options

All Brushed Nickel and Polished Brass faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
M-PACT®	MOENTROL® WITH TRANSFER VALVE				
	• ports: four; two outlets • adjustable temp limit stop: included • check stops: included • type of function: two independent one shared • includes: volume control • not recommended: for tub spout application Pressure Balancing	**3320**	265.75	1/2" IPS inlets/cc outlets	6
M-PACT®	MOENTROL® WITH TRANSFER VALVE				
	• ports: four; two outlets • adjustable temp limit stop: included • check stops: included • type of function: two independent one shared • includes: volume control • not recommended: for tub spout application Pressure Balancing	**3330**	265.75	1/2" CC	6
M-PACT®	MOENTROL® WITH TRANSFER VALVE				
	• ports: four; two outlets • adjustable temp limit stop: included • check stops: included • type of function: two independent functions • includes: volume control • not recommended: for tub spout application Pressure Balancing	**3350**	265.75	1/2" CC	6

Valve	Flow Rate through shower port (GPM) @ 20 PSI	Flow Rate through shower port (GPM) @ 40 PSI	Flow Rate through shower port (GPM) @ 60 PSI	Used with 2- or 3-Function Transfer	Maximum Components
3-Function Moentrol 3320, 3330, 3350	*3.0	*4.2	*5.2	No	Showerhead, Handshower or Showerhead, 2 Bodysprays

*3-Function Moentrol flow is the total flow when used in the shared mode

ROTHBURY™	MOENTROL® WITH TRANSFER VALVE				
	• showerhead type: showerhead sold separately • valve sold separately	PREMIUM			
		TS4211	225.70	Chrome	3
		TS4211BN	309.05	Brushed Nickel	3
		TS4211ORB	325.55	Oil Rubbed Bronze	3
ICON™	MOENTROL® WITH TRANSFER VALVE				
	• showerhead type: showerhead sold separately • valve sold separately	PREMIUM			
		TS4112	183.20	Chrome	3
		TS4112BN	250.80	Brushed Nickel	3
KINGSLEY®	MOENTROL® WITH TRANSFER VALVE				
	• showerhead type: showerhead sold separately • valve sold separately	**T4111**	153.55	Chrome	3
		T4111BN	206.25	Brushed Nickel	3
		T4111ORB	226.90	Oil Rubbed Bronze	3
		T4111P	227.80	Polished Brass	3

HOW TO ORDER MOENTROL SHOWER WITH TRANSFER VALVE



Valve Part No. | Trim Part No. | Complete Faucet

NOTES

Moen® **M•PACT®** Common Valve System

Moentrol® Shower Spa with Annex™ Shower Rail
Showering Components

Due to Department of Energy regulations, plumbing manufacturers can no longer sell vertical spas packaged together as a single SKU. Moen has all the components necessary for you to build a custom Spa Shower a la carte. And, we're making it easy for you to pull together the sku numbers you need. Charts of common spa shower configurations are included so that all the components can be ordered. For additional assistance, call your Moen Sales Representative.



90°™ Moentrol® Shower Spa with Annex™ Shower Rail

NEW! Product	Description	QTY.	Chrome	Chrome List Price
	90° Moentrol valve only trim	1	TS3711	168.65
	Moentrol valve	1	3570	188.35
	Annex shower rail	1	TS3661NH	445.00
	Rainshower	1	S6340EP	161.40
	One-function handshower	1	147547	81.80
			Total: $1,045.20	

ROTHBURY™ Moentrol® Shower Spa with Annex™ Shower Rail

NEW! Product	Description	QTY.	Chrome	Chrome List Price
	Rothbury Moentrol valve only trim	1	TS3211	177.00
	Moentrol valve	1	3570	188.35
	Annex shower rail	1	TS3661NH	445.00
	Showerhead	1	S6335EP	126.55
	Four-function handshower	1	164927	65.90
			Total: $1,002.80	

ICON™ Moentrol® Shower Spa with Annex™ Shower Rail

NEW! Product	Description	QTY.	Chrome	Chrome List Price
	Icon Moentrol valve only trim	1	TS2154	141.35
	Moentrol valve	1	3570	188.35
	Annex shower rail	1	TS3661NH	445.00
	Showerhead	1	S6312EP	105.00
	One-function handshower	1	155891	56.55
			Total: $936.25	

Moentrol® with Annex™ Shower Rail

WYNFORD® Moentrol® Shower Spa with Annex™ Shower Rail

NEW! Product	Description	QTY.	Chrome	Chrome List Price
	Wynford Moentrol valve only trim	1	T5501	132.45
	Moentrol valve	1	3570	188.35
	Annex shower rail	1	TS3661NH	445.00
	Showerhead	1	S6310EP	161.40
	Four-function handshower	1	164927	65.90
			Total: $993.10	

ALIGN® Moentrol® Shower Spa with Annex™ Shower Rail

NEW! Product	Description	QTY.	Chrome	Chrome List Price
	Align Moentrol valve only trim	1	T3291	132.45
	Moentrol valve	1	3570	188.35
	Annex shower rail	1	TS3661NH	445.00
	Showerhead	1	S176EP	161.40
	One-function handshower	1	155891	56.55
			Total: $983.75	

VOSS™ Moentrol® Shower Spa with Annex™ Shower Rail

NEW! Product	Description	QTY.	Chrome	Chrome List Price
	Voss Moentrol valve only trim	1	T3691	132.45
	Moentrol valve	1	3570	188.35
	Annex shower rail	1	TS3661NH	445.00
	Showerhead	1	S6365EP	161.40
	Four-function handshower	1	164928	67.55
			Total: $994.75	

KINGSLEY® Moentrol® Shower Spa with Annex™ Shower Rail

NEW! Product	Description	QTY.	Chrome	Chrome List Price
	Kingsley Moentrol valve only trim	1	T3111	118.50
	Moentrol valve	1	3570	188.35
	Annex shower rail	1	TS3661NH	445.00
	Showerhead	1	6302EP	82.55
	Four-function handshower	1	164927	65.90
			Total: $900.30	

MOENTROL® AND STANDARD
Transfer Valve Showering Components

Due to Department of Energy regulations, plumbing manufacturers can no longer sell vertical spas packaged together as a single SKU. Moen has all the components necessary for you to build a custom Spa Shower a la carte. And, we're making it easy for you to pull together the sku numbers you need. Charts of common spa shower configurations are included so that all the components can be ordered. For additional assistance, call your Moen Sales Representative.



90°™ Moentrol® with Transfer Valve Shower Spa with Showerhead & Handshower

Product	Description	QTY.	Chrome	Chrome List Price	Brushed Nickel	Brushed Nickel List Price
	90° Moentrol shower trim	1	TS3715	224.95	TS3715BN	544.30
	Moentrol valve	1	3570	188.35	3570	188.35
	90° transfer valve trim	1	TS4172	137.80	TS4172BN	186.15
	Three-function transfer valve	1	3372*	165.70	3372*	165.70
	90° handshower with slide bar	1	S3879EP	274.75	S3879EPBN	551.25
	Drop ell	1	A721	60.85	A721BN	85.80
*For 2 discrete functions, use 3375 transfer valve.			**Total: $1,052.40**		**Total: $1,721.55**	

ROTHBURY™ Moentrol® with Transfer Valve Shower Spa with Showerhead & Handshower

Product	Description	QTY.	Chrome	Chrome List Price	Brushed Nickel	Brushed Nickel List Price	Oil Rubbed Bronze	Oil Rubbed Bronze List Price
	Rothbury Moentrol shower trim	1	TS3212	236.25	TS3212BN	571.40	TS3212ORB	601.95
	Moentrol valve	1	3570	188.35	3570	188.35	3570	188.35
	Rothbury transfer valve trim	1	TS5205	148.00	TS5205BN	197.85	TS5205ORB	208.45
	Three-function transfer valve	1	3372*	165.70	3372*	165.70	3372*	165.70
	One-function handshower with slide bar	1	3869EP	267.00	3869EPBN	530.30	3869EPORB	583.30
	Drop ell	1	A725	47.60	A725BN	67.35	A725ORB	74.10
*For 2 discrete functions, use 3375 transfer valve.			**Total: $1,052.90**		**Total: $1,720.95**		**Total: $1,821.85**	

Moentrol® with Transfer Valve Showering Options

WYNFORD® Moentrol® with Transfer Valve Shower Spa with Showerhead & Handshower

Product	Description	QTY.	Chrome	Chrome List Price	Brushed Nickel	Brushed Nickel List Price	Oil Rubbed Bronze	Oil Rubbed Bronze List Price
	Wynford Moentrol shower trim	1	T5502	176.80	T5502BN	365.80	T5502ORB	402.35
	Moentrol valve	1	3570	188.35	3570	188.35	3570	188.35
	Wynford transfer valve trim	1	T4511	102.60	T4511BN	137.85	T4511ORB	151.65
	Three-function transfer valve	1	3372*	165.70	3372*	165.70	3372*	165.70
	Four-function handheld shower with slide bar	1	3667EP	258.00	3667EPBN	510.15	3667EPORB	561.15
	Drop ell	1	A725	47.60	A725BN	67.35	A725ORB	74.10
*For 2 discrete functions, use 3375 transfer valve.			**Total: $939.05**		**Total: $1,435.20**		**Total: $1,543.30**	

ALIGN® Moentrol® with Transfer Valve Shower Spa with Showerhead & Handshower

Product	Description	QTY.	Chrome	Chrome List Price	Brushed Nickel	Brushed Nickel List Price
	Align Moentrol shower trim	1	T3292	176.80	T3292BN	365.80
	Moentrol valve	1	3570	188.35	3570	188.35
	Align transfer valve trim	1	T4191	102.60	T4191BN	137.85
	Three-function transfer valve	1	3372*	165.70	3372*	165.70
	One-function handshower with slide bar	1	3887EP	239.65	3887EPBN	476.15
	Drop ell	1	A725	47.60	A725BN	67.35
*For 2 discrete functions, use 3375 transfer valve.			**Total: $920.70**		**Total: $1,041.20**	

VOSS™ Moentrol® with Transfer Valve Shower Spa with Showerhead & Handshower


Product	Description	QTY.	Chrome	Chrome List Price	Brushed Nickel	Brushed Nickel List Price	Oil Rubbed Bronze	Oil Rubbed Bronze List Price
	Voss Moentrol shower trim	1	T3692	176.80	T3692BN	365.80	T3692ORB	402.35
	Moentrol valve	1	3570	188.35	3570	188.35	3570	188.35
	Voss transfer valve trim	1	T4611	102.60	T4611BN	137.85	T4611ORB	151.65
	Three-function transfer valve	1	3372*	165.70	3372*	165.70	3372*	165.70
	Four-function handheld with slide bar	1	3667EP	258.00	3667EPBN	510.15	3667EPORB	561.15
	Drop ell	1	A725	47.60	A725BN	67.35	A725ORB	74.10
*For 2 discrete functions, use 3375 transfer valve.			**Total: $939.05**		**Total: $1,435.20**		**Total: $1,543.30**	

Moentrol® with Transfer Valve Showering Options

Use the three-function or two-function transfer valve with a Moentrol® or Posi-Temp® mixing valve to customize your shower by including hand showers, showerheads, or body sprays in addition to your tub/shower combo.


Now available in six matching trim suite styles or the neutral style that works well with any trim suite of your choice to add flexibility.

KINGSLEY® Moentrol ® with Transfer Valve Shower Spa with Showerhead & Handshower								
Product	**Description**	**QTY.**	**Chrome**	**Chrome List Price**	**Brushed Nickel**	**Brushed Nickel List Price**	**Oil Rubbed Bronze**	**Oil Rubbed Bronze List Price**
	Kingsley Moentrol shower trim	1	T3112	158.15	T3112BN	358.25	T3112ORB	394.10
	Moentrol valve	1	3570	188.35	3570	188.35	3570	188.35
	Kingsley transfer valve trim	1	T4311	102.60	T4311BN	137.85	T4311ORB	151.65
	Three-function transfer valve	1	3372*	165.70	3372*	165.70	3372*	165.70
	Four-function handshower with slide bar	1	3667EP	258.00	3667EPBN	510.15	3667EPORB	561.15
	Drop ell	1	A725	47.60	A725BN	67.35	A725ORB	74.10
*For 2 discrete functions, use 3375 transfer valve.			**Total: $**		**Total: $**		**Total: $**	



MOENTROL® AND TRANSFER VALVE

SHOWER/SPA CONFIGURATION-OPTION A	SKU#	TO ORDER...
A. (1) Shower arm & Flange	S113	See page 315
B. (1) Showerhead	S1311	See page 303
C. (1) Hand Shower with Slidebar	3667EP	See page 319
D. (1) Drop Ell	A725	See page 329
E. (1) Transfer Valve	3372	See page 282
(1) Transfer Valve Trim	TS5205	See page 283
F. (1) Moentrol® Valve	3520	See page 282
(1) Moentrol® Valve Trim	TS3211	See page 285



MOENTROL® AND TRANSFER VALVE

SHOWER/SPA CONFIGURATION-OPTION A	SKU#	TO ORDER...
A. (2) Shower arms & Flanges	S113	See page 315
B. (2) Showerheads	S1311	See page 303
C. (2) Hand Showers	3667EP	See page 319
D. (2) Drop Ells	A725	See page 329
E. (2) Transfer Valves	3372	See page 282
(2) Transfer Valve Trims	TS5205	See page 283
F. (2) Moentrol® Valves	3520	See page 282
(2) Moentrol® Valve Trims	TS3211	See page 285

Moentrol® Valve Showering Components

Must order Rough-In-Valve and Trim Pack separately.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
M-PACT®	MOENTROL® VALVE ONLY				
	• description: pressure balanced valve with volume control • ports: four • adjustable temp limit stop: included • checks: included • includes: volume control	**3520**	158.10	1/2" CC	6
M-PACT®	MOENTROL® VALVE ONLY				
	• description: pressure balanced valve with volume control • ports: four • adjustable temp limit stop: included • checks: included • includes: volume control	**3510**	158.10	1/2" IPS	6
M-PACT®	MOENTROL® VALVE ONLY				
	• description: pressure balanced valve with volume control • ports: four • adjustable temp limit stop: included • check stops: included • includes: volume control	**3570** ◆	188.35	1/2" CC	6
MOEN®	TRANSFER VALVE ONLY				
	• type of function: two independent one shared • must be used with: Posi-Temp® or Moentrol® valve	**3372**	165.70	1/2" CC	12
MOEN®	TRANSFER VALVE ONLY				
	• type of function: two independent functions • must be used with: Posi-Temp® or Moentrol® valve	**3375**	165.70	1/2" CC	12
COMMERCIAL	TRANSFER VALVE ONLY				
	• cartridge type: ceramic disc • valve type: transfer • no of ports: four • three distinct functions	**3360**	192.60	1/2" CC	6
MOEN®	TWIN ELL				
	• description: twin ell • usage: with tub/shower installations where needed	**128284**	24.70	1/2" x 1/2" x 3/4" IPS	12

Valve	Flow Rate through shower port (GPM) @ 20 PSI	Flow Rate through shower port (GPM) @ 40 PSI	Flow Rate through shower port (GPM) @ 60 PSI	Used with 2- or 3-Function Transfer	Maximum Components
Moentrol® 3520, 3510, 3570	3.5	5.0	6.3	Yes	Showerhead, Handshower or Showerhead, 2 Bodysprays

Use 3372 or 3375 in conjunction with either a Posi-Temp® or Moentrol® shower valve.

NOTES

◆ Also available in bulk pack. See page 399.


Moen® **M•PACT®** Common Valve System

Transfer Valve Showering Components

Must order Rough-In-Valve and Trim Pack separately.
All Brushed Nickel and Polished Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
ANNEX™ SHOWER RAIL WITH BUILT-IN DIVERTER					
	• connection size: 1/2" • connection type: IPS • showerhead type: showerhead sold separately • handshower type: handshower sold separately • type of function: two independent functions • hose length: 59"	PREMIUM			
		TS3661NH	445.00	Chrome	3
90 DEGREE™	**TRANSFER VALVE ONLY**				
	• valve sold separately	PREMIUM			
		TS4172	137.80	Chrome	6
		TS4172BN	186.15	Brushed Nickel	6
ROTHBURY™	**TRANSFER VALVE ONLY**				
	• valve sold separately	PREMIUM			
		TS5205	148.00	Chrome	6
		TS5205BN	197.85	Brushed Nickel	6
		TS5205ORB	208.45	Oil Rubbed Bronze	6
WYNFORD®	**TRANSFER VALVE ONLY**				
	• valve sold separately	**T4511**	102.60	Chrome	12
		T4511BN	137.85	Brushed Nickel	12
		T4511NL	137.85	Polished Nickel	12
		T4511ORB	151.65	Oil Rubbed Bronze	12
ALIGN®	**TRANSFER VALVE ONLY**				
	• valve sold separately	**T4191**	102.60	Chrome	12
		T4191BN	137.85	Brushed Nickel	12

HOW TO ORDER MOENTROL SHOWER WITH TRANSFER VALVE



NOTES


Moen® **M•PACT®** Common Valve System

Transfer Valve Showering Components

Must order Rough-In-Valve and Trim Pack separately.
All Brushed Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
VOSS™	**TRANSFER VALVE ONLY**				
	• valve sold separately	**T4611**	102.60	Chrome	12
		T4611BN	137.85	Brushed Nickel	12
		T4611ORB	151.65	Oil Rubbed Bronze	12
KINGSLEY®	**TRANSFER VALVE ONLY**				
	• valve sold separately	**T4311**	102.60	Chrome	6
		T4311BN	137.85	Brushed Nickel	6
		T4311ORB	151.65	Oil Rubbed Bronze	6
MOEN®	**TRANSFER VALVE ONLY**				
	• valve sold separately	**T4171**	101.95	Chrome	6
		T4171BN	137.05	Brushed Nickel	6
		T4171ORB	150.75	Oil Rubbed Bronze	6

HOW TO ORDER MOENTROL SHOWER WITH TRANSFER VALVE



NOTES


Moen® **M•PACT®** Common Valve System

Moentrol® Valve Showering Components

Must order Rough-In-Valve and Trim Pack separately.
All Brushed Nickel, Polished Nickel and Polished Brass faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
90 DEGREE™	**MOENTROL® VALVE ONLY**				
	• valve sold separately	**PREMIUM**			
		TS3711	168.65	Chrome	3
		TS3711BN	419.95	Brushed Nickel	3
ROTHBURY™	**MOENTROL® VALVE ONLY**				
	• valve sold separately	**PREMIUM**			
		TS3211	177.00	Chrome	3
		TS3211BN	440.95	Brushed Nickel	3
		TS32110RB	464.50	Oil Rubbed Bronze	3
ICON™	**MOENTROL® VALVE ONLY**				
	• valve sold separately	**PREMIUM**			
		TS2154	141.35	Chrome	3
		TS2154BN	335.95	Brushed Nickel	3
WYNFORD®	**MOENTROL® VALVE ONLY**				
	• valve sold separately	**T5501**	132.45	Chrome	3
		T5501BN	282.20	Brushed Nickel	3
		T5501NL	282.20	Polished Nickel	3
		T55010RB	310.45	Oil Rubbed Bronze	3
ALIGN®	**MOENTROL® VALVE ONLY**				
	• valve sold separately	**T3291**	132.45	Chrome	3
		T3291BN	282.20	Brushed Nickel	3
VOSS™	**MOENTROL® VALVE ONLY**				
	• valve sold separately	**T3691**	132.45	Chrome	3
		T3691BN	282.20	Brushed Nickel	3
		T36910RB	310.45	Oil Rubbed Bronze	3
KINGSLEY®	**MOENTROL® VALVE ONLY**				
	• valve sold separately	**T3111**	118.50	Chrome	3
		T3111BN	276.50	Brushed Nickel	3
		T31110RB	304.15	Oil Rubbed Bronze	3
		T3111P	321.25	Polished Brass	3

HOW TO ORDER MOENTROL SHOWER WITH TRANSFER VALVE



NOTES

Moen® **M•PACT®** Common Valve System

POSI-TEMP® Shower Spa with Annex™ Shower Rail Showering Components

Due to Department of Energy regulations, plumbing manufacturers can no longer sell vertical spas packaged together as a single SKU. Moen has all the components necessary for you to build a custom Spa Shower a la carte. And, we're making it easy for you to pull together the sku numbers you need. Charts of common spa shower configurations are included so that all the components can be ordered. For additional assistance, call your Moen Sales Representative.



WEYMOUTH® Posi-Temp® Shower Spa with Annex™ Shower Rail

NEW! Product	Description	QTY.	Chrome	Chrome List Price
	Weymouth Posi-Temp valve only trim	1	TS3210	264.55
	Posi-Temp valve	1	2520	115.35
	Annex shower rail	1	TS3661NH	445.00
	Showerhead	1	S1311EP	387.95
	Shower arm	1	S113	106.35
	One-function handshower	1	154305	121.95
			Total: $1,441.15	

ARRIS® Posi-Temp® Shower Spa with Annex™ Shower Rail

NEW! Product	Description	QTY.	Chrome	Chrome List Price
	Arris Posi-Temp valve only trim	1	TS22001	245.85
	Posi-Temp valve	1	2520	115.35
	Annex shower rail	1	TS3661NH	445.00
	Showerhead	1	S112EP	363.70
	Shower arm	1	S110	106.35
	One-function handshower	1	155891	56.55
			Total: $1,332.80	

WATERHILL® Posi-Temp® Shower Spa with Annex™ Shower Rail

NEW! Product	Description	QTY.	Chrome	Chrome List Price
	Waterhill Posi-Temp valve only trim	1	TS310	239.05
	Posi-Temp valve	1	2520	115.35
	Annex shower rail	1	TS3661NH	445.00
	Showerhead	1	S112EP	363.70
	Shower arm	1	S113	106.35
	One-function handshower	1	155891	56.55
			Total: $1,326.00	

90°™ Posi-Temp® Shower Spa with Annex™ Shower Rail				
NEW! Product	Description	QTY.	Chrome	Chrome List Price
	90° Posi-Temp valve only trim	1	TS2711	156.60
	Posi-Temp valve	1	2520	115.35
	Annex shower rail	1	TS3661NH	445.00
	Showerhead	1	S6340EP	161.40
	One-function handshower	1	147547	81.80
			Total: $960.15	

VIA™ Posi-Temp® Shower Spa with Annex™ Shower Rail				
NEW! Product	Description	QTY.	Chrome	Chrome List Price
	Via Posi-Temp valve only trim	1	TS8711	152.70
	Posi-Temp valve	1	2520	115.35
	Annex shower rail	1	TS3661NH	445.00
	Showerhead	1	S6365EP	161.40
	One-function handshower	1	155891	56.55
			Total: $931.00	

ROTHBURY™ Posi-Temp® Shower Spa with Annex™ Shower Rail				
NEW! Product	Description	QTY.	Chrome	Chrome List Price
	Rothbury Posi-Temp valve only trim	1	TS2211	164.45
	Posi-Temp valve	1	2520	115.35
	Annex shower rail	1	TS3661NH	445.00
	Showerhead	1	S6335EP	126.55
	Four-function handshower	1	164927	65.90
			Total: $917.25	

ICON™ Posi-Temp® Shower Spa with Annex™ Shower Rail				
NEW! Product	Description	QTY.	Chrome	Chrome List Price
	Icon Posi-Temp valve only trim	1	TS2141	133.40
	Posi-Temp valve	1	2520	115.35
	Annex shower rail	1	TS3661NH	445.00
	Showerhead	1	S6312EP	105.00
	One-function handshower	1	155891	56.55
			Total: $855.30	

Posi-Temp® with Annex™ Shower Rail Options

WYNFORD® Posi-Temp® Shower Spa with Annex™ Shower Rail

NEW! Product	Description	QTY.	Chrome	Chrome List Price
	Wynford Posi-Temp valve only trim	1	T4501	111.90
	Posi-Temp valve	1	2520	115.35
	Annex shower rail	1	TS3661NH	445.00
	Showerhead	1	S6312EP	105.00
	Four-function handshower	1	164927	65.90
			Total: $843.15	

ALIGN® Posi-Temp® Shower Spa with Annex™ Shower Rail

NEW! Product	Description	QTY.	Chrome	Chrome List Price
	Align Posi-Temp valve only trim	1	T2191	111.90
	Posi-Temp valve	1	2520	115.35
	Annex shower rail	1	TS3661NH	445.00
	Showerhead	1	6399EP	81.60
	One-function handshower	1	155891	56.55
			Total: $810.40	

VOSS™ Posi-Temp® Shower Spa with Annex™ Shower Rail

NEW! Product	Description	QTY.	Chrome	Chrome List Price
	Voss Posi-Temp valve only trim	1	T2691	111.90
	Posi-Temp valve	1	2520	115.35
	Annex shower rail	1	TS3661NH	445.00
	Showerhead	1	6325EP	81.60
	Four-function handshower	1	164928	67.55
			Total: $821.40	

KINGSLEY® Posi-Temp® Shower Spa with Annex™ Shower Rail

NEW! Product	Description	QTY.	Chrome	Chrome List Price
	Kingsley Posi-Temp valve only trim	1	T2111	111.90
	Posi-Temp valve	1	2520	115.35
	Annex shower rail	1	TS3661NH	445.00
	Showerhead	1	6302EP	82.55
	Four-function handshower	1	164927	65.90
			Total: $820.70	

GLYDE™ Posi-Temp® Shower Spa with Annex™ Shower Rail

NEW! Product	Description	QTY.	Chrome	Chrome List Price
	Glyde Posi-Temp valve only trim	1	T2741	65.70
	Posi-Temp valve	1	2520	115.35
	Annex shower rail	1	TS3661NH	445.00
	Showerhead	1	6370EP17	49.00
	Four-function handshower	1	164928	67.55
			Total: $742.60	

DARTMOOR™ Posi-Temp® Shower Spa with Annex™ Shower Rail

NEW! Product	Description	QTY.	Chrome	Chrome List Price
	Dartmoor Posi-Temp valve only trim	1	T2181	65.70
	Posi-Temp valve	1	2520	115.35
	Annex shower rail	1	TS3661NH	445.00
	Showerhead	1	6371EP17	49.00
	Four-function handshower	1	164927	65.90
			Total: $740.95	

RIZON® Posi-Temp® Shower Spa with Annex™ Shower Rail

NEW! Product	Description	QTY.	Chrome	Chrome List Price
	Rizon Posi-Temp valve only trim	1	T2811	111.90
	Posi-Temp valve	1	2520	115.35
	Annex shower rail	1	TS3661NH	445.00
	Showerhead	1	6322EP	81.60
	One-function handshower	1	155891	56.55
			Total: $810.40	

BRANTFORD® Posi-Temp® Shower Spa with Annex™ Shower Rail

NEW! Product	Description	QTY.	Chrome	Chrome List Price
	Brantford Posi-Temp valve only trim	1	T2151	52.80
	Posi-Temp valve	1	2520	115.35
	Annex shower rail	1	TS3661NH	445.00
	Showerhead	1	6303EP	45.65
	Four-function handshower	1	164927	65.90
			Total: $724.70	

Posi-Temp® with Annex™ Shower Rail Options

EVA® Posi-Temp® Shower Spa with Annex™ Shower Rail

NEW! Product	Description	QTY.	Chrome	Chrome List Price
	Eva Posi-Temp valve only trim	1	T2131	52.80
	Posi-Temp valve	1	2520	115.35
	Annex shower rail	1	TS3661NH	445.00
	Showerhead	1	6303EP	45.65
	Four-function handshower	1	164928	67.55
			Total: $743.50	

METHOD™ Posi-Temp® Shower Spa with Annex™ Shower Rail

NEW! Product	Description	QTY.	Chrome	Chrome List Price
	Method Posi-Temp valve only trim	1	T2801	52.80
	Posi-Temp valve	1	2520	115.35
	Annex shower rail	1	TS3661NH	445.00
	Showerhead	1	6300EP	32.00
	One-function handshower	1	155891	56.55
			Total: $701.70	

POSI-TEMP® AND STANDARD
Transfer Valve Showering Components

Due to Department of Energy regulations, plumbing manufacturers can no longer sell vertical spas packaged together as a single SKU. Moen has all the components necessary for you to build a custom Spa Shower a la carte. And, we're making it easy for you to pull together the sku numbers you need. Charts of common spa shower configurations are included so that all the components can be ordered. For additional assistance, call your Moen Sales Representative.



WEYMOUTH® Posi-Temp® with Transfer Valve Shower Spa with Showerhead & Handshower

Product	Description	QTY.	Chrome	Chrome List Price	Brushed Nickel	Brushed Nickel List Price	Oil Rubbed Bronze	Oil Rubbed Bronze List Price	Polished Nickel	Polished Nickel List Price
	Weymouth Posi-Temp shower trim	1	TS32102	504.45	TS32102BN	736.35	TS32102ORB	794.35	TS32102NL	736.35
	Posi-Temp valve	1	2520	115.35	2520	115.35	2520	115.35	2520	115.35
	Weymouth transfer valve trim	1	TS32205	238.05	TS32205BN	280.65	TS32205ORB	302.80	TS32205NL	280.65
	Three-function transfer valve	1	3372*	165.70	3372*	165.70	3372*	165.70	3372*	165.70
	Handshower with slide bar	1	S12107EP	452.25	S12107EPBN	639.50	S12107EPORB	703.40	S12107EPNL	639.50
	Drop ell	1	A725	47.60	A725BN	67.35	A725ORB	74.10	A725NL	67.35
*For 2 discrete functions, use 3375 transfer valve.			**Total: $1,523.40**		**Total: $2,004.90**		**Total: $2,155.70**		**Total: $2,004.90**	

ARRIS® Posi-Temp® with Transfer Valve Shower Spa with Showerhead & Handshower

Product	Description	QTY.	Chrome	Chrome List Price	Brushed Nickel	Brushed Nickel List Price
	Arris Posi-Temp shower trim	1	TS22002	479.10	TS22002BN	699.70
	Posi-Temp valve	1	2520	115.35	2520	115.35
	Arris transfer valve trim	1	TS23005	221.20	TS23005BN	274.15
	Three-function transfer valve	1	3372*	165.70	3372*	165.70
	Handshower with slide bar	1	3887EP	239.65	3887EPBN	476.15
	Drop ell	1	A725	47.60	A725BN	67.35
*For 2 discrete functions, use 3375 transfer valve.			**Total: $1,268.60**		**Total: $1,798.40**	

Posi-Temp® with Transfer Valve Showering Options

WATERHILL® Posi-Temp® with Transfer Valve Shower Spa with Showerhead & Handshower

Product	Description	QTY.	Chrome	Chrome List Price	Brushed Nickel	Brushed Nickel List Price	Oil Rubbed Bronze	Oil Rubbed Bronze List Price	Polished Nickel	Polished Nickel List Price
	Waterhill Posi-Temp shower trim	1	TS312	465.90	TS312BN	667.95	TS312ORB	720.25	TS312NL	667.95
	Posi-Temp valve	1	2520	115.35	2520	115.35	2520	115.35	2520	115.35
	Waterhill transfer valve trim	1	TS325	215.15	TS325BN	261.60	TS325ORB	282.25	TS325NL	261.60
	Three-function transfer valve		3372*	165.70	3372*	165.70	3372*	165.70	3372*	165.70
	One-function handshower with wall bracket	1	3861EP	235.40	3861EPBN	479.40	3861EPORB	528.80	3861EPNL	479.40
	Drop ell	1	A725	47.60	A725BN	67.35	A725ORB	74.10	A725NL	67.35
*For 2 discrete functions, use 3375 transfer valve.			**Total: $1,245.10**		**Total: $1,757.35**		**Total: $1,886.45**		**Total: $1,757.35**	

90°™ Posi-Temp® with Transfer Valve Shower Spa with Showerhead & Handshower

Product	Description	QTY.	Chrome	Chrome List Price	Brushed Nickel	Brushed Nickel List Price
	90° Posi-Temp shower trim	1	TS2712	208.85	TS2712BN	386.90
	Posi-Temp valve	1	2520	115.35	2520	115.35
	90° transfer valve trim	1	TS4172	137.80	TS4172BN	186.15
	Three-function transfer valve	1	3372*	165.70	3372*	65.70
	90° one-function handshower with slide bar	1	S3879EP	274.75	S3879EPBN	551.25
	Drop ell	1	A721	60.85	A721BN	85.80
*For 2 discrete functions, use 3375 transfer valve.			**Total: $960.30**		**Total: $1,391.15**	

ROTHBURY™ Posi-Temp® with Transfer Valve Spa Shower Spa with Showerhead & Handshower

Product	Description	QTY.	Chrome	Chrome List Price	Brushed Nickel	Brushed Nickel List Price	Oil Rubbed Bronze	Oil Rubbed Bronze List Price
	Rothbury Posi-Temp shower trim	1	TS2212	219.20	TS2212BN	406.30	TS2212ORB	427.85
	Posi-Temp valve	1	2520	115.35	2520	115.35	2520	115.35
	Rothbury transfer valve trim	1	TS5205	148.00	TS5205BN	197.85	TS5205ORB	208.45
	Three-function transfer valve	1	3372*	165.70	3372*	65.70	3372*	65.70
	One-function handshower with slide bar	1	3869EP	267.00	3869EPBN	530.30	3869EPORB	583.35
	Drop ell	1	A725	47.60	A725BN	67.35	A725ORB	74.20
*For 2 discrete functions, use 3375 transfer valve.			**Total: $962.85**		**Total: $1,382.86**		**Total: $1,474.90**	

Posi-Temp® with Transfer Valve Showering Options

WYNFORD® Posi-Temp® with Transfer Valve Shower Spa with Showerhead & Handshower

Product	Description	QTY.	Chrome	Chrome List Price	Brushed Nickel	Brushed Nickel List Price	Oil Rubbed Bronze	Oil Rubbed Bronze List Price
	Wynford Posi-Temp shower trim	1	T4502	149.15	T4502BN	271.25	T4502ORB	298.30
	Posi-Temp valve	1	2520	115.35	2520	115.35	2520	115.35
	Wynford transfer valve trim	1	T4511	102.60	T4511BN	137.85	T4511ORB	151.65
	Three-function transfer valve	1	3372*	165.70	3372*	165.70	3372*	165.70
	Four-function handheld shower with slide bar	1	3667EP	258.00	3667EPBN	510.15	3667EPORB	561.15
	Drop ell	1	A725	47.60	A725BN	67.35	A725ORB	74.20
			Total: $838.40		**Total: $1,267.65**		**Total: $1,366.35**	

*For 2 discrete functions, use 3375 transfer valve.

ALIGN® Posi-Temp® with Transfer Valve Shower Spa with Showerhead & Handshower

Product	Description	QTY.	Chrome	Chrome List Price	Brushed Nickel	Brushed Nickel List Price
	Align Posi-Temp shower trim	1	T2192	149.15	T2192BN	271.25
	Posi-Temp valve	1	2520	115.35	2520	115.35
	Transfer valve trim	1	T4191	102.60	T4191BN	137.85
	Three-function transfer valve	1	3372*	165.70	3372*	165.70
	Handheld shower with slide bar	1	3887EP	239.65	3887EPBN	476.15
	Drop ell	1	A725	47.60	A725BN	67.35
			Total: $820.05		**Total: $1,233.65**	

*For 2 discrete functions, use 3375 transfer valve.

VOSS® Posi-Temp® with Transfer Valve Shower Spa with Showerhead & Handshower

Product	Description	QTY.	Chrome	Chrome List Price	Brushed Nickel	Brushed Nickel List Price	Oil Rubbed Bronze	Oil Rubbed Bronze List Price
	Voss Posi-Temp shower trim	1	T2692	149.15	T2692BN	271.25	T2692ORB	298.30
	Posi-Temp valve	1	2520	115.35	2520	115.35	2520	115.35
	Voss transfer valve trim	1	T4611	102.60	T4611BN	137.85	T4611ORB	151.65
	Three-function transfer valve	1	3372*	165.70	3372*	165.70	3372*	165.70
	Four-function handheld shower with slide bar	1	3667EP	258.00	3667EPBN	510.15	3667EPORB	561.15
	Drop ell	1	A725	47.60	A725BN	67.35	A725ORB	74.20
			Total: $838.40		**Total: $1,267.65**		**Total: $1,366.35**	

*For 2 discrete functions, use 3375 transfer valve.

KINGSLEY® Posi-Temp® with Transfer Valve Shower Spa with Showerhead & Handshower

Product	Description	QTY.	Chrome	Chrome List Price	Brushed Nickel	Brushed Nickel List Price	Oil Rubbed Bronze	Oil Rubbed Bronze List Price
	Kingsley Posi-Temp shower trim	1	T2112	149.15	T2112BN	271.25	T2112ORB	298.30
	Posi-Temp valve	1	2520	115.35	2520	115.35	2520	115.35
	Kingsley transfer valve trim	1	T4311	102.60	T4311BN	137.85	T4311ORB	151.85
	Three-function transfer valve	1	3372*	165.70	3372*	165.70	3372*	165.70
	One-function handshower with slide bar	1	3869EP	267.00	3869EPBN	530.30	3869EPORB	583.35
	Drop ell	1	A725	47.60	A725BN	67.35	A725ORB	74.20
			Total: $847.40		**Total: $1,287.80**		**Total: $1,388.75**	

*For 2 discrete functions, use 3375 transfer valve.

Posi-Temp® with Transfer Valve Showering Options

Use the three-function or two-function transfer valve with a Moentrol® or Posi-Temp® mixing valve to customize your shower by including hand showers, showerheads, or body sprays in addition to your tub/shower combo.

Now available in six matching trim suite styles or the neutral style that works well with any trim suite of your choice to add flexibility.

BRANTFORD® Posi-Temp® with Transfer Valve Shower Spa with Showerhead & Handshower

Product	Description	QTY.	Chrome	Chrome List Price	Brushed Nickel	Brushed Nickel List Price	Oil Rubbed Bronze	Oil Rubbed Bronze List Price
	Brantford Posi-Temp shower trim	1	T2152	69.20	T2152BN	149.00	T2152ORB	163.85
	Posi-Temp valve	1	2520	115.35	2520	115.35	2520	115.35
	Transfer valve trim	1	T4171	101.95	T4171BN	137.05	T4171ORB	150.75
	Three-function transfer valve	1	3372*	165.70	3372*	165.70	3372*	165.70
	Four-function handheld shower with slide bar	1	3667EP	258.00	3667EPBN	510.15	3667EPORB	561.15
	Drop ell	1	A725	47.60	A725BN	67.35	A725ORB	74.20
			Total: $757.80		**Total: $1,144.60**		**Total: $1,231.00**	

*For 2 discrete functions, use 3375 transfer valve.

EVA® Posi-Temp® with Transfer Valve Shower Spa with Showerhead & Handshower


NEW! Product	Description	QTY.	Chrome	Chrome List Price	Brushed Nickel	Brushed Nickel List Price	Oil Rubbed Bronze	Oil Rubbed Bronze List Price
	Eva Posi-Temp shower trim	1	T2132	69.20	T2132BN	149.00	T2132ORB	163.85
	Posi-Temp valve	1	2520	115.35	2520	115.35	2520	115.35
	Transfer valve trim	1	T4171	101.95	T4171BN	137.05	T4171ORB	150.75
	Three-function transfer valve	1	3372*	165.70	3372*	165.70	3372*	165.70
	Four-function handheld shower with slide bar	1	3669EP	258.00	3669EPBN	510.15	3669EPORB	561.15
	Drop ell	1	A725	47.60	A725BN	67.35	A725ORB	74.20
			Total: $757.80		**Total: $1,144.60**		**Total: $1,231.00**	

*For 2 discrete functions, use 3375 transfer valve.

Posi-Temp® with Transfer Valve Showering Options


Use the three-function or two-function transfer valve with a Moentrol® or Posi-Temp® mixing valve to customize your shower by including hand showers, showerheads, or body sprays in addition to your tub/shower combo.

Now available in six matching trim suite styles or the neutral style that works well with any trim suite of your choice to add flexibility.



POSI-TEMP AND TRANSFER VALVE

SHOWER/SPA CONFIGURATION-OPTION A	SKU#	TO ORDER...
A. (1) Shower arm	226651	See page 316
A. (1) Flange	AT2199	See page 317
B. (1) Showerhead	S6310	See page 305
C. (1) Hand Shower	3887EP	See page 320
D. (1) Drop Ell	A725	See page 329
E. (1) Transfer Valve (behind wall not shown)	3375	See page 282
E. (1) Transfer Valve Trim	TS5205	See page 283
F. (1) Posi-Temp® Valve (behind wall not shown)	2520	See page 296
F. (1) Posi-Temp® Valve Trim	TS2211	See page 299



POSI-TEMP AND TRANSFER VALVE

SHOWER/SPA CONFIGURATION-OPTION B	SKU#	TO ORDER...
A. (2) Shower arms	226651	See page 316
A. (2) Flanges	AT2199	See page 317
B. (2) Showerheads	S6310	See page 305
C. (2) Hand Showers	3887EP	See page 320
D. (2) Drop Ells	A725	See page 329
E. (2) Transfer Valves (behind wall not shown)	3375	See page 282
E. (2) Transfer Valve Trims	TS5205	See page 283
F. (2) Posi-Temp® Valves (behind wall not shown)	2520	See page 296
F. (2) Posi-Temp® Valve Trims	TS2211	See page 299

Posi-Temp® Valve Showering Components


Must order Rough-In-Valve and Trim Pack separately.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
M•PACT®	**POSI-TEMP® VALVE ONLY**				
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included Pressure Balancing	**2520** ◆	115.35	1/2" CC	6
		2510 ◆	115.35	1/2" IPS	6
M•PACT®	**POSI-TEMP® VALVE ONLY**				
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included • quarter turn stops: included Pressure Balancing	**2590** ◆	140.05	1/2" IPS	6
		2580 ◆	115.35	1/2" Crimp ring PEX	6
		2570 ◆	140.05	1/2" CC	6
COMMERCIAL	**TRANSFER VALVE ONLY**				
	• cartridge type: ceramic disc • valve type: transfer • no of ports: four • three distinct functions	**3360**	192.60	1/2" CC	6
MOEN®	**TRANSFER VALVE ONLY**				
	• type of function: two independent one shared • must be used with: Posi-Temp® or Moentrol® valve	**3372**	165.70	1/2" CC	12
MOEN®	**TRANSFER VALVE ONLY**				
	• type of function: two independent functions • must be used with: Posi-Temp® or Moentrol® valve	**3375**	165.70	1/2" CC	12
MOEN®	**TWIN ELL**				
	• description: twin ell • usage: with tub/shower installations where needed	**128284**	24.70	1/2" x 1/2" x 3/4" IPS	12

Valve	Flow Rate through shower port (GPM) @ 20 PSI	Flow Rate through shower port (GPM) @ 40 PSI	Flow Rate through shower port (GPM) @ 60 PSI	Used with 2- or 3-Function Transfer	Maximum Components
Posi-Temp® 2520, 2510, 2570	2.1	3.2	4.0	Yes	Showerhead, Handshower

Use 3372 or 3375 in conjunction with either a Posi-Temp® or Moentrol® shower valve.

HOW TO ORDER POSI-TEMP SHOWER WITH TRANSFER VALVE



Valve Part No. | Trim Part No. | Valve Part No. | Trim Part No. | Complete Faucet

NOTES

◆ Also available in bulk pack. See page 399.

Moen® **M•PACT®** Common Valve System

ANNEX™ SHOWER RAIL WITH BUILT-IN DIVERTER



- connection size: 1/2"
- connection type: IPS
- showerhead type: showerhead sold separately
- handshower type: handshower sold separately
- type of function: two independent functions
- hose length: 59"

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
PREMIUM			
TS3661NH	445.00	Chrome	3

WEYMOUTH® TRANSFER VALVE ONLY



- valve sold separately

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
PREMIUM			
TS32205	238.05	Chrome	6
TS32205BN	280.65	Brushed Nickel	6
TS32205NL	280.65	Polished Nickel	6
TS32205ORB	302.80	Oil Rubbed Bronze	6

ARRIS® TRANSFER VALVE ONLY



- valve sold separately

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
PREMIUM			
TS23005	221.20	Chrome	6
TS23005BN	274.15	Brushed Nickel	6

WATERHILL® TRANSFER VALVE ONLY



- valve sold separately

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
PREMIUM			
TS325	215.15	Chrome	6
TS325BN	261.60	Brushed Nickel	6
TS325NL	261.60	Polished Nickel	6
TS325ORB	282.25	Oil Rubbed Bronze	6
TS325WR	282.25	Wrought Iron	6

90 DEGREE™ TRANSFER VALVE ONLY



- valve sold separately

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
PREMIUM			
TS4172	137.80	Chrome	6
TS4172BN	186.15	Brushed Nickel	6

ROTHBURY™ TRANSFER VALVE ONLY



- valve sold separately

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
PREMIUM			
TS5205	148.00	Chrome	6
TS5205BN	197.85	Brushed Nickel	6
TS5205ORB	208.45	Oil Rubbed Bronze	6

NOTES

Moen® **M•PACT®** Common Valve System

Transfer Valve Showering Components

Must order Rough-In-Valve and Trim Pack separately.
All Brushed Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
WYNFORD®	**TRANSFER VALVE ONLY**				
	• valve sold separately	**T4511**	102.60	Chrome	12
		T4511BN	137.85	Brushed Nickel	12
		T4511NL	137.85	Polished Nickel	12
		T45110RB	151.65	Oil Rubbed Bronze	12
ALIGN™	**TRANSFER VALVE ONLY**				
	• valve sold separately • must use with 3360 valve	**T4192**	137.00	Chrome	12
ALIGN™	**TRANSFER VALVE ONLY**				
	• valve sold separately	**T4191**	102.60	Chrome	12
		T4191BN	137.85	Brushed Nickel	12
		NEW! **T4191BL** Ships Q2	151.65	Matte Black	12
VOSS™	**TRANSFER VALVE ONLY**				
	• valve sold separately	**T4611**	102.60	Chrome	12
		T4611BN	137.85	Brushed Nickel	12
		T46110RB	151.65	Oil Rubbed Bronze	12
KINGSLEY™	**TRANSFER VALVE ONLY**				
	• valve sold separately	**T4311**	102.60	Chrome	6
		T4311BN	137.85	Brushed Nickel	6
		T43110RB	151.65	Oil Rubbed Bronze	6
MOEN®	**TRANSFER VALVE ONLY**				
	• valve sold separately	**T4171**	101.95	Chrome	6
		T4171BN	137.05	Brushed Nickel	6
		T41710RB	150.75	Oil Rubbed Bronze	6

NOTES

Moen® **M•PACT®** Common Valve System


Posi-Temp® Valve Showering Components

Must order Rough-In-Valve and Trim Pack separately.
All Brushed Nickel and Polished Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
WEYMOUTH®	**POSI-TEMP® VALVE ONLY**				
	• valve sold separately				
		PREMIUM			
		TS3210	264.55	Chrome	3
		TS3210BN	374.15	Brushed Nickel	3
		TS3210NL	374.15	Polished Nickel	3
		TS3210ORB	403.75	Oil Rubbed Bronze	3
ARRIS®	**POSI-TEMP® VALVE ONLY**				
	• valve sold separately				
		PREMIUM			
		TS22001	245.85	Chrome	3
		TS22001BN	365.60	Brushed Nickel	3
WATERHILL®	**POSI-TEMP® VALVE ONLY**				
	• valve sold separately				
		PREMIUM			
		TS310	239.05	Chrome	3
		TS310BN	348.85	Brushed Nickel	3
		TS310NL	348.85	Polished Nickel	3
		TS310ORB	376.40	Oil Rubbed Bronze	3
90 DEGREE™	**POSI-TEMP® VALVE ONLY**				
	• valve sold separately				
		PREMIUM			
		TS2711	156.60	Chrome	3
		TS2711BN	290.00	Brushed Nickel	3
VIA™	**POSI-TEMP® VALVE ONLY**				
	• red/blue markings: included • valve sold separately				
		PREMIUM			
		TS8711	152.70	Chrome	3
ROTHBURY™	**POSI-TEMP® VALVE ONLY**				
	• valve sold separately				
		PREMIUM			
		TS2211	164.45	Chrome	3
		TS2211BN	304.45	Brushed Nickel	3
		TS22110RB	320.70	Oil Rubbed Bronze	3

Use 3372 or 3375 in conjunction with either a Posi-Temp® or Moentrol® shower valve.

HOW TO ORDER POSI-TEMP SHOWER WITH TRANSFER VALVE



Valve Part No. | Trim Part No. | Valve Part No. | Trim Part No. | Complete Faucet

NOTES

Moen® **M•PACT®** Common Valve System

Posi-Temp® Valve Showering Components

Must order Rough-In-Valve and Trim Pack separately.
All Brushed Nickel, Polished Nickel and Polished Brass faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
ICON™	**POSI-TEMP® VALVE ONLY**				
	• valve sold separately	**PREMIUM**			
		TS2141	133.40	Chrome	3
		TS2141BN	247.05	Brushed Nickel	3
WYNFORD®	**POSI-TEMP® VALVE ONLY**				
	• valve sold separately	**T4501**	111.90	Chrome	3
		T4501BN	203.20	Brushed Nickel	3
		T4501NL	203.20	Polished Nickel	3
		T4501ORB	223.55	Oil Rubbed Bronze	3
ALIGN®	**POSI-TEMP® VALVE ONLY**				
	• red/blue markings: included • valve sold separately	**T2191**	111.90	Chrome	3
		T2191BN	203.20	Brushed Nickel	3
VOSS™	**POSI-TEMP® VALVE ONLY**				
	• valve sold separately	**T2691**	111.90	Chrome	3
		T2691BN	203.20	Brushed Nickel	3
		T2691ORB	223.55	Oil Rubbed Bronze	3
KINGSLEY®	**POSI-TEMP® VALVE ONLY**				
	• valve sold separately	**T2111**	111.90	Chrome	3
		T2111BN	203.20	Brushed Nickel	3
		T2111ORB	223.55	Oil Rubbed Bronze	3
		T2111WR	223.55	Wrought Iron	3
		T2111P	302.25	Polished Brass	3
RIZON®	**POSI-TEMP® VALVE ONLY**				
	• red/blue markings: included • valve sold separately	**T2811**	111.90	Chrome	3

HOW TO ORDER POSI-TEMP SHOWER WITH TRANSFER VALVE



NOTES


Moen® **M•PACT®** Common Valve System

Posi-Temp® Valve Showering Components

Must order Rough-In-Valve and Trim Pack separately.
All Brushed Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
DARTMOOR™	**POSI-TEMP® VALVE ONLY**				
	• valve sold separately	**T2181**	65.70	Chrome	3
		T2181BN	136.80	Brushed Nickel	3
		T21810RB	149.45	Oil Rubbed Bronze	3
GLYDE™	**POSI-TEMP® VALVE ONLY**				
	• valve sold separately	**T2741**	65.70	Chrome	3
		T2741BN	136.80	Brushed Nickel	3
VICHY™	**POSI-TEMP® VALVE ONLY**				
NEW! 	• red/blue markings: included • valve sold separately	**T2661**	51.70	Chrome	3
BRANTFORD™	**POSI-TEMP® VALVE ONLY**				
	• valve sold separately	**T2151**	52.80	Chrome	3
		T2151BN	120.55	Brushed Nickel	3
		T21510RB	132.60	Oil Rubbed Bronze	3
EVA®	**POSI-TEMP® VALVE ONLY**				
	• valve sold separately	**T2131**	52.80	Chrome	3
		T2131BN	120.55	Brushed Nickel	3
		T21310RB	132.60	Oil Rubbed Bronze	3
METHOD™	**POSI-TEMP® VALVE ONLY**				
	• valve sold separately	**T2801**	52.80	Chrome	3
		T2801BN	120.55	Brushed Nickel	3

HOW TO ORDER POSI-TEMP SHOWER WITH TRANSFER VALVE



Valve Part No. | Trim Part No. | Valve Part No. | Trim Part No. | Complete Faucet

NOTES


Moen® **M•PACT®** Common Valve System

Posi-Temp® Valve Showering Components

Must order Rough-In-Valve and Trim Pack separately.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
GIBSON™	**POSI-TEMP® VALVE ONLY**				
NEW! 	• red/blue markings: included • valve sold separately	**T2901**	51.70	Chrome	3
GENTA™	**POSI-TEMP® VALVE ONLY**				
NEW! 	• red/blue markings: included • valve sold separately	**T2471**	51.70	Chrome	3
CHATEAU®	**POSI-TEMP® VALVE ONLY**				
	• red/blue markings: included • valve sold separately	**TL181◆**	33.30	Chrome	12

HOW TO ORDER POSI-TEMP SHOWER WITH TRANSFER VALVE



Valve Part No. | Trim Part No. | Valve Part No. | Trim Part No. | Complete Faucet

NOTES

◆ Available in bulk pack only. See page 399.

Moen® **M•PACT®** Common Valve System

Showerheads

All Brushed Nickel and Polished Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

1.5 GPM SHOWERING OPTIONS				
MODEL NUMBER	**DESCRIPTION**	**LIST PRICE**	**FINISH/CONNECTION**	**CASE QTY.**
S6340EP15	Rainshower	161.40	Chrome	3
S6340EP15BN	Rainshower	221.95	Brushed Nickel	3
S6335EP15	Fixed Showerhead	126.55	Chrome	6
6302EP15	Fixed Showerhead	82.55	Chrome	12
6302EP15BN	Fixed Showerhead	128.95	Brushed Nickel	12
6302EP150RB	Fixed Showerhead	141.85	Oil Rubbed Bronze	12
6399EP15	Fixed Showerhead	81.60	Chrome	12
6399EP15BL	Fixed Showerhead	140.15	Matte Black	12
6313	Fixed Showerhead	45.65	Chrome	12
6313BN	Fixed Showerhead	69.95	Brushed Nickel	12
6313ORB	Fixed Showerhead	76.95	Oil Rubbed Bronze	12
6300EP15	Fixed Showerhead	32.00	Chrome	12
157276EP15	Handheld Shower	56.55	Chrome	6
157276EP15BN	Handheld Shower	82.05	Brushed Nickel	6
157276EP150RB	Handheld Shower	90.25	Oil Rubbed Bronze	6

RAINSHOWER



- connection size: 1/2"
- connection type: IPS
- showerhead functions: two-function
- showerhead type: rainshower
- showerhead size: 9" diameter spray head
- type of function: concentrated rinse; full rainshower
- flow rate: 2.5 gpm (9.5 L/min) max.

IMMERSION®

PREMIUM			
S1311	387.95	Chrome	3
S1311BN	529.55	Brushed Nickel	3
S1311NL	529.55	Polished Nickel	3
S13110RB	582.40	Oil Rubbed Bronze	3



- connection size: 1/2"
- connection type: IPS
- showerhead functions: two-function
- showerhead type: eco-performance rainshower
- showerhead size: 9" diameter spray head
- type of function: concentrated rinse; full rainshower
- flow rate: 2.0 gpm (7.6 L/min) max.

WaterSense® Meets EPA Criteria. Certified by IAPMO R&T

IMMERSION®

PREMIUM			
S1311EP	387.95	Chrome	3
S1311EPBN	529.55	Brushed Nickel	3
S1311EPNL	529.55	Polished Nickel	3
S1311EP0RB	582.40	Oil Rubbed Bronze	3



- connection size: 1/2"
- connection type: IPS
- showerhead functions: one-function
- showerhead type: rainshower
- showerhead size: 10" diameter spray head
- type of function: full rainshower
- flow rate: 2.5 gpm (9.5 L/min) max.

IMMERSION®

PREMIUM			
S112	363.70	Chrome	3
S112BN	492.40	Brushed Nickel	3
S112NL	541.60	Polished Nickel	3
S1120RB	541.60	Oil Rubbed Bronze	3
S112WR	541.60	Wrought Iron	3



- connection size: 1/2"
- connection type: IPS
- showerhead functions: one-function
- showerhead type: eco-performance rainshower
- showerhead size: 10" diameter spray head
- type of function: full srainshower
- flow rate: 2.0 gpm (7.6 L/min) max.

WaterSense® Meets EPA Criteria. Certified by IAPMO R&T

IMMERSION®

PREMIUM			
S112EP	363.70	Chrome	3
S112EPBN	492.40	Brushed Nickel	3
S112EPNL	541.60	Polished Nickel	3
S112EP0RB	541.60	Oil Rubbed Bronze	3

NOTES

IMMERSION® Immersion® Rainshower

Showerheads

All Brushed Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

RAINSHOWER (CONTINUED)



- connection size: 1/2"
- connection type: IPS
- showerhead functions: two-function
- showerhead type: rainshower
- showerhead size: 8" diameter spray head
- type of function: concentrated rinse; full rainshower
- flow rate: 2.5 gpm (9.5 L/min) max.

IMMERSION®

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
PREMIUM			
S6320	252.90	Chrome	3
S6320BN	397.35	Brushed Nickel	3
S6320ORB	437.10	Oil Rubbed Bronze	3



- connection size: 1/2"
- connection type: IPS
- showerhead functions: two-function
- showerhead type: eco-performance rainshower
- showerhead size: 8" diameter spray head
- type of function: concentrated rinse; full rainshower
- flow rate: 2.0 gpm (7.6 L/min) max.

WaterSense® Meets EPA Criteria. Certified by IAPMO R&T

IMMERSION®

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
PREMIUM			
S6320EP	252.90	Chrome	3
S6320EPORB	437.10	Oil Rubbed Bronze	3
S6320EPBN	397.35	Brushed Nickel	3



- connection size: 1/2"
- connection type: IPS
- showerhead functions: two-function
- showerhead type: rainshower
- showerhead size: 8-1/2" diameter spray head
- type of function: combination; concentrated rinse; full rainshower
- flow rate: 2.5 gpm (9.5 L/min) max.

IMMERSION®

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
PREMIUM			
S6345	252.90	Chrome	3
S6345BN	397.35	Brushed Nickel	3



- connection size: 1/2"
- connection type: IPS
- showerhead functions: two-function
- showerhead type: eco-performance rainshower
- showerhead size: 8-1/2" diameter spray head
- type of function: combination; concentrated rinse; full rainshower
- flow rate: 2.0 gpm (7.6 L/min) max.

WaterSense® Meets EPA Criteria. Certified by IAPMO R&T

IMMERSION®

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
PREMIUM			
S6345EP	252.90	Chrome	3
S6345EPBN	397.35	Brushed Nickel	3



- connection size: 1/2"
- connection type: IPS
- showerhead functions: one-function
- showerhead type: rainshower
- showerhead size: 8" diameter spray head
- type of function: full rainshower
- flow rate: 2.5 gpm (9.5 L/min) max.

IMMERSION®

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
PREMIUM			
S6360	234.95	Chrome	3
S6360BN	352.50	Brushed Nickel	3
S6360ORB	388.35	Oil Rubbed Bronze	3



- connection size: 1/2"
- connection type: IPS
- showerhead functions: one-function
- showerhead type: eco-performance rainshower
- showerhead size: 8" diameter spray head
- type of function: full rainshower; full rainshower
- flow rate: 2.0 gpm (7.6 L/min) max.

WaterSense® Meets EPA Criteria. Certified by IAPMO R&T

IMMERSION®

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
PREMIUM			
S6360EP	234.95	Chrome	3
S6360EPBN	352.50	Brushed Nickel	3
S6360EPORB	388.35	Oil Rubbed Bronze	3

NOTES

IMMERSION® Immersion® Rainshower

Showerheads

All Brushed Nickel and Polished Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

RAINSHOWER (CONTINUED)



- connection size: 1/2"
- connection type: IPS
- showerhead functions: one-function
- showerhead type: rainshower
- showerhead size: 7" diameter spray head
- type of function: full rainshower
- flow rate: 2.5 gpm (9.5 L/min) max.

IMMERSION®

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
PREMIUM			
S156	161.40	Chrome	3



- connection size: 1/2"
- connection type: IPS
- showerhead functions: one-function
- showerhead type: rainshower
- showerhead size: 7" diameter spray head
- type of function: full rainshower
- flow rate: 2.5 gpm (9.5 L/min) max.

IMMERSION®

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
PREMIUM			
S176	161.40	Chrome	3
S176BN	221.95	Brushed Nickel	3



- connection size: 1/2"
- connection type: IPS
- showerhead functions: one-function
- showerhead type: eco-performance rainshower
- showerhead size: 7" diameter spray head
- type of function: full rainshower
- flow rate: 2.0 gpm (7.6 L/min) max.

WaterSense® Meets EPA Criteria Certified by IAPMO R&T

IMMERSION®

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
PREMIUM			
S176EP	161.40	Chrome	3
S176EPBN	221.95	Brushed Nickel	3



- connection size: 1/2"
- connection type: IPS
- showerhead functions: one-function
- showerhead type: rainshower
- showerhead size: 7" diameter spray head
- type of function: full rainshower
- flow rate: 2.5 gpm (9.5 L/min) max.

IMMERSION®

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
PREMIUM			
S6310	161.40	Chrome	3
S6310BN	221.95	Brushed Nickel	3
S6310NL	211.35	Polished Nickel	3
S6310ORB	233.00	Oil Rubbed Bronze	3



- connection size: 1/2"
- connection type: IPS
- showerhead functions: one-function
- showerhead type: eco-performance rainshower
- showerhead size: 7" diameter spray head
- type of function: full rainshower
- flow rate: 2.0 gpm (7.6 L/min) max.

WaterSense® Meets EPA Criteria Certified by IAPMO R&T

IMMERSION®

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
PREMIUM			
S6310EP	161.40	Chrome	3
S6310EPBN	221.95	Brushed Nickel	3
S6310EPNL	211.35	Polished Nickel	3
S6310EPORB	233.00	Oil Rubbed Bronze	3



- connection size: 1/2"
- connection type: IPS
- showerhead functions: one-function
- showerhead type: rainshower
- showerhead size: 6" diameter spray head
- type of function: full rainshower
- flow rate: 2.5 gpm (9.5 L/min) max.

IMMERSION®

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
PREMIUM			
S6340	161.40	Chrome	3
S6340BN	221.95	Brushed Nickel	3

NOTES

IMMERSION® Immersion® Rainshower

Showerheads

All Brushed Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

RAINSHOWER (CONTINUED)



- connection size: 1/2"
- connection type: IPS
- showerhead functions: one-function
- showerhead type: eco-performance rainshower
- showerhead size: 6" diameter spray head
- type of function: full rainshower
- flow rate: 2.0 gpm (7.6 L/min) max.

WaterSense Meets EPA Criteria Certified by IAPMO R&T

IMMERSION®

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
PREMIUM			
S6340EP20	161.40	Chrome	3



- connection size: 1/2"
- connection type: IPS
- showerhead functions: one-function
- showerhead type: eco-performance rainshower
- showerhead size: 6" diameter spray head
- type of function: full rainshower
- flow rate: 1.75 gpm (6.65 L/min) max.

WaterSense Meets EPA Criteria Certified by IAPMO R&T

IMMERSION®

PREMIUM			
S6340EP	161.40	Chrome	3
S6340EPBN	221.95	Brushed Nickel	3



- connection size: 1/2"
- connection type: IPS
- showerhead functions: one-function
- showerhead type: eco-performance rainshower
- showerhead size: 6" diameter spray head
- type of function: full rainshower
- flow rate: 1.5 gpm (5.7 L/min) max.

WaterSense Meets EPA Criteria Certified by IAPMO R&T

IMMERSION®

PREMIUM			
S6340EP15	161.40	Chrome	3
S6340EP15BN	221.95	Brushed Nickel	3



- connection size: 1/2"
- connection type: IPS
- showerhead functions: one-function
- showerhead type: rainshower
- showerhead size: 6" diameter spray head
- type of function: full rainshower
- flow rate: 2.5 gpm (9.5 L/min) max.

IMMERSION®

PREMIUM			
S6365	161.40	Chrome	3
S6365BN	221.95	Brushed Nickel	3
S6365ORB	233.00	Oil Rubbed Bronze	3



- connection size: 1/2"
- connection type: IPS
- showerhead functions: one-function
- showerhead type: eco-performance rainshower
- showerhead size: 6" diameter spray head
- type of function: full rainshower
- flow rate: 2.0 gpm (7.6 L/min) max.

WaterSense Meets EPA Criteria Certified by IAPMO R&T

IMMERSION®

PREMIUM			
S6365EP	161.40	Chrome	3
S6365EPBN	221.95	Brushed Nickel	3
S6365EPORB	233.00	Oil Rubbed Bronze	3

NEW!



- connection size: 1/2"
- connection type: IPS
- showerhead functions: one-function
- showerhead type: eco-performance rainshower
- showerhead size: 8" diameter spray head
- type of function: full rainshower
- flow rate: 2.0 gpm (7.6 L/min) max.

WaterSense Meets EPA Criteria Certified by IAPMO R&T

6345	79.00	Chrome	3
6345BN	89.00	Brushed Nickel	3
6345ORB	99.00	Oil Rubbed Bronze	3

NOTES

IMMERSION® Immersion® Rainshower

Showerheads

All Brushed Nickel and Polished Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

FIXED SHOWER HEAD

	MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
 • connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: standard • showerhead size: 6-1/2" diameter spray head • type of function: full spray • flow rate: 2.5 gpm (9.5 L/min) max.	**PREMIUM**			
	S6335	126.55	Chrome	6
	S6335BN	172.30	Brushed Nickel	6
	S6335ORB	189.45	Oil Rubbed Bronze	6
 • connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 6-1/2" diameter spray head • type of function: full spray • flow rate: 2.0 gpm (7.6 L/min) max. WaterSense Meets EPA Criteria Certified by IAPMO R&T	**PREMIUM**			
	S6335EP	126.55	Chrome	6
	S6335EPBN	172.30	Brushed Nickel	6
	S6335EPORB	189.45	Oil Rubbed Bronze	6
 • connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: standard • showerhead size: 6-1/2" diameter spray head • type of function: full spray • flow rate: 1.5 gpm (5.7 L/min) max. WaterSense Meets EPA Criteria Certified by IAPMO R&T	**PREMIUM**			
	S6335EP15	126.55	Chrome	6
 • connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: standard • showerhead size: 5-7/8" diameter spray head • type of function: full spray • flow rate: 2.5 gpm (9.5 L/min) max.	**PREMIUM**			
	S6312	105.00	Chrome	12
	S6312BN	124.80	Brushed Nickel	12
	S6312NL	124.80	Polished Nickel	12
	S63120RB	137.25	Oil Rubbed Bronze	12
 • connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 5-7/8" diameter spray head • type of function: full spray • flow rate: 1.75 gpm (6.65 L/min) max. WaterSense Meets EPA Criteria Certified by IAPMO R&T	**PREMIUM**			
	S6312EP	105.00	Chrome	12
	S6312EPBN	124.80	Brushed Nickel	12
	S6312EPNL	124.80	Polished Nickel	6
	S6312EPORB	137.25	Oil Rubbed Bronze	6

NOTES

IMMERSION Immersion® Rainshower

Showerheads

All Brushed Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

FIXED SHOWER HEAD (CONTINUED)

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
	• connection size: 1/2" • connection type: IPS • showerhead functions: three-function • showerhead type: eco-performance showerhead • showerhead size: 4" diameter spray head • type of function: combination; concentrated rinse; full spray • flow rate: 1.75 gpm (6.65 L/min) max. WaterSense Meets EPA Criteria Certified by IAPMO R&T	**3233EP**	95.50	Chrome	12
		3233EPBN	162.10	Brushed Nickel	12
	• connection size: 1/2" • connection type: IPS • showerhead functions: four-function • showerhead type: standard • showerhead size: 4-3/8" diameter spray head • type of function: combination; full spray; invigorating spray; targeted massage • flow rate: 2.5 gpm (9.5 L/min) max.	**3638**	95.50	Chrome	12
		3638BN	162.10	Brushed Nickel	12
		3638ORB	178.35	Oil Rubbed Bronze	12
	• connection size: 1/2" • connection type: IPS • showerhead functions: four-function • showerhead type: eco-performance showerhead • showerhead size: 4-3/8" diameter spray head • type of function: combination; full spray; invigorating spray; targeted massage • flow rate: 2.0 gpm (7.6 L/min) max. WaterSense Meets EPA Criteria Certified by IAPMO R&T	**3638EP**	95.50	Chrome	12
		3638EPBN	162.10	Brushed Nickel	12
	• connection size: 1/2" • connection type: IPS • showerhead functions: five-function • showerhead type: standard • showerhead size: 4" diameter spray head • type of function: energizing spray; invigorating spray; refreshing spray; relaxing spray; targeted massage • flow rate: 2.5 gpm (9.5 L/min) max.	**3855**	95.50	Chrome	12
	• connection size: 1/2" • connection type: IPS • showerhead functions: five-function • showerhead type: eco-performance showerhead • showerhead size: 4" diameter spray head • type of function: energizing spray; invigorating spray; refreshing spray; relaxing spray; targeted massage • flow rate: 2.0 gpm (7.6 L/min) max. WaterSense Meets EPA Criteria Certified by IAPMO R&T	**3855EP**	95.50	Chrome	12

Showerheads

All Brushed Nickel and Polished Brass faucet components feature the Lifeshine® Non-Tarnish Finish.

FIXED SHOWER HEAD (CONTINUED)

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
	• connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: standard • showerhead size: 4-3/8" diameter spray head • type of function: full spray • flow rate: 2.5 gpm (9.5 L/min) max.	**6302**	82.55	Chrome	12
		6302BN	128.95	Brushed Nickel	12
		6302ORB	141.85	Oil Rubbed Bronze	12
		6302WR	141.85	Wrought Iron	12
		6302P	143.80	Polished Brass	12
	• connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 4-3/8" diameter spray head • type of function: full spray • flow rate: 1.75 gpm (6.65 L/min) max.	**6302EP**	82.55	Chrome	12
		6302EPBN	128.95	Brushed Nickel	12
		6302EPORB	141.85	Oil Rubbed Bronze	12
		6302EPP	143.80	Polished Brass	12
	• connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 4-3/8" diameter spray head • type of function: full spray • flow rate: 1.5 gpm (5.7 L/min) max.	**6302EP15**	82.55	Chrome	12
	• connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: standard • showerhead size: 4-3/8" diameter spray head • type of function: full spray • flow rate: 2.5 gpm (9.5 L/min) max. • carded packaging: yes	**CL6302**	82.55	Chrome	12
		CL6302BN	128.95	Brushed Nickel	12
	• connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 4-3/8" diameter spray head • type of function: full spray • flow rate: 1.75 gpm (6.65 L/min) max. • carded packaging: yes	**CL6302EP**	82.55	Chrome	12
		CL6302EPBN	128.95	Brushed Nickel	12

CL Prefix: Indicates carded product for peg hook merchandising.

Showerheads

All Brushed Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

FIXED SHOWER HEAD (CONTINUED)

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
	• connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: standard • showerhead size: 3-5/8" diameter spray head • type of function: full spray • flow rate: 2.5 gpm (9.5 L/min) max.	**6322**	81.60	Chrome	12
	• connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 3.75" diameter spray head • type of function: full spray • flow rate: 1.75 gpm (6.65 L/min) max. WaterSense Meets EPA Criteria Certified by IAPMO R&T	**6322EP**	81.60	Chrome	12
	• connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: standard • showerhead size: 4-1/16" diameter spray head • type of function: full spray • flow rate: 2.5 gpm (9.5 L/min) max.	**6325** **6325BN** **6325ORB**	81.60 127.40 140.20	Chrome Brushed Nickel Oil Rubbed Bronze	12 12 12
	• connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 4-1/16" diameter spray head • type of function: full spray • flow rate: 1.75 gpm (6.65 L/min) max. WaterSense Meets EPA Criteria Certified by IAPMO R&T	**6325EP** **6325EPBN** **6325EPORB**	81.60 127.40 140.20	Chrome Brushed Nickel Oil Rubbed Bronze	12 12 12
	• connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: standard • showerhead size: 3-5/8" diameter spray head • type of function: full spray • flow rate: 2.5 gpm (9.5 L/min) max.	**6399** **6399BN** **6399BL**	81.60 127.40 140.15	Chrome Brushed Nickel Matte Black	12 12 12
	• connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 3-5/8" diameter spray head • type of function: full spray • flow rate: 1.75 gpm (6.65 L/min) max. WaterSense Meets EPA Criteria Certified by IAPMO R&T	**6399EP** **6399EPBN** **6399EPBL**	81.60 127.40 140.15	Chrome Brushed Nickel Matte Black	12 12 12

Showerheads

All Brushed Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

FIXED SHOWER HEAD (CONTINUED)

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
	• connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 3-5/8" diameter spray head • type of function: full spray • flow rate: 1.5 gpm (5.7 L/min) max. WaterSense Meets EPA Criteria Certified by IAPMO R&T	**6399EP15**	81.60	Chrome	12
		NEW! **6399EP15BL** Ships Q2	140.15	Matte Black	12
	• connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: standard • showerhead size: 3-3/4" diameter spray head • type of function: full spray • flow rate: 2.5 gpm (9.5 L/min) max.	**6370**	49.00	Chrome	12
		6370BN	75.00	Brushed Nickel	12
	• connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 3-3/4" diameter spray head • type of function: full spray • flow rate: 1.75 gpm (6.65 L/min) max. WaterSense Meets EPA Criteria Certified by IAPMO R&T	**6370EP17**	49.00	Chrome	12
		6370EP17BN	75.00	Brushed Nickel	12
	• connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: standard • showerhead size: 4" diameter spray head • type of function: full spray • flow rate: 2.5 gpm (9.5 L/min) max.	**6371**	49.00	Chrome	12
		6371BN	75.00	Brushed Nickel	12
		6371ORB	82.55	Oil Rubbed Bronze	12
	• connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 4" diameter spray head • type of function: full spray • flow rate: 1.75 gpm (6.65 L/min) max. WaterSense Meets EPA Criteria Certified by IAPMO R&T	**6371EP17**	49.00	Chrome	12
		6371EP17BN	75.00	Brushed Nickel	12
		6371EP17ORB	82.55	Oil Rubbed Bronze	12

Showerheads

All Brushed Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

FIXED SHOWER HEAD (CONTINUED)

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
	• connection size: 1/2" • connection type: IPS • showerhead functions: five-function • showerhead type: standard • showerhead size: 4" diameter spray head • type of function: energizing spray; invigorating spray; refreshing spray; relaxing spray; targeted massage • flow rate: 2.5 gpm (9.5 L/min) max. • carded packaging: yes	**CL26500**	48.60	Chrome	12
		CL26500BN	79.35	Brushed Nickel	12
	• connection size: 1/2" • connection type: IPS • showerhead functions: five-function • showerhead type: eco-performance showerhead • showerhead size: 4" diameter spray head • type of function: energizing spray; invigorating spray; refreshing spray; relaxing spray; targeted massage • flow rate: 2.0 gpm (7.6 L/min) max. • carded packaging: yes WaterSense Meets EPA Criteria Certified by IAPMO R&T	**CL26500EP**	48.60	Chrome	12
		CL26500EPBN	79.35	Brushed Nickel	12
	• connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: standard • showerhead size: 3-3/8" diameter spray head • type of function: full spray • flow rate: 2.5 gpm (9.5 L/min) max.	**6303**	45.65	Chrome	12
		6303BN	69.95	Brushed Nickel	12
		6303ORB	76.95	Oil Rubbed Bronze	12
	• connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 3-3/8" diameter spray head • type of function: full spray • flow rate: 1.75 gpm (6.65 L/min) max. WaterSense Meets EPA Criteria Certified by IAPMO R&T	**6303EP**	45.65	Chrome	12
		6303EPBN	69.95	Brushed Nickel	12
		6303EPORB	76.95	Oil Rubbed Bronze	12
	• connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 3.5" diameter spray head • type of function: full spray • flow rate: 1.5 gpm (5.7 L/min) max. WaterSense Meets EPA Criteria Certified by IAPMO R&T	**6313**	45.65	Chrome	12
		6313BN	69.95	Brushed Nickel	12
		6313ORB	76.95	Oil Rubbed Bronze	12

CL Prefix: Indicates carded product for peg hook merchandising.

Showerheads

All Brushed Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

FIXED SHOWER HEAD (CONTINUED)

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
	• connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: standard • showerhead size: 3-3/8" diameter spray head • type of function: full spray • flow rate: 2.5 gpm (9.5 L/min) max. • carded packaging: yes	**CL6303**	45.65	Chrome	12
		CL6303BN	69.95	Brushed Nickel	12
	• connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: standard • showerhead size: 3-3/8" diameter spray head • type of function: full spray • flow rate: 1.75 gpm (6.65 L/min) max. • carded packaging: yes	**CL6303EP**	45.65	Chrome	12
		CL6303EPBN	69.95	Brushed Nickel	12
NEW! 	• connection size: 1/2" • connection type: IPS • showerhead functions: four-function • showerhead type: standard • showerhead size: 3" diameter spray head • type of function: energizing massage; full spray; invigorating spray; refreshing spray • flow rate: 2.5 gpm (9.5 L/min) max.	**23026**	39.95	Chrome	4
	• connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: standard • showerhead size: 2-1/2" diameter spray head • type of function: full spray • flow rate: 2.5 gpm (9.5 L/min) max.	**6304**	37.25	Chrome	12
	• connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 2-1/2" diameter spray head • type of function: full spray • flow rate: 1.75 gpm (6.65 L/min) max.	**6304EP**	37.25	Chrome	12

CL Prefix: Indicates carded product for peg hook merchandising.

Showerheads

All Brushed Nickel and Polished Brass faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
FIXED SHOWER HEAD (CONTINUED)					
NEW! 	• connection size: 1/2" • connection type: IPS • showerhead functions: three-function • showerhead type: eco-performance showerhead • showerhead size: 3.75" diameter spray head • type of function: full spray; refreshing spray; targeted massage • flow rate: 2.0 gpm (7.6 L/min) max. WaterSense Meets EPA Criteria Certified by IAPMO R&T	**20001**	34.95	Chrome	3
	• connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: standard • showerhead size: 2-1/2" diameter spray head • type of function: full spray • flow rate: 2.5 gpm (9.5 L/min) max.	**6300** **6300BN** **6300P**	32.00 48.90 57.05	Chrome Brushed Nickel Polished Brass	12 12 12
	• connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 2-1/2" diameter spray head • type of function: full spray • flow rate: 1.75 gpm (6.65 L/min) max. WaterSense Meets EPA Criteria Certified by IAPMO R&T	**6300EP** **6300EPBC** **6300EPBN**	32.00 37.45 48.90	Chrome Brushed Chrome Brushed Nickel	12 12 12
	• connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 2-1/2" diameter spray head • type of function: full spray • flow rate: 1.5 gpm (5.7 L/min) max. WaterSense Meets EPA Criteria Certified by IAPMO R&T	**6300EP15**	32.00	Chrome	12

Shower Arms and Flanges

All Brushed Nickel and Polished Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

SHOWER ARM + FLANGE



- connection size: 1/2"
- connection type: IPS
- length: 14"

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
PREMIUM			
S110	106.35	Chrome	6
S110BN	128.75	Brushed Nickel	6



- connection size: 1/2"
- connection type: IPS
- length: 14"

PREMIUM			
S113	106.35	Chrome	3
S113BN	128.75	Brushed Nickel	3
S113NL	128.75	Polished Nickel	3
S113ORB	141.60	Oil Rubbed Bronze	3
S113WR	141.60	Wrought Iron	3



- connection size: 1/2"
- connection type: IPS
- length: 8"

161951	88.15	Chrome	12
161951BN	119.20	Brushed Nickel	12
161951ORB	131.15	Oil Rubbed Bronze	12



- connection size: 1/2"
- connection type: IPS
- length: 16"

151380	67.25	Chrome	6
151380BN	114.35	Brushed Nickel	6
151380ORB	125.70	Oil Rubbed Bronze	6



- connection size: 1/2"
- connection type: IPS
- length: 8"

PREMIUM			
S122	40.80	Chrome	6
S122BN	84.40	Brushed Nickel	6
S122ORB	92.85	Oil Rubbed Bronze	6



- connection size: 1/2"
- connection type: IPS
- length: 8"

PREMIUM			
S133	40.80	Chrome	6
S133BN	84.40	Brushed Nickel	6



- connection size: 1/2"
- connection type: IPS
- length: 6"

PREMIUM			
S177	40.70	Chrome	6
S177BN	84.40	Brushed Nickel	6

Shower Arms and Flanges

All Brushed Nickel, Polished Nickel and Polished Brass faucet components feature the Lifeshine® Non-Tarnish Finish.


SHOWER ARM + FLANGE (CONTINUED)

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
	• connection size: 1/2" • connection type: IPS • length: 12"	**226651**	40.55	Chrome	6
		226651BN	78.80	Brushed Nickel	6
		226651NL	78.80	Polished Nickel	6
		226651ORB	86.60	Oil Rubbed Bronze	6
		226651WR	86.60	Wrought Iron	6
	• connection size: 1/2" • connection type: IPS • length: 6"	**116651**	13.15	Chrome	6
		116651BN	22.25	Brushed Nickel	6
		116651NL	22.25	Polished Nickel	6
		116651ORB	28.90	Oil Rubbed Bronze	6
		116651WR	28.90	Wrought Iron	6
	• connection size: 1/2" • connection type: IPS • length: 8"	**123815**	25.90	Chrome	12
		123815BN	43.10	Brushed Nickel	12
		123815ORB	47.40	Oil Rubbed Bronze	12
	• connection size: 1/2" • connection type: IPS • length: 8"	**CL123815**	33.20	Chrome	12
		CL123815BN	62.50	Brushed Nickel	12
	• connection size: 1/2" • connection type: IPS • length: 6"	**CL10154**	26.40	Chrome	12
		CL10154BN	53.50	Brushed Nickel	12
	• connection size: 1/2" • connection type: IPS • length: 6"	**10154**	19.05	Chrome	20
		10154CBN	19.15	Classic Brushed Nickel	20
		10154SLP	30.30	Brushed Platinum	20
		10154BRB	31.80	Mediterranean Bronze	20
		10154BN	34.15	Brushed Nickel	20
		10154NL	34.15	Polished Nickel	1
		10154P	36.20	Polished Brass	1
		10154ORB	37.55	Oil Rubbed Bronze	20
		10154WR	37.55	Wrought Iron	20

CL Prefix: Indicates carded product for peg hook merchandising.

Shower Arms and Flanges

All Brushed Nickel, Polished Nickel and Polished Brass faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
SHOWER ARM + FLANGE (CONTINUED)					
	• tub and shower accent kit	**AT2099**	15.50	Chrome	12
		AT2099BN	39.40	Brushed Nickel	12
		AT2099P	41.70	Polished Brass	12
		AT2099ORB	43.30	Oil Rubbed Bronze	12
	• shower arm flange	**179834**	13.35	Chrome	20
	• shower arm flange	**147572**	10.60	Chrome	12
		147572BN	15.50	Brushed Nickel	12
	• shower arm flange	**164745**	10.50	Chrome	20
		164745BN	15.40	Brushed Nickel	20
		164745ORB	20.00	Oil Rubbed Bronze	20
	• shower arm flange	**137488**	7.35	Chrome	12
		137488BN	19.20	Brushed Nickel	12
	• shower arm flange	**AT2199**	7.35	Chrome	48
		AT2199SLP	13.85	Brushed Platinum	48
		AT2199BN	19.35	Brushed Nickel	48
		AT2199NL	19.35	Polished Nickel	48
		AT2199P	20.50	Polished Brass	48
		AT2199ORB	21.35	Oil Rubbed Bronze	48
		AT2199WR	21.35	Wrought Iron	12

Handheld Showers

All Brushed Nickel and Polished Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

HANDHELD



- showerhead functions: one-function
- showerhead type: eco-performance handshower
- showerhead size: 3-3/8" diameter spray head
- type of function: full spray
- flow rate: 2.0 gpm (7.6 L/min) max.
- slide bar length: 30"
- hose length: 69"
- double check valve: included
- slide bar: not to be used as a grab bar
- drop ell: sold separately
- use secure mount anchor: to meet hand grip requirements

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
PREMIUM			
S12107EP	452.25	Chrome	6
S12107EPBN	639.50	Brushed Nickel	6
S12107EPNL	639.50	Polished Nickel	6
S12107EP0RB	703.40	Oil Rubbed Bronze	6



- showerhead functions: four-function
- showerhead type: eco-performance handshower
- showerhead size: 3-3/4" diameter spray head
- type of function: drench; immerse; shine; soothe
- flow rate: 2.0 gpm (7.6 L/min) max.
- slide bar length: 30"
- hose length: 69"
- double check valve: included
- slide bar: not to be used as a grab bar
- drop ell: sold separately
- use secure mount anchor: to meet hand grip requirements

Certified by IAPMO R&T

PREMIUM			
S3870EP	311.25	Chrome	6
S3870EPBN	624.25	Brushed Nickel	6
S3870EP0RB	687.30	Oil Rubbed Bronze	6



- showerhead functions: one-function
- showerhead type: eco-performance handshower
- showerhead size: 3" diameter spray head
- type of function: full spray
- flow rate: 2.0 gpm (7.6 L/min) max.
- slide bar length: 30"
- hose length: 69"
- double check valve: included
- slide bar: not to be used as a grab bar
- drop ell: sold separately
- use secure mount anchor: to meet hand grip requirements

Certified by IAPMO R&T

PREMIUM			
S3879EP	274.75	Chrome	6
S3879EPBN	551.25	Brushed Nickel	6



- showerhead functions: one-function
- showerhead type: eco-performance handshower
- showerhead size: 1-1/8" diameter spray head
- type of function: full spray
- flow rate: 1.75 gpm (6.65 L/min) max.
- slide bar length: 30"
- hose length: 69"
- double check valve: included
- slide bar: not to be used as a grab bar
- drop ell: sold separately
- use secure mount anchor: to meet hand grip requirements

Certified by IAPMO R&T

PREMIUM			
S3879EP17	274.75	Chrome	6
S3879EP17BN	551.25	Brushed Nickel	6

Handheld Showers

All Brushed Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

HANDHELD (CONTINUED)

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
	• showerhead functions: one-function • showerhead type: eco-performance handshower • showerhead size: 2" diameter spray head • type of function: full spray • flow rate: 2.0 gpm (7.6 L/min) max. • slide bar length: 30" • hose length: 69" • double check valve: included • slide bar: not to be used as a grab bar • drop ell: sold separately • use secure mount anchor: to meet hand grip requirements	**3869EP**	267.00	Chrome	6
		3869EPBN	530.30	Brushed Nickel	6
		3869EP0RB	583.35	Oil Rubbed Bronze	6
		3869EPWR	589.20	Wrought Iron	6
	• showerhead functions: four-function • showerhead type: eco-performance handshower • showerhead size: 4-3/8" diameter spray head • type of function: combination; full spray; invigorating spray; targeted massage • flow rate: 2.0 gpm (7.6 L/min) max. • slide bar length: 30" • hose length: 69" • double check valve: included • slide bar: not to be used as a grab bar • drop ell: sold separately • use secure mount anchor: to meet hand grip requirements	**3667EP**	258.00	Chrome	6
		3667EPBN	510.15	Brushed Nickel	6
		3667EP0RB	561.15	Oil Rubbed Bronze	6
	• showerhead functions: four-function • showerhead type: eco-performance handshower • showerhead size: 4" diameter spray head • type of function: combination; full spray; invigorating spray; targeted massage • flow rate: 2.0 gpm (7.6 L/min) max. • slide bar length: 30" • hose length: 69" • double check valve: included • slide bar: not to be used as a grab bar • drop ell: sold separately • use secure mount anchor: to meet hand grip requirements	**3669EP**	258.00	Chrome	6
		3669EPBN	510.15	Brushed Nickel	6
		3669EP0RB	561.15	Oil Rubbed Bronze	6
	• showerhead functions: three-function • showerhead type: eco-performance handshower • showerhead size: 4" diameter spray head • type of function: combination; concentrated rinse; full spray • flow rate: 1.75 gpm (6.65 L/min) max. • slide bar length: 30" • hose length: 69" • double check valve: included • slide bar: not to be used as a grab bar • drop ell: sold separately • use secure mount anchor: to meet hand grip requirements	**3863EP17**	258.00	Chrome	6
		3863EP17BN	510.15	Brushed Nickel	6

Handheld Showers

All Brushed Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

HANDHELD (CONTINUED)



- showerhead functions: one-function
- showerhead type: eco-performance handshower
- showerhead size: 1-1/8" diameter spray head
- type of function: full spray
- flow rate: 2.0 gpm (7.6 L/min) max.
- slide bar length: 30"
- hose length: 69"
- double check valve: included
- slide bar: not to be used as a grab bar
- drop ell: sold separately
- use secure mount anchor: to meet hand grip requirements

Certified by IAPMO R&T

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
3887EP	239.65	Chrome	6
3887EPBN	476.15	Brushed Nickel	6



- showerhead functions: one-function
- showerhead type: eco-performance handshower
- showerhead size: 1-1/8" diameter spray head
- type of function: full spray
- flow rate: 1.75 gpm (6.65 L/min) max.
- slide bar length: 30"
- hose length: 69"
- double check valve: included
- slide bar: not to be used as a grab bar
- drop ell: sold separately
- use secure mount anchor: to meet hand grip requirements

Certified by IAPMO R&T

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
3887EP17	239.65	Chrome	6
3887EP17BN	476.15	Brushed Nickel	6
3887EP17BL	523.75	Matte Black	6



- showerhead functions: one-function
- showerhead type: eco-performance handshower
- showerhead size: 4-1/4" diameter spray head
- type of function: full spray
- flow rate: 2.0 gpm (7.6 L/min) max.
- slide bar length: 24"
- hose length: 59"
- double check valve: included
- slide bar: not to be used as a grab bar
- drop ell: sold separately
- use secure mount anchor: to meet hand grip requirements

Certified by IAPMO R&T

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
3668EP	216.00	Chrome	6
3668EPBN	312.60	Brushed Nickel	6
3668EP0RB	343.60	Oil Rubbed Bronze	6



- showerhead functions: one-function
- showerhead type: eco-performance handshower
- showerhead size: 4" diameter spray head
- type of function: full spray
- flow rate: 2.0 gpm (7.6 L/min) max.
- slide bar length: 24"
- hose length: 69"
- double check valve: included
- slide bar: not to be used as a grab bar
- drop ell: sold separately
- use secure mount anchor: to meet hand grip requirements

Certified by IAPMO R&T

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
3868EP	216.00	Chrome	6
3868EPBN	312.60	Brushed Nickel	6
3868EP0RB	343.60	Oil Rubbed Bronze	6

Handheld Showers

All Brushed Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

HANDHELD (CONTINUED)



- showerhead functions: one-function
- showerhead type: eco-performance handshower
- showerhead size: 4" diameter spray head
- type of function: full spray
- flow rate: 1.75 gpm (6.65 L/min) max.
- slide bar length: 24"
- hose length: 59"
- double check valve: included
- slide bar: not to be used as a grab bar
- drop ell: sold separately
- use secure mount anchor: to meet hand grip requirements

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
3868EP17	216.00	Chrome	6
3868EP17BN	312.60	Brushed Nickel	6
3868EP17ORB	343.60	Oil Rubbed Bronze	6



- showerhead functions: four-function
- showerhead type: eco-performance handshower
- showerhead size: 4-3/8" diameter spray head
- type of function: combination; full spray; invigorating spray; targeted massage
- flow rate: 2.0 gpm (7.6 L/min) max.
- hose length: 69"
- double check valve: included
- drop ell: sold separately
- wall bracket: included

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
3636EP	244.80	Chrome	6
3636EPBN	465.95	Brushed Nickel	6
3636EP0RB	512.50	Oil Rubbed Bronze	6



- showerhead functions: one-function
- showerhead type: eco-performance handshower
- showerhead size: 2" diameter spray head
- type of function: full spray
- flow rate: 2.0 gpm (7.6 L/min) max.
- hose length: 69"
- wall bracket: included
- double check valve: included
- drop ell: sold separately

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
3861EP	235.40	Chrome	6
3861EPBN	479.40	Brushed Nickel	6
3861EPNL	479.40	Polished Nickel	6
3861EP0RB	528.80	Oil Rubbed Bronze	6



- showerhead functions: one-function
- showerhead type: eco-performance handshower
- showerhead size: 1-1/8" diameter spray head
- type of function: full spray
- flow rate: 2.0 gpm (7.6 L/min) max.
- hose length: 69"
- wall bracket: included
- double check valve: included
- drop ell: sold separately

PREMIUM

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
S11705EP	223.85	Chrome	6
S11705EPBN	324.45	Brushed Nickel	6

Handheld Showers

All Brushed Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

HANDHELD (CONTINUED)



- showerhead functions: one-function
- showerhead type: eco-performance handshower
- showerhead size: 4" diameter spray head
- type of function: full spray
- flow rate: 2.0 gpm (7.6 L/min) max.
- hose length: 59"
- wall bracket: included
- double check valve: included
- drop ell: sold separately

Certified by IAPMO R&T

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
3865EP	176.20	Chrome	6
3865EPBN	255.75	Brushed Nickel	6
3865EP0RB	281.40	Oil Rubbed Bronze	6



- showerhead functions: one-function
- showerhead type: eco-performance handshower
- showerhead size: 4" diameter spray head
- type of function: full spray
- flow rate: 1.75 gpm (6.65 L/min) max.
- hose length: 59"
- wall bracket: included
- double check valve: included
- drop ell: sold separately

Certified by IAPMO R&T

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
3865EP17	176.20	Chrome	6
3865EP17BN	255.75	Brushed Nickel	6
3865EP170RB	281.40	Oil Rubbed Bronze	6

Handheld Showers

All Brushed Nickel, Polished Nickel and Polished Brass faucet components feature the Lifeshine® Non-Tarnish Finish.

HANDHELD (CONTINUED)

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
	• showerhead functions: one-function • showerhead type: eco-performance handshower • showerhead size: 3-3/8" diameter spray head • type of function: full spray • flow rate: 2.0 gpm (7.6 L/min) max. • double check valve: included	**154305**	121.95	Chrome	6
		154305BN	176.80	Brushed Nickel	6
		154305NL	187.75	Polished Nickel	6
		154305ORB	187.75	Oil Rubbed Bronze	6
	• showerhead functions: three-function • showerhead type: eco-performance handshower • showerhead size: 4" diameter spray head • type of function: combination; concentrated rinse; full spray • flow rate: 1.75 gpm (6.65 L/min) max. • double check valve: included	**147913**	119.70	Chrome	6
		147913BN	177.15	Brushed Nickel	6
	• Twist™ showerhead functions: four-function • showerhead type: eco-performance handshower • showerhead size: 3-3/4" diameter spray head • type of function: combination; full spray; invigorating spray; targeted massage • flow rate: 2.0 gpm (7.6 L/min) max. • double check valve: included	**160042**	87.00	Chrome	6
		160042BN	126.20	Brushed Nickel	6
		160042ORB	138.80	Oil Rubbed Bronze	6
	• showerhead functions: one-function • showerhead type: eco-performance handshower • showerhead size: 3" diameter spray head • type of function: full spray • flow rate: 1.75 gpm (6.65 L/min) max. • double check valve: included	**147547**	81.80	Chrome	6
		147547BN	120.00	Brushed Nickel	6
	• showerhead functions: one-function • showerhead type: eco-performance handshower • showerhead size: 3" diameter spray head • type of function: full spray • flow rate: 2.0 gpm (7.6 L/min) max. • double check valve: included	**176257**	81.80	Chrome	6
		176257BN	120.00	Brushed Nickel	6
	• showerhead functions: one-function • showerhead type: eco-performance handshower • showerhead size: 2" diameter spray head • type of function: full spray • flow rate: 2.0 gpm (7.6 L/min) max. • double check valve: included	**176015**	72.60	Chrome	12
		176015BN	105.20	Brushed Nickel	12
		176015ORB	115.80	Oil Rubbed Bronze	12
		176015P	142.90	Polished Brass	12
		176015WR	147.00	Wrought Iron	12

Handheld Showers

All Brushed Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

HANDHELD (CONTINUED)

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
	• showerhead functions: four-function • showerhead type: eco-performance handshower • showerhead size: 4-3/64" diameter spray head • type of function: combination; full spray; invigorating spray; targeted massage • flow rate: 2.0 gpm (7.6 L/min) max. • double check valve: included	**164928**	67.55	Chrome	6
		164928BN	97.90	Brushed Nickel	6
		164928ORB	107.70	Oil Rubbed Bronze	6
	• showerhead functions: four-function • showerhead type: eco-performance handshower • showerhead size: 4-3/64" diameter spray head • type of function: combination; full spray; i nvigorating spray; targeted massage • flow rate: 2.0 gpm (7.6 L/min) max. • double check valve: included • carded packaging: yes	**CL164928**	67.55	Chrome	6
		CL164928BN	97.90	Brushed Nickel	6
	• showerhead functions: four-function • showerhead type: eco-performance handshower • showerhead size: 4-3/8" diameter spray head • type of function: combination; full spray; invigorating spray; targeted massage • flow rate: 2.0 gpm (7.6 L/min) max. • double check valve: included	**164927**	65.90	Chrome	6
		164927BN	95.45	Brushed Nickel	6
		164927ORB	107.70	Oil Rubbed Bronze	6
	• showerhead functions: six-function • showerhead type: eco-performance handshower • showerhead size: 3.5" diameter spray head • type of function: combination • flow rate: 2.0 gpm (7.6 L/min) max. • arm and flange sold separately WaterSense Meets EPA Criteria Certified by IAPMO R&T	**26100EP**	59.95	Chrome	2
		26100EPSRN	73.30	Spot Resist Brushed Nickel	2
	• showerhead functions: six-function • showerhead type: eco-performance handshower • showerhead size: 3.5" diameter spray head • type of function: full spray; massaging rinse; relaxing massage; relaxing spray; soothe • flow rate: 2.0 gpm (7.6 L/min) max. • arm and flange sold separately • must be ordered in multiples of 12 • includes free standing display WaterSense Meets EPA Criteria Certified by IAPMO R&T	**P26100EP**	59.95	Chrome	12

NOTES

● Spot Resist Stainless Finish SPOT RESIST

CL Prefix: Indicates carded product for peg hook merchandising.

Handheld Showers

All Brushed Nickel and Polished Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

HANDHELD (CONTINUED)

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
	• showerhead functions: one-function • showerhead type: eco-performance handshower • showerhead size: 4-3/64" diameter spray head • type of function: full spray • flow rate: 2.0 gpm (7.6 L/min) max. • double check valve: included	**155747**	56.55	Chrome	6
		155747BN	82.05	Brushed Nickel	6
		1557470RB	90.25	Oil Rubbed Bronze	6
	• showerhead functions: one-function • showerhead type: eco-performance handshower • showerhead size: 4-3/64" diameter spray head • type of function: full spray • flow rate: 2.0 gpm (7.6 L/min) max. • double check valve: included • carded packaging: yes	**CL155747**	56.55	Chrome	6
		CL155747BN	82.05	Brushed Nickel	6
	• showerhead functions: one-function • showerhead type: eco-performance handshower • showerhead size: 4-3/64" diameter spray head • type of function: full spray • flow rate: 1.75 gpm (6.65 L/min) max. • double check valve: included	**157276**	56.55	Chrome	6
		157276BN	82.05	Brushed Nickel	6
		1572760RB	90.25	Oil Rubbed Bronze	6
	• showerhead functions: one-function • showerhead type: eco-performance handshower • showerhead size: 4-3/64" diameter spray head • type of function: full spray • flow rate: 1.5 gpm (5.7 L/min) max. • double check valve: included	**157276EP15**	56.55	Chrome	6
		157276EP15BN	82.05	Brushed Nickel	6
		157276EP150RB	90.25	Oil Rubbed Bronze	6
	• showerhead functions: one-function • showerhead type: eco-performance handshower • showerhead size: 4-3/64" diameter spray head • type of function: full spray • flow rate: 2.0 gpm (7.6 L/min) max.	**164929**	56.55	Chrome	6
		164929BN	82.05	Brushed Nickel	6
		164929NL	82.05	Polished Nickel	6
		1649290RB	90.25	Oil Rubbed Bronze	6

CL Prefix: Indicates carded product for peg hook merchandising.

Handheld Showers

All Brushed Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
HANDHELD (CONTINUED)					
	• showerhead functions: five-function • showerhead type: eco-performance handshower • showerhead size: 4" diameter spray head • type of function: energizing spray; invigorating spray; refreshing spray; relaxing spray; targeted massage • flow rate: 2.0 gpm (7.6 L/min) max.	**180238**	46.15	Chrome	6
	• showerhead functions: one-function • showerhead type: eco-performance handshower • showerhead size: 1-1/8" diameter spray head • type of function: full spray • flow rate: 1.75 gpm (6.65 L/min) max. • double check valve: included	**155891**	56.55	Chrome	6
		155891BN	82.05	Brushed Nickel	6
	• showerhead functions: one-function • showerhead type: eco-performance handshower • showerhead size: 1-1/8" diameter spray head • type of function: full spray • flow rate: 2.0 gpm (7.6 L/min) max. • double check valve: included	**165212**	56.55	Chrome	12
		165212BN	82.05	Brushed Nickel	12

Handheld Showers


All Brushed Nickel, Polished Nickel and Polished Brass faucet components feature the Lifeshine® Non-Tarnish Finish.

HANDHELD (CONTINUED)

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
	• length: 30" • slide bar: not to be used as a grab bar • Use sercuremount anchors: to meet handgrip requirements	**154296**	248.35	Chrome	6
		154296BN	273.15	Brushed Nickel	6
		154296NL	300.50	Polished Nickel	6
		1542960RB	300.50	Oil Rubbed Bronze	6
	• length: 24" • slide bar: not to be used as a grab bar • Use sercuremount anchors: to meet handgrip requirements	**155746**	176.35	Chrome	6
		155746BN	255.70	Brushed Nickel	6
		1557460RB	281.25	Oil Rubbed Bronze	6
	• length: 30" • slide bar: not to be used as a grab bar • Use sercuremount anchors: to meet handgrip requirements	**A735**	142.20	Chrome	6
		A735CP	163.50	Chrome/Polished Brass	6
		A735BN	206.15	Brushed Nickel	6
		A7350RB	218.85	Oil Rubbed Bronze	6
		A735P	218.85	Polished Brass	6
		A735WR	218.85	Wrought Iron	6
	• length: 30" • slide bar: not to be used as a grab bar • Use sercuremount anchors: to meet handgrip requirements	**A742**	153.75	Chrome	6
		A742BN	223.05	Brushed Nickel	6

Showering Accessories

All Brushed Nickel, Polished Nickel and Polished Brass faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
HOSE					
	• connection size: 1/2" • connection type: IPS • hose length: 80" • metal construction	**A780**	107.40	Chrome	20
	• connection size: 1/2" • connection type: IPS • hose length: 69" • metal construction • use brown (br) for oil rubbed bronze (orb)	**A726**	91.10	Chrome	12
		A726WR	103.70	Wrought Iron	6
		A726NL	162.60	Polished Nickel	24
		A726P	162.60	Polished Brass	24
		A726ST	162.60	Satine	24
		A726BR	168.55	Brown	12
	• connection size: 1/2" • connection type: IPS • hose length: 59" • metal construction	**155748**	33.70	Chrome	8
		155748BN	49.00	Brushed Nickel	8
	• connection size: 1/2" • connection type: IPS • hose length: 59" • metal construction	**CL155748**	33.70	Chrome	12
		CL155748BN	49.00	Brushed Nickel	12

CL Prefix: Indicates carded product for peg hook merchandising.

Showering Accessories

All Brushed Nickel, Polished Nickel and Polished Brass faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TWIN ELL					
	• description: twin ell • usage: with tub/shower installations where needed	**128284**	24.70	1/2" x 1/2" x 3/4" IPS	12
DROP ELL					
	• connection size: 1/2" • connection type: IPS • integral handshower cradle: included	**A755**	121.70	Chrome	12
		A755BN	176.45	Brushed Nickel	12
		A7550RB	194.10	Oil Rubbed Bronze	12
	• description: drop ell • connection size: 1/2" • connection type: IPS	**A721**	60.85	Chrome	12
		A721BN	85.80	Brushed Nickel	12
	• connection size: 1/2" • connection type: IPS	**A725**	47.60	Chrome	12
		A725BN	67.35	Brushed Nickel	12
		A725NL	67.35	Polished Nickel	12
		A725P	67.35	Polished Brass	12
		A725CBN	69.75	Classic Brushed Nickel	12
		A7250RB	74.10	Oil Rubbed Bronze	12
		A725WR	74.10	Wrought Iron	12

Showering Accessories

All Brushed Nickel, Polished Nickel and Polished Brass faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
WALL BRACKET					
	• integral handshower cradle: included • metal construction: yes	**114348**	78.60	Chrome	12
		114348NL	91.35	Polished Nickel	12
		114348BN	113.95	Brushed Nickel	12
		114348ORB	125.35	Oil Rubbed Bronze	12
		114348WR	125.35	Wrought Iron	12
	• integral handshower cradle: included	**A730**	46.55	Chrome	12
		A730P	107.90	Polished Brass	12
		A730ST	107.90	Satine	12
	• integral handshower cradle: included	**155694**	21.80	Chrome	12
		155694BN	31.50	Brushed Nickel	12
		155694ORB	34.80	Oil Rubbed Bronze	12
	• integral handshower cradle: included	**CL155694**	21.80	Chrome	12
		CL155694BN	31.50	Brushed Nickel	12
VACUUM BREAKER					
	• connection size: 1/2" • connection type: IPS	**A714**	38.20	Chrome	24
		A714ST	55.45	Satine	24
		A714ORB	61.00	Oil Rubbed Bronze	12
		A714WR	61.00	Wrought Iron	12
		A714P	87.20	Polished Brass	12
		A714NL	95.90	Polished Nickel	24

CL Prefix: Indicates carded product for peg hook merchandising.

Showering Accessories

All Brushed Nickel and Polished Brass faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
SHOWER ARM CRADLE/DIVERTER					
	• connection size: 1/2" • connection type: IPS • type of function: two independent one shared • integral handshower cradle: included • metal construction • carded packaging: yes	**CL707**	102.55	Chrome	12
		CL707BN	148.65	Brushed Nickel	12
		CL7070RB	163.60	Oil Rubbed Bronze	12
	• connection size: 1/2" • connection type: IPS • type of function: two independent one shared • metal construction • carded packaging: yes	**CL703**	75.55	Chrome	12
		CL703BN	109.55	Brushed Nickel	12
		CL7030RB	120.50	Oil Rubbed Bronze	12
	• connection size: 1/2" • connection type: IPS • type of function: two discrete • metal construction	**A720**	67.90	Chrome	12
		A720P	81.45	Polished Brass	12
		A720BN	92.25	Brushed Nickel	12
		A7200RB	101.45	Oil Rubbed Bronze	12
SHOWER ARM CRADLE/DIVERTER					
	• connection size: 1/2" • connection type: IPS • integral handshower cradle: included • metal construction: yes	**A701**	44.30	Chrome	12
		A701BN	64.15	Brushed Nickel	12
		A7010RB	70.55	Oil Rubbed Bronze	12
	• connection size: 1/2" • connection type: IPS • integral handshower cradle: included • metal construction: yes	**CLA701**	44.30	Chrome	12
		CLA701BN	64.15	Brushed Nickel	12

CL Prefix: Indicates carded product for peg hook merchandising.

Body Sprays

All Brushed Nickel, Polished Nickel and Polished Brass faucet components feature the Lifeshine® Non-Tarnish Finish.

BODY SPRAYS



- showerhead functions: two-function
- showerhead size: 3-1/4" diameter spray head
- type of function: full spray; targeted massage
- flow rate: 2.0 gpm (7.6 L/min) max.
- 1" extension kit available: 155656
- valve sold separately

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
PREMIUM			
TS1420	191.85	Chrome	6
TS1420BN	260.00	Brushed Nickel	6
TS1420NL	260.00	Polished Nickel	6
TS1420ORB	286.15	Oil Rubbed Bronze	6



- spray functions: two-function
- showerhead size: 3-1/4" diameter spray head
- type of function: full spray; targeted massage
- 1" extension kit available: 155656
- valve sold separately

PREMIUM			
TS1422	191.85	Chrome	6
TS1422BN	260.00	Brushed Nickel	6
TS1422NL	260.00	Polished Nickel	6
TS1422ORB	286.15	Oil Rubbed Bronze	6



- spray functions: one-function
- showerhead size: 3-1/4" diameter spray head
- type of function: full spray
- 1" extension kit available: 155656
- valve sold separately

IMMERSION

PREMIUM			
TS1320	124.05	Chrome	6
TS1320BN	174.80	Brushed Nickel	6
TS1320NL	174.80	Polished Nickel	6
TS1320ORB	197.30	Oil Rubbed Bronze	6



- spray functions: one-function
- showerhead size: 3-1/4" diameter spray head
- type of function: full spray
- 1" extension kit available: 155656
- valve sold separately

IMMERSION

PREMIUM			
TS1322	124.05	Chrome	6
TS1322BN	174.80	Brushed Nickel	6
TS1322NL	174.80	Polished Nickel	6
TS1322ORB	197.30	Oil Rubbed Bronze	6

BODY SPRAY ROUGH IN



- installation: fits standard 2x4 wall
- test plug: included

PREMIUM			
S1300	84.60	1/2" CC, IPS	6

BODY SPRAYS



- connection size: 1/2"
- connection type: IPS
- spray functions: one-function
- showerhead size: 2" diameter spray head
- type of function: full spray

A501	88.35	Chrome	12
A501BN	110.45	Brushed Nickel	12
A501NL	110.45	Polished Nickel	12
A501P	110.45	Polished Brass	12
A501ORB	121.50	Oil Rubbed Bronze	12
A501WR	121.50	Wrought Iron	12

NOTES

Moen® **M•PACT®** Common Valve System

IMMERSION Immersion® Rainshower

Diverter Tub Spouts

All Brushed Nickel and Polished Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

DIVERTING TUB SPOUT



- connection size: 1/2"
- connection type: slip fit
- spout length: 6 3/4"
- spray functions: one-function
- tub spout type: diverter

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
PREMIUM			
S12104	140.70	Chrome	6
S12104BN	222.85	Brushed Nickel	6
S12104NL	225.05	Polished Nickel	6
S121040RB	245.10	Oil Rubbed Bronze	6



- connection size: 1/2"
- connection type: slip fit
- spout length: 6 3/4"
- tub spout type: diverter

PREMIUM			
S114	124.25	Chrome	6
S114BN	203.30	Brushed Nickel	6
S114NL	203.30	Polished Nickel	6
S1140RB	223.55	Oil Rubbed Bronze	6



- connection size: 1/2"
- connection type: slip fit
- spout length: 7 1/4"
- tub spout type: diverter

PREMIUM			
S3900	123.75	Chrome	6



- connection size: 1/2"
- connection type: IPS
- spout length: 7 1/4"
- tub spout type: diverter

PREMIUM			
S3894	95.90	Chrome	6



- connection size: 1/2"
- connection type: slip fit
- spout length: 7 5/8"
- tub spout type: diverter

PREMIUM			
S3859	91.80	Chrome	6
S3859BN	133.15	Brushed Nickel	6
S3859AZ	146.35	Antique Bronze	6
S38590RB	146.35	Oil Rubbed Bronze	6



- connection size: 1/2"
- connection type: slip fit
- spout length: 7 1/4"
- tub spout type: diverter

PREMIUM			
S3896	91.80	Chrome	6
S3896BN	133.15	Brushed Nickel	6

Diverter Tub Spouts

All Brushed Nickel and Polished Brass faucet components feature the Lifeshine® Non-Tarnish Finish.

DIVERTING TUB SPOUT (CONTINUED)




- connection size: 1/2"
- connection type: slip fit
- spout length: 5 1/2"
- tub spout type: diverter

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
3929BC	80.55	Brushed Chrome	12



- connection size: 1/2"
- connection type: slip fit
- spout length: 7 1/4"
- tub spout type: diverter

PREMIUM			
S3840	76.85	Chrome	6
S3840BN	119.05	Brushed Nickel	6



- connection size: 1/2"
- connection type: slip fit
- spout length: 5"
- tub spout type: diverter

3807	70.25	Chrome	12
3807CP	74.45	Chrome/Polished Brass	12
3807BN	98.10	Brushed Nickel	12



- connection size: 1/2"
- connection type: IPS
- spout length: 7 1/4"
- tub spout type: diverter

3814	71.90	Chrome	6
3814BN	104.30	Brushed Nickel	6
3814ORB	114.75	Oil Rubbed Bronze	6



- connection size: 1/2"
- connection type: slip fit
- spout length: 7 1/4"
- tub spout type: diverter

3857	70.50	Chrome	6
3857BN	102.35	Brushed Nickel	6
3857ORB	112.60	Oil Rubbed Bronze	6



- connection size: 1/2"
- connection type: IPS
- spout length: 5"
- tub spout type: diverter

3806	70.25	Chrome	12
3806W	105.35	Glacier	12

Diverter Tub Spouts

All Brushed Nickel and Polished Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

DIVERTING TUB SPOUT (CONTINUED)

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
	• connection size: 1/2" • connection type: slip fit • spout length: 7 3/4" • tub spout type: diverter	**161955**	69.40	Chrome	6
		161955BN	107.60	Brushed Nickel	6
		161955ORB	118.40	Oil Rubbed Bronze	6
	• connection size: 1/2" • connection type: CC • spout length: 5 1/2" • tub spout type: diverter	**3810PM**	66.50	Platinum	12
	• connection size: 1/2" • connection type: slip fit • spout length: 6 7/8" • tub spout type: diverter	**125753**	69.05	Chrome	12
		125753BN	107.15	Brushed Nickel	12
		125753ORB	117.75	Oil Rubbed Bronze	12
	• connection size: 1/2" • connection type: slip fit • spout length: 7 15/16" • tub spout type: diverter	**175385**	69.05	Chrome	6
		175385BN	107.15	Brushed Nickel	6
		175385NL	107.15	Polished Nickel	6
		175385ORB	117.75	Oil Rubbed Bronze	6
	• connection size: 1/2" • connection type: slip fit • spout length: 7 1/8" • tub spout type: diverter	**172656**	65.80	Chrome	6
		172656BN	104.30	Brushed Nickel	6
		172656BL	114.75	Matte Black	6
	• connection size: 1/2" • connection type: IPS • spout length: 7 1/8" • tub spout type: diverter	**172657**	65.80	Chrome	6
		172657BN	104.30	Brushed Nickel	6
	• connection size: 1/2" • connection type: CC • spout length: 6 1/2" • tub spout type: diverter	**3890**	64.50	Chrome	12
		3890BN	93.60	Brushed Nickel	12

Diverter Tub Spouts

All Brushed Nickel and Polished Brass faucet components feature the Lifeshine® Non-Tarnish Finish.

DIVERTING TUB SPOUT (CONTINUED)

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
	• connection size: 1/2" • connection type: slip fit • spout length: 5 1/2" • tub spout type: diverter	**3808**	64.00	Chrome	12
		3808BN	92.60	Brushed Nickel	12
		3808P	99.15	Polished Brass	12
		3808ORB	101.95	Oil Rubbed Bronze	12
		3808WR	101.95	Wrought Iron	12
	• connection size: 1/2" • connection type: IPS • spout length: 5 1/2" • tub spout type: diverter	**3800**	58.10	Chrome	12
	• connection size: 1/2" • connection type: slip fit • spout length: 5 1/2" • tub spout type: diverter	**3801**	58.10	Chrome	12
	• connection size: 1/2" • connection type: slip fit • spout length: 5 7/8" • tub spout type: diverter	**152027**	57.25	Chrome	12
		152027BN	85.30	Brushed Nickel	12
	• connection size: 1/2" • connection type: slip fit • spout length: 6 1/2" • tub spout type: diverter	**3972**	53.20	Chrome	12
		3972BN	82.45	Brushed Nickel	12
	• connection size: 1/2" • connection type: IPS • spout length: 7" • tub spout type: diverter	**3830**	51.55	Chrome	12
		3830P	118.60	Polished Brass	12
	• connection size: 1/2" • connection type: IPS • spout length: 5 1/2" • tub spout type: diverter	**3911**	51.40	Chrome	12

Diverter Tub Spouts

All Brushed Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

DIVERTING TUB SPOUT (CONTINUED)

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
	• connection size: 1/2" • connection type: slip fit • spout length: 5 1/2" • tub spout type: diverter	**3960**	51.40	Chrome	12
	• connection size: 1/2" • connection type: slip fit • spout length: 7" • tub spout type: diverter	**3853**	51.20	Chrome	12
		3853SRN	71.70	Spot Resist Brushed Nickel	12
		3853BRB	78.85	Mediterranean Bronze	12
		3853BN	106.30	Brushed Nickel	12
		3853ORB	116.90	Oil Rubbed Bronze	12
	• connection size: 1/2" • connection type: slip fit • spout length: 7" • tub spout type: diverter	**3839**	50.10	Chrome	12
	• connection size: 1/2" • connection type: IPS • spout length: 5 1/2" • tub spout type: diverter	**3926**	48.60	Chrome	12
	• connection size: 1/2" • connection type: slip fit • spout length: 5 1/2" • tub spout type: diverter	**3931**	48.60	Chrome	12

Non-Diverter Tub Spouts

All Brushed Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.


NON-DIVERTING TUB SPOUT

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
	• connection size: 1/2" • connection type: slip fit • spout length: 7 5/8" • tub spout type: non diverter	PREMIUM			
		S3860	90.30	Chrome	6
		S3860BN	131.00	Brushed Nickel	6
		S3860ORB	144.00	Oil Rubbed Bronze	6
	• connection size: 1/2" • spout length: 7 1/4" • tub spout type: non diverter	PREMIUM			
		S3898	90.30	Chrome	6
		S3898BN	131.00	Brushed Nickel	6
	• connection size: 1/2" • connection type: slip fit • spout length: 7 1/4" • tub spout type: non diverter	**3858**	63.30	Chrome	6
		3858BN	91.90	Brushed Nickel	6
		3858ORB	101.10	Oil Rubbed Bronze	6
	• connection size: 1/2" • connection type: slip fit • spout length: 7 1/4" • tub spout type: non diverter	PREMIUM			
		S3842	61.85	Chrome	6
		S3842BN	95.75	Brushed Nickel	6
	• connection size: 1/2" • connection type: slip fit • spout length: 6 1/2" • tub spout type: non diverter	**3892**	52.60	Chrome	12
		3892BN	81.35	Brushed Nickel	12
	• connection size: 1/2" • connection type: slip fit • spout length: 5 1/2" • tub spout type: non diverter	**3959**	50.05	Chrome	12

Non-Diverter Tub Spouts

All Brushed Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

NON-DIVERTING TUB SPOUT (CONTINUED)

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
	• connection size: 1/2" • connection type: IPS • spout length: 7" • tub spout type: non diverter	**3828**	43.00	Chrome	12
	• connection size: 1/2" • connection type: slip fit • spout length: 7" • tub spout type: non diverter	**3829**	43.00	Chrome	12
		3829BC	71.30	Brushed Chrome	12
		3829BN	98.80	Brushed Nickel	12
		3829ORB	108.70	Oil Rubbed Bronze	12
	• connection size: 1/2" • connection type: IPS • spout length: 5" • tub spout type: non diverter	**3804**	21.80	Chrome	12
		3804CBN	29.25	Classic Brushed Nickel	12
	• connection size: 1/2" • connection type: slip fit • spout length: 5" • tub spout type: non diverter	**3805**	21.80	Chrome	12

Bath Tub Drains

All Brushed Nickel, Polished Nickel and Polished Brass faucet components feature the Lifeshine® Non-Tarnish Finish.

TUB DRAINS

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
	• top & bottom ells: schedule 40 abs • thread size: 1-1/2"	**140680**	12.35	N/A or Unfinished	12
	• top & bottom ells: schedule 40 pvc • thread size: 1-1/2"	**140690**	13.85	N/A or Unfinished	12
	• conversion bar kit • converts 2-hole top ell to accommodate 1-hole face plate	**142538**	4.95	N/A or Unfinished	180
	• connection size: 1 1/2" • connection type: threaded shoe • tubing type: 17 gauge brass • fits tubs: 24" • type of tee: cast brass	**90480** **90480BN** **90480ORB**	133.65 210.75 222.80	Chrome Brushed Nickel Oil Rubbed Bronze	8 8 8
	• connection size: 1 1/2" • connection type: threaded shoe • tubing type: 20 gauge brass • fits tubs: 14 - 16" • type of tee: cast brass	**90410** **90410BN** **90410ORB**	118.20 189.20 208.10	Chrome Brushed Nickel Oil Rubbed Bronze	10 10 10
	• connection size: 1 1/2" • connection type: threaded shoe • tubing type: white pvc • fits tubs: 14 - 16"	**90530**	45.90	Chrome	10
	• connection size: 1 1/2" • connection type: male IPS; threaded shoe	**T90331** **T90331BN** **T90331NL** **T90331ORB** **T90331P** **T90331WR**	31.25 98.55 98.55 108.45 108.45 108.45	Chrome Brushed Nickel Polished Nickel Oil Rubbed Bronze Polished Brass Wrought Iron	12 12 12 12 12 12

NOTES

Moen® **M•PACT®** Common Valve System

Bath Tub Drains

All Brushed Nickel and Polished Brass faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TUB DRAINS (CONTINUED)					
	• drain size: fits in 3" diameter drains	**101663BN**	27.70	Brushed Nickel	12
		101663P	25.30	Polished Brass	12
		101663ORB	30.50	Oil Rubbed Bronze	12
		101663WR	29.85	Wrought Iron	12
	• drain size: mounts on 2-5/8" centers	**101664BN**	33.70	Brushed Nickel	12
		101664P	34.35	Polished Brass	1
		101664ORB	37.90	Oil Rubbed Bronze	12
		101664WR	37.90	Wrought Iron	12
	• drain size: mounts on 3-3/8" centers	**102763BN**	34.35	Brushed Nickel	12
		102763P	34.35	Polished Brass	1
		102763ORB	37.90	Oil Rubbed Bronze	12
		102763WR	37.90	Wrought Iron	12

NOTES



Coordinating Bath Accessories

Kyvos™ Double Robe Hook / BP3703BN
Kyvos™ Paper Holder / BP3708BN
Kyvos™ 18" Towel Bar / BP3718BN
Kyvos™ Towel Ring / BP3786BN

Please see **moen.com/consumer-support/warranty** for complete product warranty information.

SAGE® Coordinating Bath Accessories

Moen® bath accessories CANNOT be combined with Moen® faucet parts on a Purchase Order.

Moen makes it easy to coordinate the entire style and look of the bathroom. Our Sage® bath accessories coordinate with most traditional faucet styles.

Bath accessory part numbers are included in the MF36 for reference purposes only.

For more information on ordering Iso™ bath accessories or other Moen® bath accessories, contact Moen Bath Accessory Customer Service at **800-882-0116**, contact your local Moen sales representative, or visit us at **www.moen.com**.

MODEL NUMBER	LIST PRICE EACH	DESCRIPTION	QTY
Chrome (CH)			
DN6801CH	18.70	Tank Lever	3
DN6803CH	11.00	Single Robe Hook	3
DN6808CH	21.10	Paper Holder	3
DN6818CH	24.65	18" Towel Bar	3
DN6824CH	26.70	24" Towel Bar	3
DN6886CH	17.40	Towel Ring	3
Brushed Nickel (BN)			
DN6801BN	28.40	Tank Lever	12
DN6803BN	19.45	Single Robe Hook	12
DN6808BN	30.35	Paper Holder	3
DN6818BN	35.85	18" Towel Bar	3
DN6822BN	59.15	24" Double Towel Bar	3
DN6824BN	38.90	24" Towel Bar	3
DN6850BN	57.85	Freestanding Paper Holder	2
DN6886BN	27.15	Towel Ring	3
DN6890BN	58.60	Vanity Shelf	3
DN6892BN	111.65	Mirror	3
Oil Rubbed Bronze (ORB)			
DN6801ORB	32.70	Tank Lever	12
DN6803ORB	19.70	Single Robe Hook	24
DN6808ORB	33.55	Paper Holder	3
DN6818ORB	37.25	18" Towel Bar	3
DN6824ORB	40.50	24" Towel Bar	3
DN6886ORB	27.45	Towel Ring	3



DN6801
Tank Lever



DN6803
Single Robe Hook



DN6808
Paper Holder



DN6818
18" Towel Bar



DN6822
24" Double Towel Bar



DN6824
24" Towel Bar



DN6850
Freestanding Paper Holder



DN6886
Towel Ring



DN6890
Vanity Shelf



DN6892
Mirror

ISO™ Coordinating Bath Accessories

Moen® bath accessories CANNOT be combined with Moen® faucet parts on a Purchase Order.

Moen makes it easy to coordinate the entire style and look of the bathroom. Our Iso™ bath accessories coordinate with most modern faucet styles.

Bath accessory part numbers are included in the MF36 for reference purposes only.

For more information on ordering Iso™ bath accessories or other Moen® bath accessories, contact Moen Bath Accessory Customer Service at **800-882-0116**, contact your local Moen sales representative, or visit us at **www.moen.com**.

	MODEL NUMBER	LIST PRICE EACH	DESCRIPTION	QTY
	Chrome (CH)			
	DN0703CH	18.45	Single Robe Hook	12
	DN0705CH	7.95	Drawer Knob	144
	DN0707CH	15.85	Drawer Pull	144
P	**DN0708CH**	39.20	Pivoting Paper Holder	3
	DN0709CH	33.40	Single-Post Paper Holder	3
	DN0718CH	36.10	18" Towel Bar	3
	DN0722CH	58.85	24" Double Towel Bar	3
	DN0724CH	39.20	24" Towel Bar	3
	DN0786CH	25.50	Towel Ring	3
	DN0790CH	65.90	Vanity Shelf	3
P	**DN0792CH**	95.20	Mirror	3
	DN0794CH	154.30	Towel Shelf	2
	Brushed Nickel (BN)			
	DN0703BN	20.75	Single Robe Hook	24
	DN0705BN	9.25	Drawer Knob	144
	DN0707BN	17.10	Drawer Pull	144
P	**DN0708BN**	44.15	Pivoting Paper Holder	3
	DN0709BN	37.35	Single-Post Paper Holder	3
	DN0718BN	40.55	18" Towel Bar	3
	DN0722BN	66.10	24" Double Towel Bar	3
	DN0724BN	44.15	24" Towel Bar	3
	DN0786BN	28.65	Towel Ring	3
	DN0790BN	74.15	Vanity Shelf	3
P	**DN0792BN**	107.20	Mirror	3
	DN0794BN	166.85	Towel Shelf	2


DN0703
Single Robe Hook


DN0705
Drawer Knob


DN0707
Drawer Pull


P DN0708
Pivoting Paper Holder


DN0709
Single-Post Paper Holder


DN0718
18" Towel Bar


DN0722
24" Double Towel Bar


DN0724
24" Towel Bar


DN0786
Towel Ring


DN0790
Vanity Shelf


DN0794
Towel Shelf


P DN0792
Mirror with Pivoting Decorative Hardware


P Denotes pivoting paper holder/mirror

List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.


ISO™ Coordinating Bath Accessories




DN0761
One-Globe Light



DN0762
Two-Globe Light



DN0763
Three-Globe Light



DN0764
Four-Globe Light



DN0769
Replacement Globe

LIGHTING

MODEL NUMBER	LIST PRICE EACH	DESCRIPTION	QTY
Chrome (CH)			
DN0761CH	106.75	One Globe Bath Light	2
DN0762CH	152.35	Two Globe Bath Light	2
DN0763CH	186.85	Three Globe Bath Light	2
DN0764CH	239.35	Four Globe Bath Light	2
Brushed Nickel (BN)			
DN0761BN	134.40	One Globe Bath Light	2
DN0762BN	188.15	Two Globe Bath Light	2
DN0763BN	233.65	Three Globe Bath Light	2
DN0764BN	299.15	Four Globe Bath Light	2
Replacement Globe			
DN0769	19.70	Replacement Globe	3

c UL us LISTED

Bulbs not included.

All lighting fixtures can be mounted facing either upward or downward.

List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

GRAB BARS

SecureMount™ Grab Bars are manufactured with an innovative flange design that makes it easy to connect to the stud at multiple points.

To install grab bars securely without studs, use SecureMount™ Anchors. Sold separately.

Poly-bagged

MODEL NUMBER	LIST PRICE EACH	DESCRIPTION	QTY
1-1/4" • Chrome (CH)			
YG0712CH	61.40	12" Designer Grab Bar	6
YG0718CH	64.75	18" Designer Grab Bar	6
YG0724CH	68.05	24" Designer Grab Bar	6
YG0736CH	77.50	36" Designer Grab Bar	6
YG0742CH	113.95	42" Designer Grab Bar	6
1-1/4" • Brushed Nickel (BN)			
YG0712BN	68.80	12" Designer Grab Bar	6
YG0718BN	72.50	18" Designer Grab Bar	6
YG0724BN	76.20	24" Designer Grab Bar	6
YG0736BN	86.80	36" Designer Grab Bar	6
YG0742BN	128.40	42" Designer Grab Bar	6



YG0724
1-1/4" Diameter x 24" length

Complies with Americans with Disabilities Act (ADA) specifications.
SecureMount™ Grab Bars are tested to withstand 500 lb. pull when securely installed per instructions.

List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

RETREAT® Coordinating Bath Accessories


Moen® bath accessories CANNOT be combined with Moen® faucet parts on a Purchase Order.

Moen makes it easy to coordinate the entire style and look of the bathroom. Our Retreat® bath accessories coordinate with most transitional faucet styles.


Bath accessory part numbers are included in the MF36 for reference purposes only.

For more information on ordering Retreat® bath accessories or other Moen® bath accessories, contact Moen Bath Accessory Customer Service at **800-882-0116**, contact your local Moen sales representative, or visit us at **www.moen.com**.

	MODEL NUMBER	LIST PRICE EACH	DESCRIPTION	QTY
	Chrome (CH)			
	DN8303CH	14.05	Single Robe Hook	24
P	**DN8308CH**	26.90	Pivoting Paper Holder	3
	DN8318CH	27.50	18" Towel Bar	3
	DN8322CH	45.45	24" Double Towel Bar	3
	DN8324CH	29.80	24" Towel Bar	3
	DN8386CH	19.45	Towel Ring	3
	DN8390CH	50.80	Vanity Shelf	3
	Brushed Nickel (BN)			
	DN8303BN	15.70	Single Robe Hook	24
P	**DN8308BN**	30.00	Pivoting Paper Holder	3
	DN8318BN	30.75	18" Towel Bar	3
	DN8322BN	50.80	24" Double Towel Bar	3
	DN8324BN	33.35	24" Towel Bar	3
	DN8386BN	21.70	Towel Ring	3
	DN8390BN	56.65	Vanity Shelf	3




DN8303
Single Robe Hook



P DN8308
Pivoting Paper Holder



DN8318
18" Towel Bar



DN8322
24" Double Towel Bar



DN8324
24" Towel Bar



DN8386
Towel Ring



DN8390
Vanity Shelf

P Denotes pivoting paper holder/mirror

List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

KYVOS™ Coordinating Bath Accessories

Moen® bath accessories CANNOT be combined with Moen® faucet parts on a Purchase Order.

Moen makes it easy to coordinate the entire style and look of the bathroom. Kyvos™ bath accessories have definitive angles that bring a super-modern Art Deco influence to this contemporary collection.

Bath accessory part numbers are included in the MF36 for reference purposes only.

For more information on ordering Kyvos™ bath accessories or other Moen® bath accessories, contact Moen Bath Accessory Customer Service at **800-882-0116**, contact your local Moen sales representative, or visit us at **www.moen.com**.

MODEL NUMBER	LIST PRICE EACH	DESCRIPTION	QTY
Chrome (CH)			
BP3703CH	22.55	Double Robe Hook	24
BP3708CH	31.20	Paper Holder	6
BP3718CH	44.20	18" Towel Bar	6
BP3724CH	46.20	24" Towel Bar	6
BP3786CH	33.15	Towel Ring	6
Brushed Nickel (BN)			
BP3703BN	25.40	Double Robe Hook	24
BP3708BN	35.05	Paper Holder	6
BP3718BN	49.65	18" Towel Bar	6
BP3724BN	54.00	24" Towel Bar	6
BP3786BN	37.25	Towel Ring	6



BP3703
Double Robe Hook



BP3708
Paper Holder



BP3718
18" Towel Bar



BP3724
24" Towel Bar



BP3786
Towel Ring

MOEN® Coordinating Bath Accessories

Moen® bath accessories CANNOT be combined with Moen® faucet parts on a Purchase Order.


Moen makes it easy to coordinate the entire style and look of the bathroom. Our shower rods perfectly coordinate with style and finish of our faucets. Total coordination of the bath has never been easier.

Bath accessory part numbers are included in the MF36 for reference purposes only.

For more information on ordering bath accessories, contact Moen Bath Accessory Customer Service at **800-882-0116**, contact your local Moen® sales representative, or visit us at **www.moen.com**.

CURVED SHOWER RODS AC

MODEL NUMBER	LIST PRICE EACH	DESCRIPTION	QTY
Chrome (CH)			
CSR2160CH	47.10	Adjustable Curved Shower Rod	10
CSR2164CH	47.10	Adjustable Curved Shower Rod	10
CSR2165CH	37.30	5˚ Curved Shower Rod	10
DN2141CH	63.95	Adjustable Curved Shower Rod	2
Brushed Nickel (BN)			
CSR2160BN	51.85	Adjustable Curved Shower Rod	10
CSR2164BN	51.85	Adjustable Curved Shower Rod	10
CSR2165BN	39.90	5˚ Curved Shower Rod	10
DN2141BN	69.70	Adjustable Curved Shower Rod	2
Old World Bronze			
CSR2160OWB	59.30	Adjustable Curved Shower Rod	10
CSR2164OWB	59.30	Adjustable Curved Shower Rod	10
CSR2165OWB	47.95	5˚ Curved Shower Rod	10
DN2141OWB	81.15	Adjustable Curved Shower Rod	2



CSR2160
Adjustable Curved Shower Rod



CSR2165
5˚ Curved Shower Rod




CSR2164
Adjustable Curved Shower Rod



DN2141
Adjustable Curved Shower Rod

TENSION RODS

MODEL NUMBER	LIST PRICE EACH	DESCRIPTION	QTY
Chrome (CH)			
TR1000CH	32.05	Tension Rod	3
Brushed Nickel (BN)			
TR1000BN	32.05	Tension Rod	3
Old World Bronze			
TR1000OWB	32.05	Tension Rod	3



TR1000
Tension Rod

SHOWER RINGS

MODEL NUMBER	LIST PRICE EACH	DESCRIPTION	QTY
Chrome (CH)			
SR2100CH	11.50	Shower Curtain Rings	25
Brushed Nickel (BN)			
SR2100BN	13.20	Shower Curtain Rings	25
Old World Bronze			
SR2100OWB	13.40	Shower Curtain Rings	25



SR2100
Shower Curtain Rings

List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.


The SecureMount™ System

Install Grab Bars Anywhere on the Wall!

SecureMount Grab Bars and SecureMount Anchors make it possible to quickly and easily install a grab bar with or without studs.

Did you know:

- 16" grab bars can mount directly into studs because the standard stud size is 16" on center.
- 18", 24", 36", and 42" grab bars will often need an anchoring system when mounted into drywall, as an alternative to stud or wood block installation.



The SecureMount System—Easy, Secure Install ... Anywhere on the Wall!™



SecureMount Grab Bars

The unique flange makes it easy to connect to the stud at multiple points, at any angle!

SecureMount Anchors

Precision engineered for optimal bracing behind the wall, SecureMount Anchors allow for easy grab bar installation — with no studs required — anywhere on the wall.

SecureMount System


The SecureMount System is the ultimate in easy, secure grab bar installation. Plus it provides stylish designs and choices in finishes and features.

SecureMount Anchors Are Versatile.

Installs anywhere on the wall and can be used with all Moen and virtually all other grab bars. Mount securely to a variety of substrates*:

- ½" Drywall
- ½" Drywall with tile
- ½" Drywall with marble
- ⅛" Fiberglass tub surround
- ¼" Fiberglass tub surround
- ⅝" Drywall
- ⅝" Drywall with tile
- ⅝" Drywall with marble

*Including multiple layers up to 1½" thick



SMA1000
SecureMount™ Anchors

300 lb. weight capacity when securely installed per instructions. Limited Lifetime Warranty.
Independently tested by CSA and NAHB laboratories to exceed ADA, ASTM, ANSI and CSA standards.

Moen® bath accessories CANNOT be combined with Moen® faucet parts on a Purchase Order.

Moen makes it easy to coordinate the entire style and look of the bathroom. Our bath accessories coordinate with the style and finish of our faucets. Total coordination of the bath has never been easier.


For more information on ordering Moen bath accessories, contact Moen Bath Accessory Customer Service at **800-882-0116**, contact your local Moen sales representative, or visit us at **www.moen.com**.

GRAB BARS WITH ACCESSORIES


SecureMount™ Grab Bars are manufactured with an innovative flange design that makes it easy to connect to the stud at multiple points.

To install grab bars securely without studs, use SecureMount™ Anchors.

MODEL NUMBER	LIST PRICE EACH	DESCRIPTION	QTY
Chrome (CH)			
LR2350DCH	54.90	24" Grab Bar With Towel Bar	3
LR2352DCH	54.90	8" Grab Bar With Paper Holder	3
LR2354DCH	54.90	9" Grab Bar With Corner Shelf	3
LR2356DCH	54.90	16" Grab Bar With Shelf	3
Brushed Nickel (BN)			
LR2350DBN	57.10	24" Grab Bar With Towel Bar	3
LR2352DBN	57.10	8" Grab Bar With Paper Holder	3
LR2354DBN	57.10	9" Grab Bar With Corner Shelf	3
R2356DBN	57.10	16" Grab Bar With Shelf	3
Old World Bronze			
LR2350DOWB	60.55	24" Grab Bar With Towel Bar	3
LR2352DOWB	60.55	8" Grab Bar With Paper Holder	3
LR2354DOWB	60.55	9" Grab Bar With Corner Shelf	3
R2356DOWB	60.55	16" Grab Bar With Shelf	3



LR2350D
24" Grab Bar With Towel Bar



LR2352D
8" Grab Bar With Paper Holder



LR2354D
9" Grab Bar With Corner Shelf



LR2356D
16" Grab Bar With Shelf

SECUREMOUNT™

MODEL NUMBER	LIST PRICE EACH	DESCRIPTION	QTY
Chrome (CH)			
SMA1000CH	30.05	SecureMount™ Anchor 1 Pair	24
SMA1001CH	26.70	SecureMount™ Anchor 10 Pairs	10
Oil Rubbed Bronze (ORB)			
SMA1000OWB	30.05	SecureMount™ Anchor 1 Pair	24



SMA1000 & SMA1001
SecureMount™ Anchor

For more information on how to properly install, see page 326.

Complies with Americans with Disabilities Act (ADA) specifications.
SecureMount™ Grab Bars are tested to withstand 500 lb. pull when securely installed per instructions.

List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

MOEN® Bath Safety



Moen® bath accessories CANNOT be combined with Moen® faucet parts on a Purchase Order.

For more information on ordering bath safety furniture or other matching bath accessories, contact Moen Bath Accessory Customer Service at **800-882-0116**, contact your local Moen sales representative, or visit us at **www.moen.com**.

BATH SAFETY FURNITURE

MODEL NUMBER	LIST PRICE EACH	DESCRIPTION	QTY
Old World Bronze			
DN7110OWB	435.05	Teak Folding Shower Seat	2
Glacier			
DN7025	49.00	Shower Seat	2
DN7065	119.95	Transfer Bench	2
Stainless			
DN7110	375.05	Teak Folding Shower Seat	2




DN7025
Adjustable Shower Seat



DN7110
Teak Folding Shower Seat



DN7065
Tool-Free Transfer Bench



GENUINE PARTS

Moen Genuine Replacement Parts

Moen Genuine Parts Display

Please see **moen.com/consumer-support/warranty** for complete product warranty information.

Merchandising Solutions

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	DESCRIPTION	CASE QTY
CARDED PARTS – SHOWERING					
	• 6" shower arm and flange • connection size: 1/2" • connection type: IPS	**CL10154** **CL10154BN**	26.40 53.50	Chrome Brushed Nickel	12 12
	• 8" shower arm and flange • connection size: 1/2" • connection type: IPS	**CL123815** **CL123815BN**	33.20 62.50	Chrome Brushed Nickel	12 12
	• handshower wall bracket • integral handshower cradle: included • pivots to adjust angle of handshower	**CL155694** **CL155694BN**	21.80 31.50	Chrome Brushed Nickel	12 12
	• handshower hose • connection size: 1/2" • connection type: IPS • hose length: 59" • metal construction: yes	**CL155748** **CL155748BN**	33.70 49.00	Chrome Brushed Nickel	12 12
	• replacement handshower • showerhead functions: one-function • showerhead type: eco-performance handshower • showerhead size: 4-3/64" diameter spray head • type of function: full spray • flow rate: 2.0 gpm (7.6 L/min) max. • double check valve: included	**CL155747** **CL155747BN**	56.55 82.05	Chrome Brushed Nickel	6 6
	• replacement handshower • showerhead functions: four-function • showerhead type: eco-performance handshower • showerhead size: 4-3/64" diameter spray head • type of function: combination; full spray; invigorating spray; targeted massage • flow rate: 2.0 gpm (7.6 L/min) max. • double check valve: included	**CL164928** **CL164928BN**	67.55 97.90	Chrome Brushed Nickel	6 6
	• showerhead functions: five-function • showerhead connection size: 1/2" • connection type: IPS • showerhead type: standard • showerhead size: 4" diameter spray head • type of function: energizing spray; invigorating spray; refreshing spray; relaxing spray; targeted, massage • flow rate: 2.5 gpm (9.5 L/min) max • EP flow rate: 2.0 gpm (7.6 L/min) max	**CL26500** **CL26500BN** **CL26500EP** **CL26500EPBN**	48.60 79.35 48.60 79.35	Chrome Brushed Nickel Chrome Brushed Nickel	12 12 12 12
	• showerhead functions: one-function • connection size: 1/2" • connection type: IPS • showerhead type: standard • showerhead size: 4-3/8" diameter spray head • type of function: full spray • flow rate: 2.5 gpm (9.5 L/min) max • EP flow rate: 2.0 gpm (7.6 L/min) max	**CL6302** **CL6302BN** **CL6302EP** **CL6302EPBN**	82.55 128.95 82.55 128.95	Chrome Brushed Nickel Chrome Brushed Nickel	12 12 12 12

For a complete listing of replacement parts, see page 369-398.

CL Prefix: Indicates carded product for peg hook merchandising.

		MODEL NUMBER	LIST PRICE	DESCRIPTION	CASE QTY
CARDED PARTS – SHOWERING (CONTINUED)					
	• showerhead functions: one-function • connection size: 1/2" • connection type: IPS • showerhead type: standard • showerhead size: 3-3/8" diameter spray head • type of function: full spray • flow rate: 2.5 gpm (9.5 L/min) max • EP flow rate: 2.0 gpm (7.6 L/min) max	**CL6303** **CL6303BN** **CL6303EP** **CL6303EPBN**	45.65 69.95 45.65 69.95	Chrome Brushed Nickel Chrome Brushed Nickel	12 12 12 12
	• shower arm diverter • connection size: 1/2" • connection type: IPS • type of function: two independent 1 shared • metal construction	**CL703** **CL703BN** **CL703ORB**	75.55 109.55 120.50	Chrome Brushed Nickel Oil Rubbed Bronze	12 12 12
	• shower arm diverter • connection size: 1/2" • connection type: IPS • type of function: two independent 1 shared • integral handshower cradle: included • metal construction • pivots to adjust angle of handshower	**CL707** **CL707BN** **CL707ORB**	102.55 148.65 163.60	Chrome Brushed Nickel Oil Rubbed Bronze	12 12 12
	• shower arm cradle • connection size: 1/2" • connection type: IPS • integral handshower cradle: included • metal construction: yes • pivots to adjust angle of handshower	**CLA701** **CLA701BN**	44.30 64.15	Chrome Brushed Nickel	12 12
CARDED PARTS – MOEN® GENUINE REPLACEMENT CARTRIDGES					
	1200® cartridge Single-handle replacement cartridge, brass	**1200**	44.95	Carded	18
	1225® cartridge Single-handle replacement cartridge	**1225**	29,20	Carded	36
	1224® cartridge Two-handle replacement cartridge (hot or cold)	**1224**	15.20	Carded	18
	1248™ cartridge Two-handle replacement cartridge for high flow roman tubs (hot or cold)	**1248**	15.20	Carded	18
	1234® cartridge Two-handle Duralast® cartridge for two-handle lavatory and kitchen faucets (hot or cold)	**1234**	14.70	Carded	18

For a complete listing of replacement parts, see page 369-398.

CL Prefix: Indicates carded product for peg hook merchandising.

		MODEL NUMBER	LIST PRICE	DESCRIPTION	CASE QTY
CARDED PARTS – CARTRIDGES (CONTINUED)					
	1258® cartridge Two-handle Duralast® cartridge for two-handle roman tub faucets (hot or cold)	**1258**	14.70	Carded	18
	1222® cartridge Single-handle replacement cartridge, Posi-Temp®	**1222**	77.45	Carded	18
	1255® cartidge Single-handle Duralast® cartridge • includes plastic retaining nut	**1255**	29.95	Carded	18
	Cartridge repair kit for 1222/1222B Posi-Temp® single-handle tub/shower	**98040**	15.10	Carded	18
	Retainer clips for 1200 and 1225 single-handle cartridges	**96365**	8.25	Carded	36
	Cartridge puller for 1200, 1222 & 1225 single-handle cartridges	**104421**	50.65	Carded	36
	Spout o-ring kit Order in multiples of 12	**96778** **117**	8.65 5.70	Carded Bulk (12 pcs)	36 72

For a complete listing of replacement parts, see page 369-398.

		MODEL NUMBER	LIST PRICE	DESCRIPTION	CASE QTY
CARDED PARTS – HANDLES					
	Handle kit, Chateau® single-handle lav, clear knob with cap	**96782**	27.90	Carded	18
	Handle kit, Chateau® single-handle tub/shower, clear knob with cap	**98039**	27.90	Carded	18
	Handle cap, Chateau® single-handle lav and non-pressure-balancing shower	**98032**	10.60	Carded	18
	Handle kit, Posi-Temp® single-handle tub/shower with cap	**100710**	20.65	Carded	18
	Handle kit, Chateau® two-handle lav, kitchen, and tub/shower, clear handles with caps, quantity 2	**98026**	31.30	Carded	12
	Handle caps, Touch Control two-handle lav, kitchen, bar, and tub/shower	**101205**	10.35	Carded	18
CARDED PARTS – AERATORS					
	Aerator, 2.2 gpm, male thread	**3919**	14,00	Chrome (Carded)	18
	Aerator, 2.2 gpm, female thread	**3924**	14,00	Chrome (Carded)	18
	Aerator, Swing-n-Spray® , 2.2 gpm	**20200**	48.25	Chrome (Carded)	18

For a complete listing of replacement parts, see page 369-398.

		MODEL NUMBER	LIST PRICE	DESCRIPTION	CASE QTY
MOEN® GENUINE REPLACEMENT CARTRIDGES					
	1200® cartridge Single-handle replacement cartridge, brass Single-handle replacement cartridge, brass, order in multiples of 12	**1200** **1200B**	44.95 44.95	Carded Bulk (12 pcs.)	18 144
	1225® cartridge Single-handle replacement cartridge Single-handle replacement cartridge, order in multiples of 12	**1225** **1225B**	29.20 29.20	Carded Bulk (12 pcs.)	36 144
	1224® cartidge Two-handle replacement cartridge (hot or cold) Two-handle replacement cartridge (hot or cold), order in multiples of 12 Two-handle replacement cartridge, for 4997 valve prior to 6/00	**1224** **1224B** **14891**	15.20 15.20 17.20	Carded Bulk (12 pcs.) -	18 144 60
	1248™ cartidge Two-handle replacement cartridge for high flow Roman tubs, order in multiples of 12	**1248** **1248B**	15.20 15.20	Carded Bulk (12 pcs.)	18 144
	1234® cartidge Two-handle Duralast® cartridge for two-handle lavatory and kitchen faucets	**1234**	14.70	Carded	18
	1258® cartidge Two-handle Duralast® cartridge for two-handle roman tub faucets	**1258**	14.70	Carded	18
	1222® cartidge Single-handle replacement cartridge, Posi-Temp® Single-handle replacement cartridge, Posi-Temp®, order in multiples of 6 • repair kit 96988	**1222** **1222B**	77.45 77.45	Carded Bulk (6 pcs.)	18 72
	Brass Posi-Temp® cartridge • single-handle replacement cartridge • graphite composite pressure-balancing spool design	**1222HD**	91.95	-	18
	1255® cartidge Single-handle Duralast® cartridge • includes plastic retaining nut	**1255**	29.95	Carded	18





For a complete listing of replacement parts, see page 369-398.

		MODEL NUMBER	LIST PRICE	DESCRIPTION	CASE QTY
CARTRIDGE REPAIR KIT					
	Cartridge repair kit for 1222/1222B Posi-Temp® single-handle tub/shower	**98040**	15.10	Carded	18
		96988	16.95	-	100
	Moen® silicone oil for Posi-Temp® balancing spools	**140676**	5.20	-	96
	Moen® silicone grease for cartridges and o-rings	**99915**	0.20	-	2500
CARTRIDGE RETAINER CLIPS					
	Retainer clips for 1200 and 1225 single-handle cartridges	**96365**	8.25	Carded	36
	Retainer clips for Posi-Temp® single-handle tub/shower	**96914**	5.65	-	500
TOOLS					
	Cartridge puller for 1200, 1222 & 1225 single-handle cartridges	**104421**	50.65	Carded	36
	Cartridge retainer removal tool for 1224, 1248 two-handle cartridge	**14272**	6.10	-	150
O-RING KIT					
	Spout o-ring kit	**96778**	8.65	Carded	36
	Order in multiples of 12	**117**	5.70	Bulk (12 pcs)	72






For a complete listing of replacement parts, see page 369-398.

		MODEL NUMBER	LIST PRICE	DESCRIPTION	CASE QTY
REPLACEMENT HANDLES AND CAPS					
	Handle kit, Chateau® single-handle lav, clear knob with cap	**96782**	27.90	Carded	18
		96791	27.90	-	-
	Handle kit, Chateau® single-handle tub/shower, clear knob with cap	**98039**	27.90	Carded	18
		96797	27.90	-	150
	Handle kit, Chateau® single-handle lav with Duralast™	**150627**	27.90	-	50
	Handle cap kit, Chateau® single-handle lav and non-pressure-balancing shower	**98032**	10.60	Carded	18
		91751	10.60	-	1,000
	Handle kit, Posi-Temp® single-handle tub/shower with cap	**100710**	20.65	Carded	18
	Handle kit, **less cap,** Posi-Temp® single-handle tub/shower	**94514**	11.00	-	150
	Handle kit, Chateau® two-handle lav, kitchen, and tub/shower, clear handles with caps, quantity 2	**98026**	31.30	Carded	12
	Lever handle cap, Chateau® single-handle kitchen	**96790**	27.90	Chrome	1
	Handle caps, Chateau® two-handle lav, kitchen, bar, and tub/shower	**13382**	10.35	-	300
	Handle caps, Touch Control two-handle lav, kitchen, bar, and tub/shower	**101205**	10.35	Carded	18

FFor a complete listing of replacement parts, see page 369-398.

		MODEL NUMBER	LIST PRICE	DESCRIPTION	CASE QTY
ECO-PERFORMANCE AERATOR INSERTS					
	Aerator flow restrictor, 1.5 gpm • aerated flow • fits Chateau®, Castleby®, Villeta® Eva®, Brantford™, Level™, Monticello®, Kingsley®, Waterhill® and Vestige® lavatory or kitchen faucets	**116711**	6.65	-	500
	Aerator flow restrictor, 1.0 gpm • aerated flow • fits Chateau®, Castleby®, Villeta®, Eva®, Brantford™, Level™, Monticello®, Kingsley®, Waterhill® and Vestige® lavatory or kitchen faucets	**216721**	6.70	-	100
	Aerator flow restrictor, 1.5 gpm • laminar flow • for use on all Icon™ and Divine™ lavatory faucets	**316711**	6.70	-	200
	Aerator flow restrictor, 0.5 gpm • laminar flow • for use on Arris®, Align® and Icon™ lavatory faucets	**175083**	6.70	-	50
	Aerator flow restrictor, 1.0 gpm • laminar flow • for use on Arris®, Align® and Icon™ lavatory faucets	**175084**	6.70	-	50
	Aerator flow restrictor, 1.5 gpm • laminar flow • for use on Felicity®, Savvy™, Organic™, Waterhill® and Tres Chic™ lavatory faucets	**416711**	6.70	-	200
	Aerator flow restrictor, 0.5 gpm • rosetta spray • fits Chateau®, Castleby®, Villeta®, Eva®, Brantford™, Level™, Monticello®, Kingsley®, and Vestige® lavatory or kitchen faucets	**516711**	6.70	-	500
	Aerator flow restrictor, 0.5 gpm • vandal proof • fits Chateau® lavs • removal tool included	**52016**	19.30	-	24
	Aerator flow restrictor, 1.5 gpm • aerated flow • fits Weymouth® lavatory faucets	**154289**	6.95	-	20
	Aerator Jr., 0.5 gpm • aerated flow • fits Rothbury™ wall mount, Eva® and Brantford™ single-handle, and Method™ lavatory faucets	**154364**	6.70	-	100

For a complete listing of replacement parts, see page 369-398.

		MODEL NUMBER	LIST PRICE	DESCRIPTION	CASE QTY
ECO-PERFORMANCE AERATOR INSERTS (CONTINUED)					
	Aerator flow restrictor, 1.0 gpm • aerated flow • fits Rothbury™ wall mount, Eva® and Brantford™ single-handle, and Method™ lavatory faucets	**163847**	10.05	-	100
	Aerator flow restrictor, 1.5 gpm • aerated flow • fits Rothbury™ wall mount, Eva® and Brantford™ single-handle, and Method™ lavatory faucets	**143326**	11.85	-	100
	Aerator flow restrictor, 0.5 gpm • aerated flow • fits Rothbury™ single-handlehandle, two-handle and widespreads, and Voss™ lavatory faucets	**165018**	6.70	-	12
	Aerator flow restrictor, 1.5 gpm • aerated flow • fits Rothbury™ single-handlehandle, two-handle and widespreads, and Voss™ lavatory faucets	**137401**	12.80	-	12
	Aerator flow restrictor, 1.0 gpm • aerated flow • fits Rothbury™ single-handlehandle, two-handle and widespreads, and Voss™ lavatory faucets	**316721**	10.05	-	12
AERATORS					
	Aerator, 2.2 gpm, male thread	**3919**	14.00	Chrome (Carded)	18
	Aerator, 2.2 gpm, female thread	**3924**	14.00	Chrome (Carded)	18
SWIVEL-SPRAY AERATORS					
	Aerator, Swing-n-Spray® , 2.2 gpm	**20200**	48.25	Chrome (Carded)	18
PULLOUT/PULLDOWN HOSE MANAGEMENT SYSTEM					
	Pullout/pulldown hose management system • system helps prevent hose and weight from getting caught on under sink obstructions • easy to install • ships fully assembled • sleeve can be cut to accommodate different cabinet sizes • compatible with all Moen® kitchen pulldown and pullout single-handle sidemount SKUs (excludes Aberdeen)	**159060**	18.10	Chrome	6

For a complete listing of replacement parts, see page 369-398.

All Brushed Nickel, Polished Brass and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	DESCRIPTION	CASE QTY
SIDE SPRAY SERVICE AND ADAPTER KITS					
	Side spray plug service kit • plug hose outlet to eliminate quick connect system kitchen side spray	**143530**	8.60	-	144
	Side spray adapter kit • for faucets with external threads • converts side spray outlet to quick-connect	**168665**	26.30	-	50
	Side spray adapter kit • for faucets with internal threads • converts side spray outlet to quick-connect	**168666**	16.75	-	50
DRAIN PLUG & SEAT					
	Lavatory drain plug and threaded seat assembly • non-metallic • works with metal drain body 10790 only	**10709**	12.10	Chrome	84
		10709BC	16.90	Brushed Chrome	20
		10709BN	37.80	Brushed Nickel	20
		10709NL	41.55	Polished Nickel	20
		10709ORB	41.65	Oil Rubbed Bronze	20
		10709WR	41.65	Wrought Iron	20
		99596	35.40	Polished Brass	12

For a complete listing of replacement parts, see page 369-398.

All Brushed Nickel, Polished Brass and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	DESCRIPTION	CASE QTY
EXTENSION KITS					
	Thick deck extension kit for widespread valve bodies, model 9000/69000	**175709**	103.85	-	1
	Thick deck extension kit for valves with 1/2" threaded mounting shanks	**100818**	32.55	-	20
HANDLE EXTENSION KITS					
	1" handle extension kit, Posi-Temp® single-handle tub/shower	**96945**	35.00	Chrome	100
		96945BN	50.15	Brushed Nickel	9
		96858	50.05	Polished Brass	1
		96945WR	55.15	Wrought Iron*	9
	2" handle extension kit, Posi-Temp® single-handle tub/shower	**96955**	42.60	Chrome	1
	2" handle extension kit to correct deep rough-in	**96868**	61.45	Polished Brass	1
	**Wrought iron can be used with Oil Rubbed Bronze finish*				
	1" handle extension kit, Moentrol® single-handle tub/shower	**137347**	36.95	Chrome	9
		137347NL	43.85	Polished Nickel	9
		137347P	58.85	Polished Brass	9
		137347BN	60.10	Brushed Nickel	9
		137347WR	66.15	Wrought Iron*	9
	**Wrought iron can be used with Oil Rubbed Bronze finish*				
	1" handle extension kit, Legend® & Chateau® single-handle tub/shower	**10399**	34.60	Chrome	36
	Roman tub stem extension • adapts to all 3-hole roman tub valves	**106378**	18.35	Chrome	1

For a complete listing of replacement parts, see page 369-398.

All Brushed Nickel, Polished Brass and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	DESCRIPTION	CASE QTY
ADJUSTABLE TEMPERATURE LIMIT STOPS					
	**Moentrol®** Stop tube with adjustable temperature limit stop Moentrol® single-handle tub/shower **Wrought Iron can be used with Oil Rubbed Bronze finish*	**10066** **10066BN** **10066WR** **10066P** **10066NL**	23.70 33.55 37.00 42.20 34.10	Chrome Brushed Nickel Wrought Iron* Polished Brass Polished Nickel	125 20 20 1 20
	**Posi-Temp®** Adjustable temperature limit stop, Posi-Temp® **Wrought Iron can be used with Oil Rubbed Bronze finish*	**96987** **96987BN** **96987NL** **96987WR** **15972**	9.20 12.95 13.05 14.25 18.25	Chrome Brushed Nickel Polished Nickel Wrought Iron* Polished Brass	20 20 20 20 1
	Temperature limit stop kit, Posi-Temp® single-handle tub/shower	**106479**	4.45	-	1
	Push-button diverter plug	**101100**	29.65	-	1
	**Moentrol®** Adapter for standard 1H tub/shower valves to use Moentrol® trim • attaches to standard valves to fit today's Moentrol® trim	**145058**	17.15	-	50

For a complete listing of replacement parts, see page 369-398.


All Polished Brass and Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	DESCRIPTION	CASE QTY
COVER PLATES FOR THE BATH					
	Remodeling cover plate, for two- and three-handle tub/showers • fits all single-handle tub/showers with 7" escutcheon	**1920** **1920BN** **1920ORB** **1920P**	59.75 86.70 106.40 110.00	Chrome Brushed Nickel Oil Rubbed Bronze Polished Brass	6 6 6 6
	Remodel cover plate • Fits Posi-Temp® valves	**178755** **178755BN** **178755ORB**	66.60 96.65 102.65	Chrome Brushed Nickel Oil Rubbed Bronze	8 8 8
	Moenique service kit, single-handle tub/shower with 3960 tub spout • Handle not included	**14292**	204.90	Chrome	1
LAVATORY CONVERSION KIT - KNOB TO LEVER HANDLE					
	Handle conversion kit, knob to lever, Chateau® single-handle lav - Models prior to April 2003	**100679**	56.00	Chrome	12
TUB/SHOWER CONVERSION KITS - KNOB TO LEVER HANDLE					
	Lever handle kit, Chateau® and Moentrol® single-handle tub/shower	**100224**	19.00	Chrome	1

For a complete listing of replacement parts, see page 369-398.

All Brushed Nickel, Polished Brass and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

LAVATORY WASTE ASSEMBLIES

	MODEL NUMBER	LIST PRICE	DESCRIPTION	CASE QTY
 Lavatory drain assembly • all metal	**10790**	97.55	Chrome	12
	99500	129.25	Polished Brass	12
 Lavatory drain assembly • spring loaded push button • with overflow	**131553**	62.95	Chrome	12
	131553BN	96.30	Brushed Nickel	12
	131553NL	94.25	Polished Nickel	12
	131553ORB	108.35	Oil Rubbed Bronze	12
 Lavatory drain assembly • ideal for vessel sinks • spring loaded push button • without overflow	**140780**	57.05	Chrome	12
	140780BN	79.60	Brushed Nickel	12
	140780NL	78.90	Polished Nickel	12
	140780ORB	89.90	Oil Rubbed Bronze	12
	140780P	109.85	Polished Brass	12
 Grid drain without overflow	**123816**	44.25	Chrome	12
	123816BN	69.80	Brushed Nickel	12
	123816ORB	68.10	Oil Rubbed Bronze	12
 Lavatory drain assembly, non-metallic	**14526**	12.20	Chrome	1
Lavatory drain assembly, non-metallic plug, metal seat	**96497**	18.70	Chrome	1
Lavatory drain assembly, non-metallic plug, metal seat	**96107**	17.55	Chrome (Carded)	18

For a complete listing of replacement parts, see page 369-398.

Moen Genuine Parts

Listed in numerical order

Part Number	List Price	Finish	Description
117	5.80	N/A or Unfinished	O-ring kit
150	61.45	Chrome	Escutcheon
162	94.00	Chrome	Escutcheon
162BN	130.45	Brushed Nickel	Escutcheon extension kit
162ORB	143.50	Oil Rubbed Bronze	Escutcheon adjuster kit
163W	10.90	Glacier	Escutcheon screws
163BN	14.45	Brushed Nickel	Escutcheon screws
163PM	12.10	Platinum	Escutcheon screws
163WR	15.90	Wrought Iron	Escutcheon screws
171	54.65	Chrome	Escutcheon
221	52.10	Chrome	Escutcheon
441	54.80	Chrome	Escutcheon
601	35.20	N/A or Unfinished	MicroTech 600 replacement filter, for PureTouch® Classic, quantity 1
739	112.25	Chrome	Spout kit
785	18.50	N/A or Unfinished	Hardware kit
883	3.70	N/A or Unfinished	Retainer clip, lavatory & tub/shower
1011	15.70	Polished Stainless	Drain stopper
1016	8.15	Polished Stainless	Splash guard
1017	16.75	Polished Stainless	Sink flange
1023	8.40	N/A or Unfinished	Dishwasher connector kit
1024	10.25	N/A or Unfinished	Disposal power cord kit
1026	9.40	N/A or Unfinished	Disposal drain elbow gasket
1037	9.00	N/A or Unfinished	Disposal unjamming wrench
1185	10.30	Chrome	Drain seat
1193BN	59.20	Brushed Nickel	Diverter trim ring
1193NL	63.05	Polished Nickel	Diverter trim ring
1193WR	65.15	Wrought Iron	Diverter trim ring
1198	46.50	N/A or Unfinished	Push button diverter
1200	44.95	N/A or Unfinished	1 handle replacement cartridge, brass
1200B	44.95	N/A or Unfinished	Cartridge
1207	6.95	Chrome	Stop tube kit
1222	77.45	N/A or Unfinished	Cartridge
1222B	77.45	N/A or Unfinished	1 handle replacement cartridge, Posi-Temp
1224	15.20	N/A or Unfinished	2 handle replacement cartridge (hot or cold)
1224B	15.20	N/A or Unfinished	2 handle replacement cartridge (hot or cold)
1225	29.20	N/A or Unfinished	1 handle replacement cartridge
1225B	29.20	N/A or Unfinished	1 handle replacement cartridge
1234	14.70	N/A or Unfinished	Cartridge
1248	15.20	N/A or Unfinished	2 handle replacement cartridge, high flow Roman tub for 4999 valve
1248B	15.20	N/A or Unfinished	Cartridge
1255	29.95	N/A or Unfinished	Cartridge
1258	14.70	N/A or Unfinished	Cartridge
1306	23.00	Chrome	Handle cover
1371	94.90	N/A or Unfinished	Valve body
1373	99.50	N/A or Unfinished	Valve body
1394	46.15	Chrome	Extension kit
1411	20.50	Chrome	Escutcheon
1411BC	23.65	Brushed Chrome	Escutcheon
1411BN	23.65	Brushed Nickel	Escutcheon
1411NL	31.55	Polished Nickel	Escutcheon
1411ORB	31.55	Oil Rubbed Bronze	Escutcheon
1411P	31.55	Polished Brass	Escutcheon
1411WR	31.55	Wrought Iron	Escutcheon
1417	49.05	Chrome	Roman tub hand shower elbow
1417BN	69.75	Brushed Nickel	Roman tub hand shower elbow
1417NL	100.95	Polished Nickel	Roman tub hand shower elbow
1417ORB	76.80	Oil Rubbed Bronze	Roman tub hand shower elbow
1417P	88.55	Polished Brass	Roman tub hand shower elbow
1417WR	76.80	Wrought Iron	Roman tub hand shower elbow
1423	98.50	N/A or Unfinished	Balancing spool
1512	8.40	Chrome	Plug button kit
1512BC	9.80	Brushed Chrome	Plug button kit
1512BN	11.75	Brushed Nickel	Plug button kit
1512NL	12.95	Polished Nickel	Plug button kit
1512ORB	12.95	Oil Rubbed Bronze	Plug button kit
1512P	12.95	Polished Brass	Plug button kit
1512WR	12.95	Wrought Iron	Plug button kit
1694	60.20	Chrome	Collar & nut kit
1694W	87.20	Glacier	Collar & nut kit
1700W	15.40	Glacier	Aerator
1824	19.95	Polished Stainless	Mounting assembly
1826W	47.30	Glacier	Drain plug & seat
1862	43.75	N/A or Unfinished	Hose & spray
1883	15.70	N/A or Unfinished	Retainer clip
1918	11.45	Chrome	Handle cap, 7385 & 87810 series
1918S	17.75	Sand	Handle cap kit
1918V	17.75	Ivory	Handle cap kit
1918W	17.75	Glacier	Handle cap kit
1920	59.75	Chrome	Remodeling cover plate
1920BN	86.70	Brushed Nickel	Remodeling cover plate
1920ORB	106.40	Oil Rubbed Bronze	Deck plate
1920P	110.00	Polished Brass	Remodeling cover plate
1921	70.30	Chrome	Handle kit
1921S	79.65	Sand	Handle kit
1921V	75.15	Ivory	Handle kit
1921W	75.15	Glacier	Handle kit
1931	88.60	Chrome	Spout receptor kit
1931S	102.10	Sand	Spout receptor kit
1931V	102.10	Ivory	Spout receptor kit
1931W	102.10	Glacier	Spout receptor kit
1933	23.50	Chrome	Escutcheon
1933S	26.60	Sand	Escutcheon
1933SL	25.90	Stainless	Escutcheon
1933V	26.60	Ivory	Escutcheon
1933W	26.60	Glacier	Escutcheon
1935	26.25	Chrome	Escutcheon
1935W	38.10	Glacier	Escutcheon
1964W	99.15	Glacier	Handle kit
1972W	17.75	Glacier	Handle cover
2011	16.55	Chrome	Lift rod kit
2011P	25.50	Polished Brass	Lift rod kit
2021	100.00	Chrome	Handle kit
2060	116.45	N/A or Unfinished	Cartridge
2186	13.75	Chrome	Stream straightener
2186BN	19.80	Brushed Nickel	Stream straightener
2186P	14.90	Polished Brass	Stream straightener
2186WR	21.90	Wrought Iron	Stream straightener
2187	19.80	Chrome	Spout escutcheon
2187BN	37.25	Brushed Nickel	Spout escutcheon
2187P	38.70	Polished Brass	Spout escutcheon
2197BN	305.55	Brushed Nickel	Roman tub spout kit
2198	13.70	Chrome	Handle escutcheon

Moen Genuine Parts

Listed in numerical order

Part Number	List Price	Finish	Description
2198CSL	21.00	Classic Stainless	Escutcheon
2198P	21.85	Polished Brass	Handle escutcheon
2198SL	21.00	Stainless	Handle escutcheon
3737	70.10	Chrome	Diverter tub spout
3737BN	101.70	Brushed Nickel	Diverter tub spout
3737ORB	111.90	Oil Rubbed Bronze	Diverter tub spout
3804CBN	29.25	Classic Brushed Nickel	Classic brushed nickel nondiverter spouts
3810PM	66.50	Platinum	Platinum diverter spouts line list items
3919	14.00	Chrome	Aerator, 2.2 gpm, male thread
3919BN	19.75	Brushed Nickel	Aerator
3919CSL	19.75	Classic Stainless	Aerator kit
3919ORB	21.80	Oil Rubbed Bronze	Aerator
3919P	35.00	Polished Brass	Aerator
3919SLP	17.40	Chrome	Aerator
3919W	32.30	Glacier	Aerator
3919WR	21.80	Wrought Iron	Aerator
3924	14.00	Chrome	Aerator
3924P	35.00	Polished Brass	Aerator
3971	24.50	Chrome	Diverter tub spout
3971BN	35.50	Brushed Nickel	Diverter tub spout
4000	11.65	N/A or Unfinished	Cartridge
9001	93.60	N/A or Unfinished	MicroTech 9000 replacement filter for PureTouch AquaSuite, quantity 1
9601	52.95	N/A or Unfinished	ChoiceFlo 9600 replacement filter for Chateau with ChoiceFlo, Sip, and AquaSuite Series 9600/9602/9500/9502
9602	52.95	N/A or Unfinished	ChoiceFlo 9600 replacement filter for Chateau with ChoiceFlo, Sip, and AquaSuite Series 9600/9602/9500/9502
10048	16.60	N/A or Unfinished	Liquid dispenser bottle
10066	23.70	Chrome	Stop tube kit
10066BN	33.55	Brushed Nickel	Stop tube kit
10066NL	34.10	Polished Nickel	Stop tube kit
10066P	42.20	Polished Brass	Stop tube kit
10066WR	37.00	Wrought Iron	Stop tube kit
10089	9.75	Chrome	Stop tube, Legend & Chateau 1 handle tub/ shower, knob handle
10099	3.95	N/A or Unfinished	Diverter kit
10116	4.05	Chrome	Plug button kit
10116CBN	5.55	Classic Brushed Nickel	Plug button kit
10154BRB	31.80	Mediterranean Bronze	Shower arm
10154ORB	37.55	Oil Rubbed Bronze	Oil Rubbed Bronze 6" shower arm
10399	34.60	Chrome	Handle extension kit
10510	23.70	Chrome	Stop tube kit
10644	15.50	N/A or Unfinished	Diverter tub spout repair kit
10709	12.10	Chrome	Drain plug & seat
10709BC	16.90	Brushed Chrome	Drain plug & seat
10709BN	37.80	Brushed Nickel	Drain plug & seat
10709CBN	16.05	Classic Brushed Nickel	Drain plug & seat
10709NL	41.55	Polished Nickel	Drain plug
10709ORB	41.65	Oil Rubbed Bronze	Drain plug & seat
10709PM	21.20	Platinum	Drain plug & seat
10709ST	38.10	Satine	Drain plug & seat
10709WR	41.65	Wrought Iron	Drain plug & seat
10927	38.95	Chrome	Handle kit
11751	125.55	Chrome	Spout kit
11854	10.40	N/A or Unfinished	Handle screw
11896	12.80	N/A or Unfinished	Flow restrictor kit
11926	35.10	N/A or Unfinished	Hardware kit
11977	4.30	Chrome	Plug button, Traditional handle
11985	6.10	N/A or Unfinished	Pivot rod, 50/50 drain assembly
11997	4.50	N/A or Unfinished	Hardware kit
12314	19.55	Chrome	Drain plug
12318	41.00	N/A or Unfinished	Check stop
12343	8.50	Chrome	Stem extension kit
12539	9.10	N/A or Unfinished	Escutcheon nut
12541	6.25	N/A or Unfinished	Gasket
12550	14.15	N/A or Unfinished	Hardware kit
12570	15.50	N/A or Unfinished	Hardware kit
12573	7.15	N/A or Unfinished	Bushing
12574	9.20	N/A or Unfinished	Plaster ground
12639	10.85	N/A or Unfinished	Stop valve
12648	3.35	N/A or Unfinished	Screw kit
12661	17.75	N/A or Unfinished	Hardware kit
12689	14.90	N/A or Unfinished	Pivot rod
12694	8.00	Chrome	Lift rod kit
12694BC	12.05	Brushed Chrome	Lift rod kit
12694BN	19.15	Brushed Nickel	Lift rod kit
12694CBN	19.20	Classic Brushed Nickel	Lift rod kit
12715	35.10	N/A or Unfinished	Hardware kit
12884	121.55	Chrome	Spout kit
13291	50.65	Chrome	Handle kit
13323	52.10	Chrome	Escutcheon
13382	10.35	N/A or Unfinished	Handle insert kit
13393	50.15	Chrome	Handle kit
13401	11.05	N/A or Unfinished	Cartridge nut
13409	21.20	Chrome	Spout cap kit
13411	86.80	Chrome	Spout kit
13462	8.45	N/A or Unfinished	Handle adapter kit
13463	10.90	N/A or Unfinished	Stem extension, Boutique & Chateau widespread Roman tub
13499	36.75	Chrome	Handle kit
13499CBN	59.60	Classic Brushed Nickel	Handle kit
13577	28.45	N/A or Unfinished	Ground joint union & nut
13678	8.50	N/A or Unfinished	Hardware kit
13769	31.40	Chrome	Escutcheon
13774	12.05	Chrome	Wall tube
13797	14.90	N/A or Unfinished	Cartridge nut
13805	17.85	N/A or Unfinished	Hardware kit
13903	4.30	N/A or Unfinished	Set screw kit
13979	31.35	N/A or Unfinished	Ground joints
14187	18.00	N/A or Unfinished	Garter spring only
14272	6.10	N/A or Unfinished	Cartridge retainer removal tool, 2 handle cartridge
14289	10.85	N/A or Unfinished	Handle screw
14290	65.50	Chrome	Handle kit
14291	7.15	N/A or Unfinished	Spout and handle insert
14292	204.90	N/A or Unfinished	Spout kit
14349	20.65	Chrome	Escutcheon
14373	16.10	N/A or Unfinished	Hose kit
14526	12.20	Chrome	Lavatory drain assembly

Moen Genuine Parts

Listed in numerical order

Part Number	List Price	Finish	Description
14582	32.20	Chrome	Spout escutcheon
14582BN	50.25	Brushed Nickel	Spout escutcheon
14666	96.50	Chrome	Handle hub
14671	96.50	Chrome	Handle hub
14699	7.10	N/A or Unfinished	Retainer pivot nut, 1 handle kitchen, lever handle
14732	25.85	Chrome	Handle kit
14732CBN	34.90	Classic Brushed Nickel	Handle kit
14834CBN	83.45	Classic Brushed Nickel	Handle kit
14855	10.30	N/A or Unfinished	Hose kit
14891	17.20	N/A or Unfinished	Cartridge
14913	13.25	Chrome	Stream straightener
14913BN	18.75	Brushed Nickel	Aerator
14913BRB	16.45	Mediterranean Bronze	Aerator
14913ORB	20.70	Oil Rubbed Bronze	Stream straightener
14913WR	20.70	Wrought Iron	Stream straightener
14949	4.05	N/A or Unfinished	Gasket
14960	16.05	N/A or Unfinished	Diverter kit
14986	6.80	N/A or Unfinished	Cartridge nut
15234	50.75	Chrome	Spout kit
15528	10.10	Chrome	Escutcheon screws, 1 handle tub/shower, quantity 2
15972	18.25	Polished Brass	Stop tube kit
15973P	77.10	Polished Brass	Spout escutcheon
16015	5.90	N/A or Unfinished	Pivot rod seat
16090	33.25	Chrome	Escutcheon, Chateau 1 handle tub/shower
16098	107.50	Polished Brass	Escutcheon
16331	42.35	N/A or Unfinished	Hardware kit
20200	48.25	N/A or Unfinished	Aerator
22188	28.80	N/A or Unfinished	Screw kit
22511	15.80	N/A or Unfinished	Sink template
22512	16.90	N/A or Unfinished	Sink template
22514	15.80	N/A or Unfinished	Sink template
22515	16.90	N/A or Unfinished	Sink template
22601	6.40	N/A or Unfinished	Sink installation clip
22602	8.90	N/A or Unfinished	Sink installation clip
22617	2.10	N/A or Unfinished	Service kit
28974	564.60	N/A or Unfinished	Tool box
28984	810.80	N/A or Unfinished	Tool box
52016F03	18.15	Chrome	AERATOR .35GPM VANDAL RESISTANT CHR
52016F05	18.15	Chrome	AERATOR .5GPM VANDAL RESISTANT CHR
52016F10	18.15	N/A or Unfinished	Aerator
52016F15	18.15	Chrome	AERATOR 1.5GPM VANDAL RESISTANT CHR
52016F22	18.15	Chrome	AERATOR 2.2GPM VANDAL RESISTANT CHR
52018F22	10.40	N/A or Unfinished	Aerator
52618	13.15	Chrome	AERATOR MALE THREAD .035 GPM VP CHR
59001	36.30	Chrome	Handle kit
59002	29.75	N/A or Unfinished	Cartridge repair kit
59003	14.80	N/A or Unfinished	Temperature limit stop kit
59004	23.65	Chrome	Handle elbows
59005	4.30	N/A or Unfinished	Aerator removal tool
59006	61.30	Chrome	Waste assembly
59007	24.05	N/A or Unfinished	Mounting hardware
59008	37.30	Chrome	Handle kit
59009	6.00	N/A or Unfinished	Hot/cold indicator kit
59010	72.25	Chrome	Handle hub kit
59011	25.15	N/A or Unfinished	Hardware kit
59012	170.50	Chrome	Spout kit
59013	170.50	Chrome	Spout kit
59014	171.65	Chrome	Spout kit
59015	171.65	Chrome	Spout kit
59016	30.55	Chrome	Escutcheon & gasket kit
59017	46.70	Chrome	Handle escutcheon
59018	51.85	Chrome	Escutcheon & gasket kit
59019	58.90	Chrome	Handle kit
59021	88.95	Chrome	Diverter tub spout
59022	82.20	Chrome	Non diverting tub spout
59023	16.10	N/A or Unfinished	Diverter tub spout repair kit
59024	76.85	Chrome	Waste assembly
59025	46.90	N/A or Unfinished	Hardware kit
59027	35.75	Chrome	Handle kit
59029	5.30	Chrome	Set screw kit
59030	5.10	N/A or Unfinished	O-ring kit
59031	42.30	Chrome	Lavatory drain assembly
59033	15.35	Chrome	Lift rod kit
59034	148.15	Chrome	Spout kit
59035	146.10	Chrome	Spout kit
59036	71.50	Chrome	Handle kit
59037	4.60	Chrome	Plug button kit
59899	67.30	Chrome	Spray nozzle
90274	13.65	N/A or Unfinished	Adapters, widespread wing handle, quantity 2
90276	3.70	N/A or Unfinished	Handle adapter kit
90410BN	189.20	Brushed Nickel	@
90462	27.85	Chrome	Face plate kit
90467	14.00	Chrome	Grid drain cover
90471	22.10	Chrome	Face plate kit
90478	9.35	Chrome	Screw kit
90478BN	33.10	Brushed Nickel	Screw kit
90478NL	12.95	Polished Nickel	Screw kit
90478ORB	36.45	Oil Rubbed Bronze	Screw kit
90478P	14.00	Polished Brass	Screw kit
90481	13.80	N/A or Unfinished	Gasket
90483	23.25	N/A or Unfinished	Tub drain assembly
91110	55.65	Chrome	Handle extension kit
91192	27.55	N/A or Unfinished	Diverter kit for single handle kitchen faucets
91194	83.15	Chrome	Spout kit
91244	26.85	N/A or Unfinished	Handle kit
91751	10.60	N/A or Unfinished	Knob insert kit, Chateau 1 handle lav, non-pressure balancing shower, white & chrome insert
91992	61.10	Chrome	Spout kit
92183	55.45	Chrome	Escutcheon
92309	20.25	N/A or Unfinished	Pivot nut
92455	7.65	N/A or Unfinished	Extension kit
93248	60.25	Polished Brass	Escutcheon
93944	30.00	Chrome	Handle hub kit
93959	12.85	N/A or Unfinished	Hardware kit for 7100/7400/7600 series kitchen
93960	14.80	N/A or Unfinished	Pivot nut
93964	21.95	N/A or Unfinished	Support plate with gasket

Moen Genuine Parts

Listed in numerical order

Part Number	List Price	Finish	Description
93970	8.35	Chrome	Handle insert kit
93971	65.70	Chrome	Handle kit
93973	71.70	Chrome	Spout kit
93980	28.30	N/A or Unfinished	Handle mechanism kit
93988	84.30	Chrome	Spout kit
93988V	110.10	Ivory	Spout kit
93988W	106.15	Glacier	Spout kit
93989	67.25	Chrome	Handle kit
93989V	76.95	Ivory	Handle kit
93989W	76.95	Glacier	Handle kit
93990	12.95	Chrome	Dome
93990V	14.95	Ivory	Dome
93990W	14.95	Glacier	Dome
93995	49.00	Chrome	Escutcheon
94146	9.65	N/A or Unfinished	Cartridge nut
94435	35.00	Chrome	Escutcheon
94435P	48.55	Polished Brass	Escutcheon
94435S	48.55	Sand	Escutcheon
94435SL	45.90	Stainless	Escutcheon
94435V	48.55	Ivory	Escutcheon
94435W	48.55	Glacier	Escutcheon
94514	11.00	N/A or Unfinished	Handle kit
94543	25.75	N/A or Unfinished	Stem extension, Chateau 3 handle tub/ shower diverter knob
94740	30.85	Chrome	Handle kit
94746	9.65	N/A or Unfinished	Handle adapter kit
94750	13.25	Chrome	Handle collar
94770	5.45	Chrome	Plug button & set screw
94773	22.85	N/A or Unfinished	Stem extension kit
94786	4.05	N/A or Unfinished	Handle adapter kit
94791	4.40	N/A or Unfinished	Handle screw
94794	38.35	N/A or Unfinished	Hardware kit
94831	67.70	N/A or Unfinished	Diverter kit
94854	46.15	N/A or Unfinished	Cartridge
94873	18.30	N/A or Unfinished	Check valve kit, OneTouch
94986	50.20	Chrome	Escutcheon
94988	109.05	Polished Brass	Escutcheon
94996	4.05	N/A or Unfinished	O-ring kit
94998	49.45	N/A or Unfinished	Hose kit
95602	35.10	Chrome	Handle hub kit
95603	48.80	Polished Brass	Handle hub kit
95606	24.30	Chrome	Handle hub kit
95606PM	27.95	Platinum	Handle hub kit
95606ST	37.45	Satine	Handle hub kit
95607	37.45	Polished Brass	Handle hub kit
95612	35.10	Chrome	Handle hub kit
95612P	48.80	Polished Brass	Handle hub kit
95626	35.10	Chrome	Handle hub kit
95626BN	50.95	Brushed Nickel	Handle kit
95626ORB	54.05	Oil Rubbed Bronze	Handle kit
95626P	54.05	Polished Brass	Handle kit
96107	17.55	N/A or Unfinished	Lavatory drain assembly
96217	44.95	Chrome	Wall tube
96365	8.25	N/A or Unfinished	Retainer clips for 1200 and 1225 single handle cartridges
96469	70.25	Chrome	Dispenser pump and head assemb
96519	20.85	N/A or Unfinished	Diverter kit
96706	6.95	Chrome	Stop tube kit
96778	8.65	N/A or Unfinished	Spout o-ring kit
96782	27.90	N/A or Unfinished	Handle kit
96790	27.90	Chrome	Handle kit
96791	27.90	N/A or Unfinished	Handle kit
96792	27.80	N/A or Unfinished	Handle kit
96795	32.70	Chrome	Handle kit
96797	27.90	N/A or Unfinished	Knob handle kit, Chateau 1 handle tub/ shower, clear knob with white & chrome insert
96798	27.80	N/A or Unfinished	Handle kit
96804	8.75	N/A or Unfinished	Hardware kit, 1 handle lav knob
96806	8.75	N/A or Unfinished	Hardware kit, 1 handle tub/shower knob
96858	50.05	Polished Brass	Handle extension kit
96868	61.45	Polished Brass	Handle extension kit
96884	27.95	N/A or Unfinished	Handle insert kit
96885	46.80	Chrome	Escutcheon
96885CBN	65.65	Classic Brushed Nickel	Escutcheon
96914	5.65	N/A or Unfinished	Retainer clip, Posi-Temp 1 handle tub/ shower
96945	35.00	Chrome	Handle extension kit
96945BN	50.15	Brushed Nickel	Handle extension kit
96945WR	55.15	Wrought Iron	Handle extension kit
96955	42.60	Chrome	Handle extension kit
96987	9.20	Chrome	Stop tube, Posi-Temp 1 handle tub/shower
96987BN	12.95	Brushed Nickel	Stop tube kit
96987NL	13.05	Polished Nickel	Stop tube kit
96987WR	14.25	Wrought Iron	Stop tube kit
96988	16.95	N/A or Unfinished	Cartridge repair kit, Posi-Temp 1 handle tub/shower
97273	5.35	N/A or Unfinished	Hot/cold indicator kit
97274	4.55	N/A or Unfinished	Red & blue washer kit, Monticello lever handle
97344	11.85	N/A or Unfinished	Stem extension kit, Monticello 2 handle tub/shower, quantity 2
97361	8.75	Chrome	Handle escutcheon
97362	13.60	Polished Brass	Handle escutcheon
97371	6.30	N/A or Unfinished	Handle adapter kit
97372BN	79.25	Brushed Nickel	Handle insert kit
97476SL	16.90	Stainless	Aerator
97476V	35.65	Ivory	Aerator
97479	19.10	N/A or Unfinished	Stem extension kit
97491	53.20	Chrome	Escutcheon
97491BN	73.05	Brushed Nickel	Escutcheon
97491ORB	80.35	Oil Rubbed Bronze	Escutcheon
97491WR	80.35	Wrought Iron	Escutcheon
97492	112.25	Polished Brass	Escutcheon
97535	4.40	N/A or Unfinished	Cartridge nut
97540	60.55	Chrome	Spout kit
97544	2.50	N/A or Unfinished	O-ring kit
97547	36.30	Chrome	Handle escutcheon
97548	40.60	Polished Brass	Handle escutcheon
97556	21.85	N/A or Unfinished	Handle adapter kit, Monticello centerset, mini widespread, & Roman tub, hot and cold
97564	4.35	N/A or Unfinished	Gasket
97565	53.20	N/A or Unfinished	Hardware kit
97577	53.20	Chrome	Escutcheon
97577BN	73.05	Brushed Nickel	Escutcheon
97577ORB	80.35	Oil Rubbed Bronze	Escutcheon
97577WR	80.35	Wrought Iron	Escutcheon
97578	112.25	Polished Brass	Escutcheon
97582	53.20	Chrome	Escutcheon

Part Number	List Price	Finish	Description
97800	6.95	N/A or Unfinished	Plaster ground
97996	8.60	N/A or Unfinished	Escutcheon decal
98026	31.30	N/A or Unfinished	Handle kit
98032	10.60	N/A or Unfinished	Handle insert kit
98035	26.10	N/A or Unfinished	Handle kit
98036	11.00	N/A or Unfinished	Handle insert kit
98037	26.10	N/A or Unfinished	Handle kit
98039	27.90	N/A or Unfinished	Handle kit
98040	15.10	N/A or Unfinished	Cartridge repair kit
98055	84.85	N/A or Unfinished	Hose kit
98077ORB	79.40	Oil Rubbed Bronze	Lift rod kit
98079	24.20	N/A or Unfinished	Hardware kit
98082	40.10	N/A or Unfinished	Pivot rod
98133	8.35	Polished Brass	Plug button kit
98213	5.10	N/A or Unfinished	Gasket
98430	12.15	N/A or Unfinished	Escutcheon gasket
98576	21.40	Chrome	Escutcheon
98577	40.60	Polished Brass	Escutcheon
99460	13.25	Polished Brass	Stream straightener
99479	18.40	N/A or Unfinished	Cartridge nut
99497	40.00	Polished Brass	Stop tube kit
99498	13.20	Polished Brass	Escutcheon screws
99503	50.25	Polished Brass	Handle extension kit
99511	34.55	Polished Brass	Lift rod kit
99547	20.70	Polished Brass	Plug button kit
99556	32.55	Chrome	Escutcheon & gasket kit
99557	32.55	Chrome	Escutcheon & gasket kit
99558	41.85	Chrome	Escutcheon & gasket kit
99559	32.55	Chrome	Deck plate
99573	38.25	Polished Brass	Spout escutcheon
99596	35.40	Polished Brass	Drain plug & seat
99712	10.90	Chrome	Handle cap kit
99892	6.65	N/A or Unfinished	Set screw kit
100000	9.95	N/A or Unfinished	O-ring kit
100005CSL	19.25	Classic Stainless	Hose guide
100005SL	19.25	Stainless	Hose guide
100005SLP	19.25	Brushed Platinum	Hose guide
100006	16.85	Glacier	Hose guide
100007	22.05	Sand	Hose guide
100008	17.80	N/A or Unfinished	Hardware kit
100009	155.15	Chrome	Spout kit
100009P	232.65	Polished Brass	Spout kit
100009S	232.65	Sand	Spout kit
100009SL	224.85	Stainless	Spout kit
100009V	224.85	Ivory	Spout kit
100009W	224.85	Glacier	Spout kit
100011	25.75	Chrome	Escutcheon
100011SL	35.75	Stainless	Escutcheon
100011V	37.00	Ivory	Escutcheon
100011W	37.00	Glacier	Escutcheon
100012	36.30	Chrome	Handle kit
100012BL	54.50	Matte Black	Handle kit
100012P	54.50	Polished Brass	Handle kit
100012S	54.50	Sand	Handle kit
100012SL	52.70	Stainless	Handle kit
100012V	54.50	Ivory	Handle kit
100012W	54.50	Glacier	Handle kit
100014	19.25	Chrome	Dome
100014P	28.60	Polished Brass	Dome
100014SL	26.65	Stainless	Dome
100014V	29.30	Ivory	Dome
100014W	29.30	Glacier	Dome

Part Number	List Price	Finish	Description
100015	23.35	N/A or Unfinished	Support plate with gasket
100016	79.80	Chrome	Spout kit
100016SL	115.65	Stainless	Spout kit
100016W	119.65	Glacier	Spout kit
100021	15.75	Chrome	Handle cap & temperature indicator kit for 7400 series kitchen faucets
100021S	18.00	Sand	Handle cap kit
100021SLP	17.70	Brushed Platinum	Handle cap kit
100021V	18.00	Ivory	Handle cap kit
100021W	18.00	Glacier	Handle cap kit
100023	31.30	Chrome	Handle cap kit
100024	9.50	N/A or Unfinished	Stop tube kit
100024BN	16.10	Brushed Nickel	Stop tube kit
100040	109.65	N/A or Unfinished	Cartridge
100109	10.65	N/A or Unfinished	Plug button kit for 7600 series kitchen faucets
100109WBL	12.05	N/A or Unfinished	Plug button kit
100110	13.40	N/A or Unfinished	installation tool
100112	15.30	Chrome	Aerator, 2.2 gpm, Monticello large, male thread
100112P	37.20	Polished Brass	Aerator
100112W	34.15	Glacier	Aerator
100113	18.70	Chrome	Aerator
100113P	28.80	Polished Brass	Aerator
100113PM	21.45	Platinum	Aerator
100113V	28.80	Ivory	Aerator
100113W	28.80	Glacier	Aerator
100118	8.40	Chrome	Handle skirt
100118W	11.00	Glacier	Handle skirt
100119	43.10	N/A or Unfinished	Hose kit
100131	15.30	Chrome	Lift rod kit
100138	34.60	N/A or Unfinished	Handle adapter kit
100139	85.50	Chrome	Handle kit
100139P	139.60	Polished Brass	Handle kit
100140	18.50	N/A or Unfinished	Grip ring
100142P	72.45	Polished Brass	Escutcheon
100142W	67.85	Glacier	Escutcheon
100150	43.60	Chrome	Handle kit
100150BL	63.20	Matte Black	Handle kit
100150CSL	129.80	Classic Stainless	Handle kit
100150S	63.20	Sand	Handle kit
100150SL	63.20	Stainless	Handle kit
100150V	60.90	Ivory	Handle kit
100150W	60.90	Glacier	Handle kit
100151	25.60	Chrome	Escutcheon
100151BL	29.05	Matte Black	Escutcheon
100151CSL	29.05	Classic Stainless	Escutcheon
100151S	29.05	Sand	Escutcheon
100151SL	30.95	Stainless	Escutcheon
100151W	29.05	Glacier	Escutcheon
100152	91.65	Chrome	Spout receptor kit
100152BL	102.90	Matte Black	Spout receptor kit
100152CSL	163.95	Classic Stainless	Spout receptor kit
100152S	106.70	Sand	Spout receptor kit
100152SL	129.55	Stainless	Spout receptor kit
100152W	109.45	Glacier	Spout receptor kit
100154	44.80	Chrome	Handle kit
100154CSL	62.25	Classic Stainless	Handle kit
100154S	62.75	Sand	Handle kit
100154SL	65.05	Stainless	Handle kit
100154W	62.75	Glacier	Handle kit
100155	16.65	Chrome	Handle cap kit
100155CSL	20.40	Classic Stainless	Handle cap kit

Moen Genuine Parts

Listed in numerical order

Part Number	List Price	Finish	Description
100155SL	24.15	Stainless	Handle cap kit
100155V	23.35	Ivory	Handle cap kit
100155W	23.35	Glacier	Handle cap kit
100169P	151.80	Polished Brass	Spout kit
100169W	151.80	Glacier	Spout kit
100173W	34.90	Glacier	Handle kit
100202	10.85	N/A or Unfinished	Handle adapter kit
100205	7.95	N/A or Unfinished	Set screw kit
100214	16.50	N/A or Unfinished	Handle adapter kit
100216	14.25	N/A or Unfinished	Cartridge cap & nut kit
100223	7.30	N/A or Unfinished	Handle adapter & brake kit, Chateau & Moentrol lever 1 handle tub/shower
100224	19.00	Chrome	Handle kit
100224P	30.05	Polished Brass	Handle kit
100226	36.25	Chrome	Handle cap & screw
100227	72.85	Chrome	Spout nut kit
100228	35.10	Chrome	Escutcheon
100230	53.30	Chrome	Spout hub kit
100232	37.80	Chrome	Handle hub
100233	38.85	Chrome	Handle hub
100242	6.15	N/A or Unfinished	Handle insert kit
100250	13.50	Chrome	Spout cap
100251	2.65	N/A or Unfinished	Washer
100254	62.85	Chrome	Spout kit
100255	18.40	N/A or Unfinished	Diverter kit
100261	41.25	Chrome	Escutcheon
100263	10.15	N/A or Unfinished	Handle cap & screw
100265	18.35	N/A or Unfinished	Handle cap & screw
100270	5.10	N/A or Unfinished	Handle connector
100283	1.70	N/A or Unfinished	Gasket
100290	14.80	Chrome	Aerator
100311	14.50	N/A or Unfinished	Handle adapter kit
100332	9.40	N/A or Unfinished	Hot/cold indicator kit
100429	6.15	Chrome	Handle adapter kit
100433	47.50	Chrome	Escutcheon
100433BL	56.30	Matte Black	Escutcheon
100433CSL	67.55	Classic Stainless	Escutcheon
100433SL	52.30	Stainless	Escutcheon
100433SRS	74.30	Spot Resist Stainless	Escutcheon
100433W	54.60	Glacier	Escutcheon
100439	13.25	Chrome	Dome kit
100439BL	77.45	Matte Black	Dome kit
100439S	14.50	Sand	Dome kit
100439SL	21.20	Stainless	Dome kit
100439W	14.50	Glacier	Dome kit
100440	28.05	N/A or Unfinished	Handle hardware kit, pullout kitchens
100444	21.85	N/A or Unfinished	Quarter turn connector & screen washer
100513	25.85	Chrome	Soap dispenser pump
100538	7.60	N/A or Unfinished	Spout plug
100539	12.50	N/A or Unfinished	Mounting kit
100541	25.05	N/A or Unfinished	Handle adapter kit
100552	80.60	Chrome	Handle hub kit
100552ORB	128.65	Oil Rubbed Bronze	Handle hub kit
100552P	124.95	Polished Brass	Handle hub kit
100552SL	116.90	Stainless	Handle hub kit
100553	80.60	Chrome	Handle hub kit
100553ORB	128.65	Oil Rubbed Bronze	Handle hub kit
100553P	124.95	Polished Brass	Handle hub kit
100553SL	116.90	Stainless	Handle hub kit
100556	32.80	Chrome	Handle hub kit
100556BN	47.55	Brushed Nickel	Handle hub kit
100556P	52.40	Polished Brass	Handle hub kit
100556PM	37.75	Platinum	Handle hub kit
100556ST	52.40	Satine	Handle hub kit
100556W	52.40	Glacier	Handle hub kit
100557	37.90	Chrome	Handle hub kit
100557P	58.45	Polished Brass	Handle hub kit
100558	37.65	Chrome	Handle hub kit
100558P	58.00	Polished Brass	Handle hub kit
100558SL	54.60	Stainless	Handle hub kit
100558W	58.00	Chrome	Handle hub kit
100559	42.75	Chrome	Handle hub kit
100559P	65.90	Polished Brass	Handle hub kit
100561	11.15	N/A or Unfinished	Handle adapter, hot and cold, Monticello bar, centerset, mini widespread
100562	4.35	N/A or Unfinished	Handle adapter, Monticello widespread lav & bidet
100563	4.30	N/A or Unfinished	Handle adapter, Monticello 2 handle tub/shower, 2 handle kitchen, & Roman tub
100566	12.05	N/A or Unfinished	Small chassis for Monticello bar, centerset, mini widespread
100593	113.30	N/A or Unfinished	Vacuum breaker kit
100602	105.95	N/A or Unfinished	Vacuum breaker kit
100615	30.70	Chrome	Escutcheon
100616	51.65	Chrome	Spout kit
100621	54.95	Chrome	Handle kit
100621BC	66.00	Brushed Chrome	Handle kit
100621CBN	51.50	Classic Brushed Nickel	Handle kit
100624	54.95	Chrome	Handle kit
100624BC	66.00	Brushed Chrome	Handle kit
100624CBN	51.50	Classic Brushed Nickel	Handle kit
100625	26.10	Chrome	Escutcheon
100626	37.75	Chrome	Bar spout & spout nut
100649	120.50	Chrome	Spout kit
100649BC	144.50	Brushed Chrome	Spout kit
100649CBN	152.15	Classic Brushed Nickel	Spout kit
100650	12.25	Chrome	Escutcheon
100650BC	14.90	Brushed Chrome	Escutcheon
100650CBN	19.05	Classic Brushed Nickel	Escutcheon
100650P	19.15	Polished Brass	Escutcheon
100652	138.05	Chrome	Roman tub spout kit
100652BC	165.75	Brushed Chrome	Roman tub spout kit
100652P	214.00	Polished Brass	Roman tub spout kit
100654	152.00	Chrome	Roman tub diverter spout
100654BC	174.75	Brushed Chrome	Roman tub spout kit
100655	32.00	Chrome	Diverter rod kit
100655BC	36.70	Brushed Chrome	Diverter rod kit
100656	117.35	Chrome	Garden tub spout
100657	24.30	Chrome	Handle kit
100657BC	29.05	Brushed Chrome	Handle kit
100657P	37.60	Polished Brass	Handle kit
100657W	33.95	Glacier	Handle kit
100665	33.65	Polished Brass	Spout kit
100667	120.50	Polished Brass	Spout kit
100675	132.25	Polished Brass	Spout kit
100676	37.05	N/A or Unfinished	Valve body
100679	56.00	Chrome	Handle kit
100683	5.60	N/A or Unfinished	Gasket

Part Number	List Price	Finish	Description
100695	35.85	N/A or Unfinished	Handle kit
100702	30.25	N/A or Unfinished	Shank kit
100710	20.65	N/A or Unfinished	Knob handle kit, Posi-Temp 1 handle tub/ shower, with white & chrome insert
100736	9.40	N/A or Unfinished	Hardware kit
100742	40.65	N/A or Unfinished	Valve body
100743	40.65	N/A or Unfinished	Valve body
100746	20.90	Chrome	Handle kit
100746ORB	30.85	Oil Rubbed Bronze	Handle kit
100746SRS	25.90	Spot Resist Stainless	Handle kit
100816	23.75	N/A or Unfinished	Extension kit
100817	30.35	N/A or Unfinished	Shank kit
100818	32.55	N/A or Unfinished	Extension kit
100820	68.20	Chrome	Spout kit
100820SRS	85.65	Spot Resist Stainless	Spout kit
100895	23.70	Chrome	Handle kit
100895SRS	29.75	Spot Resist Stainless	Handle kit
100896	72.20	Chrome	Spout kit
100896ORB	116.80	Oil Rubbed Bronze	Spout kit
100896SRS	95.05	Spot Resist Stainless	Spout kit
100928	24.30	Chrome	Handle kit
100928ORB	36.95	Oil Rubbed Bronze	Handle kit
100928SRS	30.50	Spot Resist Stainless	Handle kit
100955	7.25	N/A or Unfinished	Cartridge nut
100957	22.45	Chrome	Escutcheon
100957ORB	29.30	Oil Rubbed Bronze	Escutcheon
100957SRS	25.85	Spot Resist Stainless	Escutcheon
100961	120.60	Chrome	Spout kit
100961ORB	179.45	Oil Rubbed Bronze	Spout kit
100961SRS	150.10	Spot Resist Stainless	Spout kit
100998	16.10	Chrome	Escutcheon
101010	14.00	Chrome	Aerator
101010ORB	21.80	Oil Rubbed Bronze	Aerator
101010W	10.25	Glacier	Aerator
101012BN	16.90	Brushed Nickel	Aerator
101023	21.85	Chrome	Aerator
101023CSL	31.60	Classic Stainless	Aerator kit
101023NL	31.30	Nickel	Aerator
101023WR	34.10	Wrought Iron	Aerator
101029	15.10	Chrome	Aerator
101029BN	22.60	Brushed Nickel	Aerator
101029CSL	22.00	Classic Stainless	Aerator
101029NL	22.80	Nickel	Aerator
101029ORB	24.90	Oil Rubbed Bronze	Aerator
101029SRS	21.25	Spot Resist Stainless	Aerator
101029WR	24.90	Wrought Iron	Aerator
101036	14.90	Chrome	Aerator
101039	12.50	N/A or Unfinished	Hardware kit
101048	18.25	Chrome	Aerator
101064	30.25	Chrome	Handle kit
101064BN	44.50	Brushed Nickel	Handle kit
101064ORB	54.50	Oil Rubbed Bronze	Handle kit
101076	5.00	Chrome	Aerator
101077	12.60	Chrome	Aerator
101077CSL	15.55	Classic Stainless	Aerator
101077ORB	21.20	Oil Rubbed Bronze	Aerator
101077SRS	14.95	Spot Resist Stainless	Aerator
101099	6.10	N/A or Unfinished	Handle connector, spacer, screw & washer, Loop handle kitchens
101100	29.65	N/A or Unfinished	Push-button diverter plug
101116	51.20	Chrome	Aerator
101117	22.10	Chrome	Aerator kit
101117CSL	22.10	Classic Stainless	Aerator kit
101118	15.50	Chrome	Aerator
101119	15.75	Chrome	Aerator kit
101119ORB	25.05	Oil Rubbed Bronze	Aerator kit
101120	18.35	Chrome	Aerator kit
101120ORB	29.25	Oil Rubbed Bronze	Aerator kit
101120SRS	26.60	Spot Resist Stainless	Aerator kit
101140	30.60	Chrome	Handle kit
101140BN	42.80	Brushed Nickel	Handle kit
101140NL	42.80	Polished Nickel	Handle kit
101140ORB	47.10	Oil Rubbed Bronze	Handle kit
101146	14.00	Chrome	Aerator
101199	6.55	N/A or Unfinished	Screen washer, pullout spout hose
101205	10.35	N/A or Unfinished	Handle insert kit
101209	34.65	Chrome	Handle kit
101237	7.65	N/A or Unfinished	Cup seal & diverter gate, 3800 tub spout
101246	79.95	Chrome	Spout receptor kit
101246SL	87.90	Stainless	Spout receptor kit
101246V	65.70	Ivory	Spout receptor kit
101246W	65.70	Glacier	Spout receptor kit
101249	15.50	Chrome	Handle collar & nut kit, OneTouch
101249S	23.80	Sand	Collar & nut kit
101249SL	22.45	Stainless	Collar & nut kit
101249V	23.80	Ivory	Collar & nut kit
101249W	23.80	Glacier	Collar & nut kit
101257	14.00	Chrome	Pullout spout aerator kit
101310	19.80	Chrome	Lever handle kit, Chateau 1 handle lav
101406	17.40	Chrome	Lift rod kit
101406BN	24.90	Brushed Nickel	Lift rod kit
101408	23.50	Chrome	Handle kit
101410	50.80	Chrome	Handle kit
101412	27.10	Chrome	Handle kit
101414P	226.75	Polished Brass	Roman tub spout kit
101418	34.85	N/A or Unfinished	Spout cap kit
101420	21.95	N/A or Unfinished	Spout cap kit
101424	13.70	N/A or Unfinished	Handle insert kit
101475	5.25	Chrome	Hose guide
101484	88.60	Chrome	Spout receptor kit
101484SL	125.15	Stainless	Spout receptor kit
101484W	99.50	Glacier	Spout receptor kit
101652	30.85	Chrome	Tub drain assembly
101653	30.25	Chrome	Tub drain assembly
101707	17.40	N/A or Unfinished	Vacuum breaker hub assembly
101708	67.50	N/A or Unfinished	Hose kit
101869	23.40	N/A or Unfinished	Hardware kit
101871	105.40	Chrome	Spout kit
101871SL	127.10	Stainless	Spout kit
101878	32.50	Chrome	Aerator
101879	6.45	N/A or Unfinished	Spout retaining ring kit, Monticello & Traditional 2 handle bar
101951	17.75	N/A or Unfinished	Diverter kit
101952	22.80	N/A or Unfinished	Hardware kit
101956	18.50	N/A or Unfinished	Stem extension kit
101957	15.95	N/A or Unfinished	Lever handle mechanism kit
101964	21.35	Chrome	Aerator kit
101964BN	30.95	Brushed Nickel	Aerator kit
101964NL	31.30	Polished Nickel	Aerator kit
101964ORB	34.10	Oil Rubbed Bronze	Aerator kit
101974P	39.95	Polished Brass	Escutcheon

Moen Genuine Parts

Listed in numerical order

Part Number	List Price	Finish	Description
101975	4.45	N/A or Unfinished	Posi-Temp test plug
102562	11.35	Chrome	Stop tube kit
102562BN	18.90	Brushed Nickel	Stop tube kit
102563	46.35	Chrome	Escutcheon
102564	51.95	Chrome	Handle kit
102565	37.65	Chrome	Handle kit
102565BC	46.05	Brushed Chrome	Handle kit
102565SL	55.70	Stainless	Handle kit
102565V	100.25	Ivory	Handle kit
102565W	48.75	Glacier	Handle kit
102566	8.00	Chrome	Collar
102566BN	30.45	Brushed Nickel	Collar
102567	4.45	Chrome	Ring shield
102567BN	11.10	Brushed Nickel	Collar
102568	16.15	N/A or Unfinished	Lever handle mechanism kit, Villeta 1 handle lav
102569	5.60	N/A or Unfinished	Gasket
102570	32.70	Chrome	Lift rod kit
103432	5.30	N/A or Unfinished	Spout retainer kit
103433	91.35	Chrome	Spout hub kit
103433P	194.05	Polished Brass	Spout hub kit
103437	5.45	N/A or Unfinished	Handle connector, spacer, screw & washer, Integra
103441V	32.65	Ivory	Aerator
103454	67.35	Chrome	Handle kit
103454BN	97.55	Brushed Nickel	Handle kit
103454NL	103.60	Polished Nickel	Handle kit
103454ORB	103.60	Oil Rubbed Bronze	Handle kit
103454P	103.60	Polished Brass	Handle kit
103454WR	103.60	Wrought Iron	Handle kit
103455	68.90	Chrome	Spray nozzle
103455BN	96.25	Brushed Nickel	Spray nozzle
103455ORB	102.10	Oil Rubbed Bronze	Spray nozzle
103455P	102.10	Polished Brass	Spray nozzle
103455WR	102.10	Wrought Iron	Spray nozzle
103456	23.95	N/A or Unfinished	Handle adapter kit, widespread lav & bidet, M-PACT
103457NL	48.75	Polished Nickel	Escutcheon
103460	8.65	N/A or Unfinished	O-ring kit
103461	30.05	Chrome	Spout escutcheon
103461P	40.60	Polished Brass	Spout escutcheon
103462	10.05	N/A or Unfinished	Installation tool, M-PACT mini widespread & widespread
103463	34.50	Chrome	Spout escutcheon
103463BN	47.05	Brushed Nickel	Spout escutcheon
103463P	46.40	Polished Brass	Spout escutcheon
103463W	43.40	Glacier	Spout escutcheon
103464	19.00	Chrome	Lift rod kit
103464BN	27.50	Brushed Nickel	Lift rod kit
103464P	29.20	Polished Brass	Lift rod kit
103465	6.95	N/A or Unfinished	Set screw kit
103466	5.30	N/A or Unfinished	O-ring kit
103468	136.35	Chrome	Spout kit
103468BN	197.75	Brushed Nickel	Spout kit
103468P	210.00	Polished Brass	Spout kit
103469	49.75	N/A or Unfinished	Hose kit
103470	56.05	Chrome	Escutcheon
103470BN	79.35	Brushed Nickel	Escutcheon
103470NL	84.30	Polished Nickel	Escutcheon
103470ORB	77.50	Oil Rubbed Bronze	Escutcheon
103470P	76.65	Polished Brass	Escutcheon
103470WR	87.15	Wrought Iron	Escutcheon
103674	245.05	N/A or Unfinished	Cartridge
103675	33.95	Chrome	Handle shell
103675BL	47.45	Matte Black	Handle shell
103675BN	49.15	Brushed Nickel	Handle shell
103675NL	50.85	Polished Nickel	Handle shell
103675ORB	54.05	Oil Rubbed Bronze	Handle shell
103675P	52.45	Polished Brass	Handle shell
103675V	47.45	Ivory	Handle shell
103675WR	54.05	Wrought Iron	Handle shell
103678	18.95	Chrome	Escutcheon
103678BN	28.10	Brushed Nickel	Escutcheon
103678NL	28.95	Polished Nickel	Escutcheon
103678ORB	30.95	Oil Rubbed Bronze	Escutcheon
103678P	31.05	Polished Brass	Escutcheon
103678WR	30.95	Wrought Iron	Escutcheon
103681	51.10	Chrome	Handle shell
103681BL	35.00	Matte Black	Handle shell
103681P	74.15	Polished Brass	Handle shell
103681V	35.00	Ivory	Handle shell
103682NL	36.00	Polished Nickel	Escutcheon
103685	31.15	N/A or Unfinished	Retainer nut
103686	18.40	N/A or Unfinished	Check stop
103687	59.05	N/A or Unfinished	Check stop
103688	26.45	N/A or Unfinished	Thermostatic cartridge parts
103689	28.65	N/A or Unfinished	Temperature limit stop kit
103690	15.55	N/A or Unfinished	Handle adapter kit
103691	4.00	N/A or Unfinished	Screw kit
103692	22.95	N/A or Unfinished	Retainer nut
103744	8.95	N/A or Unfinished	Escutcheon clip & washer
103745	58.95	Chrome	Handle escutcheon
103745P	90.70	Polished Brass	Handle escutcheon
103759	9.75	N/A or Unfinished	Hardware kit
103760	82.75	Chrome	Spout escutcheon
103760P	94.30	Polished Brass	Spout escutcheon
104212	11.05	N/A or Unfinished	Aerator removal tool
104213	174.70	Chrome	Spout kit
104213P	269.10	Polished Brass	Spout kit
104214BL	76.05	Matte Black	Spout shell
104214V	76.05	Ivory	Spout shell
104215	23.80	Chrome	Lift rod kit
104215NL	40.15	Polished Nickel	Lift rod kit
104217	8.90	Chrome	Aerator
104218	9.45	N/A or Unfinished	O-ring kit
104221BL	38.35	Matte Black	Handle shell
104221V	38.35	Ivory	Handle shell
104222	16.35	Chrome	Handle kit
104222NL	100.60	Polished Nickel	Handle kit
104224	9.60	N/A or Unfinished	Handle adapter kit
104225	9.85	N/A or Unfinished	Hardware kit
104228	14.10	Chrome	Aerator
104231BL	48.10	Matte Black	Handle shell
104231V	36.70	Ivory	Handle shell
104232	19.00	Chrome	Handle kit
104233	6.55	N/A or Unfinished	Handle adapter kit
104235	15.90	Chrome	Hose guide
104235CP	17.55	Chrome	Hose guide
104235ORB	25.10	Oil Rubbed Bronze	Hose guide
104235P	21.35	Polished Brass	Hose guide
104241	19.60	Chrome	Diverter tub spout repair kit
104241NL	24.80	Polished Nickel	Diverter tub spout repair kit
104247	6.65	N/A or Unfinished	Escutcheon screws

Moen Genuine Parts

Listed in numerical order

Part Number	List Price	Finish	Description
104248	6.85	N/A or Unfinished	Handle adapter kit
104249P	21.70	Polished Brass	Stop tube kit
104407	14.40	N/A or Unfinished	Handle housing kit
104409	4.60	N/A or Unfinished	Handle adapter kit
104410	85.85	Chrome	Handle kit
104410NL	146.10	Polished Nickel	Handle kit
104411	3.95	N/A or Unfinished	Set screw kit
104416BL	88.95	Matte Black	Spout hub kit
104416V	88.95	Ivory	Spout hub kit
104419	6.65	N/A or Unfinished	Plug button kit
104421	50.65	N/A or Unfinished	cartridge removal tool for 1200 or 1225 or 1222 cartridges
104452	163.60	N/A or Unfinished	CONTROL MODULE 8310 CLOSET 1.28
104453	58.35	Chrome	AC TUBE AND FLANGE FOR FLUSH VALVE
104454	94.65	Chrome	AC FLUSH VALVE CAP
104455	82.95	Chrome	DC FLUSH VALVE CAP
104456	12.85	N/A or Unfinished	SENSOR EYE CASING
104457	2.50	N/A or Unfinished	O-RING FOR ELECTRONIC FAUCET SPOUT
104458	2.50	N/A or Unfinished	SPLIT WASHER FOR ELECTRONIC SPOUT
104459	6.50	N/A or Unfinished	BATTERY HOLDER FOR ELECTRONIC FAUCET
104460	9.20	Chrome	ELECTRONIC FAUCET SPOUT NUT
104461	30.75	Chrome	MANUAL OVERRIDE BUTTON
104534	18.15	Chrome	1.5 GPM AERATOR FOR 83-5 SERIES
104540	37.40	Chrome	Service kit
104541	32.75	Chrome	Service kit
104542	45.55	Chrome	Service kit
104543	50.25	Chrome	Service kit
104544	56.05	Chrome	Service kit
104545	61.90	Chrome	Service kit
104546	32.75	Chrome	Service kit
104547	36.25	Chrome	Service kit
104548	38.55	Chrome	Service kit
104549	42.05	Chrome	Service kit
104550	46.75	Chrome	Service kit
104551	50.25	Chrome	Service kit
104552	56.05	Chrome	Service kit
104553	59.60	Chrome	Service kit
104554	64.25	Chrome	Service kit
104617	29.80	N/A or Unfinished	Service kit
104618	70.50	Chrome	Service kit
104619	70.50	Chrome	Service kit
104620	70.50	Chrome	Service kit
104621	70.50	Chrome	Service kit
104622	70.50	Chrome	Service kit
104623	70.50	Chrome	Service kit
104624	70.50	Chrome	Service kit
104625	33.20	Chrome	Service kit
104626	34.10	Chrome	Service kit
104627	31.70	Chrome	Service kit
104628	93.80	N/A or Unfinished	Service kit
104630	96.35	N/A or Unfinished	Service kit
104631	31.80	Chrome	Service kit
104632	145.00	N/A or Unfinished	Service kit
104633	113.50	N/A or Unfinished	Service kit
104634	22.40	Chrome	Service kit
104635	145.00	N/A or Unfinished	Electronic module bracket kit
104636	145.00	N/A or Unfinished	Electronic module bracket kit
104637	145.00	N/A or Unfinished	Electronic module bracket kit
104638	145.00	N/A or Unfinished	Electronic module bracket kit
104639	145.00	N/A or Unfinished	Electronic module bracket kit
104640	145.00	N/A or Unfinished	Electronic module bracket kit
104641	145.00	N/A or Unfinished	Electronic module bracket kit
104770	20.75	Chrome	Pop-up waste kit
104775	22.80	Chrome	Pop-up waste kit
105896	8.00	N/A or Unfinished	Hardware kit
105897	31.15	Chrome	Shower escutcheon
105899	36.90	Chrome	Handle kit
106322	10.25	N/A or Unfinished	Hardware kit
106324	26.50	N/A or Unfinished	T-connector
106376	20.70	Chrome	Handshower bracket
106378	18.35	N/A or Unfinished	Stem extension kit
106479	4.45	N/A or Unfinished	Temperature limit stop kit, Posi-Temp 1 handle tub/shower
109110	21.25	N/A or Unfinished	Hardware kit
109248	67.50	N/A or Unfinished	Hose kit
110301W	23.80	Glacier	Lift rod kit
110307	4.70	N/A or Unfinished	Cartridge nut
110308P	50.20	Polished Brass	Handle hub kit
110312NL	21.40	Polished Nickel	Spout nut kit
110317	92.70	Chrome	Handle extension kit
111881	23.80	Chrome	Handle kit
111881BC	28.60	Brushed Chrome	Handle kit
111881P	37.05	Polished Brass	Handle kit
111881W	33.40	Glacier	Handle kit
113173	9.40	N/A or Unfinished	Mounting kit
113957	5.30	Chrome	Plug button & set screw
113958	5.65	N/A or Unfinished	Gasket
113959	7.15	Chrome	Dome kit
113959BN	16.50	Brushed Nickel	Dome kit
113959ORB	18.90	Oil Rubbed Bronze	Dome kit
113959WR	18.90	Wrought Iron	Dome kit
113973	20.65	Chrome	Handle kit
113974	7.10	N/A or Unfinished	Gasket kit
114295	16.60	N/A or Unfinished	Hardware kit
114299	32.50	N/A or Unfinished	Hose kit
114303	7.00	N/A or Unfinished	Cartridge nut
114304	36.50	Chrome	Handle kit
114304CSL	53.05	Classic Stainless	Handle kit
114304ORB	75.60	Oil Rubbed Bronze	Handle kit
114304SL	53.05	Stainless	Handle kit
114305	14.15	Chrome	Handle hub
114305ORB	36.90	Oil Rubbed Bronze	Handle hub
114305SL	20.70	Stainless	Handle hub
114305CSL	20.70	Classic Stainless	Handle hub
114306	17.40	N/A or Unfinished	Hardware kit
114307	20.20	N/A or Unfinished	Hose kit, Aberdeen 7590 series
114308	12.35	N/A or Unfinished	Stem extension kit
114309	35.10	Chrome	Handle hub kit
114309SL	54.25	Stainless	Handle hub kit
114310	25.15	Chrome	Handle insert kit
114310SL	37.85	Stainless	Handle insert kit
114311	7.50	N/A or Unfinished	Screen washer
114324	18.10	Chrome	Handle cap kit
114324AZ	28.65	Antique Bronze	Handle cap kit

Moen Genuine Parts

Listed in numerical order

Part Number	List Price	Finish	Description
114324BN	26.15	Brushed Nickel	Handle cap kit
114324ORB	28.65	Oil Rubbed Bronze	Handle cap kit
114324P	25.05	Polished Brass	Handle cap kit
114324SRS	25.25	Spot Resist Stainless	Handle cap kit
114324W	4.20	White	Cap kit
114324WR	28.65	Wrought Iron	Handle cap kit
114328	25.30	Chrome	Lift rod kit
114328BN	36.90	Brushed Nickel	Lift rod kit
114328ORB	40.65	Oil Rubbed Bronze	Lift rod kit
114328WR	40.65	Wrought Iron	Lift rod kit
114331	17.05	Chrome	Handle hub kit
114331BN	24.10	Brushed Nickel	Handle hub
114331ORB	26.50	Oil Rubbed Bronze	Handle hub kit
114331P	26.80	Polished Brass	Handle hub kit
114331WR	26.50	Wrought Iron	Handle hub kit
114332	13.10	Chrome	Aerator
114332BN	18.80	Brushed Nickel	Aerator
114332ORB	20.75	Oil Rubbed Bronze	Aerator
114332WR	20.75	Wrought Iron	Aerator
114333	5.95	N/A or Unfinished	Gasket
114334	14.80	Chrome	Lift rod kit
114334BN	21.50	Brushed Nickel	Lift rod kit
114334ORB	22.90	Oil Rubbed Bronze	Lift rod kit
114334P	22.90	Polished Brass	Lift rod kit
114334WR	22.90	Wrought Iron	Lift rod kit
114336	9.45	Chrome	Handle insert kit
114336CSL	16.95	Classic Stainless	Handle insert kit
114336ORB	18.70	Oil Rubbed Bronze	Handle insert kit
114336SRS	19.65	Spot Resist Stainless	Handle kit
114337	62.80	Chrome	Handle hub kit
114337BN	91.25	Brushed Nickel	Handle kit
114337NL	92.70	Polished Nickel	Handle kit
114337ORB	100.35	Oil Rubbed Bronze	Handle hub kit
114337P	88.80	Polished Brass	Handle hub kit
114337WR	100.35	Wrought Iron	Handle hub kit
114338	211.30	Chrome	Roman tub spout kit
114338BN	242.95	Brushed Nickel	Spout kit
114338ORB	325.45	Oil Rubbed Bronze	Roman tub spout kit
114338P	325.45	Polished Brass	Roman tub spout kit
114339	208.60	Chrome	Roman tub spout kit
114339BN	243.15	Brushed Nickel	Spout kit
114339ORB	321.20	Oil Rubbed Bronze	Roman tub spout kit
114339P	321.20	Polished Brass	Roman tub spout kit
114340	10.40	Chrome	Diverter rod kit
114340BN	25.85	Brushed Nickel	Lift rod kit
114340ORB	27.80	Oil Rubbed Bronze	Diverter rod kit
114340P	27.80	Polished Brass	Diverter rod kit
114340WR	27.80	Wrought Iron	Diverter rod kit
114343	14.50	N/A or Unfinished	Handle cap & screw
114343BN	21.05	Brushed Nickel	Handle cap & screw
114343NL	22.60	Polished Nickel	Handle cap kit
114343ORB	23.15	Oil Rubbed Bronze	Handle cap & screw
114343P	22.60	Polished Brass	Handle cap & screw
114343WR	23.15	Wrought Iron	Handle cap & screw
114344	23.35	Chrome	Handle hub
114344BN	33.85	Brushed Nickel	Handle hub
114344ORB	37.30	Oil Rubbed Bronze	Handle hub
114344P	36.15	Polished Brass	Handle hub
114344WR	37.30	Wrought Iron	Handle hub
114346	25.60	Chrome	Handle hub
114346BN	37.25	Brushed Nickel	Handle kit
114346NL	39.70	Polished Nickel	Handle kit
114346ORB	40.90	Oil Rubbed Bronze	Handle hub
114346P	39.70	Polished Brass	Handle hub
114346WR	40.90	Wrought Iron	Handle hub

Part Number	List Price	Finish	Description
114347	25.15	Chrome	Handle hub
114347NL	39.10	Polished Nickel	Handle hub kit
114350	19.15	Chrome	Lift rod kit
114351	33.50	Chrome	Handle hub
114351WR	53.00	Wrought Iron	Handle hub
114384	6.45	N/A or Unfinished	Retainer ring kit
114385	16.60	N/A or Unfinished	Liquid dispenser bottle
114386	6.75	N/A or Unfinished	Hardware kit
114621	31.75	Chrome	Handle insert kit
115000	27.50	N/A or Unfinished	Knob handle kit, Posi-Temp 82683
115006	3.70	N/A or Unfinished	Screw kit
115007	14.00	Chrome	Spout hub kit
115010	57.90	N/A or Unfinished	Spout kit
115012	235.00	N/A or Unfinished	8 foot cable assembly for wall
115017	61.45	N/A or Unfinished	Handle insert kit
115018	42.05	N/A or Unfinished	Handle insert kit
115022	35.40	Chrome	Handle kit
115023	6.40	Chrome	Handle cap kit
115023SL	9.75	Stainless	Handle cap kit
115026	13.15	N/A or Unfinished	Handle adapter kit
115026BN	19.70	Brushed Nickel	Handle adapter kit
115026P	20.45	Polished Brass	Handle adapter kit
115027	11.75	Chrome	Lift rod kit
115027BN	16.35	Brushed Nickel	Lift rod kit
115029	17.75	Chrome	Handle hub
115029BN	26.70	Brushed Nickel	Handle hub
115029SLP	20.15	Brushed Platinum	Handle hub
115030	22.90	Chrome	Handle kit
115030SLP	25.05	Brushed Platinum	Handle kit
115031	11.55	Chrome	Handle hub kit
115032	11.95	Chrome	Handle hub kit
115033	17.35	N/A or Unfinished	Porcelain handle insert
115034	10.90	Chrome	Handle cap kit, chrome & polished brass
115034BC	13.10	Brushed Chrome	Handle cap kit
115034BN	15.75	Brushed Nickel	Handle cap kit
115035	7.00	Chrome	Handle hub
115036	23.05	Chrome	Handle kit
115037	9.95	Chrome	Spout cap kit
115038	7.30	N/A or Unfinished	Bearing washer kit
115039	51.85	Chrome	Spout kit
115039P	73.85	Polished Brass	Spout kit
115040	12.50	Chrome	Hose guide
115040SL	17.75	Stainless	Hose guide
115041	24.05	Chrome	Escutcheon & gasket kit
115042SL	53.15	Stainless	Escutcheon & gasket kit
115043	47.80	Chrome	Spout kit
115044P	234.90	Polished Brass	Spout kit
115045	8.45	Chrome	Aerator
115045P	12.55	Polished Brass	Aerator
115045SL	13.10	Stainless	Aerator
115046	36.75	Chrome	Handle kit
115047	52.90	Chrome	Spout kit
115049	31.25	Chrome	Escutcheon with hose guide
115051	26.30	Chrome	Handle hub
115051BN	38.15	Brushed Nickel	Handle hub
115055	10.85	Chrome	Handle cap & screw
115055BN	15.10	Brushed Nickel	Handle cap & screw
115056	22.60	Chrome	Handle kit
115057	4.80	Chrome	Gasket
115060	23.90	Chrome	Handle kit

Moen Genuine Parts

Listed in numerical order

Part Number	List Price	Finish	Description
115060SLP	26.10	Brushed Platinum	Handle kit
115061	7.15	N/A or Unfinished	Bearing washer kit
115062	4.45	N/A or Unfinished	Gasket
115063	39.15	Chrome	Handle kit
115063BN	60.75	Brushed Nickel	Handle kit
115066	7.00	Chrome	Handle insert kit
115066P	11.85	Polished Brass	Handle insert kit
115071	21.20	Chrome	Handshower bracket
115072	28.55	N/A or Unfinished	Hardware kit
115073	11.05	N/A or Unfinished	Hardware kit
115077	71.95	Chrome	Vacuum breaker kit
115335	104.45	Chrome	Spout kit
115335BN	151.40	Brushed Nickel	Spout kit
115335ORB	160.75	Oil Rubbed Bronze	Spout kit
115335WR	160.75	Wrought Iron	Spout kit
115336	25.60	N/A or Unfinished	Handle kit
116379	27.65	N/A or Unfinished	Retainer nut
116604	37.30	Chrome	Handle hub
116604BN	54.05	Brushed Nickel	Handle hub
116604NL	52.75	Polished Nickel	Handle hub
116604ORB	59.40	Oil Rubbed Bronze	Handle hub
116604WR	59.40	Wrought Iron	Handle hub
116606	36.10	Chrome	Shower escutcheon
116606BN	52.30	Brushed Nickel	Shower escutcheon
116606NL	51.05	Polished Nickel	Shower escutcheon
116606ORB	57.60	Oil Rubbed Bronze	Shower escutcheon
116606WR	57.60	Wrought Iron	Shower escutcheon
116610	7.65	N/A or Unfinished	Handle adapter kit
116618	15.10	Chrome	Aerator
116618BN	22.60	Brushed Nickel	Aerator
116618CSL	22.60	Classic Stainless	Aerator
116618NL	22.80	Polished Nickel	Aerator
116618ORB	24.90	Oil Rubbed Bronze	Aerator
116618SRS	21.85	Spot Resist Stainless	Aerator
116618WR	24.90	Wrought Iron	Aerator
116619	17.85	Chrome	Lift rod kit
116619BN	37.75	Brushed Nickel	Lift rod kit
116619NL	41.55	Polished Nickel	Lift rod kit
116619ORB	41.55	Oil Rubbed Bronze	Lift rod kit
116619WR	41.55	Wrought Iron	Lift rod kit
116620	22.20	Chrome	Spout hub kit
116620BN	32.30	Brushed Nickel	Spout hub kit
116620NL	32.30	Polished Nickel	Spout hub kit
116620ORB	35.40	Oil Rubbed Bronze	Spout hub kit
116622	31.50	Chrome	Escutcheon
116622BN	45.70	Brushed Nickel	Escutcheon
116622NL	45.70	Polished Nickel	Escutcheon
116622ORB	50.35	Oil Rubbed Bronze	Escutcheon
116623	16.90	N/A or Unfinished	Retainer ring kit
116626	60.35	Chrome	Spout kit
116626BN	86.10	Brushed Nickel	Spout kit
116626NL	87.20	Polished Nickel	Spout kit
116626ORB	94.80	Oil Rubbed Bronze	Spout kit
116627	17.30	Chrome	Spout escutcheon
116627BN	25.10	Brushed Nickel	Spout escutcheon
116627NL	26.15	Polished Nickel	Spout escutcheon
116627ORB	27.65	Oil Rubbed Bronze	Spout escutcheon
116628	13.75	Chrome	Handle kit
116628BN	19.80	Brushed Nickel	Handle kit
116628NL	19.80	Polished Nickel	Handle kit
116628ORB	21.90	Oil Rubbed Bronze	Handle kit
116628SRS	19.15	Chrome	Handle kit
116628WR	21.90	Wrought Iron	Handle kit
116629	47.45	Chrome	Handle hub
116629BN	90.75	Brushed Nickel	Handle hub
116629NL	90.75	Polished Nickel	Handle hub
116629ORB	98.40	Oil Rubbed Bronze	Handle hub
116629SRS	82.45	Spot Resist Stainless	Handle hub kit
116629WR	98.40	Wrought Iron	Handle hub
116630	112.95	Chrome	Spout cap
116630BN	163.80	Brushed Nickel	Spout cap
116630NL	180.15	Polished Nickel	Spout cap
116630ORB	180.15	Oil Rubbed Bronze	Spout cap
116630WR	180.15	Wrought Iron	Spout cap
116631	86.05	Chrome	Roman tub spout kit
116631BN	155.60	Brushed Nickel	Roman tub spout kit
116631NL	171.15	Polished Nickel	Roman tub spout kit
116631ORB	171.15	Oil Rubbed Bronze	Roman tub spout kit
116631WR	171.15	Wrought Iron	Roman tub spout kit
116632	40.00	Chrome	Stream straightener
116632BN	58.10	Brushed Nickel	Stream straightener
116632NL	63.90	Polished Nickel	Stream straightener
116632ORB	63.90	Oil Rubbed Bronze	Stream straightener
116632WR	63.90	Wrought Iron	Stream straightener
116633	49.30	Chrome	Spout escutcheon
116633BN	74.35	Brushed Nickel	Spout escutcheon
116633NL	72.55	Polished Nickel	Spout escutcheon
116633ORB	81.80	Oil Rubbed Bronze	Spout escutcheon
116633WR	81.80	Wrought Iron	Spout escutcheon
116634CSL	21.30	Classic Stainless	Aerator kit
116634NL	21.50	Polished Nickel	Aerator
116635	13.75	Chrome	Diverter rod kit
116635BN	28.95	Brushed Nickel	Diverter rod kit
116635NL	31.80	Polished Nickel	Diverter rod kit
116635ORB	31.80	Oil Rubbed Bronze	Diverter rod kit
116635WR	31.80	Wrought Iron	Diverter rod kit
116636	99.10	Chrome	Diverter spout cap
116636BN	143.75	Brushed Nickel	Diverter spout cap
116636ORB	158.10	Oil Rubbed Bronze	Diverter spout cap
116636WR	158.10	Wrought Iron	Diverter spout cap
116638	33.85	Chrome	Handle kit
116638ORB	52.70	Oil Rubbed Bronze	Handle kit
116638WR	52.70	Wrought Iron	Handle kit
116640	75.10	Chrome	Spout cap
116640NL	119.70	Polished Nickel	Spout cap
116640ORB	119.70	Oil Rubbed Bronze	Spout cap
116640SL	108.85	Stainless	Spout cap
116640SRS	105.20	Spot Resist Stainless	Spout cap
116640WR	119.70	Wrought Iron	Spout cap
116641	60.75	Chrome	Spout kit
116641ORB	108.45	Oil Rubbed Bronze	Spout kit
116641SRS	87.05	Spot Resist Stainless	Spout kit
116641WR	108.45	Wrought Iron	Spout kit
116642	48.55	Chrome	Spout escutcheon
116642ORB	80.00	Oil Rubbed Bronze	Spout escutcheon
116642SRS	70.30	Spot Resist Stainless	Spout escutcheon
116642WR	80.00	Wrought Iron	Spout escutcheon
116644	44.00	Chrome	Spout cap
116644CSL	65.30	Classic Stainless	Spout cap kit
116644ORB	71.70	Oil Rubbed Bronze	Spout cap
116644SRS	63.05	Spot Resist Stainless	Spout cap
116644WR	71.70	Wrought Iron	Spout cap
116645	198.75	Chrome	Spout kit
116645ORB	291.35	Oil Rubbed Bronze	Spout kit
116645SRS	243.65	Spot Resist Stainless	Spout kit
116645WR	291.35	Wrought Iron	Spout kit
116646	52.10	Chrome	Handle hub kit
116646BN	75.65	Brushed Nickel	Handle hub kit
116646NL	83.15	Polished Nickel	Handle hub kit
116646ORB	83.15	Oil Rubbed Bronze	Handle hub kit

Moen Genuine Parts

Listed in numerical order

Part Number	List Price	Finish	Description
116646SRS	76.55	Spot Resist Stainless	Handle hub kit
116646WR	83.15	Wrought Iron	Handle hub kit
116647	52.05	Chrome	Handle hub kit
116647BN	75.55	Brushed Nickel	Handle hub kit
116647NL	83.05	Polished Nickel	Handle hub kit
116647ORB	83.05	Oil Rubbed Bronze	Handle hub kit
116647SRS	76.45	Spot Resist Stainless	Handle hub kit
116647WR	83.05	Wrought Iron	Handle hub kit
116648	17.75	Chrome	Lift rod kit
116648BN	34.85	Brushed Nickel	Lift rod kit
116648NL	38.30	Polished Nickel	Lift rod kit
116648ORB	38.30	Oil Rubbed Bronze	Lift rod kit
116648WR	38.30	Wrought Iron	Lift rod kit
116649	26.40	Chrome	Spout cap
116649BN	37.65	Brushed Nickel	Spout cap
116649NL	38.15	Polished Nickel	Spout cap
116649ORB	41.45	Oil Rubbed Bronze	Spout cap
116649WR	41.45	Wrought Iron	Spout cap
116653	6.55	N/A or Unfinished	Posi-Temp handle adapter kit
116662P	20.30	Polished Brass	Diverter rod kit
116664	139.85	Chrome	Spout kit
116664BN	202.75	Brushed Nickel	Spout kit
116664ORB	215.35	Oil Rubbed Bronze	Spout kit
116664P	170.60	Polished Brass	Spout kit
116664WR	215.35	Wrought Iron	Spout kit
116665	236.75	Chrome	Roman tub spout kit
116665BN	343.25	Brushed Nickel	Roman tub spout kit
116665ORB	364.55	Oil Rubbed Bronze	Roman tub spout kit
116665P	379.35	Polished Brass	Roman tub spout kit
116665WR	363.00	Wrought Iron	Roman tub spout kit
116666	287.95	Chrome	Roman tub spout kit
116666BN	368.95	Brushed Nickel	Roman tub spout kit
116666ORB	405.75	Oil Rubbed Bronze	Roman tub spout kit
116666P	406.65	Polished Brass	Roman tub spout kit
116666WR	405.75	Wrought Iron	Roman tub spout kit
116667	15.30	Chrome	Diverter rod kit
116667BN	22.10	Brushed Nickel	Diverter rod kit
116667ORB	23.50	Oil Rubbed Bronze	Diverter rod kit
116667P	23.50	Polished Brass	Diverter rod kit
116670	59.55	Chrome	Hot handle kit
116670NL	79.50	Polished Nickel	Hot handle kit
116670ORB	87.35	Oil Rubbed Bronze	Hot handle kit
116670SL	79.50	Stainless	Hot handle kit
116670SRS	79.50	Spot Resist Stainless	Hot handle kit
116670WR	87.35	Wrought Iron	Hot handle kit
116671	59.55	Chrome	Cold handle kit
116671NL	79.50	Polished Nickel	Cold handle kit
116671ORB	87.35	Oil Rubbed Bronze	Cold handle kit
116671SL	79.50	Stainless	Cold handle kit
116671SRS	79.50	Spot Resist Stainless	Cold handle kit
116671WR	87.35	Wrought Iron	Cold handle kit
116672	25.00	Chrome	Handle escutcheon
116672ORB	38.30	Oil Rubbed Bronze	Handle escutcheon
116672SRS	32.10	Spot Resist Stainless	Handle escutcheon
116672WR	38.30	Wrought Iron	Handle escutcheon
116673	77.20	Chrome	Spout escutcheon
116673CSL	111.95	Classic Stainless	Spout escutcheon
116673ORB	123.15	Oil Rubbed Bronze	Spout escutcheon
116673SRS	103.00	Spot Resist Stainless	Spout escutcheon
116673WR	123.15	Wrought Iron	Spout escutcheon
116683BN	48.80	Brushed Nickel	Handle insert kit
116691BN	72.50	Brushed Nickel	Handle kit
116692BN	41.40	Brushed Nickel	Lift rod kit
116694BN	26.20	Brushed Nickel	Spout cap
116696	51.40	Chrome	Hose kit
116698	24.05	N/A or Unfinished	Hardware kit
116699	48.10	Chrome	Spout escutcheon
116699BN	71.55	Brushed Nickel	Spout escutcheon
116699NL	72.55	Polished Nickel	Spout escutcheon
116699ORB	78.75	Oil Rubbed Bronze	Spout escutcheon
116699WR	78.75	Wrought Iron	Spout escutcheon
116711	6.65	N/A or Unfinished	Flow restrictor kit
116712	7.90	N/A or Unfinished	Flow restrictor kit
116713	43.85	Chrome	Handle kit
116713BRB	78.55	Mediterranean Bronze	Handle kit
116713CBN	41.25	Classic Brushed Nickel	Handle kit
116716	19.65	Chrome	Handle kit
116719	31.80	N/A or Unfinished	Cartridge
116720	5.50	N/A or Unfinished	Gasket
116722	17.15	Chrome	Handle insert kit
116723	16.10	Chrome	Handle kit hot
116726	17.65	Chrome	Escutcheon & gasket kit
116726ORB	27.90	Oil Rubbed Bronze	Escutcheon & gasket kit
116726SL	25.30	Stainless	Escutcheon & gasket kit
116726SRS	24.45	Spot Resist Stainless	Escutcheon & gasket kit
116728	35.50	Chrome	Handle kit
116728CSL	51.40	Classic Stainless	Handle kit
116728ORB	56.40	Oil Rubbed Bronze	Handle kit
116728SL	51.40	Stainless	Handle kit
116730	43.10	N/A or Unfinished	Hardware kit
116731	6.70	N/A or Unfinished	Bearing washer kit
116732	41.30	Chrome	Soap dispenser
116732SL	59.95	Stainless	Soap dispenser
116733	7.60	Chrome	Lift rod kit
116738	18.00	Chrome	Handle insert kit
116743	29.00	Chrome	Handle hub kit
116953	39.55	Chrome	Hot handle kit
116953BN	60.80	Brushed Nickel	Hot handle kit
116953ORB	66.85	Oil Rubbed Bronze	Handle kit
116953P	61.25	Polished Brass	Hot handle kit
116953WR	66.85	Wrought Iron	Hot handle kit
116954	39.55	Chrome	Cold handle kit
116954BN	60.80	Brushed Nickel	Cold handle kit
116954ORB	66.85	Oil Rubbed Bronze	Handle kit
116954P	61.25	Polished Brass	Cold handle kit
116954WR	66.85	Wrought Iron	Cold handle kit
117000	4.05	N/A or Unfinished	Handle insert kit
117347	16.90	Chrome	Diverter rod kit
117347BN	24.55	Brushed Nickel	Diverter rod kit
117347P	26.15	Polished Brass	Diverter rod kit
117348	232.95	Chrome	Roman tub spout kit
117348BN	337.75	Brushed Nickel	Roman tub spout kit
117348P	361.15	Polished Brass	Roman tub spout kit
117349	29.45	Chrome	Spout escutcheon
117349BN	42.65	Brushed Nickel	Spout escutcheon
117349P	45.85	Polished Brass	Spout escutcheon
117350	312.20	Chrome	Roman tub spout kit
117351P	24.80	Polished Brass	Diverter rod kit
117351W	23.70	Glacier	Diverter rod kit
117352	436.85	Chrome	Roman tub spout kit
117352P	324.10	Polished Brass	Roman tub spout kit
117352W	382.25	Glacier	Roman tub spout kit
117654	11.80	Chrome	Diverter rod kit
117654P	19.10	Polished Brass	Diverter rod kit
117657SL	55.45	Stainless	Handle kit

Part Number	List Price	Finish	Description
117658	51.00	Chrome	Spout kit
117659	10.50	Chrome	Aerator kit
117660	35.80	Chrome	Handle kit
117660SL	55.45	Stainless	Handle kit
117864	36.10	Chrome	Handle kit
117874	56.45	Chrome	Spout receptor kit
117947	26.70	Chrome	Handle kit
117948	35.25	Chrome	Handle kit
118228	30.00	Chrome	Handle hub kit
118229BN	26.30	Brushed Nickel	Handle insert kit
118230	9.55	Chrome	Handle shell
118230BN	13.80	Brushed Nickel	Handle shell
118231	26.45	Chrome	Handle kit
118231BN	36.65	Brushed Nickel	Handle kit
118232	26.45	Chrome	Handle kit
118232BN	36.65	Brushed Nickel	Handle kit
118238	27.65	Chrome	Handle kit
118238BN	38.85	Brushed Nickel	Handle kit
118239	16.65	Chrome	Aerator
118239BN	24.10	Brushed Nickel	Aerator
118239ORB	26.50	Oil Rubbed Bronze	Aerator
118239P	25.85	Polished Brass	Aerator
118239WR	26.50	Wrought Iron	Aerator
118240	8.60	Chrome	Handle cap kit
118240BN	32.15	Brushed Nickel	Handle cap kit
118240ORB	39.15	Oil Rubbed Bronze	Handle cap kit
118240P	23.80	Polished Brass	Handle cap kit
118240WR	39.15	Wrought Iron	Handle cap kit
118241	8.65	Chrome	Handle cap kit
118242	28.60	Chrome	Handle kit
118242BN	44.15	Brushed Nickel	Handle kit
118242ORB	48.65	Oil Rubbed Bronze	Handle kit
118242P	37.00	Polished Brass	Handle kit
118242WR	48.65	Wrought Iron	Handle kit
118243	5.45	Chrome	Plug button kit
118243BN	11.10	Brushed Nickel	Plug button kit
118243ORB	12.15	Oil Rubbed Bronze	Plug button kit
118243P	12.60	Polished Brass	Plug button kit
118244	16.25	Chrome	Lift rod kit
118244BN	23.65	Brushed Nickel	Lift rod kit
118244ORB	25.90	Oil Rubbed Bronze	Lift rod kit
118244P	32.90	Polished Brass	Lift rod kit
118244WR	25.90	Wrought Iron	Lift rod kit
118245	9.60	N/A or Unfinished	Hardware kit
118296	65.60	N/A or Unfinished	Handle kit
118296CSL	95.05	Classic Stainless	Handle kit
118296ORB	104.65	Oil Rubbed Bronze	Handle kit
118297	11.05	N/A or Unfinished	Handle mechanism kit
118299CSL	83.00	Classic Stainless	Spout kit
118299ORB	91.35	Oil Rubbed Bronze	Spout kit
118302	54.60	Chrome	Spout hub kit
118302CSL	79.35	Classic Stainless	Spout nut kit
118302ORB	87.15	Oil Rubbed Bronze	Spout hub kit
118302V	77.40	Ivory	Spout hub kit
118303	20.75	N/A or Unfinished	Hardware kit
118304	8.05	N/A or Unfinished	O-ring kit
118305	12.00	N/A or Unfinished	installation tool
118306	3.75	N/A or Unfinished	Hot/cold indicator kit
118881	30.80	Chrome	Escutcheon
118881BN	44.65	Brushed Nickel	Escutcheon
118881ORB	49.15	Oil Rubbed Bronze	Escutcheon
118881P	34.60	Polished Brass	Deck plate
118881WR	49.15	Wrought Iron	Escutcheon
118882	17.70	Chrome	Escutcheon
118882BN	26.45	Brushed Nickel	Escutcheon
118882ORB	29.05	Oil Rubbed Bronze	Escutcheon
118882P	35.45	Polished Brass	Escutcheon
118882WR	29.05	Wrought Iron	Escutcheon
122553	37.35	Chrome	Lift rod kit
122553BN	54.80	Brushed Nickel	Lift rod kit
122553ORB	60.35	Oil Rubbed Bronze	Lift rod kit
122555	70.25	Chrome	Handle kit
122555BN	98.10	Brushed Nickel	Handle kit
122555ORB	107.95	Oil Rubbed Bronze	Handle kit
122556	5.45	N/A or Unfinished	O-ring kit
122557	165.30	Chrome	Spout kit
122557BN	248.70	Brushed Nickel	Spout kit
122557ORB	273.65	Oil Rubbed Bronze	Spout kit
122558	53.85	Chrome	Handle kit
122558BN	81.10	Brushed Nickel	Handle kit
122558ORB	89.20	Oil Rubbed Bronze	Handle kit
122559	55.25	Chrome	Handle kit
122559BN	83.10	Brushed Nickel	Handle kit
122559ORB	89.20	Oil Rubbed Bronze	Handle kit
122560	18.25	Chrome	Aerator kit
122561	42.55	Chrome	Shower escutcheon
122561BN	79.80	Brushed Nickel	Shower escutcheon
122561ORB	83.40	Oil Rubbed Bronze	Shower escutcheon
122562	78.90	Chrome	Escutcheon
122562BN	117.30	Brushed Nickel	Escutcheon
122562ORB	129.05	Oil Rubbed Bronze	Escutcheon
122563	93.15	Chrome	Handle kit
122563BN	138.45	Brushed Nickel	Handle kit
122563ORB	152.35	Oil Rubbed Bronze	Handle kit
122564	119.20	Chrome	Handle kit
122564BN	172.75	Brushed Nickel	Handle kit
122564ORB	190.00	Oil Rubbed Bronze	Handle kit
122566	13.55	N/A or Unfinished	Handle adapter kit
122569	14.15	N/A or Unfinished	Screw kit
122570	7.55	N/A or Unfinished	Hardware kit
122576	25.05	Chrome	Diverter kit
122576BN	36.25	Brushed Nickel	Diverter kit
122577	347.90	Chrome	Roman tub diverter spout
122577BN	504.50	Brushed Nickel	Roman tub diverter spout
122577ORB	554.95	Oil Rubbed Bronze	Roman tub diverter spout
123227	6.80	N/A or Unfinished	Gasket
123244	37.30	Chrome	Deck plate
123244ORB	58.05	Oil Rubbed Bronze	Escutcheon & gasket kit
123244SL	52.80	Stainless	Deck plate
123244V	45.00	Ivory	Deck plate
123244W	54.25	Glacier	Deck plate
123245	44.60	Chrome	Escutcheon & gasket kit
123245ORB	71.15	Oil Rubbed Bronze	Escutcheon
123246	4.65	Chrome	Hardware kit
123247	85.05	Chrome	Spout kit
123247CSL	123.40	Classic Stainless	Spout kit
123247ORB	135.75	Oil Rubbed Bronze	Spout kit
123247SRS	123.40	Spot Resist Stainless	Spout kit
123249	28.45	Chrome	Handle kit
123249ORB	45.35	Oil Rubbed Bronze	Handle kit
123249W	54.25	Glacier	Handle kit
123250	10.80	Chrome	Dome
123250ORB	40.35	Oil Rubbed Bronze	Dome
123250W	14.95	Glacier	Dome
123251	28.30	Chrome	Handle kit
123340	35.45	Chrome	Hot handle kit

Moen Genuine Parts

Listed in numerical order

Part Number	List Price	Finish	Description
123340SL	54.80	Stainless	Hot handle kit
123341	35.45	Chrome	Cold handle kit
123341SL	54.80	Stainless	Cold handle kit
123342	6.85	N/A or Unfinished	Gasket
123345	314.15	Chrome	Roman tub spout kit
123345BN	455.55	Brushed Nickel	Roman tub spout kit
123346	24.00	Chrome	Handshower escutcheon
123346BN	35.70	Brushed Nickel	Handshower escutcheon
123346ORB	39.30	Oil Rubbed Bronze	Handshower escutcheon
123349	38.85	Chrome	Escutcheon
123349BN	52.90	Brushed Nickel	Escutcheon
123349ORB	58.10	Oil Rubbed Bronze	Escutcheon
123351	85.50	Chrome	Handle kit
123351BN	120.80	Brushed Nickel	Handle kit
123351ORB	132.95	Oil Rubbed Bronze	Handle kit
123352	89.15	Chrome	Escutcheon
123352BN	129.40	Brushed Nickel	Escutcheon
123352ORB	142.40	Oil Rubbed Bronze	Escutcheon
123353	59.05	N/A or Unfinished	Hardware kit
123353BN	85.65	Brushed Nickel	Hardware kit
123353ORB	94.20	Oil Rubbed Bronze	Hardware kit
123354ORB	111.00	Oil Rubbed Bronze	Handshower bracket
123355	92.95	Chrome	Handle kit
123355BN	134.80	Brushed Nickel	Handle kit
123355ORB	148.25	Oil Rubbed Bronze	Handle kit
123663	7.10	N/A or Unfinished	Gasket
123664	33.55	Chrome	Handle kit
123799	11.35	Chrome	Handle cap kit
123804	23.75	Chrome	Lift rod kit
123804BN	36.55	Brushed Nickel	Lift rod kit
123807	15.90	Chrome	Stream straightener kit
123807BN	26.15	Brushed Nickel	Stream straightener kit
123807CSL	20.60	Classic Stainless	Stream straightener kit
123807SRS	13.75	Spot Resist Stainless	Stream straightener
123809	19.45	Chrome	Set screw kit
124652	10.95	N/A or Unfinished	Hardware kit
124657	62.55	Chrome	Spout kit
124657ORB	105.85	Oil Rubbed Bronze	Spout kit
124657SRS	96.25	Spot Resist Stainless	Spout kit
124658	47.05	Chrome	Wand kit
124660	35.45	Chrome	Spout hub kit
124660SRS	52.55	Spot Resist Stainless	Spout hub kit
124661	28.90	N/A or Unfinished	Hardware kit
124662	66.30	N/A or Unfinished	Hose kit
124663	92.35	Chrome	Spout receptor kit
124663ORB	156.20	Oil Rubbed Bronze	Spout receptor kit
124663W	129.25	Glacier	Spout receptor kit
124664	85.65	Chrome	Wand kit
124664CSL	140.80	Classic Stainless	WAND KIT, 7545 CSL
124664ORB	150.35	Oil Rubbed Bronze	Wand kit
124664SL	136.70	Stainless	Wand kit
124664SRS	140.80	Spot Resist Stainless	Wand kit
124664W	124.40	Glacier	Wand kit
124665	8.05	N/A or Unfinished	Bearing washer kit
124737	33.45	Chrome	Handle kit
124737SL	51.65	Stainless	Handle kit
124737W	46.80	Glacier	Handle kit
124738	75.10	Chrome	Wand kit
124738CSL	54.25	Classic Stainless	Wand kit
124738SL	115.45	Stainless	Wand kit
124738W	105.00	Glacier	Wand kit
124823	58.40	Chrome	Spout receptor kit
124823SL	90.00	Stainless	Spout receptor kit
124823W	81.85	Glacier	Spout receptor kit
124854	28.65	Chrome	Handle kit
125752	32.65	Chrome	Grid drain cover
125752BN	49.80	Brushed Nickel	Grid drain cover
125752P	72.10	Polished Brass	Grid drain cover
125754	38.10	Chrome	Handle kit
125754BN	60.40	Brushed Nickel	Handle kit
125754ORB	66.40	Oil Rubbed Bronze	Handle kit
125755	50.90	Chrome	Shower escutcheon
125755BN	80.85	Brushed Nickel	Shower escutcheon
125755ORB	88.95	Oil Rubbed Bronze	Shower escutcheon
125756	80.00	Chrome	Handle kit
125756BN	124.20	Brushed Nickel	Handle kit
125756ORB	136.55	Oil Rubbed Bronze	Handle kit
125756SRS	120.00	Spot Resist Stainless	Handle kit
125757BN	27.80	Brushed Nickel	Lift rod kit
125757ORB	30.55	Oil Rubbed Bronze	Lift rod kit
125758	16.60	Chrome	Spout cap
125758BN	28.50	Brushed Nickel	Spout cap
125758ORB	31.35	Oil Rubbed Bronze	Spout cap
125759	117.85	Chrome	Spout kit
125759BN	182.55	Brushed Nickel	Spout kit
125759ORB	200.85	Oil Rubbed Bronze	Spout kit
125760	227.45	Chrome	Roman tub spout kit
125760BN	352.55	Brushed Nickel	Roman tub spout kit
125760ORB	387.75	Oil Rubbed Bronze	Roman tub spout kit
125761	11.70	Chrome	Diverter rod kit
125761BN	17.65	Brushed Nickel	Diverter rod kit
125761ORB	19.30	Oil Rubbed Bronze	Diverter rod kit
125762	43.50	Chrome	Spout cap kit
125762BN	67.50	Brushed Nickel	Spout cap kit
125762ORB	74.25	Oil Rubbed Bronze	Spout cap kit
125763BN	352.10	Brushed Nickel	Roman tub diverter spout
125763ORB	387.40	Oil Rubbed Bronze	Roman tub diverter spout
125764	62.95	Chrome	Hot handle kit
125764BN	94.00	Brushed Nickel	Hot handle kit
125764CSL	94.00	Classic Brushed Nickel	Hot handle kit
125764ORB	103.40	Oil Rubbed Bronze	Hot handle kit
125764SRS	94.00	Spot Resist Stainless	Hot handle kit
125765	62.95	Chrome	Cold handle kit
125765BN	94.00	Brushed Nickel	Cold handle kit
125765CSL	94.00	Classic Brushed Nickel	Cold handle kit
125765ORB	103.40	Oil Rubbed Bronze	Cold handle kit
125765SRS	94.00	Spot Resist Stainless	Cold handle kit
125766	15.75	Chrome	Lift rod kit
125766BN	24.30	Brushed Nickel	Lift rod kit
125766ORB	26.75	Oil Rubbed Bronze	Lift rod kit
125795	24.30	Chrome	Handle kit
125796	9.65	N/A or Unfinished	installation tool
125857	86.45	Chrome	Spout receptor kit
125979	33.95	N/A or Unfinished	Hot/cold indicator kit
125989	14.55	N/A or Unfinished	Hose weight
125999	5.70	N/A or Unfinished	Hot/cold indicator kit
126955	35.00	Chrome	Handle kit
126956	16.45	Chrome	Hose guide
126964	10.50	Chrome	Dome kit
126964BC	35.90	Brushed Chrome	Dome kit
126964V	40.85	Ivory	Dome kit
126964W	40.35	Glacier	Dome kit
126970	77.10	Chrome	Spout kit
126971	31.80	Chrome	Handle kit
126971BC	39.70	Brushed Chrome	Handle kit

Part Number	List Price	Finish	Description
126971V	45.10	Ivory	Handle kit
126971W	44.65	Glacier	Handle kit
127683	38.80	N/A or Unfinished	Filter manifold kit
127685	44.80	N/A or Unfinished	Hardware kit
127686	6.80	N/A or Unfinished	Screw kit
127687	43.25	Chrome	Handle kit
127688	14.00	N/A or Unfinished	Spout nut kit
127689	12.70	N/A or Unfinished	O-ring kit
127690	6.45	N/A or Unfinished	Aerator kit
127691	13.05	N/A or Unfinished	Diverter kit
127694	23.40	N/A or Unfinished	Handle kit
127695	89.50	Chrome	Spout kit
127745	28.90	Chrome	Spout tip and escutcheon with
127745CSL	44.55	Classic Stainless	Spout escutcheon
127745ORB	49.05	Oil Rubbed Bronze	Spout tip and escutcheon with
127745W	40.55	Glacier	Spout tip and escutcheon with
127746	79.05	Chrome	Handle hub kit
127746CSL	114.65	Classic Stainless	Handle hub kit
127746ORB	126.05	Oil Rubbed Bronze	Handle hub kit
128865	20.30	Chrome	Lift rod kit
128865BN	31.30	Brushed Nickel	Lift rod kit
128865ORB	34.55	Oil Rubbed Bronze	Lift rod kit
128866	48.65	Chrome	Handle kit
128866BN	74.65	Brushed Nickel	Handle kit
128866ORB	82.15	Oil Rubbed Bronze	Handle kit
128867	49.75	Chrome	Handle kit
128867BN	76.25	Brushed Nickel	Handle kit
128867ORB	84.05	Oil Rubbed Bronze	Handle kit
128868	49.75	Chrome	Handle kit
128868BN	76.25	Brushed Nickel	Handle kit
128868ORB	84.05	Oil Rubbed Bronze	Handle kit
128869	6.80	N/A or Unfinished	Gasket
128870	46.40	Chrome	Escutcheon
128870BN	68.70	Brushed Nickel	Escutcheon
128870ORB	75.65	Oil Rubbed Bronze	Escutcheon
128871	45.20	Chrome	Handle kit
128871BN	69.75	Brushed Nickel	Handle kit
128871ORB	76.80	Oil Rubbed Bronze	Handle kit
128873	29.65	Chrome	Lift rod kit
128873BN	44.10	Brushed Nickel	Lift rod kit
128873ORB	48.55	Oil Rubbed Bronze	Lift rod kit
128876	54.50	Chrome	Handle kit
128876BN	87.00	Brushed Nickel	Handle kit
128877	54.50	Chrome	Handle kit
128877BN	87.00	Brushed Nickel	Handle kit
128878	16.65	Chrome	Aerator kit
128879	108.30	Chrome	Spout kit
128879BN	172.90	Brushed Nickel	Spout kit
128880	61.25	Chrome	Handle kit
128880BN	90.85	Brushed Nickel	Handle kit
128881	39.75	Chrome	Escutcheon
128881BN	61.35	Brushed Nickel	Escutcheon
128882	38.30	Chrome	Handle kit
128882BN	59.05	Brushed Nickel	Handle kit
128883	154.25	Chrome	Roman tub spout kit
128883BN	223.60	Brushed Nickel	Roman tub spout kit
128884	18.30	Chrome	Stream straightener
128885	15.85	Chrome	Lift rod kit
128885BN	23.40	Brushed Nickel	Lift rod kit
128886	205.10	Chrome	Roman tub diverter spout
128886BN	297.35	Brushed Nickel	Roman tub diverter spout

Part Number	List Price	Finish	Description
129102	34.65	Chrome	Escutcheon
129102BN	51.15	Brushed Nickel	Escutcheon
129102NL	51.15	Polished Nickel	Escutcheon
129102ORB	56.25	Oil Rubbed Bronze	Escutcheon
129102WR	56.25	Wrought Iron	Escutcheon
129665	10.25	N/A or Unfinished	Handle kit
129666	20.15	N/A or Unfinished	Sillcock service kit
129704	24.00	N/A or Unfinished	Hot/cold indicator kit
129706	24.00	N/A or Unfinished	Hot/cold indicator kit
129707	23.05	N/A or Unfinished	Hot/cold indicator kit
129709	34.60	Chrome	Handle kit
129797	25.05	N/A or Unfinished	Stem extension kit
129806	34.30	Chrome	Handle kit
129806BN	52.80	Brushed Nickel	Handle kit
129807	69.60	Chrome	Handle escutcheon
129807BN	107.10	Brushed Nickel	Handle escutcheon
129808	52.40	Chrome	Escutcheon
129808BN	80.60	Brushed Nickel	Escutcheon
129817	43.70	Chrome	Hot handle kit
129817BN	67.40	Brushed Nickel	Handle kit
129818	43.70	Chrome	Handle kit
129818BN	67.40	Brushed Nickel	Handle kit
129819	19.80	N/A or Unfinished	Hot/cold indicator kit
129820	29.30	Chrome	Lift rod kit
129820BN	45.05	Brushed Nickel	Lift rod kit
129822BN	93.65	Brushed Nickel	Handle kit
129823BN	93.65	Brushed Nickel	Handle kit
129825BN	70.00	Brushed Nickel	Lift rod kit
129826	113.65	Chrome	Spout kit
129826BN	164.85	Brushed Nickel	Spout kit
129827	31.90	Chrome	Lift rod kit
129827BN	49.10	Brushed Nickel	Lift rod kit
129828	28.00	Chrome	Diverter spout cap
129828BN	43.15	Brushed Nickel	Diverter spout cap
129829	325.55	Chrome	Roman tub spout kit
129829BN	501.40	Brushed Nickel	Roman tub spout kit
129830	326.65	Chrome	Roman tub spout kit
129830BN	502.85	Brushed Nickel	Roman tub spout kit
129831	5.50	N/A or Unfinished	Bearing washer kit
129905	13.65	Chrome	Plug button kit
129905CSL	18.90	Classic Stainless	Plug button kit
129905ORB	20.85	Oil Rubbed Bronze	Plug button kit
129905SL	18.90	Stainless	Plug button kit
129907	56.00	Chrome	Spout receptor kit
129908	46.90	Chrome	Wand kit
129921	22.10	Chrome	Handle kit hot
129953	59.55	Chrome	Shower escutcheon
129953BN	64.35	Brushed Nickel	Escutcheon
129954BN	56.20	Brushed Nickel	Handle hub
129957BN	599.80	Brushed Nickel	Roman tub spout kit
129958BN	42.25	Brushed Nickel	Lift rod kit
129960	59.55	Chrome	Shower escutcheon
129960BN	63.50	Brushed Nickel	Escutcheon
130120ORB	28.85	Oil Rubbed Bronze	Spout cap kit
130120SRS	24.40	Spot Resist Stainless	Cap kit
130142	19.55	N/A or Unfinished	Handle adapter kit
130143	65.35	N/A or Unfinished	Extension kit
130147	7.50	Chrome	Temperature override kit
130147BN	12.15	Brushed Nickel	Temperature override kit
130147NL	12.55	Polished Nickel	Temperature override kit
130147ORB	13.40	Oil Rubbed Bronze	Temperature override kit

Moen Genuine Parts

Listed in numerical order

Part Number	List Price	Finish	Description
130147WR	13.40	Wrought Iron	Temperature override kit
130148	45.10	Chrome	Shower escutcheon
130148BN	96.90	Brushed Nickel	Escutcheon
130148ORB	106.60	Oil Rubbed Bronze	Escutcheon
130148WR	106.60	Wrought Iron	Shower escutcheon
130149	98.70	Chrome	Handle kit
130149BN	152.00	Brushed Nickel	Handle kit
130149ORB	167.20	Oil Rubbed Bronze	Handle kit
130149WR	167.20	Wrought Iron	Handle kit
130150	21.40	Chrome	Handle cap kit
130150BN	31.60	Brushed Nickel	Handle cap kit
130150NL	32.70	Polished Nickel	Handle cap kit
130150ORB	34.85	Oil Rubbed Bronze	Handle cap kit
130150WR	34.85	Wrought Iron	Handle cap kit
130151	99.75	Chrome	Handle kit
130151BN	153.65	Brushed Nickel	Handle kit
130151ORB	169.05	Oil Rubbed Bronze	Handle kit
130151WR	169.05	Wrought Iron	Handle kit
130152	23.50	Chrome	Handle escutcheon
130152BN	47.15	Brushed Nickel	Handle escutcheon
130152NL	39.50	Polished Nickel	Escutcheon
130152ORB	51.85	Oil Rubbed Bronze	Handle escutcheon
130152WR	51.85	Wrought Iron	Handle escutcheon
130153	34.45	Chrome	Handle escutcheon
130153BN	52.95	Brushed Nickel	Handle escutcheon
130153NL	57.80	Polished Nickel	Handle escutcheon
130153ORB	58.20	Oil Rubbed Bronze	Handle escutcheon
130155	22.35	Chrome	Extension kit
130156	215.60	N/A or Unfinished	Cartridge repair kit
130183	37.45	Chrome	Spout kit
130183CSL	63.50	Classic Stainless	Spout kit
130183ORB	69.85	Oil Rubbed Bronze	Spout kit
130183W	57.70	Glacier	Spout kit
130525	73.30	Chrome	Handle hub kit
130525P	120.45	Polished Brass	Handle hub kit
130526	73.30	Chrome	Handle hub kit
130526P	120.45	Polished Brass	Handle hub kit
130965	45.10	Chrome	Handle hub kit
130965CSL	79.95	Classic Stainless	Handle hub kit
130965ORB	88.00	Oil Rubbed Bronze	Handle hub
130965SRS	54.35	Spot Resist Stainless	Handle hub kit
130966	11.05	Chrome	Hinge pin caps
130966CSL	10.05	Classic Stainless	Hinge cap kit
130966ORB	11.10	Oil Rubbed Bronze	Hinge pin caps
130966SRS	12.05	Spot Resist Stainless	Hinge cap kit
130967	22.60	Chrome	Hinge pin assembly
130968	37.10	Chrome	Escutcheon & gasket kit
130968CSL	36.70	Classic Stainless	Escutcheon
130968ORB	40.40	Oil Rubbed Bronze	Wall escutcheon and gasket
130968SRS	49.40	Spot Resist Stainless	Escutcheon
130969	26.20	Chrome	Hardware kit
130970	20.60	Chrome	Aerator kit
130970CSL	20.30	Classic Stainless	Aerator kit
130970ORB	22.40	Oil Rubbed Bronze	Stream straightener
130970SRS	20.50	Spot Resist Stainless	Stream straightener kit
130976	7.45	Chrome	Handle cap kit
130976CSL	21.45	Classic Stainless	Handle cap kit
130976ORB	43.40	Oil Rubbed Bronze	Handle cap kit
130976SL	21.45	Stainless	Handle cap kit
130998	118.60	Chrome	Spout kit
130998BN	182.55	Brushed Nickel	Spout kit
131092	28.85	Chrome	Lift rod kit
131092BN	44.35	Brushed Nickel	Lift rod kit

Part Number	List Price	Finish	Description
131097	59.55	Chrome	Handle kit
131097BN	86.50	Brushed Nickel	Handle kit
131097ORB	95.15	Oil Rubbed Bronze	Handle kit
131098	59.55	Chrome	Handle kit
131098BN	86.50	Brushed Nickel	Handle kit
131098ORB	95.15	Oil Rubbed Bronze	Handle kit
131099	5.65	Chrome	Handle cap kit
131099BN	8.25	Brushed Nickel	Handle cap kit
131099ORB	9.10	Oil Rubbed Bronze	Handle cap kit
131100	15.85	Chrome	Lift rod kit
131100BN	22.90	Brushed Nickel	Lift rod kit
131100NL	50.90	Polished Nickel	Lift rod kit
131100ORB	25.15	Oil Rubbed Bronze	Lift rod kit
131101	68.65	Chrome	Handle kit
131101BN	99.70	Brushed Nickel	Handle kit
131101ORB	109.60	Oil Rubbed Bronze	Handle kit
131104	175.30	Chrome	Roman tub spout kit
131107	19.60	Chrome	Lift rod kit
131107BN	28.45	Brushed Nickel	Lift rod kit
131107ORB	31.25	Oil Rubbed Bronze	Lift rod kit
131108	35.35	Chrome	Shower escutcheon
131108BN	51.30	Brushed Nickel	Shower escutcheon
131108ORB	56.35	Oil Rubbed Bronze	Shower escutcheon
131109	53.30	Chrome	Handle kit
131109BN	77.35	Brushed Nickel	Handle kit
131109ORB	85.10	Oil Rubbed Bronze	Handle kit
131119	30.20	Chrome	Handle kit
131120	14.00	Chrome	Dome kit
131121	18.30	Chrome	Escutcheon
131164	19.60	Chrome	Escutcheon
131166	11.70	Chrome	Aerator kit
131185	55.45	Chrome	Wall escutcheon and gasket
131185BN	82.25	Brushed Nickel	Wall escutcheon and gasket
131186	66.95	Chrome	Wall escutcheon and gasket
131186BN	103.05	Brushed Nickel	Wall escutcheon and gasket
131187	55.80	Chrome	Wall escutcheon and gasket
131187BN	86.00	Brushed Nickel	Wall escutcheon and gasket
131187NL	86.00	Polished Nickel	Wall escutcheon and gasket
131187ORB	94.60	Oil Rubbed Bronze	Wall escutcheon and gasket
131187WR	94.60	Wrought Iron	Wall escutcheon and gasket
131189BN	167.70	Brushed Nickel	Handle kit
131190	113.10	Chrome	Handle kit
131190ORB	191.50	Oil Rubbed Bronze	Handle kit
131191	118.20	Chrome	Handle kit
131191BN	182.05	Brushed Nickel	Handle kit
131191NL	182.05	Polished Nickel	Handle kit
131191ORB	200.15	Oil Rubbed Bronze	Handle kit
131191WR	200.15	Wrought Iron	Handle kit
131193BN	169.30	Brushed Nickel	Handle kit
131194	114.25	Chrome	Handle kit
131194BN	176.00	Brushed Nickel	Handle kit
131194ORB	193.50	Oil Rubbed Bronze	Handle kit
131195	119.30	Chrome	Handle kit
131195BN	183.55	Brushed Nickel	Handle kit
131195NL	183.55	Polished Nickel	Handle kit
131195ORB	201.90	Oil Rubbed Bronze	Handle kit
131195WR	201.90	Wrought Iron	Handle kit
131380	79.20	Chrome	Wand kit

Moen Genuine Parts

Listed in numerical order

Part Number	List Price	Finish	Description
131380BL	78.05	Matte Black	Wand kit
131380CSL	95.75	Classic Stainless	Wand kit
131380ORB	98.40	Oil Rubbed Bronze	Wand kit
131380SL	93.05	Stainless	Wand kit
131381	45.45	Chrome	Hose kit
131382	40.15	Chrome	Wand kit
131382BL	47.90	Matte Black	Wand kit
131382SL	55.75	Stainless	Wand kit
131383	61.20	Chrome	Deck plate
131383BL	67.95	Matte Black	Deck plate
131383CSL	79.70	Classic Stainless	Escutcheon
131383SL	79.70	Stainless	Deck plate
131384	16.60	Chrome	Wand kit
131384BL	11.70	Matte Black	Wand kit
131384SL	26.50	Stainless	Wand kit
131386SL	149.60	Stainless	Wand kit
131553BN	96.30	Brushed Nickel	Pop-up waste kit
131553ORB	108.35	Oil Rubbed Bronze	Pop-up waste kit
132152	9.00	N/A or Unfinished	Spout kit
132153	61.20	Chrome	Soap dispenser
132448	13.75	Chrome	Stop tube kit
132448BN	18.10	Brushed Nickel	Stop tube kit
132448P	20.90	Polished Brass	Stop tube kit
132448WR	19.80	Wrought Iron	Stop tube kit
132452	12.15	Chrome	Spacer kit
132596	36.00	N/A or Unfinished	Hose kit
132597	20.25	N/A or Unfinished	Hardware kit
133436	8.60	N/A or Unfinished	Bushing
133437	57.80	Chrome	Escutcheon
133437BN	78.95	Brushed Nickel	Escutcheon
133437ORB	86.90	Oil Rubbed Bronze	Escutcheon
133481	17.70	Chrome	Lift rod kit
133481BN	23.25	Brushed Nickel	Lift rod kit
133482	17.85	Chrome	Escutcheon
133482BN	24.10	Brushed Nickel	Escutcheon
133483	36.70	Chrome	Deck plate
133483BN	53.05	Brushed Nickel	Deck plate
133484	7.50	Chrome	Plug button kit
133484BN	10.00	Brushed Nickel	Plug button kit
133485	43.70	Chrome	Handle kit
133485BN	60.00	Brushed Nickel	Handle kit
133486	11.25	Chrome	Plug button kit
133486BN	13.05	Brushed Nickel	Plug button kit
134120	23.80	Chrome	Lift rod kit
134122	472.50	Chrome	infrared sensor control box
134309	134.95	Chrome	Spout kit
134309BN	195.60	Brushed Nickel	Spout kit
134309ORB	207.85	Oil Rubbed Bronze	Spout kit
134309P	162.90	Polished Brass	Spout kit
134310	126.15	Chrome	Spout kit
134310BN	182.95	Brushed Nickel	Spout kit
134400	228.25	Chrome	Spout kit
134401	31.20	Chrome	Lift rod kit
134402	69.30	Chrome	Handle kit
134402BN	113.50	Brushed Nickel	Handle kit
134404	25.20	Chrome	Lift rod kit
134404BN	60.70	Brushed Nickel	Lift rod kit
134404NL	60.70	Polished Nickel	Lift rod kit
134404ORB	60.70	Oil Rubbed Bronze	Lift rod kit
134404P	60.70	Polished Brass	Lift rod kit
134404WR	60.70	Wrought Iron	Lift rod kit
134405	251.70	Chrome	Roman tub spout kit
134413	32.50	Chrome	Handle escutcheon
134413CSL	49.90	Classic Stainless	Handle escutcheon
134413SL	50.55	Stainless	Handle escutcheon
134418CSL	56.30	Classic Stainless	Spout escutcheon
134418SL	56.30	Stainless	Escutcheon
134421	77.75	Chrome	Handle kit
134742	86.25	Chrome	Wand kit
134742CSL	106.95	Classic Stainless	Wand kit
134742ORB	112.25	Oil Rubbed Bronze	Wand kit
134742SL	106.95	Stainless	Wand kit
134742SRS	103.30	Spot Resist Stainless	Wand kit
134743	48.65	Chrome	Spout kit
134743CSL	70.40	Classic Stainless	Spout kit
134743ORB	77.50	Oil Rubbed Bronze	Spout kit
134743SL	70.40	Stainless	Spout kit
134938	50.80	Chrome	Handle kit
134938BN	69.10	Brushed Nickel	Handle kit
134938ORB	78.95	Oil Rubbed Bronze	Handle kit
135149	80.40	Chrome	Escutcheon
135149BN	112.85	Brushed Nickel	Escutcheon
135149ORB	134.30	Oil Rubbed Bronze	Escutcheon
135149P	96.90	Polished Brass	Escutcheon
135149WR	134.30	Wrought Iron	Escutcheon
135150	27.55	Chrome	Handle kit
135150BN	44.80	Brushed Nickel	Handle kit
135150ORB	49.30	Oil Rubbed Bronze	Handle kit
135150P	49.30	Polished Brass	Handle kit
135150WR	49.30	Wrought Iron	Handle kit
135151	8.75	Chrome	Stop tube kit
135151BN	12.85	Brushed Nickel	Stop tube kit
135151P	15.70	Polished Brass	Stop tube kit
135151WR	14.05	Wrought Iron	Stop tube kit
135152	4.60	N/A or Unfinished	Spacer kit
135153	42.35	Chrome	Escutcheon
135153BN	56.40	Brushed Nickel	Escutcheon
135167	47.90	Chrome	Handle extension kit
135167BN	87.40	Brushed Nickel	Handle extension kit
135167P	68.75	Polished Brass	Handle extension kit
135167WR	96.30	Wrought Iron	Handle extension kit
136101	23.90	N/A or Unfinished	Adapter kit
136102	11.75	N/A or Unfinished	Hydrolock® Hose Spray Kit
136103	36.80	Black	Hose & spray
136103BL	50.90	Matte Black	Hose & spray
136103C	36.80	Chrome	Hose & spray
136103CP	54.15	Chrome	Hose & spray
136103ORB	85.35	Oil Rubbed Bronze	Hose & spray
136103SL	50.90	Stainless	Hose & spray
136103SLP	50.90	Brushed Platinum	Hose & spray
136103V	36.80	Ivory	Hose & spray
136103W	36.80	Glacier	Hose & spray
136104	71.55	Chrome	Hose & spray
136104CSL	122.20	Classic Stainless	Hose & spray
136104ORB	134.45	Oil Rubbed Bronze	Hose & spray
136104SRS	207.30	Spot Resist Stainless	Hose & spray
136104WR	134.45	Wrought Iron	Hose & spray
136105SL	131.55	Stainless	Hose & spray
136106	73.70	Chrome	Hose & spray
136106CSL	73.70	Classic Stainless	Side spray kit
136106ORB	89.10	Oil Rubbed Bronze	Hose & spray
136106SL	73.70	Stainless	Hose & spray
136106SRS	73.70	Spot Resist Stainless	Hose & spray
136109	39.50	Black	Hose & spray
136123	24.00	N/A or Unfinished	Hardware kit
136195	11.10	Chrome	Escutcheon screws
136195BN	16.10	Brushed Nickel	Escutcheon screws
136195NL	17.00	Polished Nickel	Escutcheon screws
136195P	17.00	Polished Brass	Escutcheon screws
136195WR	17.00	Wrought Iron	Escutcheon screws

Moen Genuine Parts

Listed in numerical order

Part Number	List Price	Finish	Description
136196	35.25	Chrome	Handle adapter kit
136196BN	46.55	Brushed Nickel	Handle adapter kit
136197	6.10	Chrome	Plug button kit
136197BN	15.55	Brushed Nickel	Plug button kit
136197NL	8.95	Polished Nickel	Plug button kit
136197ORB	17.00	Oil Rubbed Bronze	Plug button kit
136197P	12.70	Polished Brass	Plug button kit
136197WR	17.00	Wrought Iron	Plug button kit
136304	7.55	N/A or Unfinished	Diverter kit
136331	8.45	N/A or Unfinished	Spout plug
136640	45.05	Chrome	Handle kit
136640P	66.60	Polished Brass	Service kit
136640BN	60.50	Brushed Nickel	Handle kit
136640NL	68.25	Polished Nickel	Handle kit
136640ORB	66.60	Oil Rubbed Bronze	Handle kit
136640WR	66.60	Wrought Iron	Handle kit
136829	53.00	Chrome	Pullout spout, Extensa
136829BL	50.70	Matte Black	Pullout spout
136829S	50.70	Sand	Pullout spout
136829SL	63.90	Stainless	Pullout spout, Extensa
136829V	50.70	Ivory	Pullout spout
136829WG	50.70	Glacier	Pullout spout
137001	10.05	N/A or Unfinished	Collar
137028	42.35	N/A or Unfinished	Hose kit
137034	19.70	Chrome	Slider for slide bar
137034BN	51.90	Brushed Nickel	Slider for slide bar
137034NL	51.90	Polished Nickel	Slider for slide bar
137034ORB	57.10	Oil Rubbed Bronze	Slider for slide bar
137034P	57.10	Polished Brass	Slider for slide bar
137034WR	57.10	Wrought Iron	Slider for slide bar
137035	9.30	N/A or Unfinished	Hardware kit
137114	39.30	N/A or Unfinished	Extension kit
137228	7.90	N/A or Unfinished	Hot/cold indicator kit
137347	36.95	Chrome	Handle extension kit
137347BN	60.10	Brushed Nickel	Handle extension kit
137347NL	43.85	Polished Nickel	Handle extension kit
137347P	58.85	Polished Brass	Handle extension kit
137347WR	66.15	Wrought Iron	Handle extension kit
137386	58.70	Chrome	Handle kit
137386BN	85.10	Brushed Nickel	Handle kit
137386ORB	93.65	Oil Rubbed Bronze	Handle kit
137387	58.70	Chrome	Handle kit
137387BN	85.10	Brushed Nickel	Handle kit
137387ORB	93.65	Oil Rubbed Bronze	Handle kit
137388	64.60	Chrome	Handle kit
137388BN	93.70	Brushed Nickel	Handle kit
137388ORB	103.05	Oil Rubbed Bronze	Handle kit
137389	29.95	Chrome	Lift rod kit
137389BN	43.40	Brushed Nickel	Lift rod kit
137389ORB	47.80	Oil Rubbed Bronze	Lift rod kit
137390BN	210.05	Brushed Nickel	Spout kit
137390ORB	231.05	Oil Rubbed Bronze	Spout kit
137391	192.25	Chrome	Roman tub spout kit
137391BN	278.75	Brushed Nickel	Roman tub spout kit
137391ORB	296.00	Oil Rubbed Bronze	Spout kit
137392	198.70	Chrome	Roman tub diverter spout
137392BN	287.95	Brushed Nickel	Roman tub diverter spout
137392ORB	316.75	Oil Rubbed Bronze	Roman tub diverter spout
137393	21.05	Chrome	Diverter rod kit
137393BN	30.60	Brushed Nickel	Diverter rod kit
137393ORB	33.65	Oil Rubbed Bronze	Diverter rod kit
137394	60.35	Chrome	Escutcheon
137394BN	87.40	Brushed Nickel	Escutcheon
137394ORB	96.30	Oil Rubbed Bronze	Escutcheon
137395	65.15	Chrome	Shower escutcheon
137395BN	94.45	Brushed Nickel	Shower escutcheon
137395ORB	103.90	Oil Rubbed Bronze	Shower escutcheon
137396	45.45	Chrome	Handle kit
137396BN	66.00	Brushed Nickel	Handle kit
137396ORB	72.60	Oil Rubbed Bronze	Handle kit
137397	26.75	Chrome	Handle kit
137397BN	37.10	Brushed Nickel	Handle kit
137397ORB	40.80	Oil Rubbed Bronze	Handle kit
137398	18.55	Chrome	Escutcheon
137398BN	23.80	Brushed Nickel	Escutcheon
137398ORB	26.20	Oil Rubbed Bronze	Escutcheon
137399	26.90	Chrome	Deck plate
137399BN	37.10	Brushed Nickel	Deck plate
137399ORB	40.80	Oil Rubbed Bronze	Deck plate
137401	12.80	N/A or Unfinished	Aerator
137402	16.40	N/A or Unfinished	Stream straightener kit
137403	4.55	N/A or Unfinished	Plug button kit
137404	4.55	N/A or Unfinished	Plug button kit
137481	16.70	Chrome	Escutcheon
137488	7.35	Chrome	Shower arm flange
137488BN	19.20	Brushed Nickel	Shower arm flange
137510	18.55	N/A or Unfinished	Handle kit
137510BN	51.20	Brushed Nickel	Handle kit
137511	4.60	Chrome	Handle rod
137511BN	19.85	Brushed Nickel	Handle kit
137512	6.50	N/A or Unfinished	Dome
137512BN	16.15	Brushed Nickel	Dome kit
137513	4.05	Chrome	Cartridge nut
137514	10.90	Chrome	Aerator kit
137514BN	21.00	Brushed Nickel	Aerator kit
137515	1.10	Chrome	O-ring kit
137516	9.45	Chrome	Escutcheon
137516BN	20.70	Brushed Nickel	Escutcheon
137517	3.60	Chrome	Hardware kit
137518	4.80	Chrome	Hardware kit
137520	7.00	Chrome	Aerator kit
137521	61.15	Chrome	Spout kit
137522	1.25	Chrome	Spout retainer kit
137523	11.40	Chrome	Spout nut kit
137524	168.10	Chrome	Spout kit
137524BN	310.65	Brushed Nickel	Roman tub spout kit
137525	14.10	Chrome	Spout cap
137526	3.75	Chrome	Flow restrictor kit
137526BN	8.75	Brushed Nickel	Aerator kit
137527	35.20	Chrome	Handle kit
137527BN	93.45	Brushed Nickel	Handle kit
137528	1.50	Chrome	Plug button kit
137528BN	3.10	Brushed Nickel	Plug button kit
137530	1.05	Chrome	Hot/cold indicator kit
137532	10.35	Chrome	Escutcheon
137533	14.45	Chrome	Lift rod kit
137533BN	31.55	Brushed Nickel	Lift rod kit
137534	12.70	Chrome	Spout cap kit
137534BN	25.65	Brushed Nickel	Spout cap kit
137536	19.30	Chrome	Handle kit
137536BN	52.65	Brushed Nickel	Handle kit
137537BN	20.15	Brushed Nickel	Handle rod
137538	1.25	Chrome	Plug button kit
137538BN	8.25	Brushed Nickel	Plug button kit
137540BN	60.75	Brushed Nickel	Escutcheon
137541	9.95	Chrome	Aerator kit
137541BN	18.75	Brushed Nickel	Aerator kit
137543	5.10	Chrome	Spout cap

Moen Genuine Parts

Listed in numerical order

Part Number	List Price	Finish	Description
137543BN	11.25	Brushed Nickel	Spout cap
137544	35.50	Chrome	Handle kit
137544BN	94.50	Brushed Nickel	Handle kit
137545	12.80	Chrome	Lift rod kit
137545BN	26.85	Brushed Nickel	Lift rod kit
138765	15.70	N/A or Unfinished	Hardware kit
139071	6.95	N/A or Unfinished	Hardware kit
139221	13.65	N/A or Unfinished	Liquid soap/lotion dispenser pump only
139260	2.75	N/A or Unfinished	Mounting kit
139280	6.10	N/A or Unfinished	Template kit
139760	99.25	Chrome	Handle kit
139760BN	192.00	Brushed Nickel	Handle kit
139762	26.50	Chrome	Lift rod kit
139762BN	53.00	Brushed Nickel	Lift rod kit
139763	13.20	Chrome	Hot/cold indicator kit
139765BN	229.30	Brushed Nickel	Spout kit
139766	336.30	Chrome	Roman tub spout kit
139766BN	487.60	Brushed Nickel	Roman tub spout kit
139767	33.10	Chrome	Lift rod kit
139767BN	66.20	Brushed Nickel	Lift rod kit
139769	33.10	Chrome	Handle adapter kit
139770	228.85	Chrome	Roman tub spout kit
139770BN	331.95	Brushed Nickel	Roman tub spout kit
139772	66.20	Chrome	Handle kit
139772BN	119.25	Brushed Nickel	Handle kit
139773	67.25	Chrome	Handle kit
139773BN	97.35	Brushed Nickel	Handle kit
139774	68.25	Chrome	Handle kit
139774BN	98.85	Brushed Nickel	Handle kit
139885	71.50	Chrome	Handle kit
139885BN	101.10	Brushed Nickel	Handle kit
139885ORB	111.15	Oil Rubbed Bronze	Handle kit
139885P	107.30	Polished Brass	Handle kit
139885WR	111.15	Wrought Iron	Handle kit
139968	52.70	N/A or Unfinished	Hardware kit
140028	27.30	Chrome	Service kit
140244	66.20	Chrome	Wand kit
140244BL	119.25	Matte Black	Wand kit
140245	66.20	Chrome	Wand kit
140245BL	119.25	Matte Black	Wand kit
140245SRS	53.75	Spot Resist Stainless	Wand kit
140246	59.55	Chrome	Wand kit
140247	119.25	Chrome	Spout kit
140247BL	185.40	Matte Black	Spout kit
140247CSL	185.40	Classic Stainless	Spout kit
140249	119.25	Chrome	Spout kit
140249BL	185.40	Matte Black	Spout kit
140249CSL	185.40	Classic Stainless	Spout kit
140249ORB	203.95	Oil Rubbed Bronze	Spout kit
140250	33.10	Chrome	Handle kit
140251	13.20	Chrome	Gasket kit
140325	32.50	N/A or Unfinished	Shank kit
140379	74.05	Chrome	Wand kit
140379CSL	100.70	Classic Stainless	Wand kit
140379W	65.70	Glacier (GLC)	Wand kit
140392	73.50	Chrome	Wand Kit
140392BC	83.05	Brushed Chrome	Wand kit
140392BL	65.70	Matte Black	Wand kit
140392CSL	65.70	Classic Stainless	Wand kit
140392S	65.70	Sand/Almond/Bone	Wand kit
140392SL	83.05	Stainless	Wand kit
140392V	65.70	Ivory (IVY)	Wand kit
140392W	65.70	Glacier (GLC)	Wand kit
140706	8.30	N/A or Unfinished	Hardware kit
140708	9.95	N/A or Unfinished	Hardware kit
140709	5.50	N/A or Unfinished	Handle adapter kit
140710	4.75	N/A or Unfinished	Cartridge nut
140712	19.85	N/A or Unfinished	Shank kit
140713	22.60	N/A or Unfinished	Hose kit
140714	15.90	N/A or Unfinished	CPVC transition fittings (4) &
140715	10.35	N/A or Unfinished	Change to Cold expansion PEX adapters
140716	5.20	N/A or Unfinished	O-ring kit
140718	4.90	N/A or Unfinished	O-ring kit
140719	31.75	N/A or Unfinished	Hose kit
140720	23.20	N/A or Unfinished	Hardware kit
140721	7.55	N/A or Unfinished	Quick-connect clips (5)
140762	15.90	N/A or Unfinished	Cap kit
140777	6.65	N/A or Unfinished	Flow restrictor kit
140779	6.65	N/A or Unfinished	Flow restrictor kit
140780P	109.85	Polished Brass	Waste assembly
140860	15.60	N/A or Unfinished	Deck gasket
140899	6.50	N/A or Unfinished	Siding wedge
140900	9.35	N/A or Unfinished	Vacuum breaker kit
140901	6.00	N/A or Unfinished	Hot/cold indicator kit
140902	6.20	N/A or Unfinished	Temperature limit stop kit
140903	15.10	N/A or Unfinished	Handle kit
140904	12.05	N/A or Unfinished	Retainer nut
140994	86.90	Chrome	Spout kit
140994CSL	125.30	Classic Stainless	Spout kit
140995	58.65	Chrome	Wand kit
140995CSL	67.30	Classic Stainless	Wand kit
140996CSL	35.10	Classic Stainless	Handle kit
140997	11.15	Chrome	Dome kit
140997BL	95.50	Matte Black	Spout kit
140997CSL	15.85	Classic Stainless	Dome kit
140997ORB	22.95	Oil Rubbed Bronze	Dome kit
140998	10.90	Chrome	Cartridge nut
140999	5.60	Chrome	Gasket kit
141002	46.20	Chrome	Escutcheon
141002BL	53.05	Matte Black	Escutcheon
141002CSL	57.35	Classic Stainless	Escutcheon
141002NL	50.30	Polished Nickel	Escutcheon
141002ORB	58.45	Oil Rubbed Bronze	Escutcheon
141002SRS	51.90	Spot Resist Stainless	Escutcheon
141003	13.40	N/A or Unfinished	installation tool
141005	70.00	Chrome	Spout kit
141005CSL	97.55	Classic Stainless	Spout kit
141006	33.95	Chrome	Hose & spray
141006CSL	56.20	Classic Stainless	Hose & spray
141007	11.95	Chrome	Hose guide
141007CSL	14.45	Classic Stainless	Hose guide
141007SRS	17.35	Spot Resist Stainless	Hose guide
141008	19.35	Chrome	Aerator kit
141008CSL	21.85	Classic Stainless	Aerator kit
141025	11.10	N/A or Unfinished	O-ring kit
141044	95.45	Chrome	Wand hose kit
141044ORB	147.10	Oil Rubbed Bronze	Wand hose kit
141044SL	138.45	Stainless	Wand hose kit
141044V	147.10	Ivory	Wand hose kit
141044W	147.10	Glacier	Wand hose kit
141797	31.75	Chrome	Dome kit
141797BL	53.00	Matte Black	Dome kit
141797CSL	53.00	Classic Stainless	Dome kit
141797ORB	58.25	Oil Rubbed Bronze	Dome kit
141797SRS	27.65	Spot Resist Stainless	Dome kit
141798	49.05	Chrome	Roman tub hand shower elbow

Moen Genuine Parts

Listed in numerical order

Part Number	List Price	Finish	Description
141798BN	69.75	Brushed Nickel	Handle elbows
142538	4.95	N/A or Unfinished	Hardware kit
142980	10.60	N/A or Unfinished	Stem extension kit
142981	5.45	N/A or Unfinished	Escutcheon adjuster kit
143002	9.60	N/A or Unfinished	Handle adapter kit
143200	6.50	N/A or Unfinished	Gasket kit
143321	26.45	Chrome	Handle kit
143321BN	32.95	Brushed Nickel	Handle kit
143321ORB	41.40	Oil Rubbed Bronze	Handle kit
143322	24.05	Chrome	Handle kit
143322BN	33.05	Brushed Nickel	Handle kit
143322ORB	37.25	Oil Rubbed Bronze	Handle kit
143323	23.70	Chrome	Escutcheon
143323BN	36.45	Brushed Nickel	Escutcheon
143323ORB	40.10	Oil Rubbed Bronze	Escutcheon
143324	25.15	Chrome	Escutcheon
143324BN	34.15	Brushed Nickel	Escutcheon
143324ORB	37.55	Oil Rubbed Bronze	Escutcheon
143325	5.80	N/A or Unfinished	Gasket
143326	11.85	N/A or Unfinished	Aerator
143327	6.10	N/A or Unfinished	Shank kit
143530	8.60	N/A or Unfinished	Diverter plug
144266	5.25	N/A or Unfinished	Cartridge nut
144318	26.50	N/A or Unfinished	Hardware kit
144319	15.90	N/A or Unfinished	Push fit kit
144321	39.70	N/A or Unfinished	Push fit kit
144322	59.55	N/A or Unfinished	Data cable
144323	8.00	N/A or Unfinished	Template kit
144324	11.95	N/A or Unfinished	inlet filter kit
144325	39.70	N/A or Unfinished	inlet adapter kit
144326	37.10	N/A or Unfinished	Outlet retainer kit
144327	23.90	Chrome	Remote cradle kit
144328	15.90	Pebble	Remote cradle kit
144332	33.10	N/A or Unfinished	Push fit kit
144333	46.35	N/A or Unfinished	Check valve kit
144334	53.00	N/A or Unfinished	inlet adapter kit
144450	17.40	Chrome	Lever handle mechanism kit
144451	17.40	Chrome	Lever handle mechanism kit
144453	6.80	Chrome	Aerator kit
144454	21.40	Chrome	Escutcheon
144455	2.50	Chrome	Gasket
145058	17.15	N/A or Unfinished	Adapter kit
145665	4.65	N/A or Unfinished	Hardware kit
146188	31.15	Chrome	Handle kit
146188BN	45.05	Brushed Nickel	Handle kit
146188ORB	49.60	Oil Rubbed Bronze	Handle kit
146189	26.05	Chrome	Dome
146189BN	37.60	Brushed Nickel	Dome
146189NL	39.95	Polished Nickel	Dome
146189ORB	39.95	Oil Rubbed Bronze	Dome
146189WR	39.95	Wrought Iron	Dome
146190	5.95	N/A or Unfinished	Mounting kit
146191	32.30	Chrome	Handle kit
146191BN	46.70	Brushed Nickel	Handle kit
146191ORB	49.80	Oil Rubbed Bronze	Handle kit
146191P	49.80	Polished Brass	Handle kit
146191WR	49.80	Wrought Iron	Handle kit
146192	32.40	Chrome	Handle kit
146192BN	46.95	Brushed Nickel	Handle kit
146194	3.60	N/A or Unfinished	Cartridge nut
146210	29.15	Chrome	Handle kit
146211	12.05	Chrome	Dome
146211BL	16.85	Matte Black	Dome
146211CSL	17.40	Classic Stainless	Handle kit
146211ORB	19.25	Oil Rubbed Bronze	Dome
146211W	16.85	Glacier	Dome
146212SRS	91.35	Spot Resist Stainless	Spout receptor kit
146213	5.10	N/A or Unfinished	O-ring kit
146214	30.60	Chrome	Handle kit
146214ORB	48.85	Oil Rubbed Bronze	Handle kit
146214SRS	44.45	Spot Resist Stainless	Handle kit
146214W	42.80	Glacier	Handle kit
146216	36.00	Chrome	Handle kit
146216CSL	52.05	Classic Stainless	Handle kit
146217	12.40	Chrome	Dome
146217BL	17.35	Matte Black	Dome
146217SRS	18.15	Spot Resist Stainless	Dome
146217V	17.35	Ivory	Dome
146217W	17.35	Glacier	Dome
146218	72.75	Chrome	Spout receptor kit
146218BL	101.90	Matte Black	Spout receptor kit
146218CSL	105.50	Classic Stainless	Spout receptor kit
146219	35.20	Chrome	Handle kit
146219BL	49.30	Matte Black	Handle kit
146219CSL	51.05	Classic Stainless	Handle kit
146219W	49.30	Glacier	Handle kit
146220	33.55	Chrome	Handle kit
146220BL	47.15	Matte Black	Handle kit
146220CSL	48.85	Classic Stainless	Handle kit
146220SRS	48.85	Spot Resist Stainless	Handle kit
146220V	47.15	Ivory	Handle kit
146220W	47.15	Glacier	Handle kit
146221	68.30	Chrome	Spout receptor kit
146221BL	95.45	Matte Black	Spout receptor kit
146221SRS	98.90	Spot Resist Stainless	Spout receptor kit
146221V	95.45	Ivory	Spout receptor kit
146221W	95.45	Glacier	Spout receptor kit
146258	10.60	N/A or Unfinished	Template kit
146259	53.00	N/A or Unfinished	Data cable
146670	5.55	Chrome	Plug button kit
146670BN	11.90	Brushed Nickel	Slide bar end cap
146670ORB	13.10	Oil Rubbed Bronze	Plug button kit
146670P	13.10	Polished Brass	Slide bar end cap
146670WR	13.10	Wrought Iron	Plug button kit
146711CSL	177.95	Classic Stainless	Spout kit
146711ORB	195.75	Oil Rubbed Bronze	Spout kit
146712	29.15	Chrome	Handle kit
146712ORB	44.85	Oil Rubbed Bronze	Handle kit
146712SRS	39.45	Spot Resist Stainless	Handle kit
146778	28.80	Chrome	Escutcheon
146778BC	37.35	Brushed Chrome	Escutcheon
146778W	40.20	Glacier	Escutcheon
146779	28.20	Chrome	Escutcheon
146779BC	36.75	Brushed Chrome	Escutcheon
146780	37.75	Chrome	Handle kit
146781	25.90	Chrome	Handle kit
146781BC	33.55	Brushed Chrome	Handle kit
146781W	36.20	Glacier	Handle kit
146782	26.45	Chrome	Handle kit
146783	9.80	Chrome	Dome
146783BC	12.75	Brushed Chrome	Dome
146783W	13.70	Glacier	Dome
146784	161.35	Chrome	Spout kit
146784ORB	169.80	Oil Rubbed Bronze	Spout kit
146784SRS	233.95	Spot Resist Stainless	Spout kit
146785	68.40	Chrome	Spout kit
146786	54.60	Chrome	Spout kit
146786BC	71.10	Brushed Chrome	Spout kit
146786W	76.55	Glacier	Spout kit

Part Number	List Price	Finish	Description
146787	6.25	N/A or Unfinished	Bearing washer kit
146788	31.75	Chrome	Escutcheon
146789	6.10	N/A or Unfinished	O-ring kit
146790	13.15	N/A or Unfinished	Mounting kit
146851	33.10	Chrome	Handle kit
146851BL	53.00	Matte Black	Handle kit
146851SRS	51.20	Spot Resist Stainless	Handle kit
146926	5.30	N/A or Unfinished	O-ring kit
146927	9.50	N/A or Unfinished	Mounting kit
146928	27.60	Chrome	Handle kit
146928CSL	39.85	Classic Stainless	Handle kit
146936	4.80	N/A or Unfinished	Spacer kit
147204	24.85	Chrome	Escutcheon & gasket kit
147204BN	60.15	Brushed Nickel	Escutcheon & gasket kit
147206	88.15	N/A or Unfinished	Extension kit
147207	26.50	N/A or Unfinished	Handle adapter kit
147208	141.65	N/A or Unfinished	Cartridge repair kit
147209	39.70	N/A or Unfinished	Check stop
147210	33.10	N/A or Unfinished	Cartridge repair kit
147211	19.80	N/A or Unfinished	Handle adapter kit
147212	33.10	N/A or Unfinished	Handle extension kit
147213	10.60	N/A or Unfinished	Mounting kit
147539	30.80	Chrome	Escutcheon
147539SRS	45.85	Spot Resist Stainless	Escutcheon
147540	9.80	Chrome	Plug button kit
147540CSL	15.05	Classic Stainless	Plug button kit
147540SRS	15.05	Spot Resist Stainless	Plug button kit
147541	31.25	Chrome	Handle hub kit
147541CSL	48.00	Classic Stainless	Handle hub kit
147541SRS	46.45	Spot Resist Stainless	Handle hub kit
147542	20.15	Chrome	Handle kit
147542BN	29.65	Brushed Nickel	Handle insert kit
147542SRS	29.95	Spot Resist Stainless	Handle kit
147543	195.00	Chrome	Spout kit
147543SRS	290.05	Spot Resist Stainless	Spout kit
147544	11.10	N/A or Unfinished	Bearing washer kit
147545	133.25	Chrome	Spout kit
147546	63.60	Chrome	Wand kit
147546CSL	85.80	Classic Stainless	Wand kit
147548	20.45	N/A or Unfinished	Hose adapter
147549	14.80	Chrome	Escutcheon & gasket kit
147549BN	21.80	Brushed Nickel	Escutcheon
147550	15.70	Chrome	Lift rod kit
147550BN	22.95	Brushed Nickel	Lift rod kit
147552	31.25	Chrome	Handle hub kit
147552BN	45.90	Brushed Nickel	Handle hub
147554	9.20	Chrome	Spout cap kit
147554BN	13.40	Brushed Nickel	Slot plug
147555	37.75	Chrome	Extension kit
147555BN	55.45	Brushed Nickel	Extension kit
147556	130.75	Chrome	Extension kit
147556BN	191.75	Brushed Nickel	Extension kit
147557	32.65	Chrome	Handle kit
147557BN	47.90	Brushed Nickel	Handle kit
147558	7.55	N/A or Unfinished	Plug button kit
147559	24.35	N/A or Unfinished	Handle adapter kit
147562	10.05	Chrome	Escutcheon
147562BN	14.15	Brushed Nickel	Escutcheon
147563	10.75	Chrome	Escutcheon
147563BN	15.70	Brushed Nickel	Escutcheon
147564	23.70	Chrome	Lift rod kit
147564BN	34.75	Brushed Nickel	Lift rod kit
147565	312.10	Chrome	Spout kit
147565BN	457.65	Brushed Nickel	Spout kit
147566	29.60	Chrome	Escutcheon
147566BN	43.35	Brushed Nickel	Escutcheon
147567	55.25	Chrome	Escutcheon
147567BN	80.85	Brushed Nickel	Escutcheon
147568	344.25	Chrome	Spout kit
147568BN	504.55	Brushed Nickel	Spout kit
147569	40.65	Chrome	Lift rod kit
147569BN	59.45	Brushed Nickel	Lift rod kit
147570	5.35	N/A or Unfinished	Bearing washer kit
147572	10.60	Chrome	Shower arm flange
147572BN	15.50	Brushed Nickel	Shower arm flange
147573	29.40	Chrome	Handle kit
147573BN	43.15	Brushed Nickel	Handle kit
147574	57.95	Chrome	Escutcheon & gasket kit
147574BN	85.00	Brushed Nickel	Shower escutcheon
147575	5.25	N/A or Unfinished	Set screw kit
147576	60.80	Chrome	Escutcheon & gasket kit
147576BN	89.15	Brushed Nickel	Shower escutcheon
148148BN	10.60	Brushed Nickel	Dome
148148NL	12.25	Polished Nickel	Dome kit
148148ORB	12.25	Oil Rubbed Bronze	Dome kit
148149	23.90	Chrome	Handle kit
148149BN	23.90	Brushed Nickel	Handle kit
148282	6.65	Chrome	Flow restrictor kit
148478	5.30	Chrome	Plaster ground
148479	26.50	Chrome	Extension kit
148479BN	49.60	Brushed Nickel	Extension kit
148479WR	49.95	Wrought Iron	Extension kit
148480	26.50	Chrome	Shower escutcheon
148480BN	33.10	Chrome	Shower escutcheon
148480ORB	36.45	Oil Rubbed Bronze	Shower escutcheon
148521	10.60	N/A or Unfinished	Support plate with gasket
148606	9.95	N/A or Unfinished	CPVC transition fittings (4) &
148625	22.50	Chrome	@
148819	73.75	Chrome	Spout kit
148819CSL	94.60	Classic Stainless	Spout kit
148819ORB	106.95	Oil Rubbed Bronze	Spout kit
148820	26.50	Chrome	Handle kit
148820BL	38.90	Matte Black	Handle kit
148820CSL	34.60	Classic Stainless	Handle kit
148820ORB	38.35	Oil Rubbed Bronze	Handle kit
148820SRS	34.60	Spot Resist Stainless	Handle kit
148821	5.25	N/A or Unfinished	Gasket kit
148974	3.65	Chrome	Gasket kit
149088	9.50	N/A or Unfinished	Diverter kit
149111	29.40	Chrome	Handle kit
149111BN	39.45	Brushed Nickel	Handle kit
149112	17.85	Chrome	Lift rod kit
149112BN	21.95	Brushed Nickel	Lift rod kit
149113	45.40	Chrome	Handle kit
149113BN	62.60	Brushed Nickel	Handle kit
149114	208.45	Chrome	Spout kit
149114BN	283.00	Brushed Nickel	Spout kit
149115	15.05	Chrome	Lift rod kit
149115BN	19.25	Brushed Nickel	Lift rod kit
149116	272.20	Chrome	Roman tub spout kit
149116BN	365.60	Brushed Nickel	Roman tub spout kit
149117	12.80	Chrome	Aerator
149118	295.00	Chrome	Roman tub spout kit
149118BN	389.45	Brushed Nickel	Roman tub spout kit
149119	20.90	Chrome	Lift rod kit

Moen Genuine Parts

Listed in numerical order

Part Number	List Price	Finish	Description
149119BN	26.10	Brushed Nickel	Lift rod kit
149121	4.95	N/A or Unfinished	Hot/cold indicator kit
149122	33.10	Chrome	Handle kit
149122BN	43.60	Brushed Nickel	Handle kit
149123	54.55	Chrome	Shower escutcheon
149123BN	73.15	Brushed Nickel	Shower escutcheon
149381	8.00	N/A or Unfinished	Plaster ground
149570	32.65	Chrome	Handle kit
149570CSL	47.30	Classic Stainless	Handle kit
149570SRS	67.30	Spot Resist Stainless	Handle kit
149571	37.10	Chrome	Escutcheon
149571CSL	37.10	Classic Stainless	Escutcheon
149571SRS	65.10	Spot Resist Stainless	Escutcheon
149748	13.00	Chrome	Slide bar end cap
149748BN	18.90	Brushed Nickel	Plug button kit
150257	38.35	N/A or Unfinished	Cartridge
150259	33.70	N/A or Unfinished	Hose kit
150260	15.90	N/A or Unfinished	Hose weight
150287	99.85	Chrome	Spout kit
150287CSL	124.45	Classic Stainless	Spout kit
150288	192.00	Chrome	Spout kit
150288CSL	246.50	Classic Stainless	Spout kit
150288SRS	238.15	Spot Resist Stainless	Spout kit
150313	8.60	N/A or Unfinished	3/8" Square drive tool
150625	23.80	Chrome	Handle kit
150625BC	28.60	Brushed Chrome	Handle kit
150625BN	47.60	Brushed Nickel	Handle kit
150625P	37.05	Brushed Chrome	Handle kit
150626	24.30	Chrome	Handle kit
150627	27.90	N/A or Unfinished	Handle hub
150628	7.15	Chrome	Dome
150628BC	8.65	Chrome	Dome
150628BN	10.40	Brushed Nickel	Handle hub
150628CBN	10.40	Classic Brushed Nickel	Dome
150628P	11.25	Chrome	Dome
150662	26.25	Chrome	Handle kit
150662ORB	41.80	Oil Rubbed Bronze	Handle kit
150662SRS	35.00	Spot Resist Stainless	Handle kit
150662WR	41.80	Wrought Iron	Handle kit
150663	49.00	Chrome	Handle escutcheon
150663ORB	78.10	Oil Rubbed Bronze	Handle escutcheon
150663SRS	65.30	Spot Resist Stainless	Handle escutcheon
150663WR	78.10	Wrought Iron	Handle escutcheon
150664	30.85	Chrome	Handle kit
150664CSL	44.70	Classic Stainless	Handle kit
150664ORB	49.20	Oil Rubbed Bronze	Handle kit
150665	37.05	Chrome	Handle kit
150665ORB	59.05	Oil Rubbed Bronze	Handle kit
150665SRS	53.65	Spot Resist Stainless	Handle kit
150666	9.95	Chrome	Dome kit
150666ORB	22.55	Oil Rubbed Bronze	Dome kit
150667	37.05	Chrome	Handle escutcheon
150667ORB	59.05	Oil Rubbed Bronze	Handle escutcheon
150667SRS	53.65	Spot Resist Stainless	Handle escutcheon
150668	33.70	Chrome	Handle kit
150668ORB	53.85	Oil Rubbed Bronze	Handle kit
150668SRS	47.30	Spot Resist Stainless	Handle kit
150669	11.40	Chrome	Dome kit
150669ORB	24.25	Oil Rubbed Bronze	Dome kit
150669SRS	16.00	Spot Resist Stainless	Dome kit
150671	27.60	Chrome	Handle kit
150672	106.95	Chrome	Spout kit
150883	3.65	N/A or Unfinished	Hot/cold indicator kit
151187CSL	119.70	Classic Stainless	Spout kit
151188	52.75	Chrome	Spout kit
151188CSL	76.50	Classic Stainless	Spout kit
151188ORB	84.15	Oil Rubbed Bronze	Spout kit
151189	29.45	Chrome	Wand kit
151189BL	51.40	Matte Black	Spout kit
151189CSL	39.75	Classic Stainless	Wand kit
151189ORB	42.90	Oil Rubbed Bronze	Wand kit
151190	16.50	Chrome	Aerator kit
151190CSL	31.40	Classic Stainless	Aerator kit
151644	1.35	N/A or Unfinished	Plug button kit
151813	21.50	Chrome	Escutcheon
151813BN	28.80	Brushed Nickel	Escutcheon
152027	57.25	Chrome	Chrome line list items
152027BN	85.30	Brushed Nickel	Brushed nickel line list items
152859	4.75	Chrome	Plug button kit
152859BC	5.65	Brushed Chrome	Plug button kit
152859BL	5.65	Black	Plug button kit
152859CSL	5.65	Classic Stainless	Plug button kit
152859NL	5.65	Polished Nickel	Plug button kit
152859ORB	5.65	Oil Rubbed Bronze	Plug button kit
152859P	5.65	Polished Brass	Plug button kit
152859W	4.60	Glacier	Plug button kit
153206	7.50	Chrome	Dome
153206P	11.55	Chrome	Dome
153641	49.00	Chrome	Dome
153641CSL	71.00	Classic Stainless	Dome
153641ORB	78.10	Oil Rubbed Bronze	Dome
153641SRS	65.30	Spot Resist Stainless	Dome
153641WR	78.10	Wrought Iron	Dome
153977	43.85	Chrome	Wand kit
153977CSL	53.30	Chrome	Wand kit
153977ORB	82.50	Chrome	Wand kit
153978	28.65	Chrome	Handle kit
153978ORB	46.50	Chrome	Handle kit
153978SRS	35.50	Spot Resist Stainless	Handle kit
153982	21.85	Chrome	Aerator kit
153982ORB	34.00	Old World Bronze	Aerator kit
153983	4.40	Chrome	Gasket kit
154285	56.60	Chrome	Handle cap kit
154286	166.70	Chrome	Spout kit
154286BN	249.10	Brushed Nickel	Spout kit
154286NL	274.05	Polished Nickel	Spout kit
154286ORB	274.05	Oil Rubbed Bronze	Spout kit
154287	19.65	Chrome	Lift rod kit
154287BN	25.20	Brushed Nickel	Lift rod kit
154287NL	27.80	Polished Nickel	Lift rod kit
154287ORB	27.80	Oil Rubbed Bronze	Lift rod kit
154288	21.85	Chrome	Aerator
154288ORB	33.65	Oil Rubbed Bronze	Aerator
154288SRS	31.50	Spot Resist Stainless	Aerator
154289	6.95	N/A or Unfinished	Aerator
154290	210.30	Chrome	Roman tub spout kit
154290BN	305.00	Brushed Nickel	Roman tub spout kit
154290NL	323.90	Polished Nickel	Roman tub spout kit
154290ORB	323.90	Oil Rubbed Bronze	Roman tub spout kit
154291	228.75	Chrome	Roman tub diverter spout
154291BN	331.70	Brushed Nickel	Roman tub diverter spout
154291NL	344.85	Polished Nickel	Roman tub diverter spout
154291ORB	344.85	Oil Rubbed Bronze	Roman tub diverter spout
154292	13.75	Chrome	Diverter rod kit
154292BN	20.45	Brushed Nickel	Diverter rod kit
154292NL	22.50	Polished Nickel	Diverter rod kit

Part Number	List Price	Finish	Description
154292ORB	22.50	Oil Rubbed Bronze	Diverter rod kit
154293	364.25	Chrome	Spout kit
154293BN	529.80	Brushed Nickel	Spout kit
154293NL	560.95	Polished Nickel	Spout kit
154293ORB	560.95	Oil Rubbed Bronze	Spout kit
154294	23.90	Chrome	Handle kit
154294BN	34.60	Brushed Nickel	Handle kit
154294NL	36.75	Polished Nickel	Handle kit
154294ORB	36.75	Oil Rubbed Bronze	Handle kit
154294SRS	34.60	Spot Resist Stainless	Handle kit
154295	32.50	Chrome	Stream straightener
154295BN	48.85	Brushed Nickel	Stream straightener
154295NL	53.65	Polished Nickel	Stream straightener
154295ORB	53.65	Oil Rubbed Bronze	Stream straightener
154296	248.35	Chrome	@
154296BN	273.15	Brushed Nickel	Brushed nickel slide bars
154296NL	300.50	Polished Nickel	Slide bar
154296ORB	300.50	Oil Rubbed Bronze	Slide bar
154297	8.30	Chrome	Slide bar end cap
154297BN	13.05	Brushed Nickel	Slide bar end cap
154297NL	14.40	Polished Nickel	Slide bar end cap
154297ORB	14.40	Oil Rubbed Bronze	Slide bar end cap
154298	15.30	Chrome	Handle kit
154298BN	22.05	Brushed Nickel	Handle kit
154298NL	22.05	Polished Nickel	Handle kit
154298ORB	24.30	Oil Rubbed Bronze	Handle kit
154299	55.80	Chrome	Wall escutcheon and gasket
154299BN	86.00	Brushed Nickel	Wall escutcheon and gasket
154299NL	94.60	Polished Nickel	Wall escutcheon and gasket
154299ORB	94.60	Oil Rubbed Bronze	Wall escutcheon and gasket
154300	36.10	Chrome	Shower escutcheon
154300BN	52.30	Brushed Nickel	Shower escutcheon
154300NL	57.60	Polished Nickel	Shower escutcheon
154300ORB	57.60	Oil Rubbed Bronze	Shower escutcheon
154301	37.30	Chrome	Handle hub
154301BN	54.05	Brushed Nickel	Handle hub
154301NL	59.40	Polished Nickel	Handle hub
154301ORB	59.40	Oil Rubbed Bronze	Handle hub
154302	46.00	Chrome	Handle hub
154302BN	54.05	Brushed Nickel	Handle hub
154302NL	54.05	Polished Nickel	Handle hub
154302ORB	56.15	Oil Rubbed Bronze	Handle hub
154305NL	187.75	Polished Nickel	Handheld shower
154306	13.75	Chrome	Handle kit
154306BN	19.80	Brushed Nickel	Handle kit
154306NL	21.90	Polished Nickel	Handle kit
154306ORB	21.90	Oil Rubbed Bronze	Handle kit
154364	6.70	N/A or Unfinished	Aerator kit
154391	29.75	Chrome	Handle hub
154795	36.30	N/A or Unfinished	Sillcock service kit
154796	37.90	N/A or Unfinished	Sillcock service kit
154797	39.30	N/A or Unfinished	Sillcock service kit
155023	4.75	N/A or Unfinished	Screw kit
155649	40.80	Chrome	Escutcheon
155649BN	59.15	Brushed Nickel	Escutcheon
155649NL	59.15	Polished Nickel	Escutcheon
155649ORB	65.10	Oil Rubbed Bronze	Escutcheon
155650	36.35	Chrome	Escutcheon
155650BN	52.80	Brushed Nickel	Escutcheon
155650NL	52.80	Polished Nickel	Escutcheon
155650ORB	58.05	Oil Rubbed Bronze	Escutcheon
155651	16.40	N/A or Unfinished	Hardware kit
155652	6.25	N/A or Unfinished	Hardware kit
155654	4.30	N/A or Unfinished	O-ring kit
155655	1.30	N/A or Unfinished	Screen washer
155656	34.25	N/A or Unfinished	Extension kit
155658	14.55	N/A or Unfinished	Hardware kit
155664	208.45	Chrome	Spout kit
155664BN	268.25	Brushed Nickel	Spout kit
155664ORB	302.05	Oil Rubbed Bronze	Spout kit
155665	196.75	Chrome	Spout kit
155665BN	252.75	Brushed Nickel	Spout kit
155665ORB	284.45	Oil Rubbed Bronze	Spout kit
155746	176.35	Chrome	Chrome slide bars
155746BN	255.70	Brushed Nickel	Brushed nickel slide bars
155746ORB	281.25	Oil Rubbed Bronze	Oil rubbed bronze line list items
155759	7.95	N/A or Unfinished	Screw kit
155891	56.55	Chrome	Chrome eco-performance handshower handheld shower
155891BN	82.05	Brushed Nickel	Brushed nickel eco-performance rainshower handheld shower
156723	15.30	Chrome	Handle kit
156723P	47.15	Polished Brass	Handle kit
156724	44.15	Chrome	Handle kit
156724BC	53.00	Brushed Chrome	Handle kit
156781	62.30	Chrome	Spout hub kit
156781CSL	88.65	Classic Stainless	Spout kit
156781ORB	99.15	Oil Rubbed Bronze	Spout hub kit
156782	27.95	N/A or Unfinished	Hardware kit
156815	119.75	Chrome	Showerhead kit
157131	27.85	Chrome	Shower escutcheon
157131BC	48.55	Brushed Chrome	Shower escutcheon
157131P	43.35	Polished Brass	Shower escutcheon
157328	41.35	Chrome	Escutcheon
157328ORB	52.30	Oil Rubbed Bronze	Escutcheon
157328SRS	46.55	Spot Resist Stainless	Escutcheon
158080	14.10	Chrome	Escutcheon
158080BN	16.60	Brushed Nickel	Escutcheon
158197	80.45	Chrome	Spout kit
158197CSL	110.20	Classic Stainless	Spout kit
158198CSL	97.35	Classic Stainless	Spout kit
158198SRS	89.65	Spot Resist Stainless	Spout kit
158492	24.45	Chrome	Handle kit
158493	22.20	Chrome	Handle kit
158493BN	27.20	Brushed Nickel	Handle kit
158494	28.55	Chrome	Handle kit
158494BN	39.40	Brushed Nickel	Handle kit
158495	32.70	Chrome	Handle kit
158495BN	46.50	Brushed Nickel	Handle kit
158532ORB	11.50	Chrome	Dome
158550	4.55	N/A or Unfinished	Check valve kit
159014	38.55	Chrome	Escutcheon
159014BN	50.85	Brushed Nickel	Escutcheon
159018	69.30	Chrome	Handle kit
159018BN	93.70	Brushed Nickel	Handle kit
159018ORB	104.90	Oil Rubbed Bronze	Handle kit
159019	69.20	Chrome	Handle kit
159019BN	90.55	Brushed Nickel	Handle kit
159020	69.65	Chrome	Handle kit
159020BN	94.90	Brushed Nickel	Handle kit
159022	61.40	Chrome	Escutcheon
159022BN	84.20	Brushed Nickel	Escutcheon

Moen Genuine Parts

Listed in numerical order

Part Number	List Price	Finish	Description
159022ORB	81.60	Oil Rubbed Bronze	Escutcheon
159023	58.10	Chrome	Escutcheon
159023BN	78.95	Brushed Nickel	Escutcheon
159024	69.00	Chrome	Handle kit
159024BN	93.20	Brushed Nickel	Handle kit
159028	69.95	Chrome	Handle kit
159028BN	92.15	Brushed Nickel	Handle kit
159029	70.00	Chrome	Handle kit
159029BN	95.35	Brushed Nickel	Handle kit
159029ORB	102.05	Oil Rubbed Bronze	Handle kit
159060	18.10	N/A or Unfinished	Hose guide
159107	33.80	Chrome	Handle kit
159107BN	49.45	Brushed Nickel	Handle kit
159107P	54.30	Polished Brass	Handle kit
159264	33.10	Chrome	Escutcheon
159264BN	41.45	Brushed Nickel	Escutcheon
159266	34.35	Chrome	Handle kit
159266BN	50.25	Brushed Nickel	Handle kit
159558CSL	69.75	Classic Stainless	Spout kit
159559	12.85	N/A or Unfinished	Hose weight
159560	32.70	N/A or Unfinished	Hose kit
159561	52.00	Chrome	Wand kit
159561BL	51.30	Matte Black	Wand kit
159561ORB	100.10	Matte Black	Wand kit
159561SRS	60.75	Spot Resist Stainless	Wand kit
159563	56.60	Chrome	Wand kit
159563ORB	81.05	Oil Rubbed Bronze	Wand kit
159576	6.55	N/A or Unfinished	Gasket
159581	33.50	N/A or Unfinished	Hose kit
159582	16.50	N/A or Unfinished	Hose kit
160659	8.80	Chrome	Dome kit
160659BN	9.40	Chrome	Dome kit
160659NL	11.75	Polished Nickel	Dome kit
160659ORB	10.20	Chrome	Dome kit
160659SRS	10.85	Spot Resist Stainless	Dome kit
160660	8.80	Chrome	Cartridge nut
160660BL	14.15	Matte Black	Dome
160660BN	9.40	Brushed Nickel	Cartridge nut
160660ORB	10.20	Oil Rubbed Bronze	Cartridge nut
160660SRS	14.65	Spot Resist Stainless	Dome
160997SRS	27.95	Spot Resist Stainless	Aerator
160998SRS	49.65	Spot Resist Stainless	Wand kit
160999SRS	19.35	Spot Resist Stainless	Aerator
161143	53.00	Chrome	Wand kit
161143BL	50.70	Matte Black	Wand kit
161143SRS	55.00	Spot Resist Stainless	Wand kit
161143V	38.70	Ivory	Wand kit
161143WG	50.70	Glacier	Wand kit
161144	47.05	Chrome	Wand kit
161144SRS	69.75	Spot Resist Stainless	Wand kit
161145	29.45	Chrome	Wand kit
161145ORB	42.90	Oil Rubbed Bronze	Wand kit
161146	75.10	Chrome	Wand kit
161146CSL	69.20	Classic Stainless	Wand kit
161147	85.65	Chrome	Wand kit
161147ORB	150.35	Chrome	Wand kit
161147W	124.40	Glacier	Wand kit
161148	58.65	Chrome	Wand kit
161148CSL	67.30	Classic Stainless	Wand kit
161149	86.25	Chrome	Wand kit
161149ORB	112.25	Oil Rubbed Bronze	Wand kit
161149SRS	103.30	Spot Resist Stainless	Wand kit
161150	79.20	Chrome	Wand kit
161150CSL	95.75	Classic Stainless	Wand kit
161150ORB	98.40	Oil Rubbed Bronze	Wand kit
161151	63.60	Chrome	Wand kit
161151CSL	85.80	Classic Stainless	Wand kit
161152	59.55	Chrome	Wand kit
161152CSL	112.60	Classic Stainless	Wand kit
161152SRS	108.70	Spot Resist Stainless	Wand kit
161153	35.65	Chrome	Wand kit
161153ORB	54.70	Oil Rubbed Bronze	Wand kit
161153SRS	48.05	Spot Resist Stainless	Wand kit
161154	66.20	Chrome	Wand kit
161154SRS	115.15	Spot Resist Stainless	Wand kit
161156	51.20	Chrome	Wand kit
161156ORB	63.55	Oil Rubbed Bronze	Wand kit
161156SRS	60.80	Spot Resist Stainless	Wand kit
161157	43.85	Chrome	Wand kit
161157ORB	82.50	Oil Rubbed Bronze	Wand kit
161157SRS	53.30	Spot Resist Stainless	Wand kit
161756	23.65	N/A or Unfinished	Mounting kit
161757	7.15	N/A or Unfinished	Cartridge nut
161758	25.15	N/A or Unfinished	Stem extension kit
161759	5.10	N/A or Unfinished	Plaster ground
161760	6.20	N/A or Unfinished	Mounting kit
161761	35.90	N/A or Unfinished	Shank kit
161762	23.15	N/A or Unfinished	Mounting kit
161771	8.90	N/A or Unfinished	Mounting kit
161772	33.40	N/A or Unfinished	Diverter kit
161773	19.20	N/A or Unfinished	installation tool
161774	9.40	N/A or Unfinished	Handle adapter kit
161909	27.20	Chrome	Handle kit
161909BN	37.15	Brushed Nickel	Handle kit
161909ORB	41.90	Oil Rubbed Bronze	Handle kit
161917	14.50	Chrome	Lift rod kit
161917BN	17.65	Brushed Nickel	Lift rod kit
161917ORB	17.95	Oil Rubbed Bronze	Lift rod kit
161919	21.50	Chrome	Deck plate
161919BN	30.45	Brushed Nickel	Deck plate
161919ORB	38.25	Oil Rubbed Bronze	Deck plate
161942	57.20	Chrome	Handle kit
161942BN	78.10	Brushed Nickel	Handle kit
161942ORB	89.05	Oil Rubbed Bronze	Handle kit
161944	133.30	Chrome	Spout kit
161944BN	176.60	Brushed Nickel	Spout kit
161944ORB	202.40	Oil Rubbed Bronze	Spout kit
161945	38.35	Chrome	Handle screw
161945BN	47.25	Brushed Nickel	Handle kit
161945ORB	63.10	Oil Rubbed Bronze	Handle kit
161947	283.50	Chrome	Roman tub spout kit
161947BN	384.80	Brushed Nickel	Spout kit
161947ORB	363.80	Oil Rubbed Bronze	Spout kit
161949	309.75	Chrome	Roman tub spout kit
161949BN	406.90	Brushed Nickel	Spout kit
161949ORB	392.10	Oil Rubbed Bronze	Spout kit
161950	15.30	Chrome	Lift rod kit
161950BN	18.80	Brushed Nickel	Lift rod kit
161950ORB	19.40	Brushed Nickel	Lift rod kit
161952	44.25	Chrome	Shower escutcheon
161952BN	81.10	Brushed Nickel	Shower escutcheon
161952ORB	63.60	Oil Rubbed Bronze	Shower escutcheon
161953	33.10	Chrome	Shower escutcheon
161953BN	69.70	Brushed Nickel	Shower escutcheon
161953ORB	48.20	Oil Rubbed Bronze	Shower escutcheon
161954	40.65	Chrome	Handle kit
161954BN	54.30	Brushed Nickel	Handle kit
161954ORB	58.70	Oil Rubbed Bronze	Handle kit
161955ORB	118.40	Oil Rubbed Bronze	Oil rubbed bronze line list items
161956	6.10	Chrome	Hot/cold indicator kit

Part Number	List Price	Finish	Description
162105	10.60	N/A or Unfinished	Handle cap kit
162154	26.65	N/A or Unfinished	Cartridge
162378	9.55	N/A or Unfinished	Check valve kit
162379	9.55	N/A or Unfinished	Check valve kit
162649	104.00	N/A or Unfinished	Cartridge nut
163053	179.35	Chrome	Spout kit
163053BN	229.80	Brushed Nickel	Spout kit
163053ORB	267.00	Oil Rubbed Bronze	Spout kit
163127	109.65	N/A or Unfinished	Cartridge
163138	38.35	Chrome	Handle kit
163138BN	47.25	Brushed Nickel	Handle kit
163138ORB	63.10	Oil Rubbed Bronze	Handle kit
163153	27.35	Chrome	Escutcheon
163153BN	33.15	Brushed Nickel	Escutcheon
163153ORB	40.10	Oil Rubbed Bronze	Escutcheon
163215	10.40	N/A or Unfinished	C-clip
163244	57.15	Chrome	Wand kit
163244SRS	65.55	Spot Resist Stainless	Wand kit
163245	164.90	Chrome	Spout kit
163245SRS	199.75	Spot Resist Stainless	Spout kit
163246	53.55	Chrome	Wand kit
163246CSL	65.80	Classic Stainless	Wand kit
163246SRS	65.80	Spot Resist Stainless	Wand kit
163247	54.05	Chrome	Spout receptor kit
163248	57.20	Chrome	Wand kit
163248CSL	66.25	Classic Stainless	Wand kit
163248ORB	117.30	Oil Rubbed Bronze	Wand kit
163248SRS	66.25	Spot Resist Stainless	Wand kit
163248W	50.70	Wrought Iron	Wand kit
163249	75.50	Chrome	Spout receptor kit
163249ORB	101.55	Oil Rubbed Bronze	Spout receptor kit
163249SRS	111.65	Spot Resist Stainless	Spout receptor kit
163249W	111.10	Wrought Iron	Spout receptor kit
163250	68.35	Chrome	Spout kit
163250BL	81.85	Black	Spout kit
163250SRS	90.90	Spot Resist Stainless	Spout kit
163710	6.15	N/A or Unfinished	Hose guide
163711	11.85	N/A or Unfinished	Battery kit
163714	193.15	N/A or Unfinished	Electronic module bracket kit
163716	12.25	N/A or Unfinished	Hose kit
163717	12.35	N/A or Unfinished	Filter manifold kit
163718	24.85	N/A or Unfinished	Hose kit
163792	3.45	Chrome	Cap
163792BN	5.70	Brushed Nickel	Cap
163792ORB	6.35	Oil Rubbed Bronze	Cap
163793	4.20	N/A or Unfinished	Hardware kit
163795SRS	57.20	Spot Resist Stainless	Wand kit
163847	10.05	N/A or Unfinished	Aerator
163949	3.85	Chrome	Plug button kit
163949BN	3.95	Brushed Nickel	Plug button kit
163949ORB	4.20	Oil Rubbed Bronze	Plug button kit
164486	11.65	Chrome	Hose guide
164486NL	26.55	Polished Nickel	Hose guide
164486ORB	55.35	Oil Rubbed Bronze	Hose guide
164486SRS	15.70	Spot Resist Stainless	Hose guide
164487	24.35	Chrome	Handle kit
164487NL	32.25	Polished Nickel	Handle kit
164487ORB	38.05	Oil Rubbed Bronze	Handle kit
164487SRS	32.65	Spot Resist Stainless	Handle kit
164488	38.90	Chrome	Aerator kit
164488NL	41.40	Polished Nickel	Aerator kit
164488ORB	47.15	Oil Rubbed Bronze	Aerator kit
164488SRS	41.40	Spot Resist Stainless	Aerator kit
165006	22.75	Chrome	Deck plate
165018	6.70	N/A or Unfinished	Aerator
165193	36.00	Chrome	Handle kit
165903	22.35	Chrome	Handle kit
165903BN	29.55	Brushed Nickel	Handle kit
165904	25.15	Chrome	Handle kit
165904BN	32.40	Brushed Nickel	Handle kit
165905	48.25	Chrome	Handle kit
165905BN	66.30	Brushed Nickel	Handle kit
165906	246.05	Chrome	Spout kit
165906BN	318.75	Brushed Nickel	Spout kit
165907	5.20	N/A or Unfinished	Hot/cold indicator kit
165908	220.80	Chrome	Spout kit
165908BN	305.85	Brushed Nickel	Spout kit
165909	377.95	Chrome	Diverter tub spout
165909BN	430.55	Brushed Nickel	Diverter tub spout
165910	50.25	Chrome	Lift rod kit
165910BN	69.50	Brushed Nickel	Lift rod kit
165911	78.15	Chrome	Shower escutcheon
165911BN	117.70	Brushed Nickel	Shower escutcheon
165912	44.15	Chrome	Handle escutcheon
165912BN	61.75	Brushed Nickel	Handle escutcheon
165913	33.10	Chrome	Handle kit
165913BN	45.30	Brushed Nickel	Handle kit
165914	132.15	Chrome	Diverter tub spout
165914BN	224.10	Brushed Nickel	Diverter tub spout
165916	65.35	Chrome	Handle kit
165916BN	90.75	Brushed Nickel	Handle kit
165917	65.00	Chrome	Handle kit
165917BN	90.10	Brushed Nickel	Handle kit
165922	19.90	Porcelain	Handle cap kit
165998	25.90	Chrome	Spout cap
165998NL	20.45	Chrome	Spout cap
165998ORB	32.55	Chrome	Spout cap
165998SRS	32.55	Chrome	Spout cap
168492	86.50	Chrome	Wand kit
168492SRS	125.35	Spot Resist Stainless	Wand kit
168493	96.40	Chrome	Spout kit
168493BRB	149.85	Mediterranean Bronze	Spout kit
168493MSRS	122.05	Spot Resist Stainless Microban	Spout kit
168493ORB	149.85	Oil Rubbed Bronze	Spout kit
168493SRS	139.80	Spot Resist Stainless	Spout kit
168494	22.60	Chrome	Handle kit
168494SRS	32.75	Spot Resist Stainless	Handle kit
168495	139.25	Chrome	Spout kit
168495SRS	201.90	Spot Resist Stainless	Spout kit
168496	30.55	Chrome	Hose & spray
168496SRS	44.30	Spot Resist Stainless	Hose & spray
168497	89.70	Chrome	Spout kit
168497SRS	129.95	Spot Resist Stainless	Spout kit
168498	5.25	N/A or Unfinished	Gasket
168499	7.70	Chrome	Aerator
168500	86.45	N/A or Unfinished	Wand kit
168501	149.75	Chrome	Pullout spout
168501BL	209.65	Matte Black	Pullout spout
168501SRS	217.10	Spot Resist Stainless	Pullout spout
168502	26.40	Chrome	Handle kit
168502BL	37.00	Matte Black	Handle kit
168502SRS	38.25	Spot Resist Stainless	Handle kit
168503	134.35	Chrome	Spout kit
168503BL	188.15	Matte Black	Spout kit
168503SRS	194.90	Spot Resist Stainless	Spout kit
168504	5.25	N/A or Unfinished	Gasket
168665	26.30	N/A or Unfinished	Adapter kit
168666	16.75	N/A or Unfinished	Side spray kit
168682	229.90	Chrome	Spout kit

Moen Genuine Parts

Listed in numerical order

Part Number	List Price	Finish	Description
168682BN	282.80	Brushed Nickel	Spout kit
168683	67.30	Chrome	Shower escutcheon
168683BN	101.25	Brushed Nickel	Shower escutcheon
168809	7.75	N/A or Unfinished	Mounting kit
168994	7.20	N/A or Unfinished	O-ring kit
169031	127.70	N/A or Unfinished	Adapter kit
169032	219.70	N/A or Unfinished	MotionSense reprogramming kit
169245ORB	11.20	Oil Rubbed Bronze	Dome kit
169252	40.45	Chrome	Escutcheon & gasket kit
169252ORB	45.45	Oil Rubbed Bronze	Escutcheon & gasket kit
169507	14.90	Chrome	Extension kit
169752	66.60	Chrome	Shower escutcheon
170145	323.80	Chrome	Spout kit
170145CSL	167.40	Classic Stainless	Spout kit
170145ORB	433.85	Oil Rubbed Bronze	Spout kit
170145SRS	405.15	Spot Resist Stainless	Spout kit
170206	6.00	N/A or Unfinished	Bearing washer kit
170926S	74.00	Sand	Hose & spray
171325	7.90	Black	Service kit
172654	34.80	Chrome	Handle kit
172654BN	43.05	Brushed Nickel	Handle kit
172655	32.45	Chrome	Escutcheon
172655BN	40.20	Brushed Nickel	Escutcheon
172658	38.80	Chrome	Lift rod kit
172658BN	55.25	Brushed Nickel	Lift rod kit
172659	236.70	Chrome	Spout kit
172659BN	319.95	Brushed Nickel	Spout kit
172660	232.65	Chrome	Spout kit
172660BN	321.90	Brushed Nickel	Spout kit
172661	34.60	Chrome	Lift rod kit
172661BN	49.00	Brushed Nickel	Lift rod kit
172662	19.70	Chrome	Spout kit
172662BN	27.25	Brushed Nickel	Spout kit
172663	45.60	Chrome	Handle kit
172663BN	63.05	Brushed Nickel	Handle kit
172664	25.50	Chrome	Handle kit
172664BN	30.55	Brushed Nickel	Handle kit
172665	28.00	Chrome	Handle kit
172665BN	32.95	Brushed Nickel	Handle kit
172666	15.55	Chrome	Escutcheon
172666BN	19.30	Brushed Nickel	Escutcheon
172667	10.15	Chrome	Lift rod kit
172667BN	13.10	Brushed Nickel	Lift rod kit
172668	11.35	Chrome	Escutcheon
172668BN	13.90	Brushed Nickel	Escutcheon
172669	48.50	Chrome	Escutcheon
172669BN	64.00	Brushed Nickel	Escutcheon
173488BL	11.90	Black	Knob kit (soap dispenser cap)
173490	15.90	N/A or Unfinished	Liquid dispenser bottle
173714	171.30	N/A or Unfinished	Electronic module bracket kit
173717	29.05	N/A or Unfinished	Filter manifold kit
173720	3.00	N/A or Unfinished	Check valve kit
173981	98.05	Chrome	Spout kit
173981CSL	150.65	Classic Stainless	Spout kit
173981ORB	128.55	Oil Rubbed Bronze	Spout kit
173981SRS	118.65	Spot Resist Stainless	Spout kit
173987	22.35	Chrome	Handle kit
173987SRS	28.90	Spot Resist Stainless	Handle kit
173988	74.95	Chrome	Wand kit
173988SRS	91.35	Spot Resist Stainless	Wand kit
173989	99.15	Chrome	Spout receptor kit
173989SRS	131.45	Spot Resist Stainless	Spout receptor kit
174055	29.85	N/A or Unfinished	Battery housing
174056	94.85	N/A or Unfinished	Solenoid repair kit
174057	26.35	N/A or Unfinished	Strain relief & sensor cable
174058	131.25	N/A or Unfinished	Adapter kit
174060	16.70	N/A or Unfinished	Mounting kit
174061	23.40	Chrome	Manual ovrrd temp cntrl handle
174062	8.65	N/A or Unfinished	Hardware kit
174065	47.35	N/A or Unfinished	in-line filter w/ check valve
174066	5.45	N/A or Unfinished	Filter screen
174290	19.10	N/A or Unfinished	Extension kit
174291	38.35	N/A or Unfinished	Valve body
174292	38.35	N/A or Unfinished	Valve body
174329	8.50	N/A or Unfinished	Handle adapter kit
174333	42.35	Chrome	Shower escutcheon
174335	187.35	N/A or Unfinished	ir sensor bracket
174336	18.55	Chrome	Plug button kit
174337	18.55	Chrome	Plug button kit
174818	20.90	Chrome	Spout kit
174836	4.40	N/A or Unfinished	Diverter kit
174948MBRB	113.40	Mediterranean Bronze Microban	Spout kit
175083	6.70	N/A or Unfinished	Aerator
175084	6.70	N/A or Unfinished	Aerator
175376	34.20	Chrome	Handle kit
175376BN	47.80	Brushed Nickel	Handle kit
175376NL	47.80	Polished Nickel	Handle kit
175376ORB	52.65	Oil Rubbed Bronze	Handle kit
175377	45.00	Chrome	Escutcheon
175377BN	63.10	Brushed Nickel	Escutcheon
175377NL	63.10	Polished Nickel	Escutcheon
175377ORB	69.40	Oil Rubbed Bronze	Escutcheon
175378	30.95	Chrome	Lift rod kit
175378BN	43.30	Brushed Nickel	Lift rod kit
175378NL	43.30	Polished Nickel	Lift rod kit
175378ORB	47.65	Oil Rubbed Bronze	Lift rod kit
175379	44.40	Chrome	Handle kit
175379BN	62.10	Brushed Nickel	Handle kit
175379NL	62.10	Polished Nickel	Handle kit
175379ORB	68.30	Oil Rubbed Bronze	Handle kit
175380	56.45	Chrome	Handle kit
175380BN	79.05	Brushed Nickel	Handle kit
175380NL	79.05	Polished Nickel	Handle kit
175380ORB	87.00	Oil Rubbed Bronze	Handle kit
175381	145.70	Chrome	Spout kit
175381BN	203.95	Brushed Nickel	Spout kit
175381NL	203.95	Polished Nickel	Spout kit
175381ORB	224.35	Oil Rubbed Bronze	Handle kit
175382	280.30	Chrome	Spout kit
175382BN	392.45	Brushed Nickel	Spout kit
175382NL	392.45	Polished Nickel	Spout kit
175382ORB	431.75	Oil Rubbed Bronze	Spout kit
175383	45.00	Chrome	Escutcheon
175383BN	63.05	Brushed Nickel	Escutcheon
175383NL	63.05	Polished Nickel	Escutcheon
175383ORB	69.40	Oil Rubbed Bronze	Escutcheon
175385	69.05	Chrome	Chrome diverter spouts line list items
175385BN	107.15	Brushed Nickel	Brushed nickel diverter spouts line list items
175385NL	107.15	Polished Nickel	Polished nickel diverter spouts line list items
175385ORB	117.75	Oil Rubbed Bronze	@
175386	28.95	Chrome	Escutcheon

Part Number	List Price	Finish	Description
175386BN	40.55	Brushed Nickel	Escutcheon
175386NL	40.55	Polished Nickel	Escutcheon
175386ORB	44.60	Oil Rubbed Bronze	Escutcheon
175709	103.85	N/A or Unfinished	Extension kit
175916	14.95	N/A or Unfinished	Adapter kit
175917	14.95	N/A or Unfinished	Adapter kit
175918	14.95	N/A or Unfinished	Adapter kit
175921	14.95	N/A or Unfinished	Adapter kit
175925	14.95	N/A or Unfinished	Service kit
175926	14.95	N/A or Unfinished	Service kit
175959	28.35	Chrome	Handle kit
175959ORB	41.55	Oil Rubbed Bronze	Handle kit
175959SRS	35.70	Spot Resist Stainless	Handle kit
175960	53.20	Chrome	Wand kit
175960ORB	78.90	Oil Rubbed Bronze	Wand kit
175960SRS	62.85	Spot Resist Stainless	Wand kit
175961	186.60	Chrome	Spout receptor kit
175961ORB	291.90	Oil Rubbed Bronze	Spout receptor kit
175961SRS	240.00	Spot Resist Stainless	Spout receptor kit
175983	145.00	Chrome	Spout kit
175983ORB	218.20	Oil Rubbed Bronze	Spout kit
175983SRS	178.80	Spot Resist Stainless	Spout kit
175984	40.70	Chrome	Wand kit
175984ORB	58.65	Oil Rubbed Bronze	Wand kit
175984SRS	49.90	Spot Resist Stainless	Wand kit
175985	24.75	Chrome	Handle kit
175985ORB	35.80	Oil Rubbed Bronze	Handle kit
175985SRS	31.00	Spot Resist Stainless	Handle kit
175988	134.10	Chrome	Spout kit
175988ORB	208.30	Oil Rubbed Bronze	Spout kit
175988SRS	171.85	Spot Resist Stainless	Spout kit
175989	39.85	Chrome	Wand kit
175989ORB	59.10	Oil Rubbed Bronze	Wand kit
175989SRS	48.95	Spot Resist Stainless	Wand kit
175991	4.15	N/A or Unfinished	Gasket
176077	76.75	Chrome	Spout kit
176077BL	98.65	Black	Spout kit
176077BRB	119.35	Mediterranean Bronze	Spout kit
176077MSRS	97.35	Spot Resist Stainless Microban	Spout kit
176077ORB	119.35	Oil Rubbed Bronze	Spout kit
176078	85.20	Chrome	Spout kit
176078BRB	122.95	Mediterranean Bronze	Spout kit
176078ORB	122.95	Oil Rubbed Bronze	Spout kit
176078SRS	93.25	Spot Resist Stainless	Spout kit
176079	82.35	Chrome	Spout kit
176079BL	103.05	Black	Spout kit
176079ORB	125.10	Oil Rubbed Bronze	Spout kit
176079SRS	110.75	Spot Resist Stainless	Spout kit
176080	81.60	Chrome	Spout kit
176080ORB	113.65	Oil Rubbed Bronze	Spout kit
176080SRS	124.70	Spot Resist Stainless	Spout kit
176081	87.65	Chrome	Spout kit
176081BL	112.65	Black	Spout kit
176081SRS	123.75	Spot Resist Stainless	Spout kit
176083	150.90	Chrome	Spout kit
176083ORB	205.15	Oil Rubbed Bronze	Spout kit
176083SRS	194.20	Spot Resist Stainless	Spout kit
176085	47.10	Chrome	Spout kit
176085ORB	66.25	Oil Rubbed Bronze	Spout kit
176085SRS	68.75	Spot Resist Stainless	Spout kit
176086	88.70	Chrome	Spout kit
176086ORB	119.75	Oil Rubbed Bronze	Spout kit
176086SRS	119.70	Spot Resist Stainless	Spout kit
176087	54.00	Chrome	Spout kit
176087BL	60.70	Black	Spout kit
176087ORB	69.55	Oil Rubbed Bronze	Spout kit
176087SRS	69.75	Spot Resist Stainless	Spout kit
176088	68.35	Chrome	Spout kit
176088SRS	88.75	Spot Resist Stainless	Spout kit
176260	23.80	Chrome	Handle kit
176260SRS	32.90	Spot Resist Stainless	Handle kit
176261	61.00	Chrome	Spout kit
176261ORB	80.35	Oil Rubbed Bronze	Spout kit
176261SRS	86.35	Spot Resist Stainless	Spout kit
176262	175.25	Chrome	Spout kit
176262SRS	234.50	Spot Resist Stainless	Spout kit
176263	35.65	Chrome	Wand kit
176264	43.00	Chrome	Spout kit
176264SRS	53.35	Spot Resist Stainless	Spout kit
176265	5.95	Chrome	Gasket kit
176633	31.25	Chrome	Diverter kit
176633BN	43.80	Brushed Nickel	Diverter kit
176633NL	43.80	Polished Nickel	Diverter kit
176633ORB	48.10	Oil Rubbed Bronze	Diverter kit
177138	35.85	Chrome	Handle kit
177138BN	50.20	Brushed Nickel	Handle kit
177138ORB	55.30	Oil Rubbed Bronze	Handle kit
177167	35.25	Chrome	Deck plate
177167BN	49.40	Brushed Nickel	Deck plate
177167NL	49.40	Polished Nickel	Deck plate
177167ORB	54.30	Oil Rubbed Bronze	Deck plate
177171	88.15	Chrome	Shower arm
177171BN	119.20	Brushed Nickel	Shower arm
177171NL	119.20	Polished Nickel	Shower arm
177171ORB	131.15	Oil Rubbed Bronze	Shower arm
177565	53.30	N/A or Unfinished	AC Adapter for MotionSense
177566	39.25	N/A or Unfinished	Mounting hardware
177567	14.50	N/A or Unfinished	Battery kit
177568	103.50	N/A or Unfinished	Service kit
177569	196.65	N/A or Unfinished	Service kit
177570	10.15	N/A or Unfinished	Mounting kit
177572	23.80	N/A or Unfinished	Hose kit
177573	374.75	Chrome	Spout kit
177573ORB	416.10	Oil Rubbed Bronze	Spout kit
177573SRS	396.00	Spot Resist Stainless	Spout kit
177574	395.30	Chrome	Spout kit
177574ORB	434.70	Oil Rubbed Bronze	Spout kit
177574SRS	417.60	Spot Resist Stainless	Spout kit
177575	358.10	Chrome	Spout kit
177575SRS	380.65	Spot Resist Stainless	Spout kit
177576	411.40	Chrome	Spout kit
177576SRS	456.20	Spot Resist Stainless	Spout kit
177701	35.90	Chrome	Diverter knob kit
177701BN	50.35	Brushed Nickel	Diverter knob kit
177701ORB	55.35	Oil Rubbed Bronze	Diverter knob kit
177702	31.90	Chrome	Escutcheon
177702BN	44.60	Brushed Nickel	Escutcheon
177702ORB	49.05	Oil Rubbed Bronze	Escutcheon
177703	246.70	N/A or Unfinished	Valve body
177704	41.60	Chrome	Spray nozzle
177704BN	58.20	Brushed Nickel	Spray nozzle
177704ORB	64.05	Oil Rubbed Bronze	Spray nozzle
177705	55.95	Chrome	Spray nozzle
177706	13.45	N/A or Unfinished	Cartridge nut
178216	29.75	Chrome	Handle kit
178216ORB	42.00	Oil Rubbed Bronze	Handle kit
178216SRS	37.25	Spot Resist Stainless	Handle kit
178217	11.60	Chrome	Handle kit

Moen Genuine Parts

Listed in numerical order

Part Number	List Price	Finish	Description
178217ORB	19.10	Oil Rubbed Bronze	Handle kit
178217SRS	16.30	Spot Resist Stainless	Handle kit
178218	78.15	Chrome	Spout kit
178218ORB	126.60	Oil Rubbed Bronze	Spout kit
178218SRS	141.65	Spot Resist Stainless	Spout kit
178219	33.05	Chrome	Spout hub kit
178219ORB	55.85	Oil Rubbed Bronze	Spout hub kit
178219SRS	42.25	Spot Resist Stainless	Spout hub kit
178231	16.45	Chrome	Spout cap
178231ORB	22.90	Oil Rubbed Bronze	Spout cap
178231SRS	30.15	Spot Resist Stainless	Spout cap
178232	35.20	Chrome	Handle kit
178232ORB	54.05	Oil Rubbed Bronze	Handle kit
178232SRS	45.60	Spot Resist Stainless	Handle kit
178233	70.80	Chrome	Spout hub kit
178233ORB	99.70	Oil Rubbed Bronze	Spout hub kit
178233SRS	90.65	Spot Resist Stainless	Spout hub kit
178234	32.15	Chrome	Escutcheon
178294	32.30	N/A or Unfinished	Extension kit
178462	32.85	Chrome	Handle kit
178462BN	46.00	Brushed Nickel	Handle kit
178462NL	46.00	Polished Nickel	Handle kit
178462ORB	50.65	Oil Rubbed Bronze	Handle kit
178755	66.60	Chrome	Shower escutcheon
178755BN	96.65	Chrome	Shower escutcheon
178755ORB	102.65	Chrome	Shower escutcheon
178888	170.95	Chrome	Spout kit
178888BN	247.95	Brushed Nickel	Spout kit
178888ORB	272.70	Oil Rubbed Bronze	Spout kit
178890	167.60	Chrome	Spout kit
178890BN	243.10	Brushed Nickel	Spout kit
178890ORB	267.35	Oil Rubbed Bronze	Spout kit
178892	184.45	Chrome	Spout kit
178892BN	267.45	Brushed Nickel	Spout kit
178892ORB	294.20	Oil Rubbed Bronze	Spout kit
178894	225.35	Chrome	Spout kit
178894BN	326.75	Brushed Nickel	Spout kit
178894ORB	359.35	Oil Rubbed Bronze	Spout kit
178896	237.25	Chrome	Spout kit
178896BN	344.00	Brushed Nickel	Spout kit
178896ORB	378.35	Oil Rubbed Bronze	Spout kit
179084	35.20	Chrome	Handle kit
179084ORB	54.05	Oil Rubbed Bronze	Handle kit
179084SRS	45.60	Spot Resist Stainless	Handle kit
179085	82.10	Chrome	Spout kit
179085ORB	134.50	Oil Rubbed Bronze	Spout kit
179085SRS	154.55	Spot Resist Stainless	Spout kit
179086	45.55	Chrome	Side spray kit
179086ORB	62.10	Oil Rubbed Bronze	Side spray kit
179086SRS	52.70	Spot Resist Stainless	Side spray kit
179353ORB	21.25	Oil Rubbed Bronze	Aerator
179353SRS	17.15	Spot Resist Stainless	Aerator
179354	181.15	Chrome	Lift rod kit
179354BN	253.60	Brushed Nickel	Lift rod kit
179354NL	253.60	Polished Nickel	Lift rod kit
179354ORB	279.00	Oil Rubbed Bronze	Lift rod kit
179574	39.70	Chrome	Wand kit
179639	12.75	N/A or Unfinished	Filter
179640	25.30	N/A or Unfinished	O-ring kit
179645	44.45	Chrome	Wand kit
179645ORB	78.10	Oil Rubbed Bronze	Wand kit
179645SRS	53.65	Spot Resist Stainless	Wand kit
179655	29.65	Chrome	Handle kit
179655ORB	40.95	Oil Rubbed Bronze	Handle kit
179655SRS	38.65	Spot Resist Stainless	Handle kit
179656	43.75	Chrome	Wand kit
179656ORB	60.35	Oil Rubbed Bronze	Wand kit
179656SRS	56.85	Spot Resist Stainless	Wand kit
179657	133.60	Chrome	Spout receptor kit
179657ORB	173.75	Oil Rubbed Bronze	Spout receptor kit
179657SRS	184.40	Spot Resist Stainless	Spout receptor kit
179675	20.05	Chrome	Handle kit
179675SRN	28.05	Spot Resist Brushed Nickel	Handle kit
179781	14.55	Chrome	Lift rod kit
179781BN	19.15	Brushed Nickel	Lift rod kit
179782	43.10	Chrome	Handle kit
179782BN	49.65	Brushed Nickel	Handle kit
179783	20.45	N/A or Unfinished	Gasket
179784	55.10	Chrome	Handle kit
179784BN	66.05	Brushed Nickel	Handle kit
179785	214.20	Chrome	Roman tub spout kit
179785BN	253.35	Brushed Nickel	Roman tub spout kit
179786	35.40	Chrome	Lift rod kit
179786BN	37.70	Brushed Nickel	Lift rod kit
179787	127.75	Chrome	Spout kit
179787BN	169.70	Brushed Nickel	Spout kit
179790	28.45	Chrome	Escutcheon
179790BN	47.50	Brushed Nickel	Escutcheon
179791	83.40	Chrome	@
179791BN	106.05	Brushed Nickel	@
179792	47.80	Chrome	Handle kit
179792BN	56.15	Brushed Nickel	Handle kit
179793	19.85	Chrome	Hose guide
179793ORB	23.30	Oil Rubbed Bronze	Hose guide
179793SRS	27.50	Spot Resist Stainless	Hose guide
179827	25.00	Chrome	Handle kit
179828	6.75	Chrome	Lift rod kit
179829	9.60	Chrome	Lift rod kit
179830	32.05	Chrome	Handle kit
179831	204.20	Chrome	Spout kit
179832	10.95	Chrome	Handle adapter kit
179833	11.90	Chrome	Escutcheon
179834	13.35	Chrome	Shower arm flange
179836	38.25	Chrome	Escutcheon & gasket kit
179837	30.25	Chrome	Handle kit
179877	7.80	N/A or Unfinished	O-ring kit
179878	4.85	N/A or Unfinished	Gasket
179879	17.10	N/A or Unfinished	Waterway
180059	80.80	N/A or Unfinished	Wand kit
180059SRS	85.40	Spot Resist Stainless	Wand kit
180073	37.05	Chrome	Diverter rod kit
180073BN	51.85	Brushed Nickel	Diverter rod kit
180073NL	51.85	Polished Nickel	Diverter rod kit
180073ORB	57.05	Oil Rubbed Bronze	Diverter rod kit
180157	7.35	N/A or Unfinished	Aerator kit
180158	9.00	N/A or Unfinished	Aerator kit
180297	12.05	N/A or Unfinished	Aerator kit
180823	5.05	N/A or Unfinished	Washer
181007	11.20	N/A or Unfinished	Aerator kit
181040	14.95	N/A or Unfinished	Adapter kit
181087BN	16.05	Brushed Nickel	Aerator kit
181089	35.65	Chrome	Aerator kit
181250	69.50	Black	Mounting kit
181500	30.50	Chrome	Escutcheon
181500BN	41.25	Brushed Nickel	Escutcheon
181500NL	41.25	Polished Nickel	Escutcheon
181500ORB	45.30	Oil Rubbed Bronze	Escutcheon
181500WR	45.30	Wrought Iron	Escutcheon
181502	26.15	Chrome	Escutcheon

Part Number	List Price	Finish	Description
181502BN	35.30	Brushed Nickel	Escutcheon
181502ORB	38.90	Oil Rubbed Bronze	Escutcheon
181600	73.00	Chrome	Handle kit
181600BN	98.50	Brushed Nickel	Handle kit
181602	37.15	Chrome	Handle kit
181602BN	50.10	Brushed Nickel	Handle kit
181602NL	50.10	Polished Nickel	Handle kit
181602ORB	55.20	Oil Rubbed Bronze	Handle kit
181603	83.10	Chrome	Handle kit
181603BN	112.25	Brushed Nickel	Handle kit
181603NL	112.25	Polished Nickel	Handle kit
181603ORB	123.45	Oil Rubbed Bronze	Handle kit
181603WR	123.45	Wrought Iron	Handle kit
181929	143.75	Chrome	Swing arm
181929SRS	182.70	Spot Resist Stainless	Swing arm
181930	75.30	Chrome	Spring spout & bearing
181930SRS	102.90	Spot Resist Stainless	Spring spout & bearing
182074	360.90	Chrome	Roman tub spout kit
182074BN	505.20	Brushed Nickel	Roman tub spout kit
182074NL	505.20	Polished Nickel	Roman tub spout kit
182074ORB	555.70	Oil Rubbed Bronze	Roman tub spout kit
182191	5.70	N/A or Unfinished	Aerator
182212	113.90	Chrome	Spout kit
182212BN	153.70	Brushed Nickel	Spout kit
182212ORB	168.65	Oil Rubbed Bronze	Spout kit
182213	110.60	Chrome	Spout kit
182213BN	136.85	Brushed Nickel	Spout kit
182213ORB	166.40	Oil Rubbed Bronze	Spout kit
182244	34.55	Chrome	Handle kit
182244BN	48.35	Brushed Nickel	Handle kit
182244ORB	53.20	Oil Rubbed Bronze	Handle kit
182496	32.60	Chrome	Handle kit
182496BN	45.60	Brushed Nickel	Handle kit
182496NL	45.60	Polished Nickel	Handle kit
182496ORB	50.20	Oil Rubbed Bronze	Handle kit
182624	26.10	N/A or Unfinished	Adapter kit
182719	14.95	Chrome	Aerator
182843	15.10	Chrome	Lift rod kit
182843BN	17.95	Brushed Nickel	Lift rod kit
182862	54.55	Chrome	Escutcheon
182862BN	73.15	Brushed Nickel	Escutcheon
183073	12.45	N/A or Unfinished	Spacer kit
183082	23.00	N/A or Unfinished	Spacer kit
183245	11.60	N/A or Unfinished	Aerator kit
183570	30.00	Chrome	Slider for slide bar
183598	19.80	Chrome	Handle kit
183599	4.70	N/A or Unfinished	Screw kit
183810	44.35	Chrome	Handle kit
184081	34.80	Chrome	Handle kit
184082	9.45	N/A or Unfinished	Aerator kit
184083	10.05	N/A or Unfinished	Aerator kit
184084	5.35	N/A or Unfinished	Hot/cold indicator kit
184085	119.20	Chrome	Spout kit
184086	138.75	Chrome	Spout kit
184445BN	46.30	Brushed Nickel	Handle kit
184445ORB	50.90	Oil Rubbed Bronze	Handle kit
184450	32.30	Chrome	Handle kit
184450BN	45.20	Chrome	Handle kit
190102	39.25	Chrome	Hot handle kit
190102BN	54.95	Brushed Nickel	Hot handle kit
190102ORB	60.50	Oil Rubbed Bronze	Hot handle kit
190112	32.70	Chrome	Lift rod kit
190112BN	45.75	Brushed Nickel	Lift rod kit
190112ORB	50.35	Oil Rubbed Bronze	Lift rod kit
190202	46.20	Chrome	Handle kit
190202BN	64.70	Brushed Nickel	Handle kit
190202ORB	71.10	Oil Rubbed Bronze	Handle kit
190322	254.40	Chrome	Roman tub spout kit
190322BN	356.20	Brushed Nickel	Roman tub spout kit
190322ORB	391.85	Oil Rubbed Bronze	Roman tub spout kit
190444	25.45	Chrome	Escutcheon
190444BN	35.65	Brushed Nickel	Escutcheon
190444ORB	39.25	Oil Rubbed Bronze	Escutcheon
190503	50.45	Chrome	Handle kit
190503BN	70.70	Brushed Nickel	Handle kit
190503ORB	77.75	Oil Rubbed Bronze	Handle kit
197000	3.90	N/A or Unfinished	Screw kit
197001	30.20	N/A or Unfinished	Shank kit
197002	18.15	N/A or Unfinished	Stem extension kit
197003	19.05	N/A or Unfinished	Handle adapter kit
197004	14.70	N/A or Unfinished	Stem extension kit
200001	371.45	Chrome	Roman tub spout kit
200001BN	456.90	Brushed Nickel	Roman tub spout kit
200006	27.35	N/A or Unfinished	Bracket
200007	10.80	N/A or Unfinished	Mounting hardware
200008	69.50	N/A or Unfinished	Mounting plate
200009	56.70	N/A or Unfinished	Mounting plate
200010	101.90	N/A or Unfinished	Bracket extension
200011	82.55	N/A or Unfinished	Bracket extension
200012	25.25	N/A or Unfinished	Riser cover
200013	22.10	N/A or Unfinished	Riser cover
216711	6.70	N/A or Unfinished	Flow restrictor kit
216721	6.70	N/A or Unfinished	Flow restrictor kit
221641	70.25	Chrome	Handle kit
221641BN	98.10	Brushed Nickel	Handle kit
221641NL	107.95	Polished Nickel	Handle kit
221641ORB	107.95	Oil Rubbed Bronze	Handle kit
221642	70.25	Chrome	Handle kit
221642BN	101.85	Brushed Nickel	Handle kit
221642NL	108.20	Polished Nickel	Handle kit
221642ORB	108.20	Oil Rubbed Bronze	Handle kit
221672	21.95	Chrome	Chrome handle cap
221672BN	29.20	Brushed Nickel	Brushed nickel handle cap
221672NL	29.20	Polished Nickel	Polished nickel handle cap
221672ORB	32.25	Oil Rubbed Bronze	Oil rubbed bronze handle cap
221673	14.90	Chrome	Handle cap kit
221673BN	19.85	Brushed Nickel	Handle cap kit
221673NL	19.85	Polished Nickel	Handle cap kit
221673ORB	21.90	Oil Rubbed Bronze	Handle cap kit
221772	14.10	Chrome	Handle cap kit
221772BN	18.75	Brushed Nickel	Handle cap kit
222307	20.95	Stainless	Easy clean drain assembly
222900	8.35	Chrome	Plug button kit
222900SL	9.95	Stainless	Plug button kit
222900WR	10.40	Wrought Iron	Plug button kit
252001	30.40	Chrome	Handle kit
252001BN	39.40	Brushed Nickel	Handle kit
252002	29.30	Chrome	Handshower cradle
252002BN	39.40	Brushed Nickel	Handshower cradle
252004	36.10	Chrome	Diverter knob kit
252004BN	44.45	Brushed Nickel	Diverter knob kit
252005	22.15	N/A or Unfinished	Cartridge
252006	41.85	N/A or Unfinished	Cartridge sleeve
252006BN	51.70	Brushed Nickel	Cartridge sleeve
252007	44.45	N/A or Unfinished	Cartridge nut
252008	149.15	N/A or Unfinished	Bracket
252009	193.85	N/A or Unfinished	Manifold

Moen Genuine Parts

Listed in numerical order

Part Number	List Price	Finish	Description
252010	119.60	Chrome	Diverter kit
252010BN	147.30	Chrome	Diverter kit
259416	123.75	Chrome	Service kit
259416BN	156.20	Brushed Nickel	Service kit
259417	50.15	N/A or Unfinished	Screw kit
259418	39.00	N/A or Unfinished	Screw kit
259419	58.00	Chrome	Handle hub kit
259419BN	71.30	Brushed Nickel	Handle hub kit
259420	8.15	N/A or Unfinished	Screw kit
259421	160.75	N/A or Unfinished	Mounting kit
259422	162.25	N/A or Unfinished	Mounting kit
259423	227.15	Chrome	Service kit
259423BN	287.05	Brushed Nickel	Service kit
259424	4.90	N/A or Unfinished	O-ring kit
262000	103.55	Chrome	Handle kit
262000BN	125.55	Brushed Nickel	Handle kit
262001	31.95	Chrome	Handle kit
262001BN	49.35	Brushed Nickel	Handle kit
262002	47.80	Chrome	Handle hub
262002BN	59.25	Brushed Nickel	Handle hub
262003	73.40	N/A or Unfinished	Handle adapter kit
262004	51.70	Chrome	Escutcheon
262004BN	62.00	Brushed Nickel	Escutcheon
262005	258.25	Chrome	Handshower cradle
262005BN	322.40	Brushed Nickel	Handshower cradle
262006	28.90	Chrome	Escutcheon
262006BN	40.50	Brushed Nickel	Escutcheon
262007	139.95	N/A or Unfinished	Manifold
262008	123.90	N/A or Unfinished	Bracket
262955	91.35	N/A or Unfinished	Shank kit
316711	6.70	N/A or Unfinished	Flow restrictor kit
316721	10.05	N/A or Unfinished	Aerator
344112SRS	75.90	Spot Resist Stainless	Spout kit
344114SRS	90.10	Spot Resist Stainless	Spout kit
416711	6.70	N/A or Unfinished	Flow restrictor kit
716711	6.65	N/A or Unfinished	Aerator
840011	86.50	Chrome	Handle cap kit
840011CBN	129.75	Classic Brushed Nickel	Handle cap kit
840012	86.50	Chrome	Handle cap kit
840012CBN	129.75	Classic Brushed Nickel	Handle cap kit
840013	21.05	N/A or Unfinished	Cartridge nut
840014	44.15	N/A or Unfinished	Cartridge nut
840015F03	13.15	Chrome	Aerator
840015F05	13.15	Chrome	Aerator
840015F15	13.15	Chrome	Aerator
840015F22	13.15	Chrome	Aerator
840016	44.50	N/A or Unfinished	Back flow preventor kit
870111	119.65	Chrome	Spout kit
870112	13.85	Chrome	Escutcheon
870113	46.55	Chrome	Deck plate
870114	119.65	Chrome	Spout kit
870115	123.10	Chrome	Spout kit
870116	135.60	Chrome	Escutcheon
A705	52.50	Chrome	Shower arm flange
A705CBN	78.75	Classic Brushed Nickel	Shower arm flange
A714WR	61.00	Wrought Iron	Vacuum breaker kit
A2020	129.20	Chrome	Extension kit
A2020BN	185.05	Brushed Nickel	Extension kit
AT2199SLP	13.85	Brushed Platinum	Shower arm flange
CA3919	13.65	Chrome	Aerator
CA3924	13.65	Chrome	Aerator
CL145058	17.15	N/A or Unfinished	Adapter kit
CL164928BN	97.90	Brushed Nickel	Brushed nickel eco-performance handshower handheld shower
S3896	91.80	Chrome	Chrome diverter spouts line list items
S3896BN	133.15	Chrome	Chrome diverter spouts line list items
S3900	123.75	Chrome	[illegible]



Bulk Pack

Integra® One-Handle Kitchen Faucet / 67315
2200™ Series Drop-In Double/Equal Bowl Sink / BG222173

Please see **moen.com/consumer-support/warranty** for complete product warranty information.

Table of Contents

402 Kitchen
404 Bathroom
408 Moentrol® Showering Rough-in Valves and Trim
409 Posi-Temp® Showering Rough-in Valves and Trim
420 Non-Pressure Balancing Showering


MOEN® BULK-PACK

Bulk-Pack gives you everything you need for on-site installation: kitchen, lavatory, Roman tub, tub/shower faucets and stainless steel sinks in case lots.

Each kitchen and lavatory faucet carton contains individually packaged faucets ready for installation.









Roman tub and tub/shower faucets come packaged in two cartons. The rough-in valves are in one carton, the finish trim in another carton. This helps you avoid losing or damaging the trim.









Each carton is labeled for easy identification.

CROSS-REFERENCE For Bulk Pack Faucets and Valves

CROSS-REFERENCE TABLE

	Single Pack	Bulk Pack
Kitchen	7425	67425
Kitchen	7430	67430
Kitchen	7434	67434
Kitchen	7840	67840
Kitchen	7900	67900
Kitchen	7910	67910
Kitchen	67315C	67315C
Kitchen	67315SRS	67315SRS
Sinks	G222173	BG222173
Sinks	G222174	BG222174
Valves	2510	62300
Valves	2520	62320
Valves	2570	62370
Valves	2580	62380
Valves	2590	62390
Valves	3570	63170
Valves	9000	69000
Tub/Shower	T2131	T62131
Tub/Shower	T2132	T62132
Tub/Shower	T2133	T62133
Tub/Shower	T2151	T62151
Tub/Shower	T2152	T62152
Tub/Shower	T2153	T62153
Tub/Shower	T2182	T62182
Tub/Shower	T2183	T62183
Tub/Shower	T2742	T62742
Tub/Shower	T2743	T62743
Tub/Shower	2352	T182 + 62320
Tub/Shower	L2352	TL182 + 62300
Tub/Shower	2353	T183 + 62320
Tub/Shower	L2353	TL183 + 62300
Tub/Shower	L2361	TL181 + 62370
Tub/Shower	L2362	TL182 + 62370
Tub/Shower	2363	T183 + 62370
Tub/Shower	L2363	TL183 + 62370
Bathroom Sink Faucet	L4601	L64601
Bathroom Sink Faucet	L4621	L64620
Bathroom Sink Faucet	L4625	L64624
Bathroom Sink Faucet	4925	64925
Bathroom Sink Faucet	6172	66172
Bathroom Sink Faucet	6410	66410
Bathroom Sink Faucet	6610	66610
Bathroom Sink Faucet	6802	66802
Bathroom Sink Faucet	6810	66810

BULK Kitchen Faucets

Must order in Case Quantity.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
CAMERIST®	**ONE-HANDLE PULLOUT KITCHEN FAUCET**				
NEW! Ships Q2 	• application: one or three hole • overall height: 12.42" • connection size: 3/8" • connection type: compression • number of functions: two-function • spray type: aerated stream; powerful cleaning rinse • water usage: 1.5 gpm (5.7 L/min) max. • hose length: 68" • deckplate: included reflex POWERCLEAN DURALOCK® DURALAST®	**67545C**	314.90	Chrome	3
INTEGRA®	**ONE-HANDLE PULLOUT KITCHEN FAUCET**				
	• application: one or three hole • overall height: 10.63" • connection size: 3/8" • connection type: compression • number of functions: two-function • spray type: aerated stream; powerful cleaning rinse • water usage: 1.5 gpm (5.7 L/min) max. • hose length: 59" • deckplate: included DURALOCK® DURALAST®	**67315C**	230.30	Chrome	6
		67315SRS ●	325.55	Spot Resist Stainless	6
CAMERIST®	**ONE-HANDLE KITCHEN FAUCET**				
	• application: two to four hole • overall height: 8.13" • connection size: 3/8" • connection type: compression • water usage: 1.5 gpm (5.7 L/min) max. • deckplate: included • side spray: included DURALOCK® DURALAST®	**67840**	190.80	Chrome	6

NOTES

● Spot Resist Stainless Finish SPOT RESIST

reflex Self-Retracting Spray Hose

POWERCLEAN Power Clean™ technology

DURALOCK Duralock® Quick Connections

DURALAST Duralast® Cartridge

BULK Kitchen Faucets

Must order in Case Quantity.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
CHATEAU®	**ONE-HANDLE KITCHEN FAUCET**				
	• application: three hole • overall height: 8.50" • connection size: 3/8" • connection type: compression • water usage: 1.5 gpm (5.7 L/min) max. DURALAST®	**67425**	125.20	Chrome	6
	• application: four hole • overall height: 8.50" • connection size: 3/8" • connection type: compression • water usage: 1.5 gpm (5.7 L/min) max. • side spray: included DURALOCK® DURALAST®	**67430**	157.30	Chrome	6
	• application: three hole • overall height: 8.50" • connection size: 3/8" • connection type: compression • water usage: 1.5 gpm (5.7 L/min) max. • side spray: included DURALOCK® DURALAST®	**67434**	157.30	Chrome	6
CHATEAU®	**TWO-HANDLE KITCHEN FAUCET**				
	• application: three hole • overall height: 6.50" • connection size: 1/2" • connection type: IPS • water usage: 1.5 gpm (5.7 L/min) max.	**67900**	92.55	Chrome	12
	• application: three hole • overall height: 6.50" • connection size: 1/2" • connection type: IPS • water usage: 1.5 gpm (5.7 L/min) max.	**67901**	94.50	Chrome	12
	• application: four hole • overall height: 6.50" • connection size: 1/2" • connection type: IPS • water usage: 1.5 gpm (5.7 L/min) max. • side spray: included DURALOCK®	**67910**	119.05	Chrome	12

BULK

NOTES

DURALOCK® Duralock® Quick Connections
DURALAST® Duralast® Cartridge

BULK Bathroom Faucets

Must order in Case Quantity.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
BRANTFORD®	**ONE-HANDLE BATHROOM FAUCET**				
	• application: one or three hole • supply line length: flexible • connection size: 3/8" • connection type: compression • deckplate: included • drain assembly: 50% plastic/50% metal • drain assembly type: lift rod WaterSense Meets EPA Criteria Certified by IAPMO R&T DURALAST®	**66600**	176.55	Chrome	6
METHOD™	**ONE-HANDLE BATHROOM FAUCET**				
	• application: one or three hole • supply line length: flexible • connection size: 3/8" • connection type: compression • deckplate: included • drain assembly: 50% plastic/50% metal • drain assembly type: lift rod WaterSense Meets EPA Criteria Certified by IAPMO R&T DURALAST®	**66810**	185.55	Chrome	6
CHATEAU®	**ONE-HANDLE BATHROOM FAUCET**				
	• application: three hole • center dimensions: 4" center • connection size: 1/2" • connection type: IPS • drain assembly: drain not included WaterSense Meets EPA Criteria Certified by IAPMO R&T DURALAST®	**64601**	113.35	Chrome	12
	• application: three hole • center dimensions: 4" center • connection size: 1/2" • connection type: IPS • drain assembly: metal • drain assembly type: lift rod WaterSense Meets EPA Criteria Certified by IAPMO R&T DURALAST®	**64620**	147.95	Chrome	12
	• application: three hole • center dimensions: 4" center • connection size: 1/2" • connection type: IPS • drain assembly: 50% plastic/50% metal • drain assembly type: lift rod WaterSense Meets EPA Criteria Certified by IAPMO R&T DURALAST®	**64621**	139.35	Chrome	12
	• application: three hole • center dimensions: 4" center • connection size: 3/8" • connection type: compression • drain assembly: 50% plastic/50% metal • drain assembly type: lift rod WaterSense Meets EPA Criteria Certified by IAPMO R&T DURALAST®	**64625**	140.80	Chrome	12

NOTES

DURALAST™ Duralast® Cartridge

BULK Bathroom Faucets

Must order in Case Quantity.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
CHATEAU®	**ONE-HANDLE BATHROOM FAUCET**				
	• application: three hole • center dimensions: 4" center • supply line length: 16" • connection size: 3/8" • connection type: IPS • drain assembly: drain not included WaterSense Meets EPA Criteria Certified by IAPMO R&T DURALAST®	**L64600**	113.35	Chrome	12
	• application: three hole • center dimensions: 4" center • connection size: 1/2" • connection type: IPS • drain assembly: drain not included WaterSense Meets EPA Criteria Certified by IAPMO R&T DURALAST®	**L64601**	113.35	Chrome	12
	• application: three hole • center dimensions: 4" center • connection size: 1/2" • connection type: IPS • drain assembly: metal • drain assembly type: lift rod WaterSense Meets EPA Criteria Certified by IAPMO R&T DURALAST®	**L64620**	147.95	Chrome	12
	• application: three hole • center dimensions: 4" center • connection size: 1/2" • connection type: IPS • drain assembly: 50% plastic/50% metal • drain assembly type: lift rod WaterSense Meets EPA Criteria Certified by IAPMO R&T DURALAST®	**L64621**	139.35	Chrome	12
	• application: three hole • center dimensions: 4" center • connection size: 3/8" • connection type: compression • drain assembly: metal • drain assembly type: lift rod WaterSense Meets EPA Criteria Certified by IAPMO R&T DURALAST®	**L64624**	152.20	Chrome	12
	• application: three hole • center dimensions: 4" center • supply line length: 16" • connection size: 3/8" • connection type: compression • drain assembly: 50% plastic/50% metal • drain assembly type: lift rod WaterSense Meets EPA Criteria Certified by IAPMO R&T DURALAST®	**L64625**	140.80	Chrome	12

NOTES

DURALAST® Duralast® Cartridge

BULK Bathroom Faucets

Must order in Case Quantity.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
CHATEAU®	**ONE-HANDLE BATHROOM FAUCET (CONTINUED)**				
	• application: three hole • center dimensions: 4" center • connection size: 1/2" • connection type: IPS • drain assembly: metal • drain assembly type: spring loaded pop-up • red/blue markings: included WaterSense Meets EPA Criteria Certified by IAPMO R&T DURALAST®	**L64635**	152.20	Chrome	12
CHATEAU®	**TWO-HANDLE CENTERSET BATHROOM FAUCET**				
	• application: three hole • center dimensions: 4" center • connection size: 1/2" • connection type: IPS • drain assembly: drain not included WaterSense Meets EPA Criteria Certified by IAPMO R&T	**64900**	74.95	Chrome	12
	• application: three hole • center dimensions: 4" center • connection size: 1/2" • connection type: IPS • drain assembly: metal • drain assembly type: lift rod WaterSense Meets EPA Criteria Certified by IAPMO R&T	**64919**	109.65	Chrome	12
	• application: three hole • center dimensions: 4" center • connection size: 1/2" • connection type: IPS • drain assembly: 50% plastic/50% metal • drain assembly type: lift rod WaterSense Meets EPA Criteria Certified by IAPMO R&T	**64920**	105.25	Chrome	12
	• application: three hole • center dimensions: 4" center • connection size: 1/2" • connection type: IPS • drain assembly: drain not included WaterSense Meets EPA Criteria Certified by IAPMO R&T	**64922**	88.65	Chrome	12
	• application: three hole • center dimensions: 4" center • connection size: 1/2" • connection type: IPS • drain assembly: 50% plastic/50% metal • drain assembly type: lift rod WaterSense Meets EPA Criteria Certified by IAPMO R&T	**64925**	122.95	Chrome	12

NOTES

DURALAST™ Duralast® Cartridge

BULK Bathroom Faucets

Must order in Case Quantity.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
DARTMOOR™	**TWO-HANDLE CENTERSET BATHROOM FAUCET**				
	• application: three hole • center dimensions: 4" center • connection size: 1/2" • connection type: IPS • drain assembly: 50% plastic/50% metal • drain assembly type: lift rod WaterSense Meets EPA Criteria Certified by IAPMO R&T DURALAST®	**66802**	151.95	Chrome	6
GLYDE™	**TWO-HANDLE CENTERSET BATHROOM FAUCET**				
	• application: three hole • center dimensions: 4" center • connection size: 1/2" • connection type: IPS • drain assembly: 50% plastic/50% metal • drain assembly type: lift rod WaterSense Meets EPA Criteria Certified by IAPMO R&T DURALAST®	**66172**	151.95	Chrome	6
EVA®	**TWO-HANDLE CENTERSET BATHROOM FAUCET**				
	• application: three hole • center dimensions: 4" center • connection size: 1/2" • connection type: IPS • drain assembly: 50% plastic/50% metal • drain assembly type: lift rod WaterSense Meets EPA Criteria Certified by IAPMO R&T DURALAST®	**66410**	144.75	Chrome	6
	• application: three hole • center dimensions: 4" center • connection size: 1/2" • connection type: IPS • drain assembly: 50% plastic/50% metal • drain assembly type: spring loaded pop-up • red/blue markings: included WaterSense Meets EPA Criteria Certified by IAPMO R&T DURALAST®	**66411**	144.75	Chrome	6
BRANTFORD®	**TWO-HANDLE CENTERSET BATHROOM FAUCET**				
	• application: three hole • center dimensions: 4" center • connection size: 1/2" • connection type: IPS • drain assembly: 50% plastic/50% metal • drain assembly type: lift rod WaterSense Meets EPA Criteria Certified by IAPMO R&T DURALAST®	**66610**	144.75	Chrome	6
M-PACT®	**BULK PACK WIDESPREAD VALVE 8" - 16" CENTER 1/2" IPS CONNECTION**				
	• application: three hole • center dimensions: 8" - 16" center • drain assembly: metal • drain assembly type: lift rod DURALOCK® DURALAST®	**69000**	105.55	1/2" IPS	6


NOTES

DURALAST® Duralast® Cartridge

BULK

BULK Moentrol® Showering

Must order in Case Quantity.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
LEGEND®	**MOENTROL® TUB/SHOWER**				
	• showerhead functions: one-function • showerhead type: standard • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • spout length: 5 1/2" • spout connection type: slip fit • tub spout type: diverter • valve sold separately	**TL172**	79.65	Chrome	12
	• showerhead type: showerhead sold separately • spout length: 5 1/2" • spout connection type: slip fit • tub spout type: diverter • valve sold separately	**TL172NH**	54.15	Chrome	12
LEGEND®	**MOENTROL® SHOWER ONLY**				
	• showerhead functions: one-function • showerhead type: standard • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • valve sold separately	**TL171**	48.70	Chrome	12
	• showerhead type: showerhead sold separately • valve sold separately	**TL171NH**	33.10	Chrome	12
LEGEND®	**MOENTROL® VALVE ONLY**				
	• valve sold separately	**TL170**	44.30	Chrome	12
M-PACT®	**MOENTROL® VALVE**				
	• ports: four • adjustable temp limit stop: included • check stops: included • includes: volume control	**63150**	175.20	1/2" IPS	12
	• ports: four • adjustable temp limit stop: included • check stops: included • includes: volume control	**63170**	175.20	1/2" CC	12

HOW TO ORDER A COMPLETE TUB/SHOWER FAUCET



Trim Part No. | Valve Part No. | Complete Faucet

NOTES

Moen® **M•PACT®** Common Valve System

DURALOCK® Duralock® Quick Connections

DURALAST® Duralast® Cartridge

BULK Posi-Temp® Showering

Must order in Case Quantity.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
DARTMOOR™	**POSI-TEMP® TUB/SHOWER**				
	• showerhead functions: one-function • showerhead type: standard • showerhead size: 4" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • spout length: 7" • spout connection type: slip fit • tub spout type: diverter • valve sold separately	**T62183**	101.05	Chrome	12
GLYDE™	**POSI-TEMP® TUB/SHOWER**				
	• showerhead functions: one-function • showerhead type: standard • showerhead size: 3-3/4" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • spout length: 7" • spout connection type: slip fit • tub spout type: diverter • valve sold separately	**T62743**	101.05	Chrome	6
BRANTFORD®	**POSI-TEMP® TUB/SHOWER**				
	• showerhead functions: one-function • showerhead type: standard • showerhead size: 3-3/8" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • spout length: 6 1/2" • spout connection type: slip fit • tub spout type: diverter • chrome sold in case qty only: no single pack • valve sold separately	**T62153**	86.50	Chrome	12
	• showerhead type: showerhead sold separately • spout length: 6 1/2" • spout connection type: slip fit • tub spout type: diverter • chrome sold in case qty only: no single pack • valve sold separately	**T62153NH**	74.10	Chrome	12
	• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 3-3/8" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • spout length: 6 1/2" • spout connection type: slip fit • tub spout type: diverter • valve sold separately	**T62153EP**	86.50	Chrome	12

HOW TO ORDER A COMPLETE TUB/SHOWER FAUCET



Trim Part No. + Valve Part No. = Complete Faucet

NOTES

Moen® **M•PACT®** Common Valve System

BULK

BULK Posi-Temp® Showering

Must order in Case Quantity.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
EVA®	**POSI-TEMP® TUB/SHOWER**				
	• showerhead functions: one-function • showerhead type: standard • showerhead size: 3-3/8" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • spout length: 7" • spout connection type: slip fit • tub spout type: diverter • valve sold separately	**T62133**	86.50	Chrome	12
	• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 3-3/8" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • spout length: 7" • spout connection type: slip fit • tub spout type: diverter • chrome sold in case qty only: no single pack • valve sold separately	**T62133EP**	86.50	Chrome	12
	• showerhead type: showerhead sold separately • spout length: 7" • spout connection type: slip fit • tub spout type: diverter • chrome sold in case qty only: no single pack • valve sold separately	**T62133NH**	74.10	Chrome	12
METHOD™	**POSI-TEMP® TUB/SHOWER**				
	• showerhead functions: one-function • showerhead type: standard • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • spout length: 5 7/8" • spout connection type: slip fit • tub spout type: diverter • valve sold separately	**T62803**	86.50	Chrome	12
	• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • spout length: 5 7/8" • spout connection type: slip fit • tub spout type: diverter • valve sold separately	**T62803EP**	86.50	Chrome	12

HOW TO ORDER A COMPLETE TUB/SHOWER FAUCET



Trim Part No. + Valve Part No. = Complete Faucet

NOTES

Moen® **M•PACT®** Common Valve System

BULK Posi-Temp® Showering

Must order in Case Quantity.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
METHOD™	POSI-TEMP® TUB/SHOWER (CONTINUED)				
	• showerhead type: showerhead sold separately • spout length: 5 7/8" • spout connection type: slip fit • tub spout type: diverter • valve sold separately	**T62803NH**	74.10	Chrome	12
CHATEAU®	POSI-TEMP® TUB/SHOWER				
	• showerhead functions: one-function • showerhead type: standard • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • spout length: 5 1/2" • spout connection type: slip fit • tub spout type: diverter • red/blue markings: included • valve sold separately	**T183**	59.45	Chrome	12
	• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • spout length: 5 1/2" • spout connection type: slip fit • tub spout type: diverter • red/blue markings: included • valve sold separately	**T183EP**	59.45	Chrome	12
	• showerhead functions: one-function • showerhead type: standard • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • spout length: 5 1/2" • spout connection type: slip fit • tub spout type: diverter • red/blue markings: included • valve sold separately	**TL183** **TL183BC**	59.45 97.70	Chrome Brushed Chrome	12 12

BULK

HOW TO ORDER A COMPLETE TUB/SHOWER FAUCET



Trim Part No. + Valve Part No. = Complete Faucet

NOTES

Moen® **M•PACT®** Common Valve System

BULK Posi-Temp® Showering

Must order in Case Quantity.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
CHATEAU®	**POSI-TEMP® TUB/SHOWER (CONTINUED)**				
	• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • spout length: 5 1/2" • spout connection type: slip fit • tub spout type: diverter • red/blue markings: included • valve sold separately	**TL183EP**	59.45	Chrome	12
		TL183EPBC	91.90	Brushed Chrome	12
	• showerhead type: showerhead sold separately • spout length: 5 1/2" • spout connection type: slip fit • tub spout type: diverter • red/blue markings: included • valve sold separately	**TL183NH**	52.25	Chrome	12
		TL183NHBC	91.40	Brushed Chrome	12
DARTMOOR™	**POSI-TEMP® SHOWER ONLY**				
	• showerhead functions: one-function • showerhead type: standard • showerhead size: 4" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • valve sold separately	**T62182**	70.15	Chrome	12
GLYDE™	**POSI-TEMP® SHOWER ONLY**				
	• showerhead functions: one-function • showerhead type: standard • showerhead size: 3-3/4" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • valve sold separately	**T62742**	70.15	Chrome	12
BRANTFORD®	**POSI-TEMP® SHOWER ONLY**				
	• showerhead functions: one-function • showerhead type: standard • showerhead size: 3-3/8" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • valve sold separately	**T62152**	57.40	Chrome	12

HOW TO ORDER A COMPLETE TUB/SHOWER FAUCET



Trim Part No. | Valve Part No. | Complete Faucet

NOTES

Moen® **M•PACT®** Common Valve System

BULK Posi-Temp® Showering

Must order in Case Quantity.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
BRANTFORD®	**POSI-TEMP® SHOWER ONLY (CONTINUED)**				
	• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 3-3/8" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • chrome sold in case qty only: no single pack • valve sold separately	**T62152EP**	57.40	Chrome	12
	• showerhead type: showerhead sold separately • chrome sold in case qty only: no single pack • valve sold separately	**T62152NH**	54.60	Chrome	12
EVA®	**POSI-TEMP® SHOWER ONLY**				
	• showerhead functions: one-function • showerhead type: standard • showerhead size: 3-3/8" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • valve sold separately	**T62132**	57.40	Chrome	12
	• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 3-3/8" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • chrome sold in case qty only: no single pack • valve sold separately	**T62132EP**	57.40	Chrome	12
	• showerhead type: showerhead sold separately • chrome sold in case qty only: no single pack • valve sold separately	**T62132NH**	54.60	Chrome	12

BULK

HOW TO ORDER A COMPLETE SHOWER FAUCET



Trim Part No. + Valve Part No. = Complete Faucet

NOTES

Moen® **M•PACT®** Common Valve System

BULK Posi-Temp® Showering

Must order in Case Quantity.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
METHOD™	**POSI-TEMP® SHOWER ONLY**				
	• showerhead functions: one-function • showerhead type: standard • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • valve sold separately	**T62802**	57.40	Chrome	12
	• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • valve sold separately	**T62802EP**	57.40	Chrome	12
	• showerhead type: showerhead sold separately • valve sold separately	**T62802NH**	54.60	Chrome	12
CHATEAU®	**POSI-TEMP® SHOWER ONLY**				
	• showerhead functions: one-function • showerhead type: standard • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • red/blue markings: included • valve sold separately	**T182**	36.65	Chrome	12
	• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • red/blue markings: included • valve sold separately	**T182EP**	36.65	Chrome	12

HOW TO ORDER A COMPLETE SHOWER FAUCET



Trim Part No. + Valve Part No. = Complete Faucet

NOTES

Moen® **M•PACT®** Common Valve System

BULK Posi-Temp® Showering

Must order in Case Quantity.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
CHATEAU®	**POSI-TEMP® SHOWER ONLY (CONTINUED)**				
	• showerhead functions: one-function • showerhead type: standard • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • red/blue markings: included • valve sold separately	**TL182** **TL182BC**	36.65 73.00	Chrome Brushed Chrome	12 12
	• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • red/blue markings: included • valve sold separately	**TL182EP** **TL182EPBC**	36.65 68.70	Chrome Brushed Chrome	12 12
	• showerhead type: showerhead sold separately • red/blue markings: included • valve sold separately	**TL182NH** **TL182NHBC**	34.75 67.65	Chrome Chrome	12 12

BULK

HOW TO ORDER A COMPLETE SHOWER FAUCET



Trim Part No. + Valve Part No. = Complete Faucet

NOTES

Moen® **M•PACT®** Common Valve System

BULK Posi-Temp® Showering Connections

Must order in Case Quantity.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
BRANTFORD®	**POSI-TEMP® VALVE ONLY**				
	• valve sold separately	**T62151**	42.75	Chrome	12
EVA®	**POSI-TEMP® VALVE ONLY**				
	• valve sold separately	**T62131**	42.75	Chrome	12
CHATEAU®	**POSI-TEMP® VALVE ONLY**				
	• red/blue markings: included • valve sold separately	**T181**	33.30	Chrome	12
	• red/blue markings: included • valve sold separately	**T187**	33.30	Chrome	12
	• red/blue markings: included • valve sold separately	**TL181**	33.30	Chrome	12

HOW TO ORDER A COMPLETE SHOWER FAUCET



Trim Part No. + Valve Part No. = Complete Faucet

NOTES

Moen® **M•PACT®** Common Valve System

BULK Posi-Temp® Showering Connections

Must order in Case Quantity.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
M-PACT®	**POSI-TEMP® VALVE**				
	• ports: four • adjustable temp limit stop: included	**62300**	107.25	1/2" IPS	12
	• ports: four • adjustable temp limit stop: included	**62320**	107.25	1/2" CC	12
		FP62320	107.25	1/2" CC	12
	• ports: four • adjustable temp limit stop: included • quarter turn stops: included	**62330**	142.15	1/2" CPVC	12
	• ports: four • adjustable temp limit stop: included	**62340**	119.05	1/2" CPVC	12
	• ports: three • adjustable temp limit stop: included	**62345**	107.25	1/2" CC, IPS	12
		FP62345	107.25	1/2" CC, IPS	12
	• ports: four • adjustable temp limit stop: included • quarter turn stops: included	**62360**	130.35	1/2" Crimp ring PEX	12

NOTES

Moen® **M•PACT®** Common Valve System

BULK Posi-Temp® Showering Connections

Must order in Case Quantity.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
M-PACT®	POSI-TEMP® VALVE (CONTINUED)				
	• ports: four • adjustable temp limit stop: included • quarter turn stops: included	**62370**	130.35	1/2" CC	12
		FP62370	130.35	1/2" CC	12
	• ports: four • adjustable temp limit stop: included	**62380**	107.25	1/2" Crimp ring PEX	12
	• ports: four • adjustable temp limit stop: included • quarter turn stops: included	**62390**	130.35	1/2" IPS	12
	• ports: four • adjustable temp limit stop: included • test plug: included	**FP62300**	107.25	1/2" IPS	12
	• ports: four • adjustable temp limit stop: included • test plug: included	**FP62340**	119.05	1/2" CPVC	12
	• ports: four • adjustable temp limit stop: included • quarter turn stops: included	**FP62360**	130.35	1/2" Crimp ring PEX	12
	• ports: four • adjustable temp limit stop: included • test plug: included	**FP62380**	107.25	1/2" Crimp ring PEX	12

NOTES

Moen® **M•PACT®** Common Valve System

BULK Posi-Temp® Showering Connections

Must order in Case Quantity.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
M-PACT®	POSI-TEMP® VALVE (CONTINUED)				
	• ports: four • adjustable temp limit stop: included • quarter turn stops: included	**FP62390**	130.35	1/2" IPS	12
POSI-TEMP®	POSI-TEMP® VALVE				
	• ports: four • adjustable temp limit stop: included	**62365**	107.25	1/2" Cold Expansion PEX	12
		FP62365	107.25	1/2" Cold Expansion PEX	12
	• ports: four • adjustable temp limit stop: included • quarter turn stops: included	**62385**	130.35	1/2" Cold Expansion PEX	12
	• ports: four • adjustable temp limit stop: included • quarter turn stops: included • test plug: included	**FP62385**	130.35	1/2" Cold Expansion PEX	12

BULK

NOTES

Moen® **M•PACT®** Common Valve System

BULK Non-Pressure Balancing Showering Connections

Must order in Case Quantity.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
CHATEAU®	**ONE-HANDLE NON-PRESSURE BALANCED TUB/SHOWER**				
	• showerhead functions: one-function • showerhead type: standard • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • spout length: 5 1/2" • spout connection type: slip fit • tub spout type: diverter • red/blue markings: included • valve sold separately	**T471**	68.20	Chrome	12
	• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • spout length: 5 1/2" • spout connection type: slip fit • tub spout type: diverter • red/blue markings: included • valve sold separately	**T471EP**	68.20	Chrome	12
	• showerhead functions: one-function • showerhead type: standard • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • spout length: 5 1/2" • spout connection type: slip fit • tub spout type: diverter • red/blue markings: included • valve sold separately	**TL471**	68.20	Chrome	12
	• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • spout length: 5 1/2" • spout connection type: slip fit • tub spout type: diverter • red/blue markings: included • valve sold separately	**TL471EP**	68.20	Chrome	12

BULK

HOW TO ORDER A COMPLETE STANDARD VALVE



Trim Part No. + Valve Part No. = Complete Faucet

NOTES

Moen® **M•PACT®** Common Valve System

BULK Non-Pressure Balancing Showering Connections

Must order in Case Quantity.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
CHATEAU®	**ONE-HANDLE NON-PRESSURE BALANCED SHOWER ONLY**				
	• showerhead functions: one-function • showerhead type: standard • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • red/blue markings: included • valve sold separately	**T473**	42.15	Chrome	12
	• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • red/blue markings: included • valve sold separately	**T473EP**	42.15	Chrome	12
	• showerhead functions: one-function • showerhead type: standard • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • red/blue markings: included • valve sold separately	**TL473**	42.15	Chrome	12
	• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • red/blue markings: included • valve sold separately	**TL473EP**	42.15	Chrome	12

BULK

HOW TO ORDER A COMPLETE STANDARD VALVE





Trim Part No. | Valve Part No. | Complete Faucet

NOTES

Moen® **M•PACT®** Common Valve System

BULK Non-Pressure Balancing Showering Connections

Must order in Case Quantity.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
CHATEAU®	**ONE-HANDLE NON-PRESSURE BALANCED VALVE ONLY**				
	• valve sold separately	**T470**	35.35	Chrome	12
	• valve sold separately	**TL470**	35.35	Chrome	12
M-PACT®	**NON-PRESSURE BALANCED VALVE**				
	• ports: four • includes: volume control	**62700**	97.70	1/2" IPS	12
	• ports: four	**62720**	97.70	1/2" CC	12

BULK

HOW TO ORDER A COMPLETE STANDARD VALVE



Trim Part No. | Valve Part No. | Complete Faucet

NOTES

Moen® **M•PACT®** Common Valve System

MOEN®
COMMERCIAL



Commercial
Products Catalog 2017

COMMERCIAL

Please see **moen.com/consumer-support/warranty**
for complete product warranty information.

Products that address your highest priorities.

From leaks and vandalism to normal wear and tear, worries never cease where commercial and institutional fixtures are concerned. That's why Moen® Commercial engineers and designers think of every imaginable scenario — and plan for it in advance. The result is a full line of faucets and valves every facilities manager can rely on from the number one faucet brand in North America.

Our products will help you:

- reduce maintenance costs
- resist vandalism
- save water while maintaining performance
- cut your total cost of ownership

On the pages ahead, we welcome you to discover all the reasons you can count on Moen Commercial to provide the best solutions for your most challenging environments.



M•DURA Two-Handle Centerset Faucet / 8279SM

COMMERCIAL

Contents

426 M•DURA™ Heavy-Duty Faucets

446 M•PRESS™ Heavy-Duty Metering Faucets

449 M•BITION™ Medium-Duty Faucets

456 M•POWER™ Sensor-Operated Faucets

464 M•POWER™ Sensor-Operated Flush Valves

469 M•DURA™ Heavy-Duty Manual Flush Valves

473 M•DURA™ Heavy-Duty Showering

499 Accessories and Service Kits

504 Suggested List Price

71 Moen® Commercial Series Stainless Steel Sinks
(see wholesale sink section)

We're here to help you meet every challenge.

Anticipating every need, your Moen® Commercial representative will help you find the right solutions that will serve you well for years. With our experienced guidance, you'll not only satisfy regulations and requirements, but also create aesthetic environments thanks to our trendsetting, residential-inspired styles.

Your representative is committed to ensuring your fixtures' suitability for demanding uses, as indicated by the following symbols:

Moen 5-Year Limited Warranty

We're so confident in the performance of our products that we back them with a 5-Year Limited Warranty. If they should ever drip, leak or prove to have a finish defect, we'll send you the replacement parts, free of charge. Just call 1-800-BUY-MOEN or see your Moen dealer for complete details.

With the growing demand for eco-friendly products, Moen Commercial offers many fixtures whose water savings exceed industry standards.

With very few exceptions, fixtures from Moen Commercial comply with the Americans with Disabilities Act (ADA).

A wide range of our products meet the current requirements of the Buy American Act (BAA).

We offer many products which meet WaterSense® criteria to contribute toward meeting LEED® standards and maximizing LEED points*. While helping you achieve ambitious environmental standards, Moen Commercial can also help you ensure essential function. For instance, installing extremely low-flow fixtures that save water could end up being costlier elsewhere. Without enough water pressure to clear pipes of solids, performance, maintenance and sanitation can quickly become serious issues. Exceedingly low-flow fixtures also provide consumers with a disappointing experience. Being LEED certified doesn't mean sacrificing performance to save water. With the guidance of a Moen Commercial representative, you can build beautifully efficient properties without increasing health risks and downgrading the consumer experience.

* Projects pursuing LEED certification earn points across several areas that address sustainability issues, and based on the number of points achieved, a project receives one of four LEED rating levels: Certified, Silver, Gold or Platinum.

Moen products comply with the Safe Drinking Water Act's stringent lead safety standards.

Each product in this catalog has been identified by the following icons where applicable:

- ▲ NSF 61/9 and 372 compliant
- ● NSF 372 compliant
- ■ Non-drinking water faucet

To see our full line of faucets and valves, visit moencommercial.com.

M•DURA™ Heavy-Duty Faucets



COMMERCIAL

M•DURA™ Modern Widespread Lavatory Faucet / 9220 and 9223 Series

M•DURA™ Heavy-Duty Lavatory Faucets

MODERN SINGLE-MOUNT LAVATORY FAUCET



- connection: 3/8" compression
- vandal resistant: yes
- cartridge type: 1255® Duralast®
- flow type: vandal resistant aerated
- water usage: 1.2 gpm (4.5L/min) max.
- mount type: single mount
- supply length: 22"
- temp limit stops: yes
- drain assembly: drain not included
- no lift rod hole
- handle type: lever
- material: brass

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
9417F12	257.50	Chrome	3
	4" DECKPLATE SOLD SEPARATELY		
99559	32.55	Chrome	20

- water usage: 1.5 gpm (5.7 L/min) max.
- drain assembly: drain not included
- handle type: lever
- material: brass

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
9417F05	257.50	Chrome	3

- water usage: 1.2 gpm (4.5L/min) max.
- drain assembly: metal
- handle type: lever
- material: brass

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
9419F12	286.10	Chrome	3

- water usage: 0.5 gpm (1.9 L/min) max.
- drain assembly: metal
- handle type: lever
- material: brass

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
9419F05	286.10	Chrome	3

M•DURA™ Heavy-Duty Lavatory Faucets

SINGLE-MOUNT LAVATORY FAUCET



	MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
• connection: 3/8" compression • cartridge type: ceramic disc • flow type: aerated • water usage: 2.2 gpm (8.3 L/min) max. • mount type: single mount • supply length: 22" • temp limit stops: yes • drain assembly: drain not included • no lift rod hole • handle type: lever • material: brass	**8417**	232.65	Chrome	6
• water usage: 1.2 gpm (4.5L/min) max. • drain assembly: drain not included • handle type: lever • material: brass	**8417F12**	232.65	Chrome	6
• water usage: 0.5 gpm (1.9 L/min) max. • drain assembly: drain not included • handle type: lever • material: brass	**8417F05**	232.65	Chrome	6
• water usage: 1.2 gpm (4.5L/min) max. • drain assembly: metal • handle type: lever • material: brass	**8419F12**	264.30	Chrome	6
• water usage: 0.5 gpm (1.9 L/min) max. • drain assembly: metal • handle type: lever • material: brass	**8419F05**	264.30	Chrome	6

SINGLE-MOUNT LAVATORY FAUCET



	MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
• connection: 3/8" compression • cartridge type: ceramic disc • flow type: aerated • water usage: 2.2 gpm (8.3 L/min) max. • mount type: single mount • supply length: 22" • temp limit stops: yes • drain assembly: drain not included • no lift rod hole • handle type: lever • material: brass	**8418**	244.55	Chrome	6

COMMERCIAL

▲ NSF 6 1/9 and 372 compliant ● NSF 372 compliant ■ Non-drinking water faucet
ADA compliant BAA compliant WaterSense® Water-saving

M•DURA™ Heavy-Duty Lavatory Faucets

ONE-HANDLE CENTERSET LAVATORY FAUCET



	MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
• connection: 1/2" IPS • cartridge type: ceramic disc • flow type: aerated • water usage: 2.2 gpm (8.3 L/min) max. • mount type: centerset • temp limit stops: yes • drain assembly: drain not included • no lift rod hole • handle type: lever • material: brass	**8413**	168.40	Chrome	6
• water usage: 1.2 gpm (4.5L/min) max. • drain assembly: drain not included • handle type: lever • material: brass	**8413F12**	168.40	Chrome	3
• water usage: 0.5 gpm (1.9 L/min) max. • drain assembly: drain not included • handle type: lever • material: brass	**8413F05**	168.40	Chrome	3
• water usage: 0.35 gpm (1.32 L/min) max. • drain assembly: drain not included • handle type: lever • material: brass	**8413F03**	168.40	Chrome	3
• water usage: 2.2 gpm (8.3 L/min) max. • drain assembly: metal • handle type: lever • material: brass	**8414**	201.00	Chrome	6
• water usage: 1.2 gpm (4.5L/min) max. • drain assembly: metal • handle type: lever • material: brass	**8414F12** **8414F12BN**	201.00 260.05	Chrome Brushed Nickel	3 3

ONE-HANDLE CENTERSET LAVATORY FAUCET



	MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
• connection: 1/2" IPS • cartridge type: ceramic disc • flow type: aerated • water usage: 2.2 gpm (8.3 L/min) max. • mount type: centerset • temp limit stops: yes • drain assembly: drain not included • no lift rod hole • handle type: lever • material: brass	**8416**	180.90	Chrome	6
• water usage: 0.5 gpm (1.9 L/min) max. • drain assembly: drain not included • handle type: lever • material: brass	**8416F05**	180.90	Chrome	3

COMMERCIAL

▲ NSF 6 1/9 and 372 compliant ● NSF 372 compliant ■ Non-drinking water faucet
ADA compliant BAA compliant WaterSense® Water-saving

M•DURA™ Heavy-Duty Lavatory Faucets

	MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
MODERN WIDESPREAD LAVATORY FAUCET				
 • connection: 1/2" IPS • vandal resistant: yes • cartridge type: ceramic cartridge hot/cold • flow type: vandal resistant aerated • water usage: 1.2 gpm (4.5L/min) max. • mount type: widespread • drain assembly: drain not included • no lift rod hole • handle type: lever • material: brass	**9220F12**	317.40	Chrome	3
• water usage: 0.5 gpm (1.9 L/min) max. • drain assembly: drain not included • handle type: lever • material: brass	**9220F05**	317.40	Chrome	3
• water usage: 1.2 gpm (4.5L/min) max. • drain assembly: metal • handle type: lever • material: brass	**9223F12**	352.65	Chrome	3
• water usage: 0.5 gpm (1.9 L/min) max. • drain assembly: metal • handle type: lever • material: brass	**9223F05**	352.65	Chrome	3
WIDESPREAD LAVATORY FAUCET				
 • connection: 1/2" IPS • vandal resistant: yes • cartridge type: ceramic cartridge hot/cold • flow type: vandal resistant aerated • water usage: 2.2 gpm (8.3 L/min) max. • mount type: widespread • drain assembly: drain not included • no lift rod hole • handle type: lever • material: brass	**8220**	308.10	Chrome	6
• water usage: 0.5 gpm (1.9 L/min) max. • drain assembly: drain not included • handle type: lever • material: brass	**8220F05**	308.10	Chrome	3
• water usage: 2.2 gpm (8.3 L/min) max. • drain assembly: metal • handle type: lever • material: brass	**8223**	341.90	Chrome	6
• water usage: 2.2 gpm (8.3 L/min) max. • drain assembly: grid strainer waste • handle type: lever • material: brass	**8224**	335.35	Chrome	6

▲ NSF 6 1/9 and 372 compliant ● NSF 372 compliant ■ Non-drinking water faucet
ADA compliant BAA compliant WaterSense® Water-saving

M•DURA™ Heavy-Duty Lavatory Faucets

	MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
WIDESPREAD LAVATORY FAUCET				
 • connection: 1/2" IPS • vandal resistant: yes • cartridge type: ceramic cartridge hot/cold • flow type: vandal resistant aerated • water usage: 2.2 gpm (8.3 L/min) max. • mount type: widespread • drain assembly: drain not included • no lift rod hole • handle type: wrist blade • material: brass	**8228**	327.55	Chrome	6
• water usage: 1.2 gpm (4.5L/min) max. • drain assembly: drain not included • handle type: wrist blade • material: brass	**8228F12**	327.55	Chrome	3
• water usage: 0.5 gpm (1.9 L/min) max. • drain assembly: drain not included • handle type: wrist blade • material: brass	**8228F05**	327.55	Chrome	3
• water usage: 2.2 gpm (8.3 L/min) max. • drain assembly: metal • handle type: wrist blade • material: brass	**8239**	361.35	Chrome	6

COMMERCIAL

▲ NSF 6 1/9 and 372 compliant ● NSF 372 compliant ■ Non-drinking water faucet
ADA compliant BAA compliant WaterSense® Water-saving

M•DURA™ Heavy-Duty Lavatory Faucets

TWO-HANDLE CENTERSET LAVATORY FAUCET



	MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
• connection: 1/2" IPS • vandal resistant: yes • cartridge type: ceramic cartridge hot/cold • flow type: vandal resistant aerated • water usage: 2.2 gpm (8.3 L/min) max. • mount type: centerset • drain assembly: drain not included • no lift rod hole • handle type: lever • material: brass	**8210**	196.70	Chrome	6
• water usage: 2.2 gpm (8.3 L/min) max. • drain assembly: drain not included • handle type: smooth lever • material: brass	**8210SM**	196.70	Chrome	6
• water usage: 1.2 gpm (4.5L/min) max. • drain assembly: drain not included • handle type: lever • material: brass	**8210F12**	196.70	Chrome	6
• water usage: 1.2 gpm (4.5L/min) max. • drain assembly: drain not included • handle type: smooth lever • material: brass	**8210SMF12**	196.70	Chrome	6
• water usage: 0.5 gpm (1.9 L/min) max. • drain assembly: drain not included • handle type: lever • material: brass	**8210F05**	196.70	Chrome	6
• water usage: 0.5 gpm (1.9 L/min) max. • drain assembly: drain not included • handle type: smooth lever • material: brass	**8210SMF05**	196.70	Chrome	6
• water usage: 2.2 gpm (8.3 L/min) max. • drain assembly: metal • handle type: lever • material: brass	**8216**	222.15	Chrome	6
• water usage: 2.2 gpm (8.3 L/min) max. • drain assembly: grid strainer waste • handle type: lever • material: brass	**8218**	215.75	Chrome	6

▲ NSF 6 1/9 and 372 compliant ● NSF 372 compliant ■ Non-drinking water faucet
ADA compliant BAA compliant WaterSense® Water-saving

M•DURA™ Heavy-Duty Lavatory Faucets

TWO-HANDLE CENTERSET LAVATORY FAUCET



	MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
• connection: 1/2" IPS • vandal resistant: yes • cartridge type: ceramic cartridge hot/cold • flow type: vandal resistant aerated • water usage: 2.2 gpm (8.3 L/min) max. • mount type: centerset • drain assembly: drain not included • no lift rod hole • handle type: wrist blade • material: brass	**8215**	218.10	Chrome	6
• water usage: 2.2 gpm (8.3 L/min) max. • drain assembly: drain not included • handle type: smooth wrist blades • material: brass	**8215SM**	218.10	Chrome	6
• water usage: 1.2 gpm (4.5L/min) max. • drain assembly: drain not included • handle type: wrist blade • material: brass	**8215F12**	218.10	Chrome	6
• water usage: 1.2 gpm (4.5L/min) max. • drain assembly: drain not included • handle type: smooth wrist blades • material: brass	**8215SMF12**	218.10	Chrome	6
• water usage: 0.5 gpm (1.9 L/min) max. • drain assembly: drain not included • handle type: wrist blade • material: brass	**8215F05**	218.10	Chrome	6
• water usage: 0.35 gpm (1.32 L/min) max. • drain assembly: drain not included • handle type: wrist blade • material: brass	**8215F03**	218.10	Chrome	6
• water usage: 2.2 gpm (8.3 L/min) max. • drain assembly: metal • handle type: wrist blade • material: brass	**8219**	242.35	Chrome	6

▲ NSF 6 1/9 and 372 compliant ● NSF 372 compliant ■ Non-drinking water faucet
ADA compliant BAA compliant WaterSense® Water-saving

M•DURA™ Heavy-Duty Faucets

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
MANUAL-TO-METERING CONVERSION KIT					
	• excludes 8242, 8244 and modern lavs • includes hot/cold color indicator rings	**52120**	154.00	Chrome	12
TWO-HANDLE CENTERSET GOOSENECK FAUCET					
	• connection: 1/2" IPS • vandal resistant: yes • cartridge type: ceramic cartridge hot/cold • spout reach: 3.60 • flow type: vandal resistant laminar • water usage: 1.2 gpm (4.5L/min) max. • mount type: centerset • drain assembly: drain not included • handle type: lever • material: brass	**8270**	233.95	Chrome	6
TWO-HANDLE CENTERSET GOOSENECK FAUCET					
	• connection: 1/2" IPS • vandal resistant: yes • cartridge type: ceramic cartridge hot/cold • spout reach: 5.25 • flow type: vandal resistant laminar • water usage: 1.2 gpm (4.5L/min) max. • mount type: centerset • drain assembly: drain not included • handle type: lever • material: brass	**8272**	245.25	Chrome	6
TWO-HANDLE CENTERSET GOOSENECK FAUCET					
	• connection: 1/2" IPS • vandal resistant: yes • cartridge type: ceramic disc • spout reach: 6.00 • flow type: aerated • water usage: 1.2 gpm (4.5L/min) max. • mount type: centerset • drain assembly: drain not included • handle type: lever • material: brass	**8273**	201.15	Chrome	6
	• drain assembly: drain not included • handle type: lever • material: brass • spout: not included	**8274**	188.60	Chrome	6

COMMERCIAL

▲ NSF 6 1/9 and 372 compliant ● NSF 372 compliant ■ Non-drinking water faucet
ADA compliant BAA compliant WaterSense® Water-saving

TWO-HANDLE CENTERSET GOOSENECK FAUCET



MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
8278	246.50	Chrome	6

- connection: 1/2" IPS
- vandal resistant: yes
- cartridge type: ceramic cartridge hot/cold
- spout reach: 3.60
- flow type: vandal resistant laminar
- water usage: 1.2 gpm (4.5L/min) max.
- mount type: centerset
- drain assembly: drain not included
- handle type: wrist blade
- material: brass

8278SM	246.50	Chrome	6

- water usage: 2.2 gpm (8.3 L/min) max.
- drain assembly: drain not included
- handle type: smooth wrist blades
- material: brass

8278SMF12	246.50	Chrome	6

- water usage: 1.2 gpm (4.5L/min) max.
- drain assembly: drain not included
- handle type: smooth wrist blades
- material: brass

TWO-HANDLE CENTERSET GOOSENECK FAUCET



MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
8279	266.75	Chrome	6

- connection: 1/2" IPS
- vandal resistant: yes
- cartridge type: ceramic cartridge hot/cold
- spout reach: 5.25
- flow type: vandal resistant laminar
- water usage: 1.2 gpm (4.5L/min) max.
- mount type: centerset
- drain assembly: drain not included
- handle type: wrist blade
- material: brass

8279SM	262.30	Chrome	6

- water usage: 2.2 gpm aerated/2.0 laminar
- drain assembly: drain not included
- handle type: smooth wrist blades
- material: brass

8279SMF12	262.30	Chrome	6

- water usage: 1.2 gpm (4.5L/min) max.
- drain assembly: drain not included
- handle type: smooth wrist blades
- material: brass

8276	210.00	Chrome	6

- drain assembly: drain not included
- handle type: wrist blade
- material: brass
- spout: not included

Optional spouts available on page 444.

▲ NSF 6 1/9 and 372 compliant ● NSF 372 compliant ■ Non-drinking water faucet
ADA compliant BAA compliant WaterSense® Water-saving

M•DURA™ Heavy-Duty Faucets

WIDESPREAD GOOSENECK FAUCET



	MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
• connection: 1/2" IPS • vandal resistant: yes • cartridge type: ceramic cartridge hot/cold • spout reach: 5.25 • flow type: aerated • water usage: 1.2 gpm (4.5L/min) max. • mount type: widespread • drain assembly: drain not included • handle type: wrist blade • material: brass	**8248**	313.25	Chrome	6
• water usage: 2.2 gpm aerated/2.0 laminar • drain assembly: drain not included • handle type: smooth wrist blades • material: brass	**8248SM**	313.25	Chrome	3
• water usage: 1.2 gpm (4.5L/min) max. • drain assembly: drain not included • handle type: smooth wrist blades • material: brass	**8248SMF12**	313.25	Chrome	3

WIDESPREAD GOOSENECK FAUCET



• connection: 1/2" IPS • vandal resistant: yes • cartridge type: ceramic cartridge hot/cold • spout reach: 8.00 • flow type: aerated • water usage: 1.5 gpm (5.7 L/min) max. • mount type: widespread • drain assembly: drain not included • handle type: wrist blade • material: brass	**8225**	319.85	Chrome	6
• drain assembly: drain not included • handle type: wrist blade • material: brass • spout: not included	**8229**	266.70	Chrome	6
• water usage: 2.2 gpm aerated/2.0 laminar • drain assembly: drain not included • handle type: smooth wrist blades • material: brass	**8225SM**	319.85	Chrome	3
• water usage: 1.5 gpm aerated/1.5 laminar • drain assembly: drain not included • handle type: smooth wrist blades • material: brass	**8225SMF15**	319.85	Chrome	3

Optional spouts available on page 444.

▲ NSF 6 1/9 and 372 compliant ● NSF 372 compliant ■ Non-drinking water faucet
ADA compliant BAA compliant WaterSense® Water-saving

	MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
WIDESPREAD GOOSENECK FAUCET				
 • connection: 1/2" IPS • vandal resistant: yes • cartridge type: ceramic cartridge hot/cold • spout reach: 8.00 • flow type: aerated • water usage: 1.5 gpm (5.7 L/min) max. • mount type: widespread • drain assembly: drain not included • handle type: lever • material: brass	**8227**	300.40	Chrome	6
• drain assembly: drain not included • handle type: lever • material: brass • spout: not included	**8226**	247.15	Chrome	6
WIDESPREAD GOOSENECK FAUCET				
 • connection: 1/2" IPS • vandal resistant: yes • cartridge type: ceramic cartridge hot/cold • spout reach: 8.00 • flow type: aerated • water usage: 1.5 gpm (5.7 L/min) max. • mount type: widespread • side spray: yes • drain assembly: drain not included • handle type: lever • material: brass	**8242**	344.60	Chrome	6
WIDESPREAD GOOSENECK FAUCET				
 • connection: 1/2" IPS • vandal resistant: yes • cartridge type: ceramic cartridge hot/cold • spout reach: 8.00 • flow type: aerated • water usage: 1.5 gpm (5.7 L/min) max. • mount type: widespread • side spray: yes • drain assembly: drain not included • handle type: wrist blade • material: brass	**8244**	364.00	Chrome	6

Optional spouts available on page 444.

▲ NSF 6 1/9 and 372 compliant ● NSF 372 compliant ■ Non-drinking water faucet

ADA compliant BAA compliant WaterSense® Water-saving

M•DURA™ Heavy-Duty Kitchen Faucets

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TWO-HANDLE KITCHEN FAUCET					
	• connection: 1/2" IPS • vandal resistant: yes • cartridge type: ceramic cartridge hot/cold • spout reach: 8.00 • flow type: aerated • water usage: 1.5 gpm (5.7 L/min) max. • drain assembly: drain not included • handle type: lever • material: brass	**8287**	295.30	Chrome	6
	• drain assembly: drain not included • handle type: lever • material: brass • spout: not included	**8280**	236.90	Chrome	6
TWO-HANDLE KITCHEN FAUCET					
	• connection: 1/2" IPS • vandal resistant: yes • cartridge type: ceramic cartridge hot/cold • spout reach: 8.00 • flow type: aerated • water usage: 1.5 gpm (5.7 L/min) max. • drain assembly: drain not included • handle type: wrist blade • material: brass	**8289**	314.65	Chrome	6
	• drain assembly: drain not included • handle type: wrist blade • material: brass • spout: not included	**8285**	256.35	Chrome	6

Optional spouts available on page 444.

▲ NSF 6 1/9 and 372 compliant ● NSF 372 compliant ■ Non-drinking water faucet
ADA compliant BAA compliant WaterSense® Water-saving

M•DURA™ Heavy-Duty Kitchen Faucets

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
ONE-HANDLE KITCHEN FAUCET					
	• connection: 3/8" compression • vandal resistant: yes • cartridge type: 1255® Duralast® • spout reach: 9.00 • flow type: aerated • water usage: 1.5 gpm (5.7 L/min) max. • supply length: 22" • temp limit stops: yes • drain assembly: drain not included • handle type: lever • material: brass	**8701**	145.40	Chrome	12
	• water usage: 1.5 gpm (5.7 L/min) max. • drain assembly: drain not included • handle type: lever • material: brass • spout reach: 12.00	**8711**	217.35	Chrome	6
ONE-HANDLE KITCHEN FAUCET					
	• connection: 3/8" compression • vandal resistant: yes • cartridge type: 1255® Duralast® • spout reach: 9.00 • flow type: aerated • water usage: 1.5 gpm (5.7 L/min) max. • supply length: 22" • temp limit stops: yes • side spray: yes • drain assembly: drain not included • handle type: lever • material: brass	**8707**	173.25	Chrome	6
	• water usage: 1.5 gpm (5.7 L/min) max. • drain assembly: drain not included • handle type: lever • material: brass • spout reach: 12.00	**8717**	256.80	Chrome	6
ONE-HANDLE WALLMOUNT KITCHEN FAUCET					
	• connection: 1/2" eccentric; IPS • vandal resistant: yes • cartridge type: 1255® Duralast® • spout reach: 9.00 • flow type: aerated • water usage: 1.5 gpm (5.7 L/min) max. • mount type: wall mount • temp limit stops: yes • drain assembly: drain not included • handle type: lever • material: brass	**8713**	436.45	Chrome	12
	• water usage: 1.5 gpm (5.7 L/min) max. • drain assembly: drain not included • handle type: lever • material: brass • spout reach: 12.00	**8714**	449.95	Chrome	12

Optional spouts available on page 444.

▲ NSF 6 1/9 and 372 compliant ● NSF 372 compliant ■ Non-drinking water faucet
ADA compliant BAA compliant WaterSense® Water-saving

M•DURA™ Heavy-Duty Multi-Purpose Faucets

ONE-HANDLE MULTI-PURPOSE FAUCET



- connection: 3/8" compression
- vandal resistant: yes
- cartridge type: 1255® Duralast®
- flow type: aerated
- water usage: 1.5 gpm (5.7 L/min) max.
- mount type: widespread
- supply length: 22"
- temp limit stops: yes
- side spray: yes
- drain assembly: drain not included
- handle type: lever
- material: brass

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
8138	286.20	Chrome	6

ONE-HANDLE MULTI-PURPOSE FAUCET



- connection: 3/8" compression
- vandal resistant: yes
- cartridge type: 1255® Duralast®
- flow type: aerated
- water usage: 1.5 gpm (5.7 L/min) max.
- mount type: widespread
- supply length: 22"
- temp limit stops: yes
- drain assembly: drain not included
- handle type: lever
- material: brass

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
8137	240.45	Chrome	6

- drain assembly: drain not included
- handle type: lever
- material: brass
- spout: not included

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
8125	183.30	Chrome	6

ONE-HANDLE MULTI-PURPOSE FAUCET



- connection: 1/2" IPS
- vandal resistant: yes
- cartridge type: ceramic disc
- flow type: vandal resistant aerated
- water usage: 0.5 gpm (1.9 L/min) max.
- mount type: single mount
- cold only: yes
- drain assembly: drain not included
- handle type: lever
- material: brass

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
8161	145.35	Chrome	6
	4" DECKPLATE SOLD SEPARATELY		
99550	29.75	Chrome	12

M•DURA™ Heavy-Duty Multi-Purpose Faucets

	MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TWO-HANDLE CENTERSET UTILITY FAUCET				
 • connection: 1/2" IPS • 3/4" garden hose thread • vandal resistant: yes • cartridge type: ceramic cartridge hot/cold • spout reach: 6.50 • water usage: unrestricted • mount type: centerset • drain assembly: drain not included • handle type: lever • material: brass	**8277**	212.85	Chrome	6
TWO-HANDLE WALLMOUNT UTILITY FAUCET				
 • connection: 1/2" eccentric IPS • vandal resistant: yes • cartridge type: ceramic cartridge hot/cold • spout reach: 12.00 • flow type: aerated • water usage: 1.5 gpm (5.7 L/min) max. • mount type: wall mount • drain assembly: drain not included • handle type: lever • material: brass	**8119**	297.80	Chrome	6
TWO-HANDLE WALLMOUNT UTILITY FAUCET				
 • connection: 1/2" eccentric IPS • vandal resistant: yes • cartridge type: ceramic cartridge hot/cold • spout reach: 8.00 • flow type: aerated • water usage: 1.5 gpm (5.7 L/min) max. • mount type: wall mount • drain assembly: drain not included • handle type: wrist blade • material: brass	**8126**	298.55	Chrome	6
• drain assembly: drain not included • handle type: wrist blade • material: brass • spout: not included	**8121**	241.60	Chrome	6

COMMERCIAL

▲ NSF 6 1/9 and 372 compliant ● NSF 372 compliant ■ Non-drinking water faucet
ADA compliant BAA compliant WaterSense® Water-saving

M•DURA™ Heavy-Duty Multi-Purpose Faucets

	MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TWO-HANDLE WALLMOUNT SERVICE SINK FAUCET				
 • connection: 1/2" eccentric IPS • 3/4" garden hose thread • vandal resistant: yes • cartridge type: ceramic cartridge hot/cold • spout reach: 9.38 • water usage: unrestricted • mount type: wall mount • wall bracket included: yes • vacuum breaker: yes • pail hook: yes • drain assembly: drain not included • handle type: lever • material: brass	**8230**	204.70	Rough Chrome	3
TWO-HANDLE WALLMOUNT SERVICE SINK FAUCET				
 • connection: 1/2" eccentric IPS • 3/4" garden hose thread • vandal resistant: yes • cartridge type: ceramic cartridge hot/cold • spout reach: 10.25 • water usage: unrestricted • mount type: wall mount • wall bracket included: yes • backflow preventers included: yes • vacuum breaker: yes • pail hook: yes • drain assembly: drain not included • handle type: lever • material: brass	**8124**	252.35	Chrome	6
• water usage: unrestricted • drain assembly: drain not included • handle type: wrist blade • material: brass	**8232**	296.20	Chrome	6
MOP HANGER				
 • holds 3 handles	**8198**	66.45	Stainless	10
HOSE BRACKET				
 • 30" heavy-duty rubber hose	**8199**	48.40	Stainless	10

Optional spouts available on page 444.

NSF 6 1/9 and 372 compliant · NSF 372 compliant · Non-drinking water faucet
ADA compliant · BAA compliant · WaterSense® · Water-saving

M•DURA™ Heavy-Duty Laboratory Faucets

	MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
ONE-HANDLE LABORATORY FAUCET				
 • connection: 3/8" compression • vandal resistant: yes • cartridge type: ceramic cartridge hot/cold • spout reach: 5.25 • flow type: aerated • water usage: 2.2 gpm (8.3 L/min) max. • mount type: single mount • supply length: 22" • cold only: yes • drain assembly: drain not included • handle type: lever • material: brass	**8103**	171.45	Chrome	6
ONE-HANDLE LABORATORY FAUCET				
 • connection: 3/8" compression • serrated hose nozzle • vandal resistant: yes • cartridge type: ceramic cartridge hot/cold • spout reach: 6.00 • water usage: unrestricted • mount type: single mount • supply length: 22" • vacuum breaker: yes • cold only: yes • drain assembly: drain not included • handle type: lever • material: brass	**8106**	231.45	Chrome	6
TWO-HANDLE LABORATORY FAUCET				
 • connection: 3/8" compression • vandal resistant: yes • cartridge type: ceramic cartridge hot/cold • spout reach: 5.25 • flow type: aerated • water usage: 2.2 gpm (8.3 L/min) max. • mount type: single mount • supply length: 22" • drain assembly: drain not included • handle type: lever • material: brass	**8113**	254.00	Chrome	6
TWO-HANDLE LABORATORY FAUCET				
 • connection: 3/8" compression • serrated hose nozzle • vandal resistant: yes • cartridge type: ceramic cartridge hot/cold • spout reach: 6.00 • water usage: unrestricted • mount type: single mount • supply length: 22" • vacuum breaker: yes • drain assembly: drain not included • handle type: lever • material: brass	**8116**	314.00	Chrome	6

▲ NSF 6 1/9 and 372 compliant ● NSF 372 compliant ■ Non-drinking water faucet
ADA compliant BAA compliant WaterSense® Water-saving

M•DURA™ Heavy-Duty Spouts

DOUBLE-BEND SPOUTS



S0003



S0010

Model Number	Reach	Base to Aerator*	Overall Height	Weight Each Pounds	Case Quantity	List Price
S0000 ▲	6.00"	2.00"	4.325"	0.89	12	48.55
S0001 ▲	6.00"	3.75"	7.375"	1.20	12	58.35
S0002 ▲	6.00"	5.00"	9.125"	1.64	12	59.60
S0003 ▲	6.00"	5.75"	9.75"	1.60	12	58.35
S0004 ▲	6.00"	8.50"	12.75"	1.71	12	70.10
S0006 ▲	8.00"	0.75"	3.50"	1.20	12	44.45
S0007 ▲	8.00"	6.00"	9.75"	1.90	12	59.60
S0009 ▲	10.00"	5.75"	9.75"	2.20	12	64.25
S0010 ▲	12.00"	0.50"	3.125"	1.40	12	70.10
S0011 ▲	12.00"	6.00"	9.75"	1.64	12	58.35

MULTI-BEND SPOUTS



Model Number	Reach	Base to Aerator*	Overall Height	Weight Each Pounds	Case Quantity	List Price
S0012 ▲	18.00"	3.75"	7.75"	2.40	12	127.40

VACUUM-BREAKER SPOUTS



SV003

Model Number	Reach	Base to Aerator*	Overall Height	Weight Each Pounds	Case Quantity	List Price
SV003 ■	6.00"	5.75"	10.50"	2.15	12	120.35
SV006 ■	8.00"	0.50"	4.00"	1.40	12	112.20
SV010 ■	12.00"	0.50"	4.00"	1.70	12	118.00

All spouts include 2.2 gpm [8.3 lpm] max. aerators (except as noted below). Spouts are designed for use only with 8100 and 8200 series aerators.

* Height from spout nut base plane to aerator

** Threaded-end gooseneck spouts – spout tip is threaded, no aerator included

*** Smooth-end gooseneck spouts – spout tip is smooth and will not take an aerator; flow is controlled by 1.5gpm laminar flow spout base insert.

▲ NSF 6 1/9 and 372 compliant ● NSF 372 compliant ■ Non-drinking water faucet
ADA compliant BAA compliant WaterSense® Water-saving

M•DURA™ Heavy-Duty Spouts

GOOSENECK SPOUTS



Model Number	Reach	Base to Aerator*	Overall Height	Weight Each Pounds	Case Quantity	List Price
S0020 ▲	3.625"	6.25"	8.75"	1.47	12	59.60
S0030 ▲	5.25"	5.50"	10.00"	1.55	12	65.45
S0050 ▲	8.00"	6.125"	11.375"	1.65	12	72.45
S0060 ▲	8.00"	10.00"	12.00"	1.10	12	90.00
S0070 ▲	9.50"	6.50"	9.175"	1.81	12	78.30

THREADED-END GOOSENECK SPOUTS

Model Number	Reach	Base to Aerator**	Overall Height	Weight Each Pounds	Case Quantity	List Price
S0000T ▲	6.00"	N/A	4.325"	0.89	12	33.55
S0010T ▲	12.00"	N/A	3.125"	1.40	12	55.10
S0020T ▲	3.625"	N/A	8.75"	1.47	12	44.60
S0030T ▲	5.25"	N/A	10.00"	1.55	12	50.45
S0050T ▲	8.00"	N/A	11.375"	1.85	12	57.45

SMOOTH-END GOOSENECK SPOUTS

Model Number	Reach	Base to Aerator***	Overall Height	Weight Each Pounds	Case Quantity	List Price
S0030NA ▲	5.25"	N/A	10.00"	1.15	6	64.05

All spouts include 2.2 gpm [8.3 lpm] max. aerators (except as noted below). Spouts are designed for use only with 8100 and 8200 series aerators.


* Height from spout nut base plane to aerator

** Threaded-end gooseneck spouts – spout tip is threaded, no aerator included

*** Smooth-end gooseneck spouts – spout tip is smooth and will not take an aerator; flow is controlled by 1.5gpm laminar flow spout base insert.

▲ NSF 6 1/9 and 372 compliant ● NSF 372 compliant ■ Non-drinking water faucet
ADA compliant BAA compliant WaterSense® Water-saving

M•PRESS™ Heavy-Duty Metering Faucets



COMMERCIAL

M•PRESS™ Single-Mount Metering Faucet / 8884

M•PRESS™ Heavy-Duty Metering Faucets

ECO-PERFORMANCE SINGLE-MOUNT METERING FAUCET



- connection: 1/2" IPS
- vandal resistant: yes
- flow type: vandal resist multi-laminar
- water usage: 0.5 gpm (1.9 L/min) max.
- mount type: single mount
- timing preset: yes
- drain assembly: drain not included
- material: brass

MODEL NUMBER	LIST PRICE	CASE QTY
8884	177.15	6
4" DECKPLATE SOLD SEPARATELY		
99550	29.75	12

ECO-PERFORMANCE SINGLE-MOUNT EXTENDED REACH METERING FAUCET



- connection: 1/2" IPS
- vandal resistant: yes
- flow type: vandal resist multi-laminar
- water usage: 0.5 gpm (1.9 L/min) max.
- mount type: single mount
- timing preset: yes
- drain assembly: drain not included
- material: brass

8894	201.15	6
4" DECKPLATE SOLD SEPARATELY		
99551	29.75	12

ECO-PERFORMANCE CENTERSET METERING FAUCET



- connection: 1/2" IPS
- vandal resistant: yes
- flow type: vandal resist multi-laminar
- water usage: 0.5 gpm (1.9 L/min) max.
- mount type: centerset
- timing preset: yes
- drain assembly: drain not included
- material: brass

8886	326.55	6

ECO-PERFORMANCE WIDESPREAD METERING FAUCET




- connection: 1/2" IPS
- vandal resistant: yes
- flow type: vandal resist multi-laminar
- water usage: 0.5 gpm (1.9 L/min) max.
- mount type: widespread
- timing preset: yes
- drain assembly: drain not included
- material: brass

8889	417.95	6

M•PRESS™ Heavy-Duty Metering Faucets

		MODEL NUMBER	LIST PRICE	CASE QTY
DURAMETER METERING CARTRIDGE				
	• brass, pressure-independent replacement cartridge	**52100**	82.95	24
MANUAL-TO-METERING CONVERSION KIT				
	• excludes 8242, 8244 and modern lavs • includes hot/cold color indicator rings	**52120**	154.00	12

M•BITION™ Medium-Duty Faucets



M•BITION™ Single-Handle Lavatory Faucet / 8430 Series

COMMERCIAL

M•BITION™ Medium-Duty Lavatory Faucets

MODERN SINGLE-MOUNT LAVATORY FAUCET



- connection: 3/8" compression
- vandal resistant: yes
- cartridge type: 1255® Duralast®
- flow type: vandal resistant aerated
- water usage: 1.2 gpm (4.5L/min) max.
- mount type: single mount
- supply length: 24"
- temp limit stops: yes
- drain assembly: drain not included
- no lift rod hole
- handle type: lever

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
9480	159.35	Chrome	3
	4" DECKPLATE SOLD SEPARATELY		
99559	32.55	Chrome	20

- water usage: 1.2 gpm (4.5L/min) max.
- drain assembly: metal
- handle type: lever

9482	177.05	Chrome	3

ONE-HANDLE CENTERSET LAVATORY FAUCET



- connection: 1/2" IPS
- vandal resistant: yes
- cartridge type: 1255® Duralast®
- flow type: vandal resistant aerated
- water usage: 1.2 gpm (4.5L/min) max.
- mount type: centerset
- temp limit stops: yes
- drain assembly: drain not included
- removable plug button in lift: yes
- handle type: lever

8400	176.35	Chrome	6

- water usage: 1.2 gpm (4.5L/min) max.
- drain assembly: metal
- handle type: lever

8420	204.65	Chrome	6
8420CBN	255.85	Classic Brushed Nickel	12

- water usage: 1.2 gpm (4.5L/min) max.
- drain assembly: grid strainer waste
- handle type: lever

8425	199.25	Chrome	6

ONE-HANDLE CENTERSET LAVATORY FAUCET



- connection: 3/8" compression
- vandal resistant: yes
- cartridge type: 1255® Duralast®
- flow type: vandal resistant aerated
- water usage: 1.2 gpm (4.5L/min) max.
- mount type: centerset
- supply length: flexible
- temp limit stops: yes
- drain assembly: drain not included
- removable plug button in lift: yes
- handle type: lever

8422	185.05	Chrome	12

- water usage: 0.5 gpm (1.9 L/min) max.
- drain assembly: drain not included
- handle type: lever

8422F05	185.05	Chrome	12

NSF 6 1/9 and 372 compliant · ADA compliant · BAA compliant · WaterSense® · Water-saving

M•BITION™ Medium-Duty Lavatory Faucets

ONE-HANDLE CENTERSET LAVATORY FAUCET



MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
8430	137.90	Chrome	12
8430CBN	172.45	Classic Brushed Nickel	12

- connection: 1/2" IPS
- vandal resistant: yes
- cartridge type: 1255® Duralast®
- flow type: vandal resistant aerated
- water usage: 1.2 gpm (4.5L/min) max.
- mount type: centerset
- temp limit stops: yes
- drain assembly: drain not included
- removable plug button in lift: yes
- handle type: lever

8430F05	137.90	Chrome	12

- water usage: 0.5 gpm (1.9 L/min) max.
- drain assembly: drain not included
- handle type: lever

8432	169.70	Chrome	12

- water usage: 1.2 gpm (4.5L/min) max.
- drain assembly: metal
- handle type: lever

8432F05	169.70	Chrome	12

- water usage: 0.5 gpm (1.9 L/min) max.
- drain assembly: metal
- handle type: lever

8434	163.60	Chrome	12

- water usage: 1.2 gpm (4.5L/min) max.
- drain assembly: grid strainer waste
- handle type: lever

ONE-HANDLE CENTERSET LAVATORY FAUCET



8439	146.80	Chrome	12

- connection: 3/8" compression
- vandal resistant: yes
- cartridge type: 1255® Duralast®
- flow type: vandal resistant aerated
- water usage: 1.2 gpm (4.5L/min) max.
- mount type: centerset
- supply length: flexible
- temp limit stops: yes
- drain assembly: drain not included
- removable plug button in lift: yes
- handle type: lever

8439F05	146.80	Chrome	12

- water usage: 0.5 gpm (1.9 L/min) max.
- drain assembly: drain not included
- handle type: lever

8437	178.55	Chrome	12
8437CBN	223.20	Classic Brushed Nickel	12

- water usage: 1.2 gpm (4.5L/min) max.
- drain assembly: metal
- handle type: lever

M•BITION™ Medium-Duty Lavatory Faucets

MODERN WIDESPREAD LAVATORY FAUCET



- connection: 1/2" IPS
- vandal resistant: yes
- cartridge type: 1234 duralast®
- flow type: aerated
- water usage: 1.2 gpm (4.5L/min) max.
- mount type: widespread
- drain assembly: drain not included
- no lift rod hole
- handle type: lever

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
9921	229.45	Chrome	3

- water usage: 1.2 gpm (4.5L/min) max.
- drain assembly: metal
- handle type: lever

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
9922	254.95	Chrome	3

WIDESPREAD LAVATORY FAUCET



- connection: 1/2" IPS
- vandal resistant: yes
- cartridge type: 1224
- flow type: aerated
- water usage: 1.2 gpm (4.5L/min) max.
- mount type: widespread
- drain type: lift rod
- drain assembly: metal
- handle type: lever

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
8922	253.60	Chrome	6
8922CBN	304.40	Classic Brushed Nickel	6

- water usage: 1.2 gpm (4.5L/min) max.
- drain assembly: grid strainer waste
- handle type: lever

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
8924	271.40	Chrome	6

COMMERCIAL

NSF 6 1/9 and 372 compliant · ADA compliant · BAA compliant · WaterSense® · Water-saving

M•BITION™ Medium-Duty Lavatory Faucets

TWO-HANDLE CENTERSET LAVATORY FAUCET



- connection: 1/2" IPS
- vandal resistant: yes
- cartridge type: 1224
- flow type: aerated
- water usage: 1.2 gpm (4.5L/min) max.
- drain assembly: drain not included
- removable plug button in lift: yes
- handle type: wrist blade

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
8800	163.65	Chrome	6
8800CBN	200.65	Classic Brushed Nickel	6

- water usage: 0.5 gpm (1.9 L/min) max.
- drain assembly: drain not included
- handle type: wrist blade

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
8800F05	163.65	Chrome	6

- water usage: 1.2 gpm (4.5L/min) max.
- drain assembly: grid strainer waste
- handle type: wrist blade

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
8810	187.65	Chrome	6

- water usage: 1.2 gpm (4.5L/min) max.
- drain assembly: metal
- handle type: wrist blade

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
8820	193.35	Chrome	6
8820CBN	237.10	Classic Brushed Nickel	6

TWO-HANDLE CENTERSET LAVATORY FAUCET



- connection: 1/2" IPS
- vandal resistant: yes
- cartridge type: 1224
- spout reach: 6.00
- flow type: aerated
- water usage: 1.2 gpm (4.5L/min) max.
- mount type: centerset
- drain assembly: drain not included
- removable plug button in lift: yes
- handle type: lever

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
8915	120.30	Chrome	12
8915CBN	150.35	Classic Brushed Nickel	12

- water usage: 1.2 gpm (4.5L/min) max.
- drain assembly: metal
- handle type: lever

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
8917	141.80	Chrome	12
8917CBN	177.35	Classic Brushed Nickel	12

COMMERCIAL

NSF 6 1/9 and 372 compliant · ADA compliant · BAA compliant · WaterSense® · Water-saving

M•BITION™ Medium-Duty Kitchen Faucets

	MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TWO-HANDLE KITCHEN FAUCET				
 • connection: 1/2" IPS • vandal resistant: yes • cartridge type: 1224 • spout reach: 9.00 • flow type: aerated • water usage: 1.5 gpm (5.7 L/min) max. • side spray: yes • drain assembly: drain not included • handle type: lever	**8791**	138.85	Chrome	6
TWO-HANDLE KITCHEN FAUCET				
 • connection: 1/2" IPS • vandal resistant: yes • cartridge type: 1224 • spout reach: 8.50 • flow type: aerated • water usage: 2.0 gpm (7.6 L/min) max. • side spray: yes • drain assembly: drain not included • handle type: lever	**8792**	268.95	Chrome	6
TWO-HANDLE KITCHEN FAUCET				
 • connection: 1/2" IPS • vandal resistant: yes • cartridge type: 1224 • spout reach: 9.00 • flow type: aerated • water usage: 1.5 gpm (5.7 L/min) max. • drain assembly: drain not included • handle type: lever	**8780**	117.80	Chrome	6
TWO-HANDLE KITCHEN FAUCET				
 • connection: 1/2" IPS • vandal resistant: yes • cartridge type: 1224 • spout reach: 9.00 • flow type: aerated • water usage: 1.5 gpm (5.7 L/min) max. • drain assembly: drain not included • handle type: wrist blade	**8798**	188.85	Chrome	6
TWO-HANDLE KITCHEN FAUCET				
 • connection: 1/2" IPS • vandal resistant: yes • cartridge type: 1224 • spout reach: 8.50 • flow type: aerated • water usage: 1.5 gpm (5.7 L/min) max. • drain assembly: drain not included • handle type: wrist blade	**8799**	246.20	Chrome	6

M•BITION™ Medium-Duty Bar/Pantry Faucets

	MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY

TWO-HANDLE BAR/PANTRY FAUCET



- connection: 1/2" IPS
- vandal resistant: yes
- cartridge type: 1224
- spout reach: 4.56
- flow type: aerated
- water usage: 1.2 gpm (4.5L/min) max.
- mount type: centerset
- drain assembly: drain not included
- handle type: wrist blade

8938	163.20	Chrome	6

TWO-HANDLE BAR/PANTRY FAUCET



- connection: 1/2" IPS
- vandal resistant: yes
- cartridge type: 1224
- spout reach: 4.56
- flow type: aerated
- water usage: 1.2 gpm (4.5L/min) max.
- mount type: centerset
- drain assembly: drain not included
- handle type: lever

8957	125.70	Chrome	12

TWO-HANDLE BAR/PANTRY FAUCET



- connection: 1/2" IPS
- vandal resistant: yes
- cartridge type: 1224
- spout reach: 4.75
- flow type: aerated
- water usage: 1.2 gpm (4.5L/min) max.
- mount type: centerset
- drain assembly: drain not included
- handle type: wrist blade

8948	161.00	Chrome	6


TWO-HANDLE BAR/PANTRY FAUCET



- connection: 1/2" IPS
- vandal resistant: yes
- cartridge type: 1224
- spout reach: 8.50
- flow type: aerated
- water usage: 1.2 gpm (4.5L/min) max.
- mount type: centerset
- drain assembly: drain not included
- handle type: wrist blade

8940	233.20	Chrome	6

M•POWER™ Below-Deck Sensor-Operated Faucets & Soap Dispensers



Align® Below-Deck Sensor-Operated Modern Faucet / 8559

Align® Below-Deck Sensor-Operated Modern Soap Dispenser / 8560

COMMERCIAL

M•POWER™ Sensor-Operated Faucets

ALIGN® BELOW-DECK SENSOR-OPERATED MODERN FAUCET



- connection: 3/8" compression
- vandal resistant: yes
- power source: 4 AA included with optional AC*
- flow type: vandal resist multi-laminar
- water usage: 0.5 gpm (1.9 L/min) max.
- mount type: single mount
- supply length: 24"
- non-mixing: yes
- drain assembly: drain not included
- material: brass

MODEL NUMBER	LIST PRICE	CASE QTY
8559	647.70	6
4" DECKPLATE SOLD SEPARATELY		
182546	31.85	12
8" DECKPLATE SOLD SEPARATELY		
99558	41.85	20

ALIGN® BELOW-DECK SENSOR-OPERATED MODERN SOAP DISPENSER



- easily refillable 1500ml foam soap reservoir included
- material: brass

MODEL NUMBER	LIST PRICE	CASE QTY
8560	495.00	3
BRASS SPACER SOLD SEPARATELY		
181149	67.50	12

BELOW-DECK SENSOR-OPERATED CENTERSET FAUCET



- connection: 3/8" compression
- vandal resistant: yes
- power source: 4 AA included with optional AC*
- flow type: vandal resist multi-laminar
- water usage: 0.5 gpm (1.9 L/min) max.
- mount type: centerset
- supply length: 24"
- non-mixing: yes
- drain assembly: drain not included
- material: brass

MODEL NUMBER	LIST PRICE	CASE QTY
CA8301	656.35	6

BELOW-DECK SENSOR-OPERATED TRANSITIONAL FAUCET



- connection: 3/8" compression
- vandal resistant: yes
- power source: 4 AA included with optional AC*
- flow type: vandal resist multi-laminar
- water usage: 0.5 gpm (1.9 L/min) max.
- mount type: single mount
- supply length: 24"
- non-mixing: yes
- drain assembly: drain not included
- LEED: yes
- material: brass

MODEL NUMBER	LIST PRICE	CASE QTY
CA8302	647.70	6
4" DECKPLATE SOLD SEPARATELY		
182546	31.85	12
8" DECKPLATE SOLD SEPARATELY		
99558	41.85	20

BELOW-DECK SENSOR-OPERATED TRANSITIONAL SOAP DISPENSER



- easily refillable 1500ml foam soap reservoir included
- material: brass

MODEL NUMBER	LIST PRICE	CASE QTY
8558	495.00	3
BRASS SPACER SOLD SEPARATELY		
181148	78.00	12

*Convert to AC power with the following accessories: for single or multi-unit AC applications, order one (1) multi-unit transformer (104630) powers up to (8) units, and one (1) faucet AC connector (182538) per unit.

M•POWER™ Sensor-Operated Faucets

BELOW-DECK SENSOR-OPERATED GOOSENECK MIXING FAUCET



- connection: 3/8" compression
- power source: 4 AA included with optional AC*
- flow type: multi-stream laminar
- water usage: 0.5 gpm (1.9 L/min) max.
- mount type: single mount
- supply length: 24"
- drain assembly: drain not included
- handle type: lever
- material: brass

MODEL NUMBER	LIST PRICE	CASE QTY
8562	1150.00	3
4" DECKPLATE SOLD SEPARATELY		
182546	31.85	12
8" DECKPLATE SOLD SEPARATELY		
99558	41.85	20

BELOW-DECK SENSOR-OPERATED GOOSENECK FAUCET



- connection: 3/8" compression
- vandal resistant: yes
- power source: 4 AA included with optional AC*
- flow type: vandal resist multi-laminar
- water usage: 0.5 gpm (1.9 L/min) max.
- mount type: single mount
- supply length: 24"
- non-mixing: yes
- drain assembly: drain not included
- material: brass

MODEL NUMBER	LIST PRICE	CASE QTY
CA8303	714.25	6
4" DECKPLATE SOLD SEPARATELY		
182546	31.85	12
8" DECKPLATE SOLD SEPARATELY		
99558	41.85	20

BELOW-DECK SENSOR-OPERATED GOOSENECK FAUCET WITHOUT SPOUT




- connection: 3/8" compression
- vandal resistant: yes
- power source: 4 AA included with optional AC*
- sold without spout: yes
- mount type: single mount
- supply length: 24"
- non-mixing: yes
- drain assembly: drain not included
- material: brass
- spout: not included

MODEL NUMBER	LIST PRICE	CASE QTY
8565	664.25	3
4" DECKPLATE SOLD SEPARATELY		
182546	31.85	12
8" DECKPLATE SOLD SEPARATELY		
99558	41.85	20

*Convert to AC power with the following accessories: for single or multi-unit AC applications, order one (1) multi-unit transformer (104630) powers up to (8) units, and one (1) faucet AC connector (182538) per unit.

M•POWER™ Above-Deck Sensor-Operated Faucets



M•POWER™ Above-Deck Sensor-Operated Lavatory Faucet / 8551 Series

COMMERCIAL

M•POWER™ Sensor-Operated Faucets

ABOVE-DECK SENSOR-OPERATED MODERN FAUCET



- connection: 3/8" compression
- vandal resistant: yes
- power source: battery-powered (4 AA included)
- flow type: vandal resist multi-laminar
- water usage: 0.5 gpm (1.9 L/min) max.
- mount type: single mount
- supply length: 24"
- non-mixing: yes
- drain assembly: drain not included

MODEL NUMBER	LIST PRICE	CASE QTY
8551	667.55	6
4" DECKPLATE SOLD SEPARATELY		
99556	32.55	20
8" DECKPLATE SOLD SEPARATELY		
99558	41.85	20

AC ABOVE-DECK SENSOR-OPERATED MODERN FAUCET



- connection: 3/8" compression
- vandal resistant: yes
- power source: ac powered
- flow type: vandal resist multi-laminar
- water usage: 0.5 gpm (1.9 L/min) max.
- mount type: single mount
- supply length: 24"
- non-mixing: yes
- drain assembly: drain not included

MODEL NUMBER	LIST PRICE	CASE QTY
8551AC	685.75	6
4" DECKPLATE SOLD SEPARATELY		
99556	32.55	20
8" DECKPLATE SOLD SEPARATELY		
99558	41.85	20

ABOVE-DECK SENSOR-OPERATED MODERN MIXING FAUCET



- connection: 3/8" compression
- vandal resistant: yes
- power source: battery-powered (4 AA included)
- flow type: vandal resist multi-laminar
- water usage: 0.5 gpm (1.9 L/min) max.
- mount type: single mount
- supply length: 24"
- temperature & manual override: yes
- drain assembly: drain not included
- handle type: lever

MODEL NUMBER	LIST PRICE	CASE QTY
8552	737.75	6
4" DECKPLATE SOLD SEPARATELY		
99556	32.55	20
8" DECKPLATE SOLD SEPARATELY		
99558	41.85	20

AC ABOVE-DECK SENSOR-OPERATED MODERN MIXING FAUCET



- connection: 3/8" compression
- vandal resistant: yes
- power source: ac powered
- flow type: vandal resist multi-laminar
- water usage: 0.5 gpm (1.9 L/min) max.
- mount type: single mount
- supply length: 24"
- temperature & manual override: yes
- drain assembly: drain not included
- handle type: lever

MODEL NUMBER	LIST PRICE	CASE QTY
8552AC	737.75	6
4" DECKPLATE SOLD SEPARATELY		
99556	32.55	20
8" DECKPLATE SOLD SEPARATELY		
99558	41.85	20

For single or multi-unit AC applications, order one (1) multi-unit transformer (104630) powers up to (8) units

M•POWER™ Sensor-Operated Faucets

ABOVE-DECK SENSOR-OPERATED TRANSITIONAL FAUCET



- connection: 3/8" compression
- vandal resistant: yes
- power source: battery-powered (4 AA included)
- flow type: vandal resist multi-laminar
- water usage: 0.5 gpm (1.9 L/min) max.
- mount type: single mount
- supply length: 24"
- non-mixing: yes
- drain assembly: drain not included

MODEL NUMBER	LIST PRICE	CASE QTY
8553	667.55	6
4" DECKPLATE SOLD SEPARATELY		
99557	32.55	20
8" DECKPLATE SOLD SEPARATELY		
99558	41.85	20

AC ABOVE-DECK SENSOR-OPERATED TRANSITIONAL FAUCET



- connection: 3/8" compression
- vandal resistant: yes
- power source: ac powered
- flow type: vandal resist multi-laminar
- water usage: 0.5 gpm (1.9 L/min) max.
- mount type: single mount
- supply length: 24"
- non-mixing: yes
- drain assembly: drain not included

8553AC	685.75	6
4" DECKPLATE SOLD SEPARATELY		
99557	32.55	20
8" DECKPLATE SOLD SEPARATELY		
99558	41.85	20

ABOVE-DECK SENSOR-OPERATED TRANSITIONAL MIXING FAUCET



- connection: 3/8" compression
- vandal resistant: yes
- power source: battery-powered (4 AA included)
- flow type: vandal resist multi-laminar
- water usage: 0.5 gpm (1.9 L/min) max.
- mount type: single mount
- supply length: 24"
- temperature & manual override: yes
- drain assembly: drain not included
- handle type: lever

8554	737.75	6
4" DECKPLATE SOLD SEPARATELY		
99557	32.55	20
8" DECKPLATE SOLD SEPARATELY		
99558	41.85	20

AC ABOVE-DECK SENSOR-OPERATED TRANSITIONAL MIXING FAUCET



- connection: 3/8" compression
- vandal resistant: yes
- power source: ac powered
- flow type: vandal resist multi-laminar
- water usage: 0.5 gpm (1.9 L/min) max.
- mount type: single mount
- supply length: 24"
- temperature & manual override: yes
- drain assembly: drain not included
- handle type: lever

8554AC	737.75	6
4" DECKPLATE SOLD SEPARATELY		
99557	32.55	20
8" DECKPLATE SOLD SEPARATELY		
99558	41.85	20

For single or multi-unit AC applications, order one (1) multi-unit transformer (104630) powers up to (8) units

M•POWER™ Sensor-Operated Faucets

LOW-FLOW THERMOSTATIC MIXING VALVE



- connection: 1/2" female thread; IPS
- includes: 3/8" compression adapters
- no of ports: three
- water usage: 0.35 gpm min. (1.32 L/min.)
- listed to ASSE1070

MODEL NUMBER	LIST PRICE	CASE QTY
104451	173.00	12

THERMOSTATIC MIXING VALVE SERVICE KITS


Part No.	Description	List Price	Case Qty
175916	1/2" IPS Adapter Kit	14.95	12
175917	1/2" CC Adapter Kit	14.95	1
175918	1/2" Cold Expansion PEX Adapter Kit	14.95	12
181040	1/2" Crimp Ring PEX Adapter Kit	14.95	12
175921	3/8" Compression Adapter Kit	14.95	12
175925	Fitting Nut Kit	14.95	12
175926	Screen Washers and Seal Washer Kit	14.95	12

See page 463 for sensor-operated faucet accessories.

SENSOR-OPERATED FAUCET ACCESSORIES

Part No.	Description	List Price
174055	Battery Housing for Above and Below-Deck Models	29.85
174056	Solenoid Repair Kit for All Above-Deck SKUs 8551, 8552, 8553, 8554, 8551AC, 8552AC, 8553AC, 8554AC	94.85
174057	Strain Relief and Sensor Cable Extension for 8551–8554	26.35
174060	Mounting Hardware for All Above-Deck SKUs 8551, 8552, 8553, 8554, 8551AC, 8552AC, 8553AC, 8554AC	16.70
174061	Manual Temperature Control Handle Kit 8552, 8554, 8552AC, 8554AC	23.40
174062	T10 Torx Key and Screw for All Above-Deck SKUs 8551, 8552, 8553, 8554, 8551AC, 8552AC, 8553AC, 8554AC	8.65
174065	In-Line Filter with Check Valve for All Above-Deck SKUs 8551, 8552, 8553, 8554, 8551AC, 8552AC, 8553AC, 8554AC	47.35
174066	Filter Screen for Filter Housing for All Above-Deck SKUs 8551, 8552, 8553, 8554, 8551AC, 8552AC, 8553AC, 8554AC	5.45
174334	Sensor and Bracket for 8551, 8552, 8551AC, 8552AC	187.35
174335	Sensor and Bracket for 8553, 8554, 8553AC, 8554AC	187.35
174336	Override Plug Button for 8552, 8552AC	18.55
174337	Override Plug Button for 8554, 8554AC	18.55
99556	4" Deckplate designed for 8551, 8551AC, 8552, 8552AC	32.55
99557	4" Deckplate designed for 8553, 8553AC, 8554, 8554AC	32.55
99558	8" Deckplate for 8559, CA8302, 8562, CA8303, 8565, 8551, 8551AC, 8552, 8552AC, 8553, 8553AC, 8554, 8554AC	41.85
52016F05	0.5 gpm Multi-Stream Laminar Flow Aerator	18.15
52016F10	1.0 gpm Aerator	18.15
S0030NA	Smooth-End Spout with 1.5 gpm Laminar Flow Base Insert	64.05
104630	Multi-Unit AC Transformer (powers up to 8 units)	96.35
182534	Control Box for Gooseneck and Above-Deck AC Models	48.90
182535	Control Box for CA83021, 8559, CA8302	131.80
182536	Control Box Wall Mounting Hardware	9.30
182537	IR Sensor Assembly and Bracket for Below-Deck Models	145.00
182538	AC Connector	20.50
182539	36" Cable for Gooseneck Models	42.90
182540	Cable Harness and Vandal Sleeve for Below-Deck Non-Mixing Models	49.60
182542	Centerset Deck Gasket for CA8301	15.90
182543	Transitional Deck Gasket for CA8302	15.80
182544	Modern Deck Gasket for 8559	15.80
182547	Override Plug Button	23.00
182546	4" Deckplate for 8559, CA8302, 8562, CA8303, 8565	31.85
	Sensor-Operated Soap Dispenser Accessories	
182413	Non-Drip Foam Soap Pump	60.60
182414	1500mL Foam Soap Bottle	17.10
182415	Control Box for Sensor Soap	125.00
182416	Mounting Bracket, Vandal Shield and Mounting Hardware for Sensor Soap	92.80
182417	Soap Tube, O-Ring, Spout Barb and Soap Net	51.00
182418	Soap Net	31.90
182419	Vandal Sheathing for Sensor Soap	15.50
182420	Wire Vandal Sheathing for Sensor Soap	40.60
182421	D-Cell Battery Box for Sensor Soap	58.90
182422	Sensor, Bracket and Screw for Sensor Soap	145.00
182423	Mounting Hardware for Sensor Soap	13.30
181148	Transitional Deck Spacer for 8558	78.00
181149	Modern Deck Spacer for 8560	67.50

M•POWER™ Sensor-Operated Flush Valves



COMMERCIAL

M•POWER™ Sensor-Operated Flush Valve / 8312

M•POWER™ Sensor-Operated Flush Valves

1-1/2" DC SENSOR-OPERATED CLOSET FLUSH VALVE



	MODEL NUMBER	LIST PRICE	CASE QTY
• flush valve type: water closet • GPF: 3.5 GPF (13.0LPF) • vandal resistant: yes • battery-powered (4 AA included) • flush valve technology: accuset piston • material: cast brass • easy front battery access: yes • mechanical override: yes	**8310S35**	596.45	3
• GPF: 1.6 GPF (6.0 LPF)	**8310**	596.45	4
• GPF: 1.28 GPF (4.8 LPF)	**8311**	596.45	4
• GPF: 1.0/1.6 GPF (3.8/6.0 LPF) • dual flush	**8310DF16**	626.20	4

1-1/2" AC SENSOR-OPERATED CLOSET FLUSH VALVE



	MODEL NUMBER	LIST PRICE	CASE QTY
• flush valve type: water closet • GPF: 1.6 GPF (6.0 LPF) • vandal resistant: yes • ac powered • requires 12v transformer: sold separately • flush valve technology: accuset piston • material: cast brass • easy front battery access: yes • mechanical override: yes	**8310AC16**	596.45	4
• GPF: 1.28 GPF (4.8 LPF)	**8311AC12**	596.45	4
• GPF: 1.0/1.6 GPF (3.8/6.0 LPF) • dual flush	**8310ACDF16**	626.20	4

3/4" DC SENSOR-OPERATED URINAL FLUSH VALVE



	MODEL NUMBER	LIST PRICE	CASE QTY
• flush valve type: urinal • GPF: 1.0 GPF (3.8LPF) • vandal resistant: yes • battery-powered (4 AA included) • flush valve technology: accuset piston • material: cast brass • easy front battery access: yes • mechanical override: yes	**8312**	596.45	4
• GPF: 0.5 GPF (1.9 LPF)	**8315**	596.45	4
• GPF: 0.125 GPF (0.5 LPF)	**8316**	596.45	4

For single or multi-unit AC applications, order one (1) multi-unit transformer (104630) powers up to (8) units.

ADA compliant BAA compliant WaterSense® Water-saving

COMMERCIAL

M•POWER™ Sensor-Operated Flush Valves

		MODEL NUMBER	LIST PRICE	CASE QTY
1-1/4" DC SENSOR-OPERATED URINAL FLUSH VALVE				
	• flush valve type: urinal • GPF: 1.0 GPF (3.8LPF) • vandal resistant: yes • battery-powered (4 AA included) • flush valve technology: accuset piston • material: cast brass • easy front battery access: yes • mechanical override: yes	**8314**	596.45	6
3/4" AC SENSOR-OPERATED URINAL FLUSH VALVE				
	• flush valve type: urinal • GPF: 1.0 GPF (3.8LPF) • vandal resistant: yes • ac powered • requires 12v transformer: sold separately • flush valve technology: accuset piston • material: cast brass • easy front battery access: yes • mechanical override: yes	**8312AC10**	596.45	4
	• GPF: 0.5 GPF (1.9 LPF)	**8315AC05**	596.45	4
	• GPF: 0.125 GPF (0.5 LPF)	**8316AC**	596.45	4

For single or multi-unit AC applications, order one (1) multi-unit transformer (104630) powers up to (8) units.

ADA compliant BAA compliant WaterSense® Water-saving

COMMERCIAL

M•POWER™ Sensor-Operated Flush Valves

DC SENSOR-OPERATED CLOSET FLUSH VALVE RETROFIT KIT



	MODEL NUMBER	LIST PRICE	CASE QTY
• flush valve type: water closet retro fit • GPF: 3.5 GPF (13.0LPF) • vandal resistant: yes • battery-powered (4 AA included) • flush valve technology: accuset piston • material: cast brass • easy front battery access: yes • mechanical override: yes	**8310SR35**	499.10	3
• GPF: 1.6 GPF (6.0 LPF)	**8310R16**	499.10	8
• GPF: 1.28 GPF (4.8 LPF)	**8310SR128**	499.10	3
• GPF: 1.0/1.6 GPF (3.8/6.0 LPF) • dual flush	**8310RDF16**	524.00	4

DC SENSOR-OPERATED URINAL FLUSH VALVE RETROFIT KIT



	MODEL NUMBER	LIST PRICE	CASE QTY
• flush valve type: urinal retro fit • GPF: 1.0 GPF (3.8LPF) • vandal resistant: yes • battery-powered (4 AA included) • flush valve technology: accuset piston • material: cast brass • easy front battery access: yes • mechanical override: yes	**8312R10**	499.10	8
• GPF: 0.5 GPF (1.9 LPF)	**8312SR05**	499.10	3
• GPF: 0.125 GPF (0.5 LPF)	**8312SR125**	499.10	3

For single or multi-unit AC applications, order one (1) multi-unit transformer (104630) powers up to (8) units.

ADA compliant BAA compliant WaterSense® Water-saving

COMMERCIAL

M•POWER™ Sensor-Operated Flush Valves

SENSOR-OPERATED FLUSH VALVE ACCESSORIES

Part No.	Description	List Price
104585	1½" Flush Extension Tube–24"	120.65
104587	Flush Valve Trap Primer	147.05
104588	1" Sweat Kit, Flush Valve	27.65
104589	1" Sweat Kit, Flush Valve 6" Long	44.45
104555	1" Angle Stop Valve Flush Valve	112.55
104556	¾" Angle Stop Valve Flush Valve	112.55
104570	Vacuum Breaker Kit	18.40
104571	Brass Valve Body Nut Flush Valve	24.55
104578	1½" Brass Flush Valve Tube	46.95
104579	1¼" Brass Flush Tube	51.00
104580	¾" Brass Flush Tube	47.05
104581	1½" Top Spud Assembly	32.90
104582	1¼" Top Spud Assembly	29.95
104583	¾" Top Spud Assembly	25.75
104584	Urinal Tailpiece (24" x ¾")	76.60
104617	Flush Valve Battery Pack	29.80
104618	Front Shroud 1.6gpf	70.50
104619	Front Shroud 1.28gpf	70.50
104620	Front Shroud 3.5gpf	70.50
104621	Front Shroud 1.0gpf	70.50
104622	Front Shroud 0.5gpf	70.50
104623	Front Shroud 1.0/1.6gpf	70.50
104624	Front Shroud 0.125gpf	70.50
104625	Rear shroud DC	33.20
104626	Rear shroud AC	34.10
104627	Flush Valve Override Assembly	31.70
104628	Piston and Manifold Tool	93.80
104630	Multi-Unit AC Transformer (powers up to 8 units)	96.35
104631	AC Cover Tube and Escutcheon	31.80
104633	Solenoid Manifold and Tool	113.50
104634	Flush Valve Override Cap	22.40

M•DURA™ Heavy-Duty Manual Flush Valves



M•DURA™ Heavy-Duty Manual Urinal Flush Valve / 8312M Series

COMMERCIAL

M•DURA™ Heavy-Duty Manual Flush Valves

		MODEL NUMBER		LIST PRICE	CASE QTY
1-1/2" MANUAL CLOSET FLUSH VALVE					
	• flush valve type: water closet • GPF: 3.5 GPF (13.0LPF) • flush valve technology: accuset piston • material: cast brass	**8310M35**	185.80 Chrome		3
	• GPF: 1.6 GPF (6.0 LPF)	**8310M16**	185.80 Chrome		3
	• GPF: 1.28 GPF (4.8 LPF)	**8310M128**	185.80 Chrome		3
3/4" MANUAL URINAL FLUSH VALVE					
	• flush valve type: urinal • GPF: 1.0 gpm (3.8L/min) • flush valve technology: accuset piston • material: cast brass	**8312M10**	185.80 Chrome		3
	• GPF: 0.5 GPF (1.9 LPF)	**8312M05**	185.80 Chrome		3
	• GPF: 0.125 GPF (0.5 LPF)	**8312M0125**	185.80 Chrome		3
1-1/4" MANUAL URINAL FLUSH VALVE					
	• flush valve type: urinal • GPF: 1.0 GPF (3.8LPF) • flush valve technology: accuset piston • material: cast brass	**8314M10**	185.80 Chrome		3

M•DURA™ Heavy-Duty Manual Flush Valves

MANUAL CLOSET FLUSH VALVE RETROFIT KIT



	MODEL NUMBER		LIST PRICE	CASE QTY
• flush valve type: water closet retro fit • GPF: 3.5 GPF (13.0LPF) • flush valve technology: accuset piston • material: cast brass	**8310MR35**	Chrome	149.50	6
• GPF: 1.6 GPF (6.0 LPF)	**8310MR16**	Chrome	149.50	6
• GPF: 1.28 GPF (4.8 LPF)	**8310MR128**	Chrome	149.50	6

MANUAL URINAL FLUSH VALVE RETROFIT KIT



• flush valve type: urinal retro fit • GPF: 1.0 GPF (3.8LPF) • flush valve technology: accuset piston • material: cast brass	**8312MR10**	Chrome	149.50	6
• GPF: 0.5 GPF (1.9 LPF)	**8312MR05**	Chrome	149.50	6
• GPF: 0.125 GPF (0.5 LPF)	**8312MR0125**	Chrome	149.50	6

1-1/2" MANUAL CLOSET FLUSH VALVE WITH BEDPAN WASHER



• flush valve type: water closet • GPF: 3.5 GPF (13.0LPF) • flush valve technology: accuset piston • material: cast brass	**8310BPW35**	Chrome	567.15	2
• GPF: 1.6 GPF (6.0 LPF)	**8310BPW16**	Chrome	567.15	2

BEDPAN WASHER DIVERTER KIT



• flush valve type: bedpan washer diverter kit • flush valve technology: accuset piston • material: solid brass	**8310BPWR**	Chrome	410.05	3

COMMERCIAL

ADA compliant BAA compliant WaterSense® Water-saving

M•DURA™ Heavy-Duty Manual Flush Valves

MANUAL FLUSH VALVE ACCESSORIES

Part No.	Description	List Price
104540	M•DURA™ 2 1/4" Extension (standard) Nipple (compatible with Delany angle stops)	37.40
104541	M•DURA™ 1 3/4" Extension Nipple (compatible with Delany angle stops)	32.75
104542	M•DURA™ 2 3/4" Extension Nipple (compatible with Delany angle stops)	45.55
104543	M•DURA™ 3 1/4" Extension Nipple (compatible with Delany angle stops)	50.25
104544	M•DURA™ 3 3/4" Extension Nipple (compatible with Delany angle stops)	56.05
104545	M•DURA™ 4 1/4" Extension Nipple (compatible with Delany angle stops)	61.90
104546	M•DURA™ 2 1/8" Extension (standard) Nipple*	32.75
104547	M•DURA™ 2 1/2" Extension Nipple*	36.25
104548	M•DURA™ 3" Extension Nipple*	38.55
104549	M•DURA™ 3 1/2" Extension Nipple*	42.05
104550	M•DURA™ 4" Extension Nipple*	46.75
104551	M•DURA™ 4 1/2" Extension Nipple*	50.25
104552	M•DURA™ 5" Extension Nipple*	56.05
104553	M•DURA™ 5 1/2" Extension Nipple*	59.60
104554	M•DURA™ 6" Extension Nipple*	64.25
104555	M•DURA™ 1" Angle Stop	112.55
104556	M•DURA™ 3/4" Angle Stop	112.55
104557	M•DURA™ Angle Stop Repair Kit	19.70
104560	M•DURA™ Offset Flush Tube 2 21/2" x 1 1/2"	43.70
104561	M•DURA™ Cap Assembly	61.70
104563	M•DURA™ 3.5 gpf (13.2 lpf) Piston	82.95
104564	M•DURA™ 1.6 gpf (6.0 lpf) Piston	82.95
104565	M•DURA™ 1.28 gpf (4.8 lpf) Piston	82.95
104566	M•DURA™ 1.0 gpf (3.8 lpf) Piston	82.95
104567	M•DURA™ 0.5 gpf (1.9 lpf) Piston	82.95
104568	M•DURA™ 0.125 gpf (0.5 lpf) Piston	82.95
104569	M•DURA™ Handle Assembly	24.90
104570	M•DURA™ Vacuum Breaker Assembly	18.40
104571	M•DURA™ Body Nut	24.55
104572	M•DURA™ Angle Stop Replacement Cap	6.40
104578	M•DURA™ Flush Tube 8 1/2" x 1 1/2"	46.95
104579	M•DURA™ Flush Tube 8" x 1 1/4"	51.00
104580	M•DURA™ Flush Tube 8" x 1 3/4"	47.05
104581	M•DURA™ 1 1/2" Top Spud Assembly	32.90
104582	M•DURA™ 1 1/4" Top Spud Assembly	29.95
104583	M•DURA™ 3/4" Top Spud Assembly	25.75
104584	M•DURA™ Flush Extension Tube 24" x 3/4"	76.60
104585	M•DURA™ Flush Extension Tube 24" x 1 1/2"	120.65
104588	M•DURA™ Sweat Kit (1" supply) 3" length	27.65
104589	M•DURA™ Sweat Kit (1" supply) 6" length	44.45
104590	M•DURA™ Cap Assembly with 3.5 gpf Marking	26.45
104591	M•DURA™ Cap Assembly with 1.6 gpf Marking	26.45
104592	M•DURA™ Cap Assembly with 1.28 gpf Marking	26.45
104593	M•DURA™ Cap Assembly with 1.0 gpf Marking	26.45
104594	M•DURA™ Cap Assembly with 0.5 gpf Marking	26.45
104595	M•DURA™ Cap Assembly with 0.125 gpf Marking	26.45
104597	M•DURA™ Tail Piece and Interior Cap Tool	17.65
104598	M•DURA™ Sweat Kit (3/4" supply) 3" length	26.05
104599	M•DURA™ Sweat Kit (3/4" supply) 6" length	46.75
104609	M•DURA™ Piston Gaskets	10.20

BEDPAN WASHER ACCESSORIES

Part No.	Description	List Price
104573	M•DURA™ Bedpan Washer Seal Kit	23.80
104574	M•DURA™ Bedpan Washer Seal Kit	52.00
104575	M•DURA™ Bedpan Washer Arm Assembly	52.00
104577	M•DURA™ Bedpan Washer Spray Face	11.15
104600	M•DURA™ Offset Flush Tube 8" x 1 1/2"	50.20
SMA10000CH*	SecureMount™ anchors, 1 pair, for use with bedpan washer wallmount flange	30.05

M•DURA™ Heavy-Duty Showering



M•DURA™ Modern Heavy-Duty Shower System / T9342 Series

COMMERCIAL

M•DURA™ Heavy-Duty Showering

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
MODERN POSI-TEMP® PRESSURE-BALANCING TUB/SHOWER					
	• connection: 1/2" • showerhead type: standard with handshower • # of showerhead functions: one-function • hose length: 69" • valve type: Posi-Temp®; transfer • slide bar: yes† • drop ell: yes • water usage: 2.5 gpm (9.5 L/min) max. • cartridge type: 1222HD • handshower functions: 1f with non-positive pause • valve sold separately	**T9343**	488.70	Chrome	1
	• water usage: 1.5 gpm (5.7 L/min) max. • valve sold separately	**T9343EP15**	488.70	Chrome	1
	• cartridge type: 1222HD • valve type: Posi-Temp® • # of ports: four	**8370HD**	130.85	1/2" CC connection without integral stops	6
		8371HD	157.50	1/2" CC connection with integral stops	6
		8372HD	157.50	1/2" IPS connection with integral stops	6
		8373HD	157.50	1/2" PEX connection with integral stops	6
		8374HD	169.75	1/2" CPVC connection with integral stops	6
		8375HD	157.50	1/2" cold expansion PEX connection with integral stops	6
	• cartridge type: ceramic disc • valve type: transfer • # of ports: four • three distinct functions	**3360**	192.60	Commercial three-function 1/2" transfer valve	6

COMMERCIAL

HOW TO ORDER A COMPLETE SHOWER



Trim Part No. + Valve Part No. = Complete Shower

*The brass Posi-Temp® and Moentrol® valves meet ASSE 1016 compliance requirements for controlling temperature fluctuations when paired with Moen Commercial showerheads and handshowers with flow rates as low as 1.5 gpm (5.7 lpm).

† Slide bar is not a grab bar. Not to be used as support.

ADA compliant (excluding holders, slide bars and diverting tub spout)

BAA compliant WaterSense® Water-saving

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
MODERN POSI-TEMP® PRESSURE-BALANCING TUB/SHOWER WITH SLIDE BAR/GRAB BAR					
	• connection: 1/2" • showerhead type: standard with handshower • # of showerhead functions: one-function • hose length: 69" • valve type: Posi-Temp®; transfer • drop ell: yes • water usage: 2.5 gpm (9.5 L/min) max. • cartridge type: 1222HD • slidebar/grab bar: yes • handshower functions: 1f with non-positive pause • valve sold separately	**T9343GBM25**	537.60	Chrome	1
	• water usage: 1.5 gpm (5.7 L/min) max. • valve sold separately	**T9343GBM15**	537.60	Chrome	1
	• cartridge type: 1222HD • valve type: Posi-Temp® • # of ports: four	**8370HD**	130.85	1/2" CC connection without integral stops	6
		8371HD	157.50	1/2" CC connection with integral stops	6
		8372HD	157.50	1/2" IPS connection with integral stops	6
		8373HD	157.50	1/2" PEX connection with integral stops	6
		8374HD	169.75	1/2" CPVC connection with integral stops	6
		8375HD	157.50	1/2" cold expansion PEX connection with integral stops	6
	• cartridge type: ceramic disc • valve type: transfer • # of ports: four • three distinct functions	**3360**	192.60	Commercial three-function 1/2" transfer valve	6

COMMERCIAL

HOW TO ORDER A COMPLETE SHOWER



Trim Part No. + Valve Part No. = Complete Shower

*The brass Posi-Temp® and Moentrol® valves meet ASSE 1016 compliance requirements for controlling temperature fluctuations when paired with Moen Commercial showerheads and handshowers with flow rates as low as 1.5 gpm (5.7 lpm).

ADA compliant (excluding holders, slide bars and diverting tub spout)

BAA compliant WaterSense® Water-saving

M•DURA™ Heavy-Duty Showering

POSI-TEMP® PRESSURE-BALANCING TUB/SHOWER



	MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
• connection: 1/2" • showerhead type: standard with handshower • # of showerhead functions: one-function • hose length: 69" • valve included: yes • valve type: Posi-Temp®; transfer • slide bar: yes† • drop ell: yes • water usage: 2.5 gpm (9.5 L/min) max. • cartridge type: 1222HD • check stops: yes • valve meets ASSE performance requirements • handshower functions: 1f with non-positive pause	**8343**	668.10	Chrome	1
• water usage: 2.5 gpm (9.5 L/min) max. • valve sold separately	**T8343**	357.45	Chrome	1
	T8343CBN	525.55	Classic Brushed Nickel	1
• water usage: 1.5 gpm (5.7 L/min) max. • valve sold separately	**T8343EP15**	357.45	Chrome	1
	T8343EP15CBN	525.55	Classic Brushed Nickel	1
• showerhead type: showerhead sold separately • valve sold separately	**T8343NH**	349.35	Chrome	1
	T8343NHCBN	481.05	Classic Brushed Nickel	1
• cartridge type: 1222HD • valve type: Posi-Temp® • # of ports: four	**8370HD**	130.85	1/2" CC connection without integral stops	6
	8371HD	157.50	1/2" CC connection with integral stops	6
	8372HD	157.50	1/2" IPS connection with integral stops	6
	8373HD	157.50	1/2" PEX connection with integral stops	6
	8374HD	169.75	1/2" CPVC connection with integral stops	6
	8375HD	157.50	1/2" cold expansion PEX connection with integral stops	6
• cartridge type: ceramic disc • valve type: transfer • # of ports: four • three distinct functions	**3360**	192.60	Commercial three-function 1/2" transfer valve	6

COMMERCIAL

HOW TO ORDER A COMPLETE SHOWER



Trim Part No. + Valve Part No. = Complete Shower

*The brass Posi-Temp® and Moentrol® valves meet ASSE 1016 compliance requirements for controlling temperature fluctuations when paired with Moen Commercial showerheads and handshowers with flow rates as low as 1.5 gpm (5.7 lpm).

† Slide bar is not a grab bar. Not to be used as support.

ADA compliant (excluding holders, slide bars and diverting tub spout)

BAA compliant WaterSense® Water-saving

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
MODERN POSI-TEMP® PRESSURE-BALANCING SHOWER					
	• connection: 1/2" • showerhead type: standard with handshower • # of showerhead functions: one-function • hose length: 69" • valve type: Posi-Temp®; transfer • slide bar: yes† • drop ell: yes • water usage: 2.5 gpm (9.5 L/min) max. • cartridge type: 1222HD • handshower functions: 1f with non-positive pause • valve sold separately	**T9342**	462.50	Chrome	1
	• water usage: 1.5 gpm (5.7 L/min) max. • valve sold separately	**T9342EP15**	462.50	Chrome	1
	• cartridge type: 1222HD • valve type: Posi-Temp® • # of ports: four	**8370HD**	130.85	1/2" CC connection without integral stops	6
		8371HD	157.50	1/2" CC connection with integral stops	6
		8372HD	157.50	1/2" IPS connection with integral stops	6
		8373HD	157.50	1/2" PEX connection with integral stops	6
		8374HD	169.75	1/2" CPVC connection with integral stops	6
		8375HD	157.50	1/2" cold expansion PEX connection with integral stops	6
	• cartridge type: ceramic disc • valve type: transfer • # of ports: four • three distinct functions	**3360**	192.60	Commercial three-function 1/2" transfer valve	6

COMMERCIAL

HOW TO ORDER A COMPLETE SHOWER



Trim Part No. + Valve Part No. = Complete Shower

*The brass Posi-Temp® and Moentrol® valves meet ASSE 1016 compliance requirements for controlling temperature fluctuations when paired with Moen Commercial showerheads and handshowers with flow rates as low as 1.5 gpm (5.7 lpm).

† Slide bar is not a grab bar. Not to be used as support.

ADA compliant (excluding holders, slide bars and diverting tub spout)

BAA compliant WaterSense® Water-saving

M•DURA™ Heavy-Duty Showering

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
MODERN POSI-TEMP® PRESSURE-BALANCING SHOWER WITH SLIDE BAR/GRAB BAR					
	• connection: 1/2" • showerhead type: standard with handshower • # of showerhead functions: one-function • hose length: 69" • valve type: Posi-Temp®; transfer • drop ell: yes • water usage: 2.5 gpm (9.5 L/min) max. • cartridge type: 1222HD • slidebar/grab bar: yes • handshower functions: 1f with non-positive pause • valve sold separately	**T9342GBM25**	508.75	Chrome	1
	• water usage: 1.5 gpm (5.7 L/min) max. • valve sold separately	**T9342GBM15**	508.75	Chrome	1
	• cartridge type: 1222HD • valve type: Posi-Temp® • # of ports: four	**8370HD**	130.85	1/2" CC connection without integral stops	6
		8371HD	157.50	1/2" CC connection with integral stops	6
		8372HD	157.50	1/2" IPS connection with integral stops	6
		8373HD	157.50	1/2" PEX connection with integral stops	6
		8374HD	169.75	1/2" CPVC connection with integral stops	6
		8375HD	157.50	1/2" cold expansion PEX connection with integral stops	6
	• cartridge type: ceramic disc • valve type: transfer • # of ports: four • three distinct functions	**3360**	192.60	Commercial three-function 1/2" transfer valve	6

COMMERCIAL

HOW TO ORDER A COMPLETE SHOWER



Trim Part No. + Valve Part No. = Complete Shower

*The brass Posi-Temp® and Moentrol® valves meet ASSE 1016 compliance requirements for controlling temperature fluctuations when paired with Moen Commercial showerheads and handshowers with flow rates as low as 1.5 gpm (5.7 lpm).

ADA compliant (excluding holders, slide bars and diverting tub spout)

BAA compliant WaterSense® Water-saving

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® PRESSURE-BALANCING SHOWER					
	• connection: 1/2" • showerhead type: standard with handshower • # of showerhead functions: one-function • hose length: 69" • valve included: yes • valve type: Posi-Temp®; transfer • slide bar: yes† • drop ell: yes • water usage: 2.5 gpm (9.5 L/min) max. • cartridge type: 1222HD • check stops: yes • valve meets ASSE performance requirements • handshower functions: 1f with non-positive pause	**8342**	650.50	Chrome	1
	• water usage: 1.5 gpm (5.7 L/min) max.	**8342EP15**	650.50	Chrome	1
	• water usage: 2.5 gpm (9.5 L/min) max. • valve sold separately	**T8342**	338.30	Chrome	1
		T8342CBN	497.30	Classic Brushed Nickel	1
	• water usage: 1.5 gpm (5.7 L/min) max. • valve sold separately	**T8342EP15**	338.30	Chrome	1
		T8342EP15CBN	497.30	Classic Brushed Nickel	1
	• showerhead type: showerhead sold separately • valve sold separately	**T8342NH**	330.15	Chrome	1
		T8342NHCBN	452.80	Classic Brushed Nickel	1
	• cartridge type: 1222HD • valve type: Posi-Temp® • # of ports: four	**8370HD**	130.85	1/2" CC connection without integral stops	6
		8371HD	157.50	1/2" CC connection with integral stops	6
		8372HD	157.50	1/2" IPS connection with integral stops	6
		8373HD	157.50	1/2" PEX connection with integral stops	6
		8374HD	169.75	1/2" CPVC connection with integral stops	6
		8375HD	157.50	1/2" cold expansion PEX connection with integral stops	6
	• cartridge type: ceramic disc • valve type: transfer • # of ports: four • three distinct functions	**3360**	192.60	Commercial three-function 1/2" transfer valve	6

COMMERCIAL

HOW TO ORDER A COMPLETE SHOWER



Trim Part No. + Valve Part No. = Complete Shower

*The brass Posi-Temp® and Moentrol® valves meet ASSE 1016 compliance requirements for controlling temperature fluctuations when paired with Moen Commercial showerheads and handshowers with flow rates as low as 1.5 gpm (5.7 lpm).

† Slide bar is not a grab bar. Not to be used as support.

ADA compliant (excluding holders, slide bars and diverting tub spout)

BAA compliant WaterSense® Water-saving

M•DURA™ Heavy-Duty Showering

POSI-TEMP® PRESSURE-BALANCING TUB/SHOWER

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
	• connection: 1/2" • showerhead type: handshower • # of showerhead functions: not applicable • hose length: 69" • valve included: yes • valve type: Posi-Temp®; transfer • slide bar: yes† • drop ell: yes • water usage: 2.5 gpm (9.5 L/min) max. • cartridge type: 1222HD • check stops: yes • valve meets ASSE performance requirements • handshower functions: 1f with non-positive pause	**8341**	645.00	Chrome	1
	• water usage: 2.5 gpm (9.5 L/min) max. • valve sold separately	**T8341**	332.35	Chrome	1
	• cartridge type: 1222HD • valve type: Posi-Temp® • # of ports: four	**8370HD**	130.85	1/2" CC connection without integral stops	6
		8371HD	157.50	1/2" CC connection with integral stops	6
		8372HD	157.50	1/2" IPS connection with integral stops	6
		8373HD	157.50	1/2" PEX connection with integral stops	6
		8374HD	169.75	1/2" CPVC connection with integral stops	6
		8375HD	157.50	1/2" cold expansion PEX connection with integral stops	6
	• cartridge type: ceramic disc • valve type: transfer • # of ports: four • three distinct functions	**3360**	192.60	Commercial three-function 1/2" transfer valve	6

COMMERCIAL

HOW TO ORDER A COMPLETE SHOWER



Trim Part No. + Valve Part No. = Complete Shower

*The brass Posi-Temp® and Moentrol® valves meet ASSE 1016 compliance requirements for controlling temperature fluctuations when paired with Moen Commercial showerheads and handshowers with flow rates as low as 1.5 gpm (5.7 lpm).

† Slide bar is not a grab bar. Not to be used as support.

ADA compliant (excluding holders, slide bars and diverting tub spout)

BAA compliant WaterSense® Water-saving

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
MODERN POSI-TEMP® PRESSURE-BALANCING HANDSHOWER					
	• connection: 1/2" • showerhead type: handshower • # of showerhead functions: not applicable • hose length: 69" • valve type: Posi-Temp® • slide bar: yes† • drop ell: yes • water usage: 2.5 gpm (9.5 L/min) max. • cartridge type: 1222HD • handshower functions: 1f with non-positive pause • valve sold separately	**T9346**	407.45	Chrome	4
	• water usage: 1.5 gpm (5.7 L/min) max. • valve sold separately	**T9346EP15**	407.45	Chrome	4
	• cartridge type: 1222HD • valve type: Posi-Temp® • # of ports: four	**8370HD**	130.85	1/2" CC connection without integral stops	6
		8371HD	157.50	1/2" CC connection with integral stops	6
		8372HD	157.50	1/2" IPS connection with integral stops	6
		8373HD	157.50	1/2" PEX connection with integral stops	6
		8374HD	169.75	1/2" CPVC connection with integral stops	6
		8375HD	157.50	1/2" cold expansion PEX connection with integral stops	6

COMMERCIAL

HOW TO ORDER A COMPLETE SHOWER



Trim Part No. + Valve Part No. = Complete Shower

*The brass Posi-Temp® and Moentrol® valves meet ASSE 1016 compliance requirements for controlling temperature fluctuations when paired with Moen Commercial showerheads and handshowers with flow rates as low as 1.5 gpm (5.7 lpm).

† Slide bar is not a grab bar. Not to be used as support.

ADA compliant (excluding holders, slide bars and diverting tub spout)

BAA compliant WaterSense® Water-saving

M•DURA™ Heavy-Duty Showering

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
MODERN POSI-TEMP® PRESSURE-BALANCING HANDSHOWER WITH SLIDE BAR/GRAB BAR					
	• connection: 1/2" • showerhead type: handshower • # of showerhead functions: not applicable • hose length: 69" • valve type: Posi-Temp® • drop ell: yes • water usage: 2.5 gpm (9.5 L/min) max. • cartridge type: 1222HD • slidebar/grab bar: yes • handshower functions: 1f with non-positive pause • valve sold separately	**T9346GBM25**	448.20	Chrome	1
	• water usage: 1.5 gpm (5.7 L/min) max. • valve sold separately	**T9346GBM15**	448.20	Chrome	1
	• cartridge type: 1222HD • valve type: Posi-Temp® • # of ports: four	**8370HD**	130.85	1/2" CC connection without integral stops	6
		8371HD	157.50	1/2" CC connection with integral stops	6
		8372HD	157.50	1/2" IPS connection with integral stops	6
		8373HD	157.50	1/2" PEX connection with integral stops	6
		8374HD	169.75	1/2" CPVC connection with integral stops	6
		8375HD	157.50	1/2" cold expansion PEX connection with integral stops	6

COMMERCIAL

HOW TO ORDER A COMPLETE SHOWER



Trim Part No. + Valve Part No. = Complete Shower

*The brass Posi-Temp® and Moentrol® valves meet ASSE 1016 compliance requirements for controlling temperature fluctuations when paired with Moen Commercial showerheads and handshowers with flow rates as low as 1.5 gpm (5.7 lpm).

ADA compliant (excluding holders, slide bars and diverting tub spout)

BAA compliant WaterSense® Water-saving

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® PRESSURE-BALANCING HANDSHOWER					
	• connection: 1/2" • showerhead type: handshower • # of showerhead functions: not applicable • hose length: 69" • valve included: yes • valve type: Posi-Temp® • slide bar: yes† • drop ell: yes • water usage: 2.5 gpm (9.5 L/min) max. • cartridge type: 1222HD • check stops: yes • valve meets ASSE performance requirements • handshower functions: 1f with non-positive pause	**8346**	461.85	Chrome	4
	• water usage: 1.5 gpm (5.7 L/min) max.	**8346EP15**	461.85	Chrome	4
	• water usage: 2.5 gpm (9.5 L/min) max. • valve sold separately	**T8346**	312.20	Chrome	4
		T8346CBN	442.70	Classic Brushed Nickel	4
	• water usage: 1.5 gpm (5.7 L/min) max. • valve sold separately	**T8346EP15**	312.20	Chrome	4
		T8346EP15CBN	442.70	Classic Brushed Nickel	4
	• cartridge type: 1222HD • valve type: Posi-Temp® • # of ports: four	**8370HD**	130.85	1/2" CC connection without integral stops	6
		8371HD	157.50	1/2" CC connection with integral stops	6
		8372HD	157.50	1/2" IPS connection with integral stops	6
		8373HD	157.50	1/2" PEX connection with integral stops	6
		8374HD	169.75	1/2" CPVC connection with integral stops	6
		8375HD	157.50	1/2" cold expansion PEX connection with integral stops	6

COMMERCIAL

HOW TO ORDER A COMPLETE SHOWER



Trim Part No. + Valve Part No. = Complete Shower

*The brass Posi-Temp® and Moentrol® valves meet ASSE 1016 compliance requirements for controlling temperature fluctuations when paired with Moen Commercial showerheads and handshowers with flow rates as low as 1.5 gpm (5.7 lpm).

† Slide bar is not a grab bar. Not to be used as support.

ADA compliant (excluding holders, slide bars and diverting tub spout)

BAA compliant WaterSense® Water-saving

M•DURA™ Heavy-Duty Showering

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
MODERN POSI-TEMP® PRESSURE-BALANCING TUB/SHOWER					
  	• # of showerhead functions: one-function • valve type: Posi-Temp® • water usage: 2.5 gpm (9.5 L/min) max. • cartridge type: 1222HD • handshower functions: not applicable • valve sold separately	**T9389**	155.30	Chrome	3
	• water usage: 1.5 gpm (5.7 L/min) max. • valve sold separately	**T9389EP15**	155.30	Chrome	3
	• cartridge type: 1222HD • valve type: Posi-Temp® • # of ports: four	**8370HD**	130.85	1/2" CC connection without integral stops	6
		8371HD	157.50	1/2" CC connection with integral stops	6
		8372HD	157.50	1/2" IPS connection with integral stops	6
		8373HD	157.50	1/2" PEX connection with integral stops	6
		8374HD	169.75	1/2" CPVC connection with integral stops	6
		8375HD	157.50	1/2" cold expansion PEX connection with integral stops	6

COMMERCIAL

HOW TO ORDER A COMPLETE SHOWER



Trim Part No. + Valve Part No. = Complete Shower

*The brass Posi-Temp® and Moentrol® valves meet ASSE 1016 compliance requirements for controlling temperature fluctuations when paired with Moen Commercial showerheads and handshowers with flow rates as low as 1.5 gpm (5.7 lpm).

ADA compliant (excluding holders, slide bars and diverting tub spout)

BAA compliant WaterSense® Water-saving

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® PRESSURE-BALANCING TUB/SHOWER					
	• connection: 1/2" • # of showerhead functions: one-function • valve included: yes • valve type: Posi-Temp® • water usage: 2.5 gpm (9.5 L/min) max. • cartridge type: 1222HD • check stops: yes • valve meets ASSE performance requirements • handshower functions: not applicable	**8389**	238.85	Chrome	6
	• water usage: 1.5 gpm (5.7 L/min) max.	**8389EP15**	238.85	Chrome	6
	• water usage: 2.5 gpm (9.5 L/min) max. • valve sold separately	**T8389**	93.35	Chrome	3
		T8389CBN	145.80	Classic Brushed Nickel	3
	• water usage: 1.5 gpm (5.7 L/min) max. • valve sold separately	**T8389EP15**	93.35	Chrome	3
		T8389EP15CBN	145.80	Classic Brushed Nickel	3
	• showerhead type: showerhead sold separately • valve sold separately	**T8389NH**	77.95	Chrome	3
		T8389NHCBN	114.20	Classic Brushed Nickel	3
	• cartridge type: 1222HD • valve type: Posi-Temp® • # of ports: four	**8370HD**	130.85	1/2" CC connection without integral stops	6
		8371HD	157.50	1/2" CC connection with integral stops	6
		8372HD	157.50	1/2" IPS connection with integral stops	6
		8373HD	157.50	1/2" PEX connection with integral stops	6
		8374HD	169.75	1/2" CPVC connection with integral stops	6
		8375HD	157.50	1/2" cold expansion PEX connection with integral stops	6

COMMERCIAL

HOW TO ORDER A COMPLETE SHOWER



Trim Part No. + Valve Part No. = Complete Shower

*The brass Posi-Temp® and Moentrol® valves meet ASSE 1016 compliance requirements for controlling temperature fluctuations when paired with Moen Commercial showerheads and handshowers with flow rates as low as 1.5 gpm (5.7 lpm).

ADA compliant (excluding holders, slide bars and diverting tub spout)


BAA compliant WaterSense® Water-saving

M•DURA™ Heavy-Duty Showering

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
MODERN POSI-TEMP® PRESSURE-BALANCING SHOWER					
	• # of showerhead functions: one-function • valve type: Posi-Temp® • water usage: 2.5 gpm (9.5 L/min) max. • cartridge type: 1222HD • handshower functions: not applicable • valve sold separately	**T9375**	122.05	Chrome	3
	• water usage: 1.5 gpm (5.7 L/min) max. • valve sold separately	**T9375EP15**	122.05	Chrome	3
	• cartridge type: 1222HD • valve type: Posi-Temp® • # of ports: four	**8370HD**	130.85	1/2" CC connection without integral stops	6
		8371HD	157.50	1/2" CC connection with integral stops	6
		8372HD	157.50	1/2" IPS connection with integral stops	6
		8373HD	157.50	1/2" PEX connection with integral stops	6
		8374HD	169.75	1/2" CPVC connection with integral stops	6
		8375HD	157.50	1/2" cold expansion PEX connection with integral stops	6

COMMERCIAL

HOW TO ORDER A COMPLETE SHOWER



Trim Part No. Valve Part No. Complete Shower

*The brass Posi-Temp® and Moentrol® valves meet ASSE 1016 compliance requirements for controlling temperature fluctuations when paired with Moen Commercial showerheads and handshowers with flow rates as low as 1.5 gpm (5.7 lpm).

ADA compliant (excluding holders, slide bars and diverting tub spout)

BAA compliant WaterSense® Water-saving

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® PRESSURE-BALANCING SHOWER					
	• connection: 1/2" • # of showerhead functions: one-function • valve included: yes • valve type: Posi-Temp® • water usage: 2.5 gpm (9.5 L/min) max. • cartridge type: 1222HD • check stops: yes • valve meets ASSE performance requirements • handshower functions: not applicable	**8375**	209.15	Chrome	12
	• water usage: 1.5 gpm (5.7 L/min) max.	**8375EP15**	209.15	Chrome	12
	• water usage: 2.5 gpm (9.5 L/min) max. • valve sold separately	**T8375**	60.95	Chrome	3
		T8375CBN	93.75	Classic Brushed Nickel	3
	• water usage: 1.5 gpm (5.7 L/min) max. • valve sold separately	**T8375EP15**	60.95	Chrome	3
		T8375EP15CBN	93.75	Classic Brushed Nickel	3
	• showerhead type: showerhead sold separately • valve sold separately	**T8375NH**	43.15	Chrome	3
		T8375NHCBN	72.20	Classic Brushed Nickel	3
	• cartridge type: 1222HD • valve type: Posi-Temp® • # of ports: four	**8370HD**	130.85	1/2" CC connection without integral stops	6
		8371HD	157.50	1/2" CC connection with integral stops	6
		8372HD	157.50	1/2" IPS connection with integral stops	6
		8373HD	157.50	1/2" PEX connection with integral stops	6
		8374HD	169.75	1/2" CPVC connection with integral stops	6
		8375HD	157.50	1/2" cold expansion PEX connection with integral stops	6

COMMERCIAL

HOW TO ORDER A COMPLETE SHOWER



Trim Part No. + Valve Part No. = Complete Shower

*The brass Posi-Temp® and Moentrol® valves meet ASSE 1016 compliance requirements for controlling temperature fluctuations when paired with Moen Commercial showerheads and handshowers with flow rates as low as 1.5 gpm (5.7 lpm).

ADA compliant (excluding holders, slide bars and diverting tub spout)

BAA compliant WaterSense® Water-saving

M•DURA™ Heavy-Duty Showering

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
MODERN POSI-TEMP® PRESSURE-BALANCING VALVE CONTROL					
	• valve type: Posi-Temp® • handshower functions: not applicable • valve sold separately	**T9370**	97.55	Chrome	3
	• cartridge type: 1222HD • valve type: Posi-Temp® • # of ports: four	**8370HD**	130.85	1/2" CC connection without integral stops	6
		8371HD	157.50	1/2" CC connection with integral stops	6
		8372HD	157.50	1/2" IPS connection with integral stops	6
		8373HD	157.50	1/2" PEX connection with integral stops	6
		8374HD	169.75	1/2" CPVC connection with integral stops	6
		8375HD	157.50	1/2" cold expansion PEX connection with integral stops	6

POSI-TEMP® PRESSURE-BALANCING VALVE CONTROL					
	• connection: 1/2" • valve included: yes • valve type: Posi-Temp® • cartridge type: 1222HD • check stops: yes • valve meets ASSE performance requirements • handshower functions: not applicable	**8370**	185.60	Chrome	12
	• valve sold separately	**T8370**	35.25	Chrome	3
		T8370CBN	64.40	Classic Brushed Nickel	3
	• cartridge type: 1222HD • valve type: Posi-Temp® • # of ports: four	**8370HD**	130.85	1/2" CC connection without integral stops	6
		8371HD	157.50	1/2" CC connection with integral stops	6
		8372HD	157.50	1/2" IPS connection with integral stops	6
		8373HD	157.50	1/2" PEX connection with integral stops	6
		8374HD	169.75	1/2" CPVC connection with integral stops	6
		8375HD	157.50	1/2" cold expansion PEX connection with integral stops	6

COMMERCIAL

HOW TO ORDER A COMPLETE VALVE



Trim Part No. + Valve Part No. = Complete Valve

*The brass Posi-Temp® and Moentrol® valves meet ASSE 1016 compliance requirements for controlling temperature fluctuations when paired with Moen Commercial showerheads and handshowers with flow rates as low as 1.5 gpm (5.7 lpm).

ADA compliant (excluding holders, slide bars and diverting tub spout)

BAA compliant WaterSense® Water-saving

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
MOENTROL® PRESSURE-BALANCING VALVE CONTROL WITH VOLUME CONTROL					
	• connection: 1/2" • valve included: yes • valve type: Moentrol® • cartridge type: 1225 • check stops: yes • valve meets ASSE performance requirements • handshower functions: not applicable	**8350**	244.65	Chrome	6
	• valve sold separately	**T8350**	62.25	Chrome	3
		T8350CBN	112.65	Classic Brushed Nickel	3
	• cartridge type: 1225 • valve type: Moentrol® • no of ports: four	**3520**	158.10	1/2" CC Moentrol® valve	6
	• cartridge type: 1225 • valve type: Moentrol® • no of ports: four	**3570**	188.35	Moentrol® 1/2" cc connections includes pressure balancing with check stops and volume control	6
MODERN THREE-FUNCTION TRANSFER VALVE CONTROL					
	• valve type: transfer • handshower functions: not applicable • valve sold separately	**T9360**	124.80	Chrome	3
	• cartridge type: ceramic disc • valve type: transfer • no of ports: four • three distinct functions	**3360**	192.60	Commercial three-function 1/2" transfer valve	6

COMMERCIAL

HOW TO ORDER A COMPLETE VALVE



Trim Part No. + Valve Part No. = Complete Valve

*The brass Posi-Temp® and Moentrol® valves meet ASSE 1016 compliance requirements for controlling temperature fluctuations when paired with Moen Commercial showerheads and handshowers with flow rates as low as 1.5 gpm (5.7 lpm).

ADA compliant (excluding holders, slide bars and diverting tub spout)

BAA compliant WaterSense® Water-saving

M•DURA™ Heavy-Duty Showering

THREE-FUNCTION TRANSFER VALVE CONTROL

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
	• connection: 1/2" • valve included: yes • valve type: transfer • cartridge type: ceramic disc • handshower functions: not applicable	**8360**	228.35	Chrome	6
	• valve sold separately	**T8360**	45.10	Chrome	3
		T8360CBN	82.40	Classic Brushed Nickel	3
	• cartridge type: ceramic disc • valve type: transfer • no of ports: four • three distinct functions	**3360**	192.60	Commercial three-function 1/2" transfer valve	6

ALIGN® THREE-FUNCTION TRANSFER VALVE CONTROL

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
	• valve type: transfer • handshower functions: not applicable • valve sold separately	**T4192**	137.00	Chrome	12
	• cartridge type: ceramic disc • valve type: transfer • no of ports: four • three distinct functions	**3360**	192.60	Commercial three-function 1/2" transfer valve	6

COMMERCIAL

HOW TO ORDER A COMPLETE VALVE



Trim Part No. + Valve Part No. = Complete Valve

*The brass Posi-Temp® and Moentrol® valves meet ASSE 1016 compliance requirements for controlling temperature fluctuations when paired with Moen Commercial showerheads and handshowers with flow rates as low as 1.5 gpm (5.7 lpm).

ADA compliant (excluding holders, slide bars and diverting tub spout)

BAA compliant WaterSense® Water-saving

24" X 1-1/2" SLIDE BAR/GRAB BAR HANDSHOWER WITHOUT VALVE



- showerhead type: eco-performance handshower
- hose length: 69"
- drop ell: yes
- water usage: 1.5 gpm (5.7 L/min) max.
- slidebar/grab bar: yes
- handshower functions: 1f with non-positive pause
- metal hose

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
52224GBM15	241.00	Chrome/Stainless	3
52224GBM15CBN	494.05	Classic Brushed Nickel	3

- water usage: 1.75 gpm (6.65 L/min) max.

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
52224GBM17	241.00	Chrome/Stainless	3

- water usage: 2.5 gpm (9.5 L/min) max.

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
52224GBM25	241.00	Chrome/Stainless	3

24" X 1-1/4" SLIDE BAR/GRAB BAR HANDSHOWER WITHOUT VALVE



- showerhead type: handshower
- # of showerhead functions: not applicable
- hose length: 69"
- drop ell: yes
- water usage: 2.5 gpm (9.5 L/min) max.
- slidebar/grab bar: yes
- handshower functions: 1f with non-positive pause
- metal hose

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
52124GBM25	235.65	Chrome/Stainless	3
52124GBM25CBN	483.10	Classic Brushed Nickel	3

24" X 1-1/2" SLIDE BAR/GRAB BAR HANDSHOWER WITHOUT VALVE



- showerhead type: handshower
- # of showerhead functions: not applicable
- hose length: 60"
- drop ell: yes
- water usage: 2.5 gpm (9.5 L/min) max.
- slidebar/grab bar: yes
- handshower functions: 1f with non-positive pause
- plastic hose

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
52224GBP25	208.95	Chrome/Stainless	3

ADA compliant (excluding holders, slide bars and diverting tub spout)

BAA compliant WaterSense® Water-saving

M•DURA™ Heavy-Duty Showering

36" X 1-1/2" SLIDE BAR/GRAB BAR HANDSHOWER WITHOUT VALVE



- showerhead type: eco-performance handshower
- # of showerhead functions: not applicable
- hose length: 69"
- drop ell: yes
- water usage: 1.5 gpm (5.7 L/min) max.
- slidebar/grab bar: yes
- handshower functions: 1f with non-positive pause
- metal hose

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
52236GBM15	262.40	Chrome/Stainless	3
52236GBM15CBN	536.85	Classic Brushed Nickel	3

- water usage: 1.75 gpm (6.65 L/min) max.

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
52236GBM17	262.40	Chrome/Stainless	3

- water usage: 2.5 gpm (9.5 L/min) max.

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
52236GBM25	262.40	Chrome/Stainless	3

36" X 1-1/4" SLIDE BAR/GRAB BAR HANDSHOWER WITHOUT VALVE



- showerhead type: handshower
- # of showerhead functions: not applicable
- hose length: 69"
- drop ell: yes
- water usage: 2.5 gpm (9.5 L/min) max.
- slidebar/grab bar: yes
- handshower functions: 1f with non-positive pause
- metal hose

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
52136GBM25	257.00	Chrome/Stainless	3
52136GBM25CBN	526.85	Classic Brushed Nickel	3

36" X 1-1/2" SLIDE BAR/GRAB BAR HANDSHOWER WITHOUT VALVE



- showerhead type: handshower
- # of showerhead functions: not applicable
- hose length: 60"
- drop ell: yes
- water usage: 2.5 gpm (9.5 L/min) max.
- slidebar/grab bar: yes
- handshower functions: 1f with non-positive pause
- plastic hose

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
52236GBP25	230.30	Chrome/Stainless	3

ADA compliant (excluding holders, slide bars and diverting tub spout)

BAA compliant WaterSense® Water-saving

HANDSHOWER WITHOUT VALVE



- connection: 1/2"
- showerhead type: handshower
- hose length: 69"
- slide bar: yes†
- drop ell: yes
- water usage: 2.5 gpm (9.5 L/min) max.
- handshower functions: 1f with non-positive pause

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
52710	273.55	Chrome	6
52710CBN	544.45	Classic Brushed Nickel	6

- water usage: 1.5 gpm (5.7 L/min) max.

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
52710EP15	273.55	Chrome	6
52710EP15CBN	544.45	Classic Brushed Nickel	6

ENVI® THREE-FUNCTION HANDSHOWER WITHOUT VALVE



- showerhead type: eco-performance handshower
- hose length: 69"
- slide bar: yes†
- drop ell: yes
- water usage: 1.75 gpm (6.65 L/min) max.
- handshower functions: three-function

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
52740EP17	272.95	Chrome	6

HANDSHOWER WITHOUT VALVE



- showerhead type: handshower
- hose length: 69"
- drop ell: yes
- water usage: 1.5 gpm (5.7 L/min) max.
- handshower functions: 1f with non-positive pause

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
52748EP15	199.55	Chrome	6

COMMERCIAL

† Slide bar is not a grab bar. Not to be used as support.

ADA compliant (excluding holders, slide bars and diverting tub spout)

BAA compliant WaterSense® Water-saving

M•DURA™ Heavy-Duty Showerheads

MODERN HANDSHOWER



- connection: 1/2"
- showerhead type: handshower
- water usage: 2.5 gpm (9.5 L/min) max.
- handshower functions: 1f with non-positive pause
- integral double check valves in handshower

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
9349	106.25	Chrome	6
9349EP15	106.25	Chrome	6

- water usage: 1.5 gpm (5.7 L/min) max.

HANDSHOWER



- showerhead type: handshower
- water usage: 2.5 gpm (9.5 L/min) max.
- handshower functions: 1f with non-positive pause
- integral double check valves in handshower

8349	74.85	Chrome	6
8349CBN	109.00	Classic Brushed Nickel	6
8349EP15	74.85	Chrome	6
8349EP15CBN	109.00	Classic Brushed Nickel	6
8349EP17	74.85	Chrome/Stainless	6
8349EP17CBN	109.00	Classic Brushed Nickel	6

- water usage: 1.5 gpm (5.7 L/min) max.
- water usage: 1.75 gpm (6.65 L/min) max.

SHOWER ARM AND FLANGE



- all metal

A705	52.50	Chrome	12
A705CBN	78.75	Classic Brushed Nickel	12

MODERN VANDAL-RESISTANT SHOWERHEAD



- connection: 1/2"
- # of showerhead functions: one-function
- water usage: 2.5 gpm (9.5 L/min) max.
- handshower functions: not applicable

9263	72.20	Chrome	12
9263EP15	72.20	Chrome	12

- water usage: 1.5 gpm (5.7 L/min) max.

COMMERCIAL

ADA compliant (excluding holders, slide bars and diverting tub spout)

BAA compliant WaterSense® Water-saving

M•DURA™ Heavy-Duty Showerheads

VANDAL-RESISTANT SHOWERHEAD



- connection: 1/2"
- # of showerhead functions: one-function
- water usage: 2.5 gpm (9.5 L/min) max.
- handshower functions: not applicable

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
5263	52.80	Chrome	12
5263CBN	96.35	Classic Brushed Nickel	12

- water usage: 1.5 gpm (5.7 L/min) max.

5263EP15	52.80	Chrome	12
5263EP15CBN	96.35	Classic Brushed Nickel	12

- water usage: 1.75 gpm (6.65 L/min) max.

5263EP17	52.80	Chrome	12
5263EP17CBN	96.35	Classic Brushed Nickel	12

VANDAL-RESISTANT SHOWERHEAD



- connection: 1/2"
- # of showerhead functions: one-function
- water usage: 1.5 gpm (5.7 L/min) max.
- handshower functions: not applicable

52716EP15	69.50	Chrome	20

VANDAL-RESISTANT WALL-MOUNTED SHOWERHEAD



- connection: 1/2"
- # of showerhead functions: one-function
- water usage: 2.5 gpm (9.5 L/min) max.
- handshower functions: not applicable

MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
8290	118.40	Chrome	12

- water usage: 1.5 gpm (5.7 L/min) max.

8290EP15	113.80	Chrome	12

VANDAL-RESISTANT WALL-MOUNTED SHOWERHEAD



- connection: 1/2"
- # of showerhead functions: one-function
- water usage: 2.5 gpm (9.5 L/min) max.
- handshower functions: not applicable

8292	123.55	Chrome	12

ADA compliant (excluding holders, slide bars and diverting tub spout)
BAA compliant WaterSense® Water-saving

M•DURA™ Heavy-Duty Showering Accessories

TUB/SHOWER ACCESORIES			
Part No.	**Finish**	**Description**	**List Price**
15856	Chrome	Diverter tub spout, 1/2" slip fit, vandal-resistant	59.60
15856CBN	Classic Brushed Nickel	Diverter tub spout, 1/2" slip fit, vandal-resistant	86.75
100686	Chrome	Slide bar swivel bracket for handshower	49.70
100686CBN	Classic Brushed Nickel	Slide bar swivel bracket for handshower	71.45
101629	Chrome	30" adjustable slide bar with attaching hardware	137.25
101629CBN	Classic Brushed Nickel	30" adjustable slide bar with attaching hardware	199.85
104414	Chrome	Wall-mounted bracket for handshower	50.25
52711	---	Slide bar/Grab bar bracket - 1-1/2" diameter	49.55
52714	---	Slide bar/Grab bar bracket - 1-1/4" diameter	49.55
SMA1000CH**	---	SecureMount™ anchors, 1 pair, for use with bedpan washer wallmount flange and grab bars	30.05
A725	Chrome	Drop ell	47.60
A725CBN	Classic Brushed Nickel	Drop ell	69.75
A726	Chrome	69" metal hose (vacuum breaker sold separately)	91.10
A723	Chrome	59" plastic hose (vacuum breaker sold separately)	28.65
A780	Chrome	80" metal hose (vacuum breaker sold separately)	107.40
52703	Chrome	Optional vacuum breaker for handshower, 1/2" IPS connections	66.05
A714ST	Classic Brushed Nickel	Optional vacuum breaker for handshower, 1/2" IPS connections	55.45

**Moen Accessories part numbers are included for reference purposes only. Moen Accessories CANNOT be combined with Moen faucet parts on a purchase order.

ADA compliant (excluding holders, slide bars and diverting tub spout)

BAA compliant WaterSense® Water-saving

M•DURA™ Heavy-Duty Tub/Shower Valves

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
BRASS POSI-TEMP® CARTRIDGE					
	• graphite composite pressure-balancing spool design • material: brass	**1222HD**	93.95	N/A or Unfinished	18
BRASS POSI-TEMP® ROUGH-IN VALVE					
	• cartridge type: 1222HD • valve type: Posi-Temp® • # of ports: four	**8370HD**	130.85	1/2" CC	6
BRASS POSI-TEMP® ROUGH-IN VALVE					
	• cartridge type: 1222HD • valve type: Posi-Temp® • # of ports: four • stops: included	**8371HD**	157.50	1/2" CC	6
BRASS POSI-TEMP® ROUGH-IN VALVE					
	• cartridge type: 1222HD • valve type: Posi-Temp® • # of ports: four • stops: included	**8372HD**	157.50	1/2" IPS	6
BRASS POSI-TEMP® ROUGH-IN VALVE					
	• cartridge type: 1222HD • valve type: Posi-Temp® • # of ports: four • stops: included	**8373HD**	157.50	1/2" crimp ring PEX	6

COMMERCIAL

*The brass Posi-Temp® and Moentrol® valves meet ASSE 1016 compliance requirements for controlling temperature fluctuations when paired with Moen Commercial showerheads and handshowers with flow rates as low as 1.5 gpm (5.7 lpm).

ADA compliant (excluding holders, slide bars and diverting tub spout)

BAA compliant WaterSense® Water-saving

M•DURA™ Heavy-Duty Tub/Shower Valves

	MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
BRASS POSI-TEMP® ROUGH-IN VALVE				
 • cartridge type: 1222HD • valve type: Posi-Temp® • # of ports: four • stops: included	**8374HD**	169.75	1/2" CPVC	6
BRASS POSI-TEMP® ROUGH-IN VALVE				
 • cartridge type: 1222HD • valve type: Posi-Temp® • # of ports: four • stops: included	**8375HD**	157.50	1/2" cold expansion PEX	6
THREE-FUNCTION TRANSFER VALVE				
 • cartridge type: ceramic disc • valve type: transfer • # of ports: four • three distinct functions	**3360**	192.60	N/A or Unfinished	6
MISSING ICONS				
HIGH-FLOW THERMOSTATIC MIXING VALVE				
 • description: high flow thermostatic mixing valve for roman tubs • # of ports: three • water usage: 12 gpm (45.4 L/min) max. • ASSE standard 1070: yes	**104465**	173.00	1/2" CC	12
	104466	173.00	1/2" IPS	12

THERMOSTATIC MIXING VALVE SERVICE KITS

PART NO.	DESCRIPTION	LIST PRICE
175916	1/2" IPS Adapter Kit	14.95
175917	1/2" CC Adapter Kit	14.95
175918	1/2" Cold Expansion PEX Adapter Kit	14.95
181040	1/2" Crimp Ring PEX Adapter Kit	14.95
175921	3/8" Compression Adapter Kit	14.95
175925	Fitting Nut Kit	14.95
175726	Screen Washers and Seal Washer Kit	14.95

*The brass Posi-Temp® and Moentrol® valves meet ASSE 1016 compliance requirements for controlling temperature fluctuations when paired with Moen Commercial showerheads and handshowers with flow rates as low as 1.5 gpm (5.7 lpm).

NSF 372 compliant

ADA compliant (excluding holders, slide bars and diverting tub spout)

BAA compliant WaterSense® Water-saving

Model No.	Finish	Product Description	UPC Code	List Price
A705	Chrome	Shower Flange and Shower Arm	026508240816	52.50
A705CBN	Classic Brushed Nickel	Shower Flange and Shower Arm	026508240823	78.75
A723	Chrome	59" Plastic Hose (vacuum breaker sold separately)	026508228654	28.65
12523	–	Stem Bushing Support, 14834 and 14848 Wrist-Blade Handles	026508053959	2.35
12828	Chrome	Kitchen Spout, 12" Long	026508036365	123.30
14690	–	Heavy-Duty Ceramic Cartridge 8100 Series Prior to 2005	026508025550	52.60
14695	–	Heavy-Duty Ceramic Cartridge 8100 Series Prior to 2005 (wide-spread)	026508025567	52.60
14750	Chrome	1 1/4" Grid Strainer Waste	026508005880	25.75
14834	Chrome	Wrist-Blade Handle, Hot Sani-Stream Models	026508035870	57.30
14834CBN	Classic Brushed Nickel	Wrist-Blade Handle Kit – Hot, Classic Brushed Nickel	026508239827	83.45
14838	Chrome	Wrist-Blade Handle, Cold Sani-Stream Models	026508035863	57.30
14838CBN	Classic Brushed Nickel	Wrist-Blade Handle Kit – Cold, Classic Brushed Nickel	026508239834	83.45
15856	Chrome	Diverter Spout, Slip Fit, Vandal-Resistant	026508015186	59.60
15856CBN	Classic Brushed Nickel	Diverter Spout, Slip Fit, Vandal-Resistant	026508239858	86.75
16000	Chrome	Handle Kit for Metering Faucet	026508167038	63.30
16264	Chrome	High-Arch Spout for 8940, 8796 and 8799	026508036129	114.55
16350	Chrome	Aerator 0.5 gpm Vandal-Resistant, Male Thread	026508036662	17.65
16352	–	Plastic Replacement Cartridge for 8884, 8886 and 8889	026508044896	103.30
52000	–	2-Handle Brass Shell Ceramic Disc Cartridge – Hot	026508160503	15.20
52001	–	2-Handle Brass Shell Ceramic Disc Cartridge – Cold	026508160510	15.20
52002	–	Cartridge Nut, O-Ring, Cover 8200 Series	026508160527	21.10
52003	Chrome	Widespread Escutcheon 8200 Series	026508160534	35.10
52005	–	Torx Head Wrench 8200 Series	026508160541	4.60
52006	–	Aerator 2.2 gpm Insert 8200 Series	026508160558	10.50
52008	Chrome	Lever Handle, Cold, 8200 Series	026508160572	23.40
52009	Chrome	Lever Handle, Hot, 8200 Series	026508160589	23.40
52010	Chrome	Wrist-Blade Handle, Cold, 8200 Series	026508165041	46.75
52011	Chrome	Wrist-Blade Handle, Hot, 8200 Series	026508165058	46.75
52012	Chrome	Vacuum Breaker Service Kit	026508182451	16.35
52015	Chrome	Handle Kits for Laboratory Faucets (hot or cold)	026508212554	43.25
52016	Chrome	Aerator 0.5 gpm Insert 8200 Series	026508165065	19.70
52016F03	–	0.35 gpm max. (1.3 lpm) Recessed Vandal-Resistant Rosetta Spray	026508236277	18.15
52016F05	–	0.5 gpm max. (1.9 lpm) Recessed Vandal-Resistant Rosetta Spray	026508236284	18.15
52016F15	–	1.5 gpm max. (5.7 lpm) Recessed Vandal-Resistant Aerator	026508236291	18.15
52016F22	–	2.2 gpm max. (8.3 lpm) Recessed Vandal-Resistant Aerator	026508236307	18.15
52019	Chrome	Wallmount Connections Kit for 8124 (1 per)	026508212561	61.90
52020	Chrome	Wallmount Connections Kit for 8230 (1 per)	026508212578	61.90
52021	Chrome	Widespread Spout 8200 Series	026508212585	107.50
52022	–	Set Screw for Widespread Spout Hub	026508212592	1.80
52023	Chrome	Widespread Mounting Kit for 8200 Series	026508212608	31.55
52024	–	Set Screw for Metering Handle	026508212615	1.80
52025	–	Friction Washers for S Series Spout (2 per)	026508212622	2.95
52028	–	Center Spout Hub for M•DURA™ Widespread Faucets	026508228340	58.35
52618	Chrome	0.35 gpm max. (1.3 lpm) Vandal-Resistant Rosetta Spray	026508035917	13.15
52652	Chrome	Laminar Flow Spout, Flow Control in Base, 1.5 gpm, Fits S-Series Spouts with Spout Ring	026508036198	28.10
52653	Chrome	Laminar Flow Spout, Flow Control in Base, 1.0 gpm, Fits S-Series Spouts with Spout Ring	026508029336	28.10
52655	Chrome	Laminar Flow Spout, Flow Control in Base, 0.5 gpm, Fits S-series Spouts without Spout Ring	026508029510	17.65
52703	Chrome	Optional Vacuum Breaker for Handshowers, 1/2" IPS Connections	026508026083	66.05
52711	–	Slide Bar/Grab Bar Bracket	026508228630	49.55
59001	Chrome	Modern 1-Handle Kit	026508012376	36.30
59002	–	Modern 1-Handle Retaining Nut and Cartridge	026508012383	29.75
59005	–	Aerator Key for Cache PCA JR	026508261613	4.30
59006	Chrome	Waste Assembly withModern Lift Rod	026508012413	61.30
59007	–	Modern 1-Handle Mounting Hardware	026508007457	24.05
59008	Chrome	Modern Widespread Handle Kit	026508261491	37.30
59009	–	Modern Widespread Red/Blue Color Rings	026508261620	6.00
59010	Chrome	Modern Widespread Handle Hub Kit	026508261507	72.25
59011	–	Widespread Spout/Handle Mounting Kit	026508261514	25.15
59012	Chrome	Modern Widespread Spout, Diverting, 0.5 gpm	026508261637	170.50

Model No.	Finish	Product Description	UPC Code	List Price
59013	Chrome	Modern Widespread Spout, Diverting, 1.5 gpm	026508261644	170.50
59014	Chrome	Modern Widespread Spout, Nondiverting, 0.5 gpm	026508261651	171.65
59015	Chrome	Modern Widespread Spout, Nondiverting, 1.5 gpm	026508261668	171.65
59016	Chrome	Modern Shower Escutcheon	026508261521	30.55
59017	Chrome	Modern Shower Handle Lever Kit	026508261538	46.70
59018	Chrome	Modern 3-Function Escutcheon	026508261675	51.85
59019	Chrome	Modern 3-Function Handle Repair Kit	026508261682	58.90
59021	Chrome	Modern Tub Spout, Diverting	026508261545	88.95
59022	Chrome	Modern Tub Spout, Nondiverting	026508261699	82.20
59023	Chrome	Modern Tub Gate Kit15.35	026508261705	16.10
92191	Chrome	Tri-Blade Replacement Handles (2 per)	026508032923	52.55
93379	Chrome	Handle Cap with Color Indicators, All 1-Handle Lever Faucets	026508040089	18.40
93380	Chrome	Lever Handle Kit, 1-Handle Kitchen, 4"	026508040096	91.75
93385	Chrome	Lever Handle Kit, 1-Handle Lav, 2 1/2"	026508040140	89.10
93390	Chrome	Lever Handle Kit, 1-Handle Lav, 4"	026508040102	89.10
93410	Chrome	Handle Kit with Insert, 1-Handle Tub/Shower	026508026403	26.35
93415	Chrome	Easy Grip Handle Kit, 1-Handle Lav, Vandal-Proof	026508040218	47.95
93426	Chrome	Easy Grip Handle Kit, 1-Handle Tub/Shower, Vandal-Proof	026508040225	47.95
93455	Chrome	Escutcheon Screws, Torx for Posi-Temp 3/4 and Moentrol 3/4 1-Handle Tub/Showers	026508040119	10.50
93455CBN	Classic Brushed Nickel	Escutcheon Screws, Classic Brushed Nickel	026508244722	12.20
99457	Chrome	4" Deckplate (for use with previous 8884 model)	026508049754	27.45
99550	Chrome	Anti-Rotation Deckplate for 8161 and 8884	026508207659	29.75
99551	Chrome	Anti-Rotation Deckplate for 8894	026508220689	29.75
99559	Chrome	Modern 4" Optional Deckplate	026508258859	32.55
100078	–	Handle Screw Kit, Sani-Stream 3-Function Transfer Valve	026508096284	20.45
100078CBN	Classic Brushed Nickel	Handle Screw Kit, Classic Brushed Nickel	026508244821	10.50
100079	Chrome	Lever Handle Kit, 3-Function Transfer Valve Kit	026508096291	34.55
100079CBN	Classic Brushed Nickel	Handle Repair Kit, Classic Brushed Nickel	026508239797	50.20
100080	–	Mounting Sleeve, 3-Function Transfer Valve	026508096307	47.95
100080CBN	Classic Brushed Nickel	Mounting Sleeve, Classic Brushed Nickel	026508244760	69.85
100087	–	Shower Function Label, 3-Function Transfer Valve	026508096321	7.65
100686	Chrome	Slide Bar Swivel for Handshower	026508057711	49.70
101629	Chrome	Adjustable 30" Slide Bar with Attaching Hardware	026508064375	137.25
101629CBN	Classic Brushed Nickel	Adjustable 30" Slide Bar with Attaching Hardware	026508246443	199.85
101867	Chrome	Temperature Limit Stop Kit, 1-Handle Lav	026508068373	12.60
101868	Chrome	Conversion Kit with Adjustable Temperature Limit Stop	026508068380	62.55
104424	Chrome	Mixing Valve, Includes Integral Check Valves	026508084229	64.35
104451	–	Thermostatic Mixing Valve	026508199282	173.00
104540	Chrome	M•DURA™ 2 ¼" Delany (standard) Nipple	026508245293	37.40
104541	Chrome	M•DURA™ 1 3/4" Delany Nipple	026508245309	32.75
104542	Chrome	M•DURA™ 2 3/4" Delany Nipple	026508245316	45.55
104543	Chrome	M•DURA™ 3 1/4" Delany Nipple	026508245323	50.25
104544	Chrome	M•DURA™ 3 3/4" Delany Nipple	026508245330	56.05
104545	Chrome	M•DURA™ 4 1/4" Delany Nipple	026508245347	61.90
104546	Chrome	M•DURA™ 2 1/8" Sloan (standard) Nipple	026508245354	32.75
104547	Chrome	M•DURA™ 2 1/2" Sloan Nipple	026508245361	36.25
104548	Chrome	M•DURA™ 3" Sloan Nipple	026508245378	38.55
104549	Chrome	M•DURA™ 3 1/2" Sloan Nipple	026508245385	42.05
104550	Chrome	M•DURA™ 4" Sloan Nipple	026508245392	46.75
104551	Chrome	M•DURA™ 4 1/2" Sloan Nipple	026508245408	50.25
104552	Chrome	M•DURA™ 5" Sloan Nipple	026508245415	56.05
104553	Chrome	M•DURA™ 5 1/2" Sloan Nipple	026508245422	59.60
104554	Chrome	M•DURA™ 6" Sloan Nipple	026508245439	64.25
104555	Chrome	M•DURA™ 1" Angle Stop Flush Valve	026508246535	112.55
104556	Chrome	M•DURA™ 3/4" Angle Stop Flush Valve	026508244074	112.55
104557	Chrome	M•DURA™ Angle Stop Repair Kit	026508244081	19.70
104561	Chrome	M•DURA™ Flush Valve Cap Assembly	026508246559	61.70
104563	–	3.5 gpf (13.2 lpf) Piston	026508245446	82.95
104564	–	1.6 gpf (6.0 lpf) Piston	026508246573	82.95
104565	–	1.28 gpf (4.8 lpf) Piston	026508245453	82.95
104566	–	1.0 gpf (3.8 lpf) Piston	026508245460	82.95

Model No.	Finish	Product Description	UPC Code	List Price
104567	–	0.5 gpf (1.9 lpf) Piston	026508245477	82.95
104568	–	0.125 gpf (0.5 lpf) Piston	026508245484	82.95
104569	Chrome	M•DURA™ Flush Valve Handle Assembly	026508245491	24.90
104570	Chrome	M•DURA™ Vacuum Breaker Assembly	026508245507	18.40
104571	Chrome	M•DURA™ Flush Valve Body Nut	026508246580	24.55
104572	Chrome	M•DURA™ Angle Stop Replacement Cap	026508245514	6.40
104573	Chrome	M•DURA™ Flush Valve Wallmount Assembly	026508246801	23.80
104574	Chrome	M•DURA™ Bedpan Washer Seal Kit	026508246818	52.00
104575	Chrome	M•DURA™ Bedpan Washer Arm Assembly	026508248010	52.00
104577	Chrome	M•DURA™ Bedpan Washer Spray Face	026508246825	11.15
104578	–	1 1/2" Flush Tube	026508244098	46.95
104579	–	1 1/4" Flush Tube	026508244104	51.00
104580	–	3/4" Flush Tube	026508244111	47.05
104581	–	1 1/2" Top Spud Assembly	026508244128	32.90
104582	–	1 1/4" Top Spud Assembly	026508246832	29.95
104583	–	3/4" Top Spud Assembly	026508246856	25.75
104584	–	Urinal Tailpiece 24" x 3/4"	026508247877	76.60
104585	–	Flush Extension Tube – 24"	026508247884	120.65
104588	–	1" Sweat Kit Flush Valve	026508246863	27.65
104589	–	1" Sweat Kit Flush Valve – 6"	026508246870	44.45
104590	–	M•DURA™ Cap Assembly 3.5 gpf	026508247426	26.45
104591	–	M•DURA™ Cap Assembly 1.6 gpf	026508247433	26.45
104592	–	M•DURA™ Cap Assembly 1.28 gpf	026508247440	26.45
104593	–	M•DURA™ Cap Assembly 1.0 gpf	026508247457	26.45
104594	–	M•DURA™ Cap Assembly .5 gpf	026508247464	26.45
104595	–	M•DURA™ Cap Assembly 0.125 gpf	026508247471	26.45
104597	–	M•DURA™ Flush Valve Tailpiece and Interior Cap Tool	026508246849	17.65
104770	Chrome	Metal Drain Assembly with Round Knob Lift Rod	026508210123	20.75
104775	Chrome	Metal Drain Assembly with Fluted Knob Lift Rod	026508210130	22.80
106321	–	Extension Kit, 3-Function Transfer Valve	026508085158	101.40
116715	Chrome	Spout Kit, 8948	026508133453	33.85
121520	Chrome	Lever Handle for 8413, 8414, 8417 Series	026508134757	22.15
121521	Chrome	Lever Handle for 8701	026508134740	19.70
121549	–	1-Handle Ceramic Disc Cartridge – Models 8413 Series	026508134719	22.80
121550	–	2-Handle Plastic Shell Ceramic Disc Cartridge – Hot	026508134726	12.75
121551	–	2-Handle Plastic Shell Ceramic Disc Cartridge – Cold	026508134733	12.75
121620	–	1-Handle Ceramic Disc Cartridge – Model 8701 (prior to 2010)	026508136683	22.80
129900	Chrome	Lever Handle Extended Reach 8416, 8418	026508165072	32.75
129901	Brushed Chrome	Lever Handle for 8414 Series	026508165089	29.20
129902	Brushed Nickel	Lever Handle for 8414 Series	026508165096	29.20
161380	Chrome	Moentrol 3/4 Escutcheon	026508260241	48.45
163215	–	Fixed Spout Clip for S-Series Spouts	026508255360	10.40
174066	–	Filter Screen for Filter Housing for All Above-Deck SKUs 8551, 8552, 8553, 8554, 8551AC, 8552AC, 8553AC, 8554AC	026508252789	5.45
174334	–	Sensor and Bracket for 8551, 8552, 8551AC, 8552AC	026508254387	187.35
174335	–	Sensor and Bracket for 8553, 8554, 8553AC, 8554AC	026508254394	187.35
174336	Chrome	Override Plug Button for 8552, 8552AC	026508254400	18.55
174337	Chrome	Override Plug Button for 8554, 8554AC	026508254417	18.55
175916	–	1/2" IPS Adapter Kit	026508261903	14.95
175917	–	1/2" CC Adapter Kit	026508261910	14.95
175918	–	1/2" Cold Expansion PEX Adapter Kit	026508261927	14.95
181040	–	1/2" Crimp Ring PEX Adapter Kit	026508266786	14.95
175921	–	3/8" Compression Adapter Kit	026508266755	14.95
175925	–	Fitting Nut Kit	026508266762	14.95
175926	–	Screen Washers and Seal Washer Kit	026508266779	14.95
840011	Chrome	3" Handle Kit	026508237076	86.50
840011CBN	Classic Brushed Nickel	3" Handle Kit	026508243299	129.75
840012	Chrome	4" Handle Kit	026508237083	86.50
840012CBN	Classic Brushed Nickel	4" Handle Kit	026508191354	129.75
840015F03	–	0.35 gpm max. (1.3 lpm) Recessed Vandal-Resistant Rosetta Spray	026508236338	13.15
840015F05	–	0.5 gpm max. (1.9 lpm) Recessed Vandal-Resistant Rosetta Spray	026508236345	13.15
840015F15	–	1.5 gpm max. (5.7 lpm) Recessed Vandal-Resistant Aerator	026508236369	13.15

Model No.	Finish	Product Description	UPC Code	List Price
840015F22	–	2.2 gpm max. (8.3 lpm) Recessed Vandal-Resistant Aerator	026508236352	13.15
870111	Chrome	Spout Assembly Kit	026508244135	119.65
870112	Chrome	Optional Single-Mount Escutcheon	026508244142	13.85
870113	Chrome	Optional Deckplate	026508244067	46.55
870114	Chrome	9" Spout Assembly Kit	026508244159	119.65
870115	Chrome	12" Spout Assembly Kit	026508244166	123.10
104598	Chrome	3" Sweat Kit for Urinals	026508251843	26.05
104599	Chrome	6" Sweat Kit for Urinals	026508251850	46.75
104600	Chrome	8" Offset Tube with 1- 1/2" Diameter	026508252536	50.20
104609	Chrome	Gaskets for Piston	026508251867	10.20
140860	–	Deck Gasket for 8210-8219 Series, 8886	026508253274	15.60
174055	–	Battery Housing for Above and Below-Deck Models	026508235799	29.85
174056	–	Solenoid Repair Kit for All Above-Deck SKUs 8551, 8552, 8553, 8554, 8551AC, 8552AC, 8553AC, 8554AC	026508235904	94.85
174057	–	Strain Relief and Sensor Cable Extension for 8551–8554	026508235911	26.35
174060	–	Mounting Hardware for All Above-Deck SKUs 8551, 8552, 8553, 8554, 8551AC, 8552AC, 8553AC, 8554AC	026508235942	16.70
174061	Chrome	Manual Temperature Control Handle Kit 8552, 8554, 8552AC, 8554AC	026508235959	23.40
174062	–	T10 Torx Key and Screw for All Above-Deck SKUs 8551, 8552, 8553, 8554, 8551AC, 8552AC, 8553AC, 8554AC	026508252765	8.65
174065	–	In-Line Filter with Check Valve for All Above-Deck SKUs 8551, 8552, 8553, 8554, 8551AC, 8552AC, 8553AC, 8554AC	026508252772	47.35
178466	Chrome	3F Transfer Valve Handle	026508260920	43.30
178467	Chrome	3F Transfer Valve Escutcheon Kit	026508260937	71.70
183073	–	Cage Spacer for 8138	026508271513	12.45
183082	–	Mounting Hardware Kit for 8138	026508271520	23.00
52016F12	Chrome	1.2 gpm max. (4.5 lpm) Recessed Vandal-Resistant Aerator	026508269619	9.85
52016SLC12	–	1.2 gpm max. (4.5 lpm) Recessed Vandal-Resistant SLC Aerator	026508269121	18.15
59003	–	M-Dura Adjustable Temperature Limit Stop and O-Ring	026508012390	14.80
59004	Chrome	M-DuraModern 1H Dome	026508012406	23.65
59024	Chrome	M-DuraModern Widespread Waste Assembly & Lift Rod	026508261552	76.85
59025	–	WS MDURA MOUNTING KIT (LIFT ROD VERSION)	026508261569	46.90
59027	Chrome	M-BitionModern 1H Handle Kit	026508264737	35.75
59029	Chrome	3/32 Set Screw with Allen Wrench	026508264744	5.30
59030	–	Modern 1H Lav Valve Body O-Ring	026508264751	5.10
59031	Chrome	M-Bition Waste Assembly	026508264768	42.30
59033	Chrome	M-Bition Widespread Lift Rod	026508264775	15.35
59034	Chrome	M-BitionModern Widespread Spout 1.2gpm with Lift Rod	026508264782	148.15
59035	Chrome	M-Bition Spout 1.2 gpm without Lift Rod	026508264799	146.10
59036	Chrome	M-Bition Widespread Handle Trim Kit	026508264805	71.50
59037	Chrome	M-Bition Widespread Handle Set Screw and Plug Button	026508264812	4.60
840015F12	–	1.2 gpm Recessed Vandal-Resistant Aerator	026508269640	29.00
99556	Chrome	4" Deckplate designed for 8551, 8551AC, 8552, 8552AC	026508252130	32.55
99557	Chrome	4" Deckplate designed for 8553, 8553AC, 8554, 8554AC	026508252147	32.55
99558	Chrome	8" Deckplate for 8559, CA8302, 8562, CA8303, 8565, 8551, 8551AC, 8552, 8552AC, 8553, 8553AC, 8554, 8554AC	026508252154	41.85
S0030NA	Chrome	Smooth-End Spout with 1.5 gpm Laminar Flow Base Insert	026508273821	64.05
104630	–	Multi-Unit AC Transformer (powers up to 8 units)	026508273609	96.35
182534	–	Control Box for Gooseneck and Above-Deck AC Models	026508273708	48.90
182535	–	Control Box for CA83021, 8559, CA8302	026508273715	131.80
182536	–	Control Box Wall Mounting Hardware	026508273722	9.30
182537	–	IR Sensor Assembly and Bracket for Below-Deck Models	026508273739	145.00
182538	–	AC Connector	026508273746	20.50
182539	–	36" Cable for Gooseneck Models	026508273753	42.90
182540	–	Cable Harness and Vandal Sleeve for Below-Deck Non-Mixing Models	026508273760	49.60
182542	–	Centerset Deck Gasket for CA8301	026508273777	15.90
182543	–	Transitional Deck Gasket for CA8302	026508273784	15.80
182544	–	Modern Deck Gasket for 8559	026508273791	15.80
182547	Chrome	Override Plug Button	026508273814	23.00
182546	Chrome	4" Deckplate for 8559, CA8302, 8562, CA8303, 8565	026508273807	31.85
182413	–	Non-Drip Foam Soap Pump	026508272305	60.60
182414	–	1500mL Foam Soap Bottle	026508272312	17.10

Model No.	Finish	Product Description	UPC Code	List Price
182415	–	Control Box for Sensor Soap	026508272329	125.00
182416	–	Mounting Bracket, Vandal Shield and Mounting Hardware for Sensor Soap	026508272336	92.80
182417	–	Soap Tube, O-Ring, Spout Barb and Soap Net	026508272343	51.00
182418	–	Soap Net	026508272350	31.90
182419	–	Vandal Sheathing for Sensor Soap	026508272367	15.50
182420	–	Wire Vandal Sheathing for Sensor Soap	026508272374	40.60
182421	–	D-Cell Battery Box for Sensor Soap	026508272381	58.90
182422	–	Sensor, Bracket and Screw for Sensor Soap	026508272398	145.00
182423	–	Mounting Hardware for Sensor Soap	026508272404	13.30
181148	Chrome	Transitional Deck Spacer for 8558	026508274491	78.00
181149	Chrome	Modern Deck Spacer for 8560	026508274507	67.50
104617	–	Flush Valve Battery Pack	026508273999	29.80
104618	Chrome	Front Shroud 1.6gpf	026508274002	70.50
104619	Chrome	Front Shroud 1.28gpf	026508274019	70.50
104620	Chrome	Front Shroud 3.5gpf	026508274026	70.50
104621	Chrome	Front Shroud 1.0gpf	026508274033	70.50
104622	Chrome	Front Shroud 0.5gpf	026508274040	70.50
104623	Chrome	Front Shroud 1.0/1.6gpf	026508274057	70.50
104624	Chrome	Front Shroud 0.125gpf	026508274064	70.50
104625	Chrome	Rear shroud DC	026508274071	33.20
104626	Chrome	Rear shroud AC	026508274088	34.10
104627	Chrome	Flush Valve Override Assembly	026508274095	31.70
104628	–	Piston and Manifold Tool	026508274101	93.80
104631	Chrome	AC Cover Tube and Escutcheon	026508274118	31.80
104633	–	Solenoid Manifold and Tool	026508274125	113.50
104634	Chrome	Flush Valve Override Cap	026508274132	22.40
100621CBN	Classic Brushed Nickel	Lever Handle Kit, Cold	026508244838	51.50
100624CBN	Classic Brushed Nickel	Lever Handle Kit, Hot	026508244777	51.50
104414	Chrome	Wall Bracket and Hardware for Handheld Shower	026508081525	50.25
104560	Chrome	1- 1/2" Offset Tail Piece	026508247891	43.70
104587	Chrome	Trap Primer	026508248614	147.05
150628CBN	Classic Brushed Nickel	Handle Dome	026508239841	10.40
162649	–	Extension Service Kit	026508234594	104.00
163127	–	Cartridge Kit	026508234563	109.65
163128	Chrome	Escutcheon	026508234570	68.35
163128CBN	Classic Brushed Nickel	Escutcheon	026508239865	102.55
16360	Chrome	Aerator Key	026508228944	4.95
166471	–	S-Spout O-Ring	026508246542	2.25
52016F10	–	1.0 gpm max. (3.8 lpm) Recessed Vandal-Resistant Aerator	026508228708	18.15
52035	Chrome	Lever Handle (Hot/Cold)	026508229576	23.40
54035	Chrome	4" Smooth Lever Handle	026508241455	33.00
54036	–	Hot/Cold Indicators for Smooth Handles	026508241462	10.80
881111	Chrome	Handle Kit 8894	026508235201	23.40
881121	Chrome	Widespread Metering Spout Kit	026508235249	107.50

Model No.	UPC	Page Number	Case Qty.	List Price
1222HD	0-26508 20760-4	497	18	93.95
3360	0-26508 22276-8	474	6	192.60
3520	0-26508 10232-9	489	6	158.10
3570	0-26508 07298-1	489	6	188.35
5263	0-26508 23721-2	495	12	52.80
5263EP15	0-26508 23723-6	495	12	52.80
5263EP15CBN	0-26508 23724-3	495	12	96.35
5263EP17	0-26508 23725-0	495	12	52.80
5263EP17CBN	0-26508 23726-7	495	12	96.35
5263CBN	0-26508 23722-9	495	12	96.35
8103	0-26508 16230-9	443	6	171.45
8106	0-26508 16232-3	443	6	231.45
8113	0-26508 16227-9	443	6	254.00
8116	0-26508 16231-6	443	6	314.00
8119	0-26508 16233-0	441	6	297.80
8121	0-26508 02520-8	441	6	241.60
8124	0-26508 02616-8	442	6	252.35
8125	0-26508 02618-2	440	6	183.30
8126	0-26508 16234-7	441	6	298.55
8137	0-26508 18547-6	440	6	240.45
8138	0-26508 19904-6	440	6	286.20
8161	0-26508 22771-8	440	6	145.35
8198	0-26508 14068-0	442	10	66.45
8199	0-26508 14069-7	442	10	48.40
8210	0-26508 15378-9	432	6	196.70
8210F05	0-26508 23543-0	432	6	196.70
8210SMF05	0-26508 25886-6	432	6	196.70
8210F12	0-26508 26684-7	432	6	196.70
8210SMF12	0-26508 26685-4	432	6	196.70
8210SM	0-26508 23863-9	432	6	196.70
8215	0-26508 16118-0	433	6	218.10
8215F03	0-26508 23544-7	433	6	218.10
8215F05	0-26508 23545-4	433	6	218.10
8215F12	0-26508 26694-6	433	6	218.10
8215SMF12	0-26508 26683-0	433	6	218.10
8215SM	0-26508 23865-3	433	6	218.10
8216	0-26508 01417-2	432	6	222.15
8218	0-26508 15512-7	432	6	215.75
8219	0-26508 16778-6	433	6	242.35
8220	0-26508 01596-4	430	6	308.10
8220F05	0-26508 23550-8	430	3	308.10
8223	0-26508 15541-7	430	6	341.90
8224	0-26508 15542-4	430	6	335.35
8225	0-26508 16243-9	436	6	319.85
8225SMF15	0-26508 23868-4	436	3	319.85
8225SM	0-26508 23867-7	436	3	319.85
8226	0-26508 15543-1	437	6	247.15
8227	0-26508 16225-5	437	6	300.40
8228	0-26508 16119-7	431	6	327.55
8228F05	0-26508 23552-2	431	3	327.55
8228F12	0-26508 26682-3	431	3	327.55
8229	0-26508 16226-2	436	6	266.70
8230	0-26508 17217-9	442	3	204.70
8232	0-26508 19905-3	442	6	296.20
8239	0-26508 01597-1	431	6	361.35
8242	0-26508 18548-3	437	6	344.60
8244	0-26508 18549-0	437	6	364.00
8248	0-26508 18108-9	436	6	313.25
8248SMF12	0-26508 26707-3	436	3	313.25
8248SM	0-26508 23869-1	436	3	313.25
8270	0-26508 15461-8	434	6	233.95
8272	0-26508 15462-5	434	6	245.25
8273	0-26508 18149-2	434	6	201.15
8274	0-26508 15544-8	434	6	188.60
8276	0-26508 16771-7	435	6	210.00
8277	0-26508 19906-0	441	6	212.85
8278	0-26508 16780-9	435	6	246.50
8278SMF12	0-26508 26708-0	435	6	246.50
8278SM	0-26508 23871-4	435	6	246.50
8279	0-26508 16781-6	435	6	266.75
8279SMF12	0-26508 26709-7	435	6	262.30
8279SM	0-26508 23873-8	435	6	262.30
8280	0-26508 15463-2	438	6	236.90
8285	0-26508 16120-3	438	6	256.35
8287	0-26508 16223-1	438	6	295.30
8289	0-26508 16224-8	438	6	314.65
8290	0-26508 15406-9	495	12	118.40
8290EP15	0-26508 21336-0	495	12	113.80
8292	0-26508 17218-6	495	12	123.55
8310	0-26508 00641-2	465	4	596.45
8310AC16	0-26508 16764-9	465	4	596.45
8310ACDF16	0-26508 20596-9	465	4	626.20
8310BPW16	0-26508 24226-1	471	2	567.15
8310DF16	0-26508 20597-6	465	4	626.20
8310M16	0-26508 23653-6	470	3	185.80
8310MR16	0-26508 23921-6	471	6	149.50
8310R16	0-26508 16032-9	467	8	499.10
8310RDF16	0-26508 20598-3	467	4	524.00
8310BPW35	0-26508 24225-4	471	2	567.15
8310M35	0-26508 23654-3	470	3	185.80
8310MR35	0-26508 23656-7	471	6	149.50
8310S35	0-26508 26512-3	465	3	596.45
8310SR35	0-26508 26519-2	467	3	499.10
8310M128	0-26508 23652-9	470	3	185.80
8310MR128	0-26508 23655-0	471	6	149.50
8310SR128	0-26508 26517-8	467	3	499.10
8310BPWR	0-26508 24015-1	471	3	410.05
8311	0-26508 19907-7	465	4	596.45
8311AC12	0-26508 19909-1	465	4	596.45
8312	0-26508 15222-5	465	4	596.45
8312M05	0-26508 23658-1	470	3	185.80
8312MR05	0-26508 23661-1	471	6	149.50
8312SR05	0-26508 26526-0	467	3	499.10
8312AC10	0-26508 16765-6	466	4	596.45
8312M10	0-26508 23659-8	470	3	185.80
8312MR10	0-26508 23662-8	471	6	149.50
8312R10	0-26508 16030-5	467	8	499.10
8312SR125	0-26508 26528-4	467	3	499.10
8312M0125	0-26508 23657-4	470	3	185.80
8312MR0125	0-26508 23660-4	471	6	149.50
8314	0-26508 15223-2	466	6	596.45
8314M10	0-26508 23664-2	470	3	185.80
8315	0-26508 19908-4	465	4	596.45
8315AC05	0-26508 19910-7	466	4	596.45
8316	0-26508 20599-0	465	4	596.45
8316AC	0-26508 21322-3	466	4	596.45
8341	0-26508 07825-9	480	1	645.00
8342	0-26508 07826-6	479	1	650.50
8342EP15	0-26508 21337-7	479	1	650.50
8343	0-26508 08313-0	476	1	668.10
8346	0-26508 06334-7	483	4	461.85
8346EP15	0-26508 21338-4	483	4	461.85
8349	0-26508 01509-4	494	6	74.85
8349EP15	0-26508 21339-1	494	6	74.85
8349EP15CBN	0-26508 23704-5	494	6	109.00
8349EP17	0-26508 22864-7	494	6	74.85
8349EP17CBN	0-26508 23705-2	494	6	109.00
8349CBN	0-26508 23703-8	494	6	109.00
8350	0-26508 01467-7	489	6	244.65
8360	0-26508 08681-0	490	6	228.35
8370	0-26508 01396-0	488	12	185.60
8370HD	0-26508 22847-0	474	6	130.85
8371HD	0-26508 22848-7	474	6	157.50
8372HD	0-26508 22849-4	474	6	157.50
8373HD	0-26508 22850-0	474	6	157.50
8374HD	0-26508 22851-7	474	6	169.75

Model No.	UPC	Page Number	Case Qty.	List Price
8375	0-26508 04042-3	487	12	209.15
8375EP15	0-26508 21340-7	487	12	209.15
8375HD	0-26508 23980-3	474	6	157.50
8389	0-26508 04043-0	485	6	238.85
8389EP15	0-26508 21341-4	485	6	238.85
8400	0-26508 01506-3	450	6	176.35
8413	0-26508 12971-5	429	6	168.40
8413F03	0-26508 23444-0	429	3	168.40
8413F05	0-26508 23445-7	429	3	168.40
8413F12	0-26508 26656-4	429	3	168.40
8414	0-26508 13712-3	429	6	201.00
8414F12	0-26508 26995-4	429	3	201.00
8414F12BN	0-26508 27177-3	429	3	260.05
8416	0-26508 01727-2	429	6	180.90
8416F05	0-26508 23447-1	429	3	180.90
8417	0-26508 12972-2	428	6	232.65
8417F05	0-26508 23449-5	428	6	232.65
8417F12	0-26508 26657-1	428	6	232.65
8418	0-26508 15080-1	428	6	244.55
8419F05	0-26508 22784-8	428	6	264.30
8419F12	0-26508 26658-8	428	6	264.30
8420	0-26508 01507-0	450	6	204.65
8420CBN	0-26508 23532-4	450	12	255.85
8422	0-26508 23212-5	450	12	185.05
8422F05	0-26508 23214-9	450	12	185.05
8425	0-26508 01508-7	450	6	199.25
8430	0-26508 06645-4	451	12	137.90
8430F05	0-26508 23215-6	451	12	137.90
8430CBN	0-26508 23534-8	451	12	172.45
8432	0-26508 06646-1	451	12	169.70
8432F05	0-26508 26470-6	451	12	169.70
8434	0-26508 06647-8	451	12	163.60
8437	0-26508 23216-3	451	12	178.55
8437CBN	0-26508 23535-5	451	12	223.20
8439	0-26508 23217-0	451	12	146.80
8439F05	0-26508 23267-5	451	12	146.80
8551	0-26508 24990-1	460	6	667.55
8551AC	0-26508 24991-8	460	6	685.75
8552	0-26508 24992-5	460	6	737.75
8552AC	0-26508 24993-2	460	6	737.75
8553	0-26508 24994-9	461	6	667.55
8553AC	0-26508 24995-6	461	6	685.75
8554	0-26508 24996-3	461	6	737.75
8554AC	0-26508 24997-0	461	6	737.75
8558	0-26508 27199-5	457	3	495.00
8559	0-26508 27148-3	457	6	647.70
8560	0-26508 27200-8	457	3	495.00
8562	0-26508 27149-0	458	3	1,150.00
8565	0-26508 27150-6	458	3	664.25
8701	0-26508 12973-9	439	12	145.40
8707	0-26508 20651-5	439	6	173.25
8711	0-26508 02028-9	439	6	217.35
8713	0-26508 02095-1	439	12	436.45
8714	0-26508 01593-3	439	12	449.95
8717	0-26508 23764-9	439	6	256.80
8780	0-26508 02185-9	454	6	117.80
8791	0-26508 12570-0	454	6	138.85
8792	0-26508 12571-7	454	6	268.95
8798	0-26508 00393-0	454	6	188.85
8799	0-26508 01377-9	454	6	246.20
8800	0-26508 00777-8	453	6	163.65
8800F05	0-26508 23531-7	453	6	163.65
8800CBN	0-26508 23537-9	453	6	200.65
8810	0-26508 00778-5	453	6	187.65
8820	0-26508 00779-2	453	6	193.35
8820CBN	0-26508 23538-6	453	6	237.10
8884	0-26508 09323-8	447	6	177.15
8886	0-26508 09324-5	447	6	326.55
8889	0-26508 09325-2	447	6	417.95
8894	0-26508 22067-2	447	6	201.15
8915	0-26508 09414-3	453	12	120.30
8915CBN	0-26508 23539-3	453	12	150.35
8917	0-26508 03032-5	453	12	141.80
8917CBN	0-26508 23540-9	453	12	177.35
8922	0-26508 03917-5	452	6	253.60
8922CBN	0-26508 23541-6	452	6	304.40
8924	0-26508 03920-5	452	6	271.40
8938	0-26508 00395-4	455	6	163.20
8940	0-26508 01376-2	455	6	233.20
8948	0-26508 06169-5	455	6	161.00
8957	0-26508 03026-4	455	12	125.70
9220F05	0-26508 25539-1	430	3	317.40
9220F12	0-26508 26695-3	430	3	317.40
9223F05	0-26508 25730-2	430	3	352.65
9223F12	0-26508 26696-0	430	3	352.65
9263	0-26508 25542-1	494	12	72.20
9263EP15	0-26508 25543-8	494	12	72.20
9349	0-26508 25544-5	494	6	106.25
9349EP15	0-26508 25545-2	494	6	106.25
9417F05	0-26508 25729-6	427	3	257.50
9417F12	0-26508 26697-7	427	3	257.50
9419F05	0-26508 25548-3	427	3	286.10
9419F12	0-26508 26698-4	427	3	286.10
9480	0-26508 25549-0	450	3	159.35
9482	0-26508 25550-6	450	3	177.05
9921	0-26508 25551-3	452	3	229.45
9922	0-26508 25552-0	452	3	254.95
15856	0-26508 01518-6	496	12	59.60
15856CBN	0-26508 23985-8	496	12	86.75
52016F05	0-26508 23628-4	463	24	18.15
52016F10	0-26508 22870-8	463	24	18.15
52100	0-26508 20763-5	448	24	82.95
52120	0-26508 20704-8	434	12	154.00
52124GBM25	0-26508 23411-2	491	3	235.65
52124GBM25CBN	0-26508 23412-9	491	3	483.10
52136GBM25	0-26508 19133-0	492	3	257.00
52136GBM25CBN	0-26508 19134-7	492	3	526.85
52224GBM15	0-26508 22696-4	491	3	241.00
52224GBM15CBN	0-26508 23697-0	491	3	494.05
52224GBM17	0-26508 22697-1	491	3	241.00
52224GBM25	0-26508 22699-5	491	3	241.00
52224GBP25	0-26508 22700-8	491	3	208.95
52236GBM15	0-26508 22701-5	492	3	262.40
52236GBM15CBN	0-26508 23700-7	492	3	536.85
52236GBM17	0-26508 22702-2	492	3	262.40
52236GBM25	0-26508 22704-6	492	3	262.40
52236GBP25	0-26508 22695-7	492	3	230.30
52703	0-26508 02608-3	496	12	66.05
52710	0-26508 06336-1	493	6	273.55
52710EP15	0-26508 21334-6	493	6	273.55
52710EP15CBN	0-26508 23714-4	493	6	544.45
52710CBN	0-26508 23710-6	493	6	544.45
52711	0-26508 22863-0	496	12	49.55
52714	0-26508 24987-1	496	12	49.55
52716EP15	0-26508 21335-3	495	20	69.50
52740EP17	0-26508 22852-4	493	6	272.95
52748EP15	0-26508 23475-4	493	6	199.55
99550	0-26508 20765-9	440	12	29.75
99551	0-26508 22068-9	447	12	29.75
99556	0-26508 25213-0	460	20	32.55
99557	0-26508 25214-7	461	20	32.55
99558	0-26508 25215-4	460	20	41.85
99559	0-26508 25885-9	450	20	32.55
100686	0-26508 05771-1	496	60	49.70
100686CBN	0-26508 24643-6	496	60	71.45
101629	0-26508 06437-5	496	9	137.25

Model No.	UPC	Page Number	Case Qty.	List Price
101629CBN	0-26508 24644-3	496	1	199.85
104414	0-26508 08152-5	496	1	50.25
104451	0-26508 19928-2	462	12	173.00
104465	0-26508 20436-8	498	12	173.00
104466	0-26508 26710-3	498	12	173.00
104540	0-26508 27419-4	472	20	37.40
104541	0-26508 27420-0	472	20	32.75
104542	0-26508 24531-6	472	20	45.55
104543	0-26508 24532-3	472	20	50.25
104544	0-26508 24533-0	472	20	56.05
104545	0-26508 24534-7	472	20	61.90
104546	0-26508 24535-4	472	20	32.75
104547	0-26508 24536-1	472	20	36.25
104548	0-26508 24537-8	472	20	38.55
104549	0-26508 24538-5	472	20	42.05
104550	0-26508 24539-2	472	20	46.75
104551	0-26508 24540-8	472	20	50.25
104552	0-26508 24541-5	472	20	56.05
104553	0-26508 24542-2	472	20	59.60
104554	0-26508 24543-9	472	20	64.25
104555	0-26508 24653-5	468	20	112.55
104556	0-26508 24407-4	468	20	112.55
104557	0-26508 24408-1	472	20	19.70
104560	0-26508 24789-1	472	12	43.70
104561	0-26508 24655-9	472	20	61.70
104563	0-26508 24544-6	472	20	82.95
104564	0-26508 24657-3	472	20	82.95
104565	0-26508 24545-3	472	20	82.95
104566	0-26508 24546-0	472	20	82.95
104567	0-26508 24547-7	472	20	82.95
104568	0-26508 24548-4	472	20	82.95
104569	0-26508 24549-1	472	20	24.90
104570	0-26508 24550-7	468	12	18.40
104571	0-26508 24658-0	468	20	24.55
104572	0-26508 24551-4	472	20	6.40
104573	0-26508 24680-1	472	30	23.80
104574	0-26508 24681-8	472	15	52.00
104575	0-26508 24801-0	472	6	52.00
104577	0-26508 24682-5	472	30	11.15
104578	0-26508 24409-8	468	12	46.95
104579	0-26508 24410-4	468	12	51.00
104580	0-26508 24411-1	468	12	47.05
104581	0-26508 24412-8	468	20	32.90
104582	0-26508 24683-2	468	20	29.95
104583	0-26508 24685-6	468	20	25.75
104584	0-26508 24787-7	468	12	76.60
104585	0-26508 24788-4	468	#N/A	120.65
104587	0-26508 24861-4	468	6	147.05
104588	0-26508 24686-3	468	20	27.65
104589	0-26508 24687-0	468	20	44.45
104590	0-26508 24742-6	472	33	26.45
104591	0-26508 24743-3	472	33	26.45
104592	0-26508 24744-0	472	33	26.45
104593	0-26508 24745-7	472	33	26.45
104594	0-26508 24746-4	472	33	26.45
104595	0-26508 24747-1	472	33	26.45
104597	0-26508 24684-9	472	40	17.65
104598	0-26508 25184-3	472	20	26.05
104599	0-26508 25185-0	472	20	46.75
104600	0-26508 25253-6	472	12	50.20
104609	0-26508 25186-7	472	20	10.20
104617	0-26508 27399-9	468	12	29.80
104618	0-26508 27400-2	468	12	70.50
104619	0-26508 27401-9	468	12	70.50
104620	0-26508 27402-6	468	12	70.50
104621	0-26508 27403-3	468	12	70.50
104622	0-26508 27404-0	468	12	70.50
104623	0-26508 27405-7	468	12	70.50
104624	0-26508 27406-4	468	12	70.50
104625	0-26508 27407-1	468	12	33.20
104626	0-26508 27408-8	468	12	34.10
104627	0-26508 27409-5	468	12	31.70
104628	0-26508 27410-1	468	12	93.80
104630	0-26508 27360-9	463	12	96.35
104631	0-26508 27411-8	468	12	31.80
104633	0-26508 27412-5	468	12	113.50
104634	0-26508 27413-2	468	20	22.40
174055	0-26508 23579-9	463	12	29.85
174056	0-26508 23590-4	463	12	94.85
174057	0-26508 23591-1	463	12	26.35
174060	0-26508 23594-2	463	12	16.70
174061	0-26508 23595-9	463	12	23.40
174062	0-26508 25276-5	463	12	8.65
174065	0-26508 25277-2	463	12	47.35
174066	0-26508 25278-9	463	12	5.45
174334	0-26508 25438-7	463	12	187.35
174335	0-26508 25439-4	463	12	187.35
174336	0-26508 25440-0	463	20	18.55
174337	0-26508 25441-7	463	20	18.55
175916	0-26508 26190-3	498	12	14.95
175917	0-26508 26191-0	498	1	14.95
175918	0-26508 26192-7	498	12	14.95
175921	0-26508 26675-5	498	12	14.95
175925	0-26508 26676-2	498	12	14.95
175926	0-26508 26677-9	462	12	14.95
181040	0-26508 26678-6	462	12	14.95
181148	0-26508 27449-1	457	12	78.00
181149	0-26508 27450-7	457	12	67.50
182413	0-26508 27230-5	463	64	60.60
182414	0-26508 27231-2	463	12	17.10
182415	0-26508 27232-9	463	24	125.00
182416	0-26508 27233-6	463	12	92.80
182417	0-26508 27234-3	463	12	51.00
182418	0-26508 27235-0	463	12	31.90
182419	0-26508 27236-7	463	12	15.50
182420	0-26508 27237-4	463	12	40.60
182421	0-26508 27238-1	463	12	58.90
182422	0-26508 27239-8	463	12	145.00
182423	0-26508 27240-4	463	12	13.30
182534	0-26508 27370-8	463	6	48.90
182535	0-26508 27371-5	463	6	131.80
182536	0-26508 27372-2	463	20	9.30
182537	0-26508 27373-9	463	12	145.00
182538	0-26508 27374-6	463	20	20.50
182539	0-26508 27375-3	463	12	42.90
182540	0-26508 27376-0	463	12	49.60
182542	0-26508 27377-7	463	20	15.90
182543	0-26508 27378-4	463	20	15.80
182544	0-26508 27379-1	463	20	15.80
182546	0-26508 27380-7	457	12	31.85
182547	0-26508 27381-4	463	20	23.00
A705	0-26508 24081-6	494	12	52.50
A705CBN	0-26508 24082-3	494	12	78.75
A714ST	0-26508 08101-3	496	24	55.45
A723	0-26508 22865-4	496	20	28.65
A725	0-26508 04455-1	496	12	47.60
A725CBN	0-26508 19122-4	496	12	69.75
A726	0-26508 07303-2	496	12	91.10
A780	0-26508 22713-8	496	20	107.40
CA8301	0-26508 21107-6	457	6	656.35
CA8302	0-26508 21108-3	457	6	647.70
CA8303	0-26508 21109-0	458	6	714.25
S0000	0-26508 18146-1	444	12	48.55
S0000T	0-26508 26963-3	445	12	33.55
S0001	0-26508 02531-4	444	12	58.35
S0002	0-26508 02532-1	444	12	59.60

Model No.	UPC	Page Number	Case Qty.	List Price
S0003	0-26508 02533-8	444	12	58.35
S0004	0-26508 02534-5	444	12	70.10
S0006	0-26508 02536-9	444	12	44.45
S0007	0-26508 02537-6	444	12	59.60
S0009	0-26508 02539-0	444	12	64.25
S0010	0-26508 02540-6	444	12	70.10
S0010T	0-26508 26982-4	445	12	55.10
S0011	0-26508 02541-3	444	12	58.35
S0012	0-26508 02542-0	444	12	127.40
S0020	0-26508 14811-2	445	12	59.60
S0020T	0-26508 26983-1	445	12	44.60
S0030	0-26508 14812-9	445	12	65.45
S0030NA	0-26508 27382-1	463	6	64.05
S0030T	0-26508 26984-8	445	12	50.45
S0050	0-26508 16071-8	445	12	72.45
S0050T	0-26508 26985-5	445	12	57.45
S0060	0-26508 19927-5	445	12	90.00
S0070	0-26508 18147-8	445	12	78.30
SMA1000CH*	0-34584 00772-8	472	24	30.05
SMA1000CH**	0-34584 00772-8	496	24	30.05
SV003	0-26508 02544-4	444	12	120.35
SV006	0-26508 02547-5	444	12	112.20
SV010	0-26508 02551-2	444	12	118.00
T4192	0-26508 26032-6	490	12	137.00
T8341	0-26508 22855-5	480	1	332.35
T8342	0-26508 22856-2	479	1	338.30
T8342EP15	0-26508 22857-9	479	1	338.30
T8342EP15CBN	0-26508 23716-8	479	1	497.30
T8342CBN	0-26508 23715-1	479	1	497.30
T8342NH	0-26508 23717-5	479	1	330.15
T8342NHCBN	0-26508 23718-2	479	1	452.80
T8343	0-26508 22858-6	476	1	357.45
T8343EP15	0-26508 22859-3	476	1	357.45
T8343EP15CBN	0-26508 23762-5	476	1	525.55
T8343CBN	0-26508 23719-9	476	1	525.55
T8343NH	0-26508 23763-2	476	1	349.35
T8343NHCBN	0-26508 23575-1	476	1	481.05
T8346	0-26508 22860-9	483	4	312.20
T8346EP15	0-26508 22861-6	483	4	312.20
T8346EP15CBN	0-26508 23564-5	483	4	442.70
T8346CBN	0-26508 23563-8	483	4	442.70
T8350	0-26508 21187-8	489	3	62.25
T8350CBN	0-26508 23706-9	489	3	112.65
T8360	0-26508 22277-5	490	3	45.10
T8370	0-26508 21188-5	488	3	35.25
T8370CBN	0-26508 23566-9	488	3	64.40
T8375	0-26508 21189-2	487	3	60.95
T8375EP15	0-26508 22278-2	487	3	60.95
T8375EP15CBN	0-26508 23568-3	487	3	93.75
T8375CBN	0-26508 23567-6	487	3	93.75
T8375NH	0-26508 23569-0	487	3	43.15
T8375NHCBN	0-26508 23570-6	487	3	72.20
T8389	0-26508 21213-4	485	3	93.35
T8389EP15	0-26508 22279-9	485	3	93.35
T8389EP15CBN	0-26508 23572-0	485	3	145.80
T8389CBN	0-26508 23571-3	485	3	145.80
T8389NH	0-26508 23573-7	485	3	77.95
T8389NHCBN	0-26508 23574-4	485	3	114.20
T9342	0-26508 25733-3	477	1	462.50
T9342EP15	0-26508 25734-0	477	1	462.50
T9342GBM15	0-26508 25738-8	478	1	508.75
T9342GBM25	0-26508 25737-1	478	1	508.75
T9343	0-26508 25731-9	474	1	488.70
T9343EP15	0-26508 25732-6	474	1	488.70
T9343GBM15	0-26508 25736-4	475	1	537.60
T9343GBM25	0-26508 25735-7	475	1	537.60
T9346	0-26508 25554-4	481	4	407.45
T9346EP15	0-26508 25555-1	481	4	407.45
T9346GBM15	0-26508 25556-8	482	1	448.20
T9346GBM25	0-26508 25557-5	482	1	448.20
T9360	0-26508 25558-2	489	3	124.80
T9370	0-26508 25559-9	488	3	97.55
T9375	0-26508 25560-5	486	3	122.05
T9375EP15	0-26508 25561-2	486	3	122.05
T9389	0-26508 25562-9	484	3	155.30
T9389EP15	0-26508 25563-6	484	3	155.30

Look for the WaterSense® logo to identify water-efficient Moen® faucets and showerheads that meet WaterSense® criteria.

Moen® kitchen faucet SKUs* are manufactured with a 1.5 gpm aerator that is certified to meet WaterSense® criteria. As of July 1, 2016, lavatory faucets are manufactured with a 1.2 gpm aerator that is certified to meet WaterSense® criteria and the California Energy Commission (CEC) regulation. The packaging label clearly indicates the WaterSense® logo and product flow rate. If the product you receive does not have the qualifying label markings, a replacement aerator can be ordered by calling 1-800-BUY-MOEN.

Moen® flow-optimized rainshowers and showerheads use up to 30% less water (compared to traditional 2.5 gpm showerheads) without sacrificing performance. Products throughout our showering portfolio with a WaterSense logo — including wall-mount, handshower and rainshower showerheads - are certified to meet EPA WaterSense® labeling criteria. These also contribute towards maximizing LEED points.

*Excluding all bathtub spouts and some commercial faucets and showerheads.

Moen® Eco-Performance (EP) showerheads and handshowers are flow-optimized to use up to 30% less water (compared to traditional 2.5 gpm showerheads) without sacrificing performance, and contribute towards maximizing LEED points.

The U.S. Green Building Council® developed the Leadership in Energy and Environmental Design (LEED®) Green Building Rating System as a nationally accepted benchmark for measuring and documenting green building practices.

The Green UPC® symbol indicates that this product has been certified by the International Association of Plumbing and Mechanical Officials (IAPMO) to reduce water consumption by at least 20% when compared to standard flow rates.

All Moen® lavatory and kitchen faucets meet NSF 372 requirements.

ADA Compliant – Many Moen® faucets, sinks and shower valve controls meet requirements for the physically challenged.

MOEN

Buy it for looks. Buy it for life.®

Connect with us:
moen.com/social

Visit our website at MoenPro.com

U.S. Headquarters:
Moen Incorporated
25300 Al Moen Drive, North Olmsted, OH
44070-8022

1-800-BUY-MOEN

Canada Headquarters:
Moen
2816 Bristol Circle, Oakville, Ontario
L6H 5S7

1-800-465-6130

MF36 75M-01/17-DAHPS

© 2017 Moen Incorporated