

Earth[®] Handheld Showerhead

N2935, N2945

FEATURES AND BENEFITS



Also Available in White

Earth[®] Showerhead

Water Savings Without Sacrificing Performance

- Three spray settings: 9-jet spray, shower and combo
- Niagara's patented pressure compensating technology guarantees a consistent flow rate across wide range of pressure
- Non-removable flow compensator
- Non-aerated spray means less temperature loss with maximum energy savings
- Steady stream with a large spray diameter
- Corrosion-resistant, high-impact ABS thermoplastic body
- Includes 72-inch tangle-free, high-quality stainless steel hose and mounting bracket
- Installs easily, by hand and without tools
- EPA WaterSense labeled
- Limited lifetime warranty**




3 Spray Settings:
9-Jet Needle, Shower
and Combination



Easy Turn Dial

Constant Output Regardless of Pressure



Finishes & Flow Rates

	1.5 GPM	2.0 GPM
Chrome	N2945CH	N2935CH
White	N2945	

POTENTIAL SAVINGS* with 1.5 GPM Model

	Water (Gallons)	Electric (kWh)	Gas (therms)	Dollars
Water Savings	10,959			\$88
Energy Savings with Electric Water Heater		1,607		\$214
Energy Savings with Gas Water Heater			55	\$52

*Factors in calculating savings potential:

- 3-person households each using a shower 10 minutes per day, 365 days per year
- Comparing water use with this 1.5 GPM showerhead vs. a standard 2.5 GPM unit
- Water and sewer cost of \$8 per 1,000 gallons
- 8.34 BTUs to raise the temperature of 1 gallon of water 1°
- 500.4 BTUs to raise the temperature of 1 gallon 60° (i.e. 50° to 110°)
- 1 million BTUs = 293 kWh
- Average cost of electricity \$0.133 per kWh (Bureau of Labor Statistics Sept 2012)
- Average cost of gas \$0.953 per therm (Bureau of Labor Statistics Sept 2012)

Corporate HQ


4200 Diplomacy Road
Fort Worth, TX 76155 USA
Toll Free: 800.831.8383
Phone: 817.391.0800 Fax: 817.391.0801
Email: info@nccgreen.com



Earth[®] Handheld Showerhead

N2935, N2945


SPECIFICATIONS




*Dimensions are subject to change

Consistent Flow Rate Across Wide Range of Pressure

1.5 GPM Flow Rate



2.0 GPM Flow Rate



Overall Dimensions	Diameter: 2.688" Length: 8.6"
Materials	Body: Chrome plated ABS plastic or white color durable ABS plastic Bracket Ball Joint: White color durable ABS plastic or chrome plated ABS thermoplastic Internal Parts: Chrome plated brass, ABS and POM plastics & high heat rubber gaskets and pressure compensator Hose: 72" (183.9 cm) nylon reinforced PVC hose with durable chrome-plated or white color BS connectors
Threads	Inlet size: 1/2-14 NPSM female straight pipe thread
Certifications	Meets or exceeds: ASME A112.18.1 / CSA B125.1; ANSI/NSF 61 WaterSense labeled



Item Number	Max. Flow Rate	Min. Flow Rate @ 45psi
N2945	Max. 1.5 GPM (5.7 LPM)	Min. 1.13 GPM (4.3 LPM)
N2945CH	Max. 1.5 GPM (5.7 LPM)	Min. 1.13 GPM (4.3 LPM)
N2935CH	Max. 2.0 GPM (7.6 LPM)	Min. 1.5 GPM (5.7 LPM)

****WARRANTY FOR SHOWERHEADS OBTAINED THROUGH WHOLESALE, MUNICIPALITIES, UTILITIES OR OTHER COMMERCIAL CHANNELS:**
 10-year Limited Warranty to the purchaser from the date of purchase.
 Niagara will replace any part that, in our opinion has proved defective, provided it has not been abused, misused, altered or damaged after its purchase.
 For complete product warranty details, call Niagara Conservation at 1-800-831-0800.

Corporate HQ

4200 Diplomacy Road
 Fort Worth, TX 76155 USA
 Toll Free: 800.831.8383
 Phone: 817.391.0800 Fax: 817.391.0801
 Email: info@nccgreen.com



Bulk Packaging:

Plastic Bag



BULK PACKAGING

Item No	N2935, N2945, N2945CH
Type of Packaging	Kraft Corrugated
Pack Quantities	12
Dimensions of Master	Width 13.75" Height 9.5" Depth 11.625"
Weight of Master	14.7 lbs

Corporate HQ

4200 Diplomacy Road
Fort Worth, TX 76155 USA
Toll Free: 800.831.8383
Phone: 817.391.0800 Fax: 817.391.0801
Email: info@nccgreen.com