

COMMERCIAL
SURFACES


INSPIRATION
INSIDE



LOGAN

INSPIRATION
INSIDE

COMMERCIAL
SURFACES



Whether you're looking
for tiles for your home
or business, Logan is the
perfect option for you.

LOGAN



VITL | Logan Medium Gray 10" x 24" Half Hex


Colors




LOGAN White



LOGAN Cream



LOGAN Light Gray



LOGAN Medium Gray

LOGAN

Story has always been important to us. It is what has driven us from the very beginning and it is what continues to inspire us today. Our story begins with porcelain tiles, surfaces that are both technically excellent and beautifully satisfying to the eye. Logan is a testament to our commitment to creating products that are both functional and aesthetic.

The Logan collection from VITL, inspired by the look of the natural grey Terrazzo compositions. A classic midcentury terrazzo reinvented for contemporary spaces, in a palette of four neutral colors ideal for contemporary interiors. A collage of organically shaped segments deliver the aesthetic, the texture and the tonality that defined an era.

VITL

COMMERCIAL

SURFACES



VITL | Logan White and Medium Gray Half Hexagon

LOGAN



V3 Moderate
Variation



Frost Resistant



Recommend an
offset pattern
≤33%




Water
Absorption:
<0.5%



DCOF ≥0.50

White



Shapes & Sizes



32" x 32" Rectified Matte 11.5mm




12" x 24" Rectified Matte 8.4mm

Mosaic



10" x 24" Half Hex Rectified
Matte 8.4mm



2" x 2" Mosaic Matte 8.4mm

Trim



3" x 24" Bullnose 8.4mm



Greenguard
Certified



Ready Ship



Made in Turkey

Cream



Shapes & Sizes



32" x 32" Rectified Matte 11.5mm



12" x 24" Rectified Matte 8.4mm

Mosaic



10" x 24" Half Hex Rectified
Matte 8.4mm



2" x 2" Mosaic Matte 8.4mm

Trim



3" x 24" Bullnose 8.4mm

LOGAN



V3 Moderate
Variation



Frost Resistant



Recommend an
offset pattern
≤33%




Water
Absorption:
<0.5%




DCOF ≥0.50


Light Gray



Shapes & Sizes




32" x 32" Rectified Matte 11.5mm




12" x 24" Rectified Matte 8.4mm

Mosaic



10" x 24" Half Hex Rectified
Matte 8.4mm



2" x 2" Mosaic Matte 8.4mm

Trim



3" x 24" Bullnose 8.4mm



Greenguard
Certified




Ready Ship




Made in Turkey


Medium Gray



Shapes & Sizes




32" x 32" Rectified Matte 11.5mm




12" x 24" Rectified Matte 8.4mm

Mosaic




10" x 24" Half Hex Rectified
Matte 8.4mm



2" x 2" Mosaic Matte 8.4mm

Trim



3" x 24" Bullnose 8.4mm

LOGAN



V3 Moderate
Variation



Frost Resistant



Recommend an
offset pattern
 $\leq 33\%$



Water
Absorption:
 $< 0.5\%$



DCOF ≥ 0.50



VITL | Logan Cream 32" x 32"



Greenguard
Certified




Ready Ship



Made in Turkey

SIZES

32" x 32" Rectified
Matte 11.5mm



VTL LGWH - White
VTL LGCR- Cream
VTL LGLG - Light Gray
VTL LGMG - Medium Gray

12" x 24" Rectified
Matte 8.4mm



VTL LGWH - White
VTL LGCR- Cream
VTL LGLG - Light Gray
VTL LGMG - Medium Gray


MOSAIC

10" x 24" Half Hex Rectified
Matte 8.4mm



VTL LGWH - White
VTL LGCR- Cream
VTL LGLG - Light Gray
VTL LGMG - Medium Gray

2" x 2" Mosaic
Matte 8.4mm



VTL LGWH - White
VTL LGCR- Cream
VTL LGLG - Light Gray
VTL LGMG - Medium Gray

TRIM



3" x 24" Bullnose
VTL LGWH - White
VTL LGCR- Cream
VTL LGLG - Light Gray
VTL LGMG - Medium Gray

DECORATIVE, MOSAICS & TRIM

SIZE	THICKNESS	FINISH
10" x 24" Half Hex Rectified	8.4mm	Matte
2" x 2" Mosaic Matte	8.4mm	Matte
3" x 24" Bullnose	8.4mm	Matte

Product Characteristics

Breaking Strength (ASTM C648 or ISO 10545-4)	≥1600N
Chemical Resistance (ASTM C650 or ISO 10545-13)	N/A
DCOF	≥0.50
Deep Scratch Resistance - Unglazed (ISO 10545-6)	N/A
Frost Resistance (ASTM C1026 or ISO 10545-12)	Resistant
Mohs Hardness - EN101	6
Water Absorption (ASTM C373 or ISO 10545-3)	<0.5%
Certifications	Greenguard
Country of Origin	Turkey
Shade Variation Code	V3

Material

Glazed Color-body Porcelain

PORCELAIN CARE & MAINTENANCE

INITIAL CLEANING

Proper cleaning after installation is essential for future maintenance. Remove excess grout using clean water and a sponge. If grout leaves behind a white haze, it can be wiped off using a clean cloth after grout has cured. Stubborn residue may require the use of a grout haze remover solution or neutral detergent. Thoroughly rinse the area with clean water and dry with a clean towel or wet vacuum.

ROUTINE MAINTENANCE

Immediately wipe up any spills and clean the area using a damp cloth or sponge. Remove loose soil using a broom or vacuum. To remove stubborn surface debris, use a scraper or putty knife. Wipe the area with a PH-neutral and soapless cleaner. Rinse with clear water and wipe dry to prevent residue. Do not use cleaning wax, oil-based cleaners, ammonia, sealants, or products containing acid or bleach for routine maintenance. Avoid using abrasive cleaning products such as steel wool.

WHEN IT MUST BE GREAT.

WHEN IT MUST BE READY.

WHEN IT MUST BE EXTRAORDINARY.

WHEN IT MATTERS MOST.

VITL

Start your journey

Request samples.

www.vitlsurfaces.com
samples@vitlsurfaces.com

