

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

|  |                  |
|--|------------------|
| Trade name or designation of the mixture | AMBERGLIDE       |
| Registration number                      | -                |
| Synonyms                                 | None.            |
| Product code                             | UDS000355AE      |
| Issue date                               | 10-November-2022 |
| Version number                           | 1.0              |
| Revision date                            | 10-November-2022 |

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

|                      |             |
|----------------------|-------------|
| Identified uses      | Lubricants  |
| Uses advised against | None known. |

### 1.3. Details of the supplier of the safety data sheet

|              |  |
|--------------|--|
| Company name | CRC Industries UK Ltd.   |
| Address      | Wylds Road<br>Castlefield Industrial Estate<br>TA6 4DD Bridgwater Somerset<br>United Kingdom |
| Telephone    | +44 1278 727200  |
| Fax          | +44 1278 425644  |
| E-mail       | hse.uk@crcind.com  |
| Website      | www.crcind.com   |

|              |  |
|--------------|--|
| Company name | CRC Industries Europe bv                   |
| Address      | Touwslagerstraat 1<br>9240 Zele<br>Belgium |
| Telephone    | +32(0)52/45.60.11                          |
| Fax          | +32(0)52/45.00.34                          |
| E-mail       | hse@crcind.com                             |
| Website      | www.crcind.com                             |

|                                 |   |
|---------------------------------|---|
| 1.4. Emergency telephone number | Tel.:(+44)(0)1278 72 7200 (office hours: 9-17h GMT) |
|---------------------------------|---|

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

#### Classification according to Regulation (EC) No 1272/2008 as amended

##### Physical hazards

|          |            |   |
|----------|------------|---|
| Aerosols | Category 1 | H222 - Extremely flammable aerosol.<br>H229 - Pressurized container: May burst if heated. |
|----------|------------|---|

##### Environmental hazards

|  |            |   |
|--|------------|---|
| Hazardous to the aquatic environment, long-term aquatic hazard | Category 3 | H412 - Harmful to aquatic life with long lasting effects. |
|--|------------|---|

### 2.2. Label elements

**Label according to Regulation (EC) No. 1272/2008 as amended****Hazard pictograms****Signal word**

Danger

**Hazard statements**

H222 Extremely flammable aerosol.  
 H229 Pressurized container: May burst if heated.  
 H412 Harmful to aquatic life with long lasting effects.

**Precautionary statements****Prevention**

P102 Keep out of reach of children.  
 P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
 P211 Do not spray on an open flame or other ignition source.  
 P251 Do not pierce or burn, even after use.

**Response**

Not assigned.

**Storage**

P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

**Disposal**

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**Supplemental label information** None.**2.3. Other hazards**

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

**SECTION 3: Composition/information on ingredients****3.2. Mixtures****General information**

| Chemical name   | %       | CAS-No. / EC No.      | REACH Registration No. | Index No.    | Notes |
|---|---------|-----------------------|------------------------|--------------|-------|
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics   | 10 - 30 | -<br>926-141-6        | 01-2119456620-43       | -            |       |
| <b>Classification:</b> Asp. Tox. 1;H304   |         |                       |                        |              |       |
| n-butyl acetate   | 1 - 5   | 123-86-4<br>204-658-1 | 01-2119485493-29       | 607-025-00-1 | #     |
| <b>Classification:</b> Flam. Liq. 3;H226, STOT SE 3;H336  |         |                       |                        |              |       |
| 1H-Imidazole-1-ethanol, 2-(8-heptadecenyl)-4,5-dihydro-   | 0 - 1   | 95-38-5<br>202-414-9  | 01-2119777867-13       | -            |       |
| <b>Classification:</b> Acute Tox. 4;H302, Skin Corr. 1C;H314, Eye Dam. 1;H318, STOT RE 2;H373, Aquatic Acute 1;H400(M=10), Aquatic Chronic 1;H410(M=10) |         |                       |                        |              |       |
| Glycine, N-methyl-N-(1-oxo-9-octadecenyl)-, (Z)-  | 0 - 1   | 110-25-8<br>203-749-3 | 01-2119488991-20       | -            |       |
| <b>Classification:</b> Acute Tox. 4;H332, Skin Irrit. 2;H315, Eye Dam. 1;H318, Aquatic Acute 1;H400   |         |                       |                        |              |       |

**List of abbreviations and symbols that may be used above**

#: This substance has been assigned Union workplace exposure limit(s).

ATE: Acute toxicity estimate.

M: M-factor

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

**Composition comments**

The full text for all H-statements is displayed in section 16.

**SECTION 4: First aid measures****General information**

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

**4.1. Description of first aid measures****Inhalation**

If symptoms develop move victim to fresh air. Get medical attention if symptoms persist.

|  |  |
|--|--|
| <b>Skin contact</b>  | Wash off with soap and water. Get medical attention if irritation develops and persists. |
| <b>Eye contact</b>   | Rinse with water. Get medical attention if irritation develops and persists.             |
| <b>Ingestion</b>   | In the unlikely event of swallowing contact a physician or poison control centre.        |
| <b>4.2. Most important symptoms and effects, both acute and delayed</b>                | Exposure may cause temporary irritation, redness, or discomfort.                         |
| <b>4.3. Indication of any immediate medical attention and special treatment needed</b> | Treat symptomatically.   |

## SECTION 5: Firefighting measures

|   |   |
|---|---|
| <b>General fire hazards</b>                                       | Extremely flammable aerosol.  |
| <b>5.1. Extinguishing media</b>                                   |   |
| <b>Suitable extinguishing media</b>                               | Water fog. Foam. Dry chemical powder. Carbon dioxide (CO <sub>2</sub> ).  |
| <b>Unsuitable extinguishing media</b>                             | Do not use water jet as an extinguisher, as this will spread the fire.  |
| <b>5.2. Special hazards arising from the substance or mixture</b> | Contents under pressure. Pressurised container may explode when exposed to heat or flame. During fire, gases hazardous to health may be formed.   |
| <b>5.3. Advice for firefighters</b>                               |   |
| <b>Special protective equipment for firefighters</b>              | Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.  |
| <b>Special fire fighting procedures</b>                           | Move containers from fire area if you can do so without risk. Containers should be cooled with water to prevent vapour pressure build up. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out. |
| <b>Specific methods</b>   | Use standard firefighting procedures and consider the hazards of other involved materials. In the event of fire and/or explosion do not breathe fumes.  |

## SECTION 6: Accidental release measures

|   |   |
|---|---|
| <b>6.1. Personal precautions, protective equipment and emergency procedures</b> |   |
| <b>For non-emergency personnel</b>  | Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.   |
| <b>For emergency responders</b>   | Keep unnecessary personnel away. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.   |
| <b>6.2. Environmental precautions</b>   | Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.  |
| <b>6.3. Methods and material for containment and cleaning up</b>                | Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil etc) away from spilled material. The product is immiscible with water and will spread on the water surface. Prevent product from entering drains. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.<br><br>Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. |
| <b>6.4. Reference to other sections</b>   | For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.   |

## SECTION 7: Handling and storage

|  |  |
|--|--|
| <b>7.1. Precautions for safe handling</b>                                | Pressurised container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. All equipment used when handling the product must be grounded. Do not re-use empty containers. Avoid prolonged exposure. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices. |
| <b>7.2. Conditions for safe storage, including any incompatibilities</b> | Pressurised container. Protect from sunlight and do not expose to temperatures exceeding 50°C. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. This material can accumulate static charge which may cause spark and become an ignition source. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).<br>Storage class (TRGS 510): 2B (Aerosol dispensers and lighters)  |
| <b>7.3. Specific end use(s)</b>  | Not available.   |

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Occupational exposure limits

##### UK. EH40 Workplace Exposure Limits (WELs)

| Components                     | Type | Value     |
|--------------------------------|------|-----------|
| n-butyl acetate (CAS 123-86-4) | STEL | 966 mg/m3 |
|                                |      | 200 ppm   |
|                                | TWA  | 724 mg/m3 |
|                                |      | 150 ppm   |

**Biological limit values** No biological exposure limits noted for the ingredient(s).

**Recommended monitoring procedures** Follow standard monitoring procedures.

#### Derived no effect levels (DNELs)

##### General population

| Components                     | Value                         | Assessment factor | Notes |                              |
|--------------------------------|-------------------------------|-------------------|-------|------------------------------|
| n-butyl acetate (CAS 123-86-4) | Long-term, Local, Inhalation  | 35.7 mg/m3        | 12    | irritation respiratory tract |
|                                | Short-term, Local, Inhalation | 300 mg/m3         |       | irritation respiratory tract |
|                                | Short-term, Systemic, Dermal  | 6 mg/kg bw/day    | 100   | Neurotoxicity                |
|                                |                               |                   |       |                              |

##### Workers

| Components  | Value                            | Assessment factor | Notes |                        |
|---|----------------------------------|-------------------|-------|------------------------|
| 1H-Imidazole-1-ethanol, 2-(8-heptadecenyl)-4,5-dihydro- (CAS 95-38-5) | Long-term, Systemic, Dermal      | 0.06 mg/kg        | 300   | Repeated dose toxicity |
|   | Long-term, Systemic, Inhalation  | 0.46 mg/m3        | 75    | Repeated dose toxicity |
|   | Short-term, Systemic, Dermal     | 2 mg/kg           | 10    | Repeated dose toxicity |
|   | Short-term, Systemic, Inhalation | 14 mg/m3          | 2.5   | Repeated dose toxicity |
|   |                                  |                   |       |                        |

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified [ complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers pr (CAS 64742-54-7)

|                                |                                  |                 |    |                              |
|--------------------------------|----------------------------------|-----------------|----|------------------------------|
| Long-term, Local, Oral         | 5.58 mg/m3                       |                 |    |                              |
| n-butyl acetate (CAS 123-86-4) | Long-term, Local, Inhalation     | 300 mg/m3       | 6  | irritation respiratory tract |
|                                | Long-term, Systemic, Dermal      | 7 mg/kg bw/day  | 25 | Repeated dose toxicity       |
|                                | Short-term, Systemic, Dermal     | 11 mg/kg bw/day | 50 | Neurotoxicity                |
|                                | Short-term, Systemic, Inhalation | 600 mg/m3       |    | irritation respiratory tract |
|                                |                                  |                 |    |                              |

#### Predicted no effect concentrations (PNECs)

| Components  | Value                   | Assessment factor | Notes |  |
|---|-------------------------|-------------------|-------|--|
| 1H-Imidazole-1-ethanol, 2-(8-heptadecenyl)-4,5-dihydro- (CAS 95-38-5) | Freshwater              | 0 mg/l            | 1000  |  |
|   | Marine water            | 0 mg/l            | 10000 |  |
|   | Sediment (freshwater)   | 0.376 mg/kg       |       |  |
|   | Sediment (marine water) | 0.038 mg/kg       |       |  |
|   | Soil                    | 0.075 mg/kg       |       |  |
|   | STP                     | 0.27 mg/l         | 100   |  |
|   |                         |                   |       |  |
| n-butyl acetate (CAS 123-86-4)  | Freshwater              | 0.18 mg/l         | 100   |  |
|   | Sediment (freshwater)   | 0.981 mg/kg       |       |  |
|   | Soil                    | 0.09 mg/kg        |       |  |

### 8.2. Exposure controls

#### Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

#### Individual protection measures, such as personal protective equipment

**General information** Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.

**Eye/face protection** Wear safety glasses with side shields (or goggles). Use eye protection conforming to EN 166.

**Skin protection**

|  |  |
|--|--|
| <b>- Hand protection</b>               | When handling the product wear chemical-resistant gloves (standard EN 374). The breakthrough time of the glove should be longer than the total duration of product use. If work lasts longer than the breakthrough time, gloves should be changed part-way through. Nitrile gloves are recommended. Suitable gloves can be recommended by the glove supplier.                              |
| <b>- Other</b>                         | Wear suitable protective clothing.   |
| <b>Respiratory protection</b>          | In case of insufficient ventilation, wear suitable respiratory equipment. Chemical respirator with organic vapour cartridge and full facepiece. (Filter type A)  |
| <b>Thermal hazards</b>                 | Wear appropriate thermal protective clothing, when necessary.  |
| <b>Hygiene measures</b>                | When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.   |
| <b>Environmental exposure controls</b> | Inform appropriate managerial or supervisory personnel of all environmental releases. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels. |

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

#### Appearance

|   |                              |
|---|------------------------------|
| <b>Physical state</b>                               | Liquid.                      |
| <b>Form</b>   | Aerosol.                     |
| <b>Colour</b>                                       | Amber.                       |
| <b>Odour</b>  | Solvent.                     |
| <b>Odour threshold</b>                              | Not available.               |
| <b>pH</b>   | Not applicable.              |
| <b>Melting point/freezing point</b>                 | Not available.               |
| <b>Initial boiling point and boiling range</b>      | 126 °C (258.8 °F)            |
| <b>Flash point</b>                                  | 23.0 °C (73.4 °F)            |
| <b>Evaporation rate</b>                             | Not available.               |
| <b>Flammability (solid, gas)</b>                    | Not available.               |
| <b>Upper/lower flammability or explosive limits</b> |                              |
| <b>Explosive limit - lower (%)</b>                  | 0.6 %                        |
| <b>Explosive limit – upper (%)</b>                  | 9.4 %                        |
| <b>Vapour pressure</b>                              | Not available.               |
| <b>Vapour density</b>                               | Not available.               |
| <b>Relative density</b>                             | 0.88 g/cm <sup>3</sup> 20 °C |
| <b>Solubility(ies)</b>                              |                              |
| <b>Solubility (water)</b>                           | Insoluble in water           |
| <b>Partition coefficient (n-octanol/water)</b>      | Not available.               |
| <b>Auto-ignition temperature</b>                    | 225 °C (437 °F)              |
| <b>Decomposition temperature</b>                    | Not available.               |
| <b>Viscosity</b>                                    | Not available.               |
| <b>Explosive properties</b>                         | Not explosive.               |
| <b>Oxidising properties</b>                         | Not oxidising.               |

**9.2. Other information** No relevant additional information available.

## SECTION 10: Stability and reactivity

|   |   |
|---|---|
| <b>10.1. Reactivity</b>                         | The product is stable and non-reactive under normal conditions of use, storage and transport. |
| <b>10.2. Chemical stability</b>                 | Material is stable under normal conditions.   |
| <b>10.3. Possibility of hazardous reactions</b> | No dangerous reaction known under conditions of normal use.                                   |
| <b>10.4. Conditions to avoid</b>                | Avoid temperatures exceeding the flash point. Contact with incompatible materials.            |
| <b>10.5. Incompatible materials</b>             | Strong oxidising agents.  |
| <b>10.6. Hazardous decomposition products</b>   | Carbon oxides.  |

## SECTION 11: Toxicological information

**General information** Occupational exposure to the substance or mixture may cause adverse effects.

### Information on likely routes of exposure

**Inhalation** Prolonged inhalation may be harmful.  
**Skin contact** Based on available data, the classification criteria are not met.  
**Eye contact** Based on available data, the classification criteria are not met.  
**Ingestion** May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of occupational exposure.

**Symptoms** Exposure may cause temporary irritation, redness, or discomfort.

### 11.1. Information on toxicological effects

**Acute toxicity** Based on available data, the classification criteria are not met.

| Components | Species | Test Results |
|------------|---------|--------------|
|------------|---------|--------------|

1H-Imidazole-1-ethanol, 2-(8-heptadecenyl)-4,5-dihydro- (CAS 95-38-5)

#### Acute

##### **Oral**

|      |     |            |
|------|-----|------------|
| LD50 | Rat | 1265 mg/kg |
|------|-----|------------|

Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics

#### Acute

##### **Dermal**

|      |        |              |
|------|--------|--------------|
| LD50 | Rabbit | > 5000 mg/kg |
|------|--------|--------------|

##### **Inhalation**

|      |     |                                |
|------|-----|--------------------------------|
| LC50 | Rat | > 5000 mg/m <sup>3</sup> , 8 h |
|------|-----|--------------------------------|

##### **Oral**

|      |     |              |
|------|-----|--------------|
| LD50 | Rat | > 5000 mg/kg |
|------|-----|--------------|

n-butyl acetate (CAS 123-86-4)

#### Acute

##### **Dermal**

|      |        |             |
|------|--------|-------------|
| LD50 | Rabbit | 14122 mg/kg |
|------|--------|-------------|

##### **Inhalation**

|      |     |              |
|------|-----|--------------|
| LC50 | Rat | 23.4 mg/l/4h |
|------|-----|--------------|

##### **Oral**

|      |     |             |
|------|-----|-------------|
| LD50 | Rat | 14000 mg/kg |
|------|-----|-------------|

**Skin corrosion/irritation** Based on available data, the classification criteria are not met.

**Serious eye damage/eye irritation** Based on available data, the classification criteria are not met.

**Respiratory sensitisation** Based on available data, the classification criteria are not met.

**Skin sensitisation** Based on available data, the classification criteria are not met.

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

**Carcinogenicity** Based on available data, the classification criteria are not met.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

**Specific target organ toxicity - single exposure** Based on available data, the classification criteria are not met.

**Specific target organ toxicity - repeated exposure** Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

**Mixture versus substance information** Not available.

## SECTION 12: Ecological information

**12.1. Toxicity** Harmful to aquatic life with long lasting effects.

| Components  | Species  |                     | Test Results         |
|---|--|---------------------|----------------------|
| 1H-Imidazole-1-ethanol, 2-(8-heptadecenyl)-4,5-dihydro- (CAS 95-38-5) |  |                     |                      |
| <b>Aquatic</b>  |  |                     |                      |
| <i>Acute</i>  |  |                     |                      |
| Algae   | EC50   | Algae               | 0.03 mg/l, 72 hours  |
| Crustacea   | EC50   | Daphnia magna       | 0.136 mg/l, 48 hours |
| Fish  | LC50   | (Brachydanio rerio) | 0.3 mg/l, 96 hours   |
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics |  |                     |                      |
| <b>Aquatic</b>  |  |                     |                      |
| <i>Acute</i>  |  |                     |                      |
| Crustacea   | EC50   | Daphnia             | 1000 mg/l, 48 h      |
| Fish  | LC50   | Oncorhynchus mykiss | 1000 mg/l, 96 h      |
| n-butyl acetate (CAS 123-86-4)  |  |                     |                      |
| <b>Aquatic</b>  |  |                     |                      |
| <i>Acute</i>  |  |                     |                      |
| Algae   | EC50   | Algae               | 675 mg/l, 72 h       |
| Crustacea   | EC50   | Daphnia             | 73 mg/l, 24 h        |
| Fish  | LC50   | Fish                | 62 mg/l, 96 h        |
| <b>12.2. Persistence and degradability</b>                            | No data is available on the degradability of any ingredients in the mixture.   |                     |                      |
| <b>12.3. Bioaccumulative potential</b>                                |  |                     |                      |
| <b>Partition coefficient n-octanol/water (log Kow)</b>                |  |                     |                      |
| n-butyl acetate   |  |                     | 1.78                 |
| <b>Bioconcentration factor (BCF)</b>                                  | Not available.   |                     |                      |
| <b>12.4. Mobility in soil</b>   | No data available.   |                     |                      |
| <b>12.5. Results of PBT and vPvB assessment</b>                       | This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII.  |                     |                      |
| <b>12.6. Other adverse effects</b>                                    | No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component. GWP: 1 |                     |                      |

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

|                                     |   |
|-------------------------------------|---|
| <b>Residual waste</b>               | Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).  |
| <b>Contaminated packaging</b>       | Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.  |
| <b>EU waste code</b>                | The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.  |
| <b>Disposal methods/information</b> | Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents under pressure. Do not puncture, incinerate or crush. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations. |
| <b>Special precautions</b>          | Dispose in accordance with all applicable regulations.  |

## SECTION 14: Transport information

### ADR

|   |                     |
|---|---------------------|
| <b>14.1. UN number</b>                  | UN1950              |
| <b>14.2. UN proper shipping name</b>    | AEROSOLS, flammable |
| <b>14.3. Transport hazard class(es)</b> |                     |
| <b>Class</b>                            | 2.1                 |
| <b>Subsidiary risk</b>                  | -                   |
| <b>Label(s)</b>                         | 2.1                 |
| <b>Hazard No. (ADR)</b>                 | Not assigned.       |
| <b>Tunnel restriction code</b>          | D                   |

**ADR/RID - Classification 5F**

code:

- 14.4. Packing group Not assigned.  
14.5. Environmental hazards No  
14.6. Special precautions Read safety instructions, SDS and emergency procedures before handling.  
for user

**RID**

- 14.1. UN number UN1950  
14.2. UN proper shipping AEROSOLS, flammable  
name  
14.3. Transport hazard class(es)  
Class 2.1  
Subsidiary risk -  
Label(s) 2.1  
14.4. Packing group Not assigned.  
14.5. Environmental hazards No  
14.6. Special precautions Read safety instructions, SDS and emergency procedures before handling.  
for user

**ADN**

- 14.1. UN number UN1950  
14.2. UN proper shipping AEROSOLS, flammable  
name  
14.3. Transport hazard class(es)  
Class 2.1  
Subsidiary risk -  
Label(s) 2.1  
14.4. Packing group Not assigned.  
14.5. Environmental hazards No  
14.6. Special precautions Read safety instructions, SDS and emergency procedures before handling.  
for user

**IATA**

- 14.1. UN number UN1950  
14.2. UN proper shipping Aerosols, flammable  
name  
14.3. Transport hazard class(es)  
Class 2.1  
Subsidiary risk -  
14.4. Packing group Not assigned.  
14.5. Environmental hazards No  
ERG Code 10L  
14.6. Special precautions Read safety instructions, SDS and emergency procedures before handling.  
for user  
Other information  
Passenger and cargo aircraft Allowed with restrictions.  
Cargo aircraft only Allowed with restrictions.

**IMDG**

- 14.1. UN number UN1950  
14.2. UN proper shipping Aerosols, flammable  
name  
14.3. Transport hazard class(es)  
Class 2.1  
Subsidiary risk -  
14.4. Packing group Not assigned.  
14.5. Environmental hazards  
Marine pollutant No  
EmS F-D, S-U  
14.6. Special precautions Read safety instructions, SDS and emergency procedures before handling.  
for user  
14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not established.



## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Retained direct EU regulations

**Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended**

Not listed.

**Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended**

Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended**

Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended**

Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended**

Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended**

Not listed.

**Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended**

Not listed.

**Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA**

Not listed.

#### Authorisations

**Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended**

Not listed.

#### Restrictions on use

**Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended**

Not listed.

#### Other EU regulations

**Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended**

n-butyl acetate (CAS 123-86-4)

#### Other regulations

Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.

#### 15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out.

## SECTION 16: Other information

#### List of abbreviations

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

ADR: European Agreement Concerning the International Carriage of Dangerous Goods by Road.

AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert – Germany).

ATE: Acute Toxicity Estimate according to REGULATION (EC) No 1272/2008 (CLP).

CAS: Chemical Abstract Service.

Ceiling: Short Term Exposure Limit Ceiling value.

CEN: European Committee for Standardization.

CLP: Classification, Labeling and Packaging REGULATION (EC) No 1272/2008 on classification, labeling and packaging of substances and mixtures.

GWP: Global Warming Potential.

IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk.

IMDG: International Maritime Dangerous Goods.

MAC: Maximum Allowed Concentration.  
MAK: Threshold limit values Germany (Maximale Arbeitsplatzkonzentration - DFG).  
MARPOL: International Convention for the Prevention of Pollution from Ships.  
PBT: Persistent, bioaccumulative and toxic.  
REACH: Registration, Evaluation and Authorization of Chemicals (REGULATION (EC) No 1907/2006 concerning Registration, Evaluation, Authorization and Restriction of Chemicals).  
RID: Regulations concerning the international carriage of dangerous goods by rail (Règlement International concernant le transport de marchandises dangereuses par chemin de fer).  
RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.  
STEL: Short term exposure limit.  
TLV: Threshold Limit Value.  
TWA: Time Weighted Average.  
VLE: Exposure Limit Value.  
VME: Exposure Average Value.  
VOC: Volatile organic compounds.  
vPvB: Very persistent and very bioaccumulative.  
STEL: Short-term Exposure Limit.

## References

### Information on evaluation method leading to the classification of mixture

Not available.  
The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

### Full text of any statements, which are not written out in full under sections 2 to 15

H226 Flammable liquid and vapour.  
H302 Harmful if swallowed.  
H304 May be fatal if swallowed and enters airways.  
H314 Causes severe skin burns and eye damage.  
H315 Causes skin irritation.  
H318 Causes serious eye damage.  
H332 Harmful if inhaled.  
H336 May cause drowsiness or dizziness.  
H373 May cause damage to organs through prolonged or repeated exposure.  
H400 Very toxic to aquatic life.  
H410 Very toxic to aquatic life with long lasting effects.

## Revision information

None.

## Training information

Follow training instructions when handling this material.

## Disclaimer

CRC Industries Europe UK Limited cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. Apart from any fair dealing for purposes of study, research and review of health, safety and environmental risks, no part of these documents may be reproduced by any process without written permission from CRC. The products are governed by Regulation (EC) No 1272/2008 on the classification, labelling and packaging of substances and mixtures (CLP); Regulation (EC) No 1907/2006 on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (in each case, as amended and replaced) and other applicable laws. It is an importers or downstream users responsibility to ensure compliance of product they import. An SDS provided in the official language(s) of a country is not a guarantee of compliance in that country.