

Version 1.0	SDS Number: 40000006007	Revision Date: 05/11/2023
SECTION 1. IDENTIFICATION		
Product name	: PURELL® Advanced Hand San	itizer Energizing Mint
Manufacturer or supplier's	details	
Company name of supplier Address	 GOJO Industries, Inc. One GOJO Plaza, Suite 500 Akron, Ohio 44311 	
Telephone	: 1 (330) 255-6000	
Emergency telephone number	: CHEMTREC 1-800-424-9300 CHEMTREC +1-703-527-3887:	Outside USA & CANADA
Recommended use of the	chemical and restrictions on use	
Recommended use Restrictions on use	: Hand Sanitizer : This is a personal care or cosme	etic product that is safe for
	consumers and other users und foreseeable use. Cosmetics and specifically defined by regulation exempt from the requirement of While this material is not conside	er normal and reasonably l consumer products, ns around the world, are an SDS for the consumer.

contains valuable information critical to the safe handling and proper use of the product for industrial workplace conditions as well as unusual and unintended exposures such as large

spills. This SDS should be retained and available for employees and other users of this product. For specific intended-use guidance, please refer to the information

provided on the package or instruction sheet.

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification	: Category 3
Flammable liquids	. Category 5
Eye irritation	: Category 2A
GHS label elements	
Hazard pictograms	
Signal word	: Warning
Hazard statements	 H226 Flammable liquid and vapour. H319 Causes serious eye irritation.
Precautionary statements	 Prevention: P210 Keep away from heat/sparks/open flames/hot surfaces No smoking. P233 Keep container tightly closed.



Version 1.0	SDS Number: 40000006007	Revision Date: 05/11/2023
		etrical/ ventilating/ lighting/ bols. sures against static discharge. e protection. ES: Rinse cautiously with water ontact lenses, if present and eas ersists: Get medical advice/ se dry sand, dry chemical or guish. entilated place. Keep cool.
Other hazards		

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

Chemical name	CAS-No.	Concentration (%)
Ethyl Alcohol	64-17-5	>= 50 - < 70
Isopropyl Alcohol	67-63-0	>= 1 - < 5

SECTION 4. FIRST AID MEASURES

General advice	 In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	: If inhaled, remove to fresh air. If symptoms persist, call a physician.
In case of skin contact	: Wash with water and soap as a precaution. Get medical attention if irritation develops and persists.
In case of eye contact	 In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Seek medical advice.
If swallowed	: Do NOT induce vomiting. Rinse mouth with water. Obtain medical attention.
Most important symptoms and effects, both acute and delayed	: Causes serious eye irritation.
Protection of first-aiders	: First Aid responders should pay attention to self-protection and use the recommended protective clothing



Version 1.0	SDS Number: 40000006007	Revision Date: 05/11/2023

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media Unsuitable extinguishing media		Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. High volume water jet
Specific hazards during firefighting	:	Do not use a solid water stream as it may scatter and spread fire. Cool closed containers exposed to fire with water spray. Flash back possible over considerable distance. May form explosive mixtures in air. Exposure to decomposition products may be a hazard to health. Carbon oxides
Hazardous combustion products	:	Carbon oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers.
Further information	:	Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Material can create slippery conditions.
Environmental precautions	:	Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Non-sparking tools should be used. Soak up with inert absorbent material. Suppress (knock down) gases/vapours/mists with a water spray jet. Keep in suitable, closed containers for disposal. Clean contaminated floors and objects thoroughly while observing environmental regulations.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	: For personal protection see section 8.
	Keep away from heat and flame.
	Use with local exhaust ventilation.



Version 1.0	SDS Number: 40000006007	Revision Date: 05/11/2023
Conditions for safe storage	 Avoid contact with eyes. Take measures to prevent the buckeep in properly labelled contain Keep container tightly closed in a place. Store in accordance with the part 	ers. a dry and well-ventilated

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ethyl Alcohol	64-17-5	TWA	1,000 ppm 1,900 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,900 mg/m3	OSHA Z-1
		STEL	1,000 ppm	ACGIH
Isopropyl Alcohol	67-63-0	TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
		TWA	400 ppm 980 mg/m3	NIOSH REL
		ST	500 ppm 1,225 mg/m3	NIOSH REL
		TWA	400 ppm 980 mg/m3	OSHA Z-1

Components with workplace control parameters

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Samplin g time	Permissible concentratio n	Basis
Isopropyl Alcohol	67-63-0	Acetone	Urine	End of shift at end of workwee k	40 mg/l	ACGIH BEI

Personal protective equipment

Respiratory protection	:	No personal respiratory protective equipment normally required.
Hand protection		
Remarks	:	No special protective equipment required.
Eye protection	:	Wear face-shield and protective suit for abnormal processing problems.
Skin and body protection	:	No special measures necessary provided product is used correctly.
Protective measures	:	Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
		Ensure that eye flushing systems and safety showers are located close to the working place.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with eyes.



 Version 1.0
 SDS Number: 40000006007
 Revision Date: 05/11/2023

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Colour Odour Odour Threshold	 liquid clear, light green alcohol-like No data available
рН	: 6.5 - 8.5, (20 °C)
Melting point/freezing point Initial boiling point and boiling range	
Flash point	: 25.00 °C
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Flammability (liquids)	:
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Density	: 0.876 g/cm3
Solubility(ies) Water solubility	: soluble
Partition coefficient: n- octanol/water	: Not applicable
Auto-ignition temperature	: No data available
Thermal decomposition	: The substance or mixture is not classified self-reactive.
Viscosity Viscosity, kinematic	: 3500 - 23000 mm2/s (20 °C)
Explosive properties	: Not explosive
Oxidizing properties	: The substance or mixture is not classified as oxidizing.

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Vapours may form explosive mixture with air.
Conditions to avoid	: Heat, flames and sparks.



Version 1.0	SDS Number: 40000006007	Revision Date: 05/11/2023	
Incompatible materials Hazardous decomposition products	Strong oxidizing agentsNo hazardous decomposition pro	ducts are known.	
SECTION 11. TOXICOLOGICAL I	NFORMATION		
Information on likely routes of exposure Inhalation Eye contact Skin contact			

Acute toxicity

Not classified based on available information.

<u>Components:</u> Ethyl Alcohol: Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	: LC50 (Rat): 124.7 mg/l Exposure time: 4 h Test atmosphere: vapour
Isopropyl Alcohol: Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	: LC50 (Rat): 72.6 mg/l Exposure time: 4 h Test atmosphere: vapour
Acute dermal toxicity	: LD50 (Rat): > 5,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

Ethyl Alcohol: Species: Rabbit Method: OECD Test Guideline 404 Result: No skin irritation

Isopropyl Alcohol:

Species: Rabbit Result: No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

Ethyl Alcohol: Species: Rabbit Result: Irritation to eyes, reversing within 21 days Method: OECD Test Guideline 405

Isopropyl Alcohol: Species: Rabbit



Version 1.0

SDS Number: 40000006007

Revision Date: 05/11/2023

Result: Irritation to eyes, reversing within 21 days

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information.

Components:

Ethyl Alcohol:

Test Type: Local lymph node assay (LLNA) Exposure routes: Skin contact Species: Mouse Result: negative

Isopropyl Alcohol:

Test Type: Buehler Test Exposure routes: Skin contact Species: Guinea pig Method: OECD Test Guideline 406 **Result:** negative

Germ cell mutagenicity

Not classified based on available information.

Components:

Ethyl Alcohol: Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test **Result:** negative Test Type: Rodent dominant lethal test (germ cell) (in vivo) Genotoxicity in vivo Test species: Mouse Application Route: Ingestion **Result:** negative **Isopropyl Alcohol:** Genotoxicity in vitro Test Type: Bacterial reverse mutation assay (AMES) **Result:** negative Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Test species: Mouse Application Route: Intraperitoneal injection **Result:** negative

Carcinogenicity

Not classified based on available information.

Components:

Isopropyl Alcohol: Species: Rat Application Route: inhalation (vapour) Exposure time: 104 weeks Method: OECD Test Guideline 451 **Result:** negative



sion 1.0	SDS Number: 40000006007 Revision Date: 05/11/202
IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
OSHA	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
Reproductive toxicity Not classified based on a	available information.
Components:	
Ethyl Alcohol: Effects on fertility	: Test Type: Two-generation reproduction toxicity study Species: Mouse Application Route: Ingestion Method: OECD Test Guideline 416 Result: negative
Isopropyl Alcohol: Effects on fertility	: Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion
	Result: negative

STOT - single exposure

Not classified based on available information.

Components:

Isopropyl Alcohol:

Assessment: May cause drowsiness or dizziness.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

Ethyl Alcohol: Species: Rat NOAEL: 2,400 mg/kg Application Route: Ingestion Exposure time: 2 y

Isopropyl Alcohol: Species: Rat



Version 1.0

SDS Number: 40000006007

Revision Date: 05/11/2023

NOAEL: 5000 ppm Application Route: inhalation (vapour) Exposure time: 104 w Method: OECD Test Guideline 413

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:		
Ethyl Alcohol: Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 48 h
Toxicity to algae	:	EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 9.6 mg/l Exposure time: 9 d
Toxicity to bacteria	:	EC50 (Photobacterium phosphoreum): 32.1 mg/l Exposure time: 0.25 h
Isopropyl Alcohol: Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 10,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 10,000 mg/l Exposure time: 24 h
Toxicity to bacteria	:	EC50 (Pseudomonas putida): > 1,050 mg/l Exposure time: 16 h
Persistence and degradabilit	y	
<u>Components:</u> Ethyl Alcohol:		
Biodegradability	:	Result: Readily biodegradable. Biodegradation: 84 % Exposure time: 20 d
Isopropyl Alcohol: Biodegradability	:	Result: rapidly degradable
Bioggournulative potential		

Bioaccumulative potential

Components:



Version 1.0	SDS Number: 40000006007	Revision Date: 05/11/2023
Ethyl Alcohol: Partition coefficient: n- octanol/water Isopropyl Alcohol: Partition coefficient: n- octanol/water	: log Pow: -0.35 : log Pow: 0.05	
Mobility in soil No data available		
Other adverse effects No data available		
Product:		
Regulation	40 CFR Protection of Environm Stratospheric Ozone - CAA Sec	
Remarks	This product neither contains, r Class I or Class II ODS as defir Section 602 (40 CFR 82, Subpl	ned by the U.S. Clean Air Act

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues Contaminated packaging	 Dispose of in accordance with local regulations. Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulation

IATA-DGR	
UN/ID No.	: UN 1987
Proper shipping name	: Alcohols, n.o.s.
	(Ethanol, Propan-2-ol)
Class	: 3
Packing group	: 111
Packing instruction (cargo	: 366
aircraft)	
Packing instruction	: 355
(passenger aircraft)	
IMDG-Code	
UN number	: UN 1987
Proper shipping name	: ALCOHOLS, N.O.S.
	(Ethanol, Propan-2-ol)
Class	: 3
Packing group	: 111
Labels	: 3
EmS Code	: F-E, S-D
Marine pollutant	: no
National Regulations	



Version 1.0	SDS Number: 40000006007	Revision Date: 05/11/2023
49 CFR		
UN/ID/NA number	: UN 1987	
Proper shipping name	: Alcohols, n.o.s.	
Class	: 3	
Packing group	: 111	
ERG Code	: 127	
Marine pollutant	: no	

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Methanol	67-56-1	5000	5000
Acetaldehyde	75-07-0	1000	1000
benzene	71-43-2	10	10

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	:	Fire Hazard Acute Health Hazard		
SARA 302	:	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.		
SARA 313	:	The following components are subject to reporting levels established by SARA Title III, Section 313:		
		Isopropyl Alcohol	67-63-0	3.4086 %

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

Ethyl Alcohol	64-17-5	65.2821 %
Isopropyl Alcohol	67-63-0	3.4086 %

This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450.

Clean Water Act

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A: 75-07-0

Acetaldehyde	
--------------	--

0.0014 %



sion 1.0	SD	S Number: 400000006007	Revision	Date: 05/11/20
The following H	zene lazardous Chemica	71-43-2 als are listed under the U.S.	0.0 % CleanWater Act, s	Section 311, Ta
	taldehyde	75-07-0	0.0014 %	
	zene	71-43-2	0.0 %	
Massachusett	s Right To Know			
	Ethyl Alcohol		64-17-5	50 - 70 %
	Isopropyl Alcohol		67-63-0	1 - 5 %
Massachusett	s Right To Know			
	Ethyl Alcohol		64-17-5	50 - 70 %
	Isopropyl Alcohol		67-63-0	1 - 5 %
	Acetaldehyde		75-07-0	0 - 0.1 %
Massachusett	s Right To Know			
	Ethyl Alcohol		64-17-5	50 - 70 %
	Isopropyl Alcohol		67-63-0	1 - 5 %
	Acetaldehyde		75-07-0	0 - 0.1 %
Pennsylvania	Right To Know			
	Ethyl Alcohol		64-17-5	50 - 70 %
	Water (Aqua)		7732-18-5	20 - 30 %
	Isopropyl Alcohol		67-63-0	1 - 5 %
Pennsylvania	Right To Know			
-	Ethyl Alcohol		64-17-5	50 - 70 %
	Water (Aqua)		7732-18-5	20 - 30 %
	Isopropyl Alcohol		67-63-0	1 - 5 %
	Methanol		67-56-1	0 - 0.1 %
Pennsylvania	Right To Know			
	Ethyl Alcohol		64-17-5	50 - 70 %
	Water (Aqua)		7732-18-5	20 - 30 %
	Isopropyl Alcohol		67-63-0	1 - 5 %
	Methanol		67-56-1	0 - 0.1 %
New Jersey Ri	ight To Know			
	Ethyl Alcohol		64-17-5	50 - 70 %
	Water (Aqua)		7732-18-5	20 - 30 %
	Isopropyl Alcohol		67-63-0	1 - 5 %
New Jersey Ri	ight To Know			
	Ethyl Alcohol		64-17-5	50 - 70 %
	Water (Aqua)		7732-18-5	20 - 30 %
	Isopropyl Alcohol		67-63-0	1 - 5 %
California Pro	p 65	This product does not cont of California to cause cand reproductive harm. WARNING! This product of State of California to cause	er, birth defects, contains a chemica	r any other
	Acetaldehyde		75-07-0	
	Pulegone		89-82-7	
	benzene		71-43-2	



rsion 1.0		SDS Number: 40000006007	Revision Date: 05/11/202
		WARNING: This product conta State of California to cause bin harm.	
	Methanol benzene	6	7-56-1 1-43-2
-	nts of this pr	oduct are reported in the following	-
REACH		: Not in compliance with the inv	entory
		: Ethyl Alcohol	
		: Isopropyl Alcohol	
		: Caprylyl glycol	
		: Fragrance (Parfum)	
		: Acrylates/C10-30 Alkyl Acrylat	e Crosspolymer
		: Glycerin	
		: Isopropyl Myristate	
		: Aminomethyl Propanol	
		: Limonene	
		: Tocopheryl Acetate	
		: Linalool	
		: Yellow 5 (Cl 19140)	
		: Citral	
		: Blue 1 (Cl 42090)	
TSCA		: On TSCA Inventory	
AICS		: On the inventory, or in complia	ance with the inventory
DSL		: All components of this product	are on the Canadian DSL.
ENCS		: On the inventory, or in complia	ance with the inventory
ISHL		: On the inventory, or in complia	ance with the inventory
KECI		: On the inventory, or in complia	ance with the inventory
PICCS		: On the inventory, or in complia	ance with the inventory
IECSC		: On the inventory, or in complia	ance with the inventory
NZIoC		: On the inventory, or in complia	ance with the inventory



Version 1.0

SDS Number: 40000006007


Revision Date: 05/11/2023

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

SECTION 16. OTHER INFORMATION

Further information



Revision Date



The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.