

ersion 1.0	SDS Number: 400000005939	Revision Date: 02/10/202
ECTION 1. IDENTIFICATION		
Product name	: PURELL® Advanced Hand	d Sanitizer Moisturizing 2in1
Manufacturer or supplier's	details	
Company name of supplier Address	 GOJO Industries, Inc. One GOJO Plaza, Suite 50 Akron, Ohio 44311 	00
Telephone	1 (330) 255-6000	
Emergency telephone number	: CHEMTREC 1-800-424-93 CHEMTREC +1-703-527-3	00 8887: Outside USA & CANADA
Recommended use of the	chemical and restrictions on u	se
Recommended use Restrictions on use	consumers and other user foreseeable use. Cosmetic specifically defined by regu exempt from the requireme While this material is not c contains valuable informat proper use of the product f as well as unusual and uni spills. This SDS should be employees and other users	ulations around the world, are ent of an SDS for the consumer. onsidered hazardous, this SDS ion critical to the safe handling and or industrial workplace conditions ntended exposures such as large retained and available for s of this product. For specific ease refer to the information
ECTION 2. HAZARDS IDENTIF	ICATION	
GHS Classification		

Eye irritation

: Category 2A

GHS label elements

Hazard pictograms

Signal word

: Warning

Hazard statements : H226 Flammable liquid and vapour. H319 Causes serious eye irritation.

Precautionary statements : **Prevention**:

P210 Keep away from heat/sparks/open flames/hot surfaces. -No smoking. P233 Keep container tightly closed.



SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

Chemical name	CAS-No.	Concentration (%)
Ethyl Alcohol	64-17-5	>= 60 - < 70
Isopropyl Alcohol	67-63-0	>= 1 - < 5
Glycerin	56-81-5	>= 1 - < 5

SECTION 4. FIRST AID MEASURES

General advice	 In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	: If inhaled, remove to fresh air. If symptoms persist, call a physician.
In case of skin contact	: Get medical attention if irritation develops and persists.
In case of eye contact	 In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Seek medical advice.
If swallowed	 If swallowed, DO NOT induce vomiting. Rinse mouth with water. Obtain medical attention.
Most important symptoms and effects, both acute and delayed	: Causes serious eye irritation.
Protection of first-aiders	: First Aid responders should pay attention to self-protection and use the recommended protective clothing



 Version 1.0
 SDS Number: 40000005939
 Revision Date: 02/10/2021

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media Unsuitable extinguishing media		Water spray Alcohol-resistant foam Dry chemical Carbon dioxide (CO2) High volume water jet
Specific hazards during firefighting	:	Do not use a solid water stream as it may scatter and spread fire. Cool closed containers exposed to fire with water spray. Flash back possible over considerable distance. May form explosive mixtures in air. Exposure to decomposition products may be a hazard to health. Carbon oxides
Hazardous combustion products	:	Carbon oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers.
Further information Special protective equipment for firefighters		Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, : protective equipment and emergency procedures	Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Material can create slippery conditions.
Environmental precautions :	Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for : containment and cleaning up	Non-sparking tools should be used. Soak up with inert absorbent material. Suppress (knock down) gases/vapours/mists with a water spray jet. Keep in suitable, closed containers for disposal. Clean contaminated floors and objects thoroughly while observing environmental regulations.

SECTION 7. HANDLING AND STORAGE



Version 1.0	SDS Number: 400000005939	Revision Date: 02/10/2021
Advice on safe handling	: For personal protection see sec Keep away from heat. Use with local exhaust ventilatio Avoid contact with eyes.	
Conditions for safe storage	 Take measures to prevent the build up of electrostatic charge. Keep in properly labelled containers. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in accordance with the particular national regulations. 	

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with work	place conta of parall			
Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ethyl Alcohol	64-17-5	TWA	1,000 ppm 1,900 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,900 mg/m3	OSHA Z-1
		STEL	1,000 ppm	ACGIH
Isopropyl Alcohol	67-63-0	TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
		TWA	400 ppm 980 mg/m3	NIOSH REL
		ST	500 ppm 1,225 mg/m3	NIOSH REL
		TWA	400 ppm 980 mg/m3	OSHA Z-1
Glycerin	56-81-5	TWA (mist, respirable fraction)	5 mg/m3	OSHA Z-1
		TWA (mist, total dust)	15 mg/m3	OSHA Z-1

Components with workplace control parameters

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Samplin g time	Permissible concentratio n	
Isopropyl Alcohol	67-63-0	Acetone	Urine	End of shift at end of workwee k	40 mg/l	ACGIH BEI

Personal protective equipment

Respiratory protection	 No personal respiratory protective equipment normally required.
Hand protection	
Remarks	: No special protective equipment required.
Eyeprotection	: Wear face-shield and protective suit for abnormal processing problems.
Skin and body protection	: No special protective equipment required.
Protective measures	: Choose body protection in relation to its type, to the



Version 1.0	SDS Number: 400000005939	Revision Date: 02/10/2021	
Hygiene measures	 concentration and amount of dan the specific work-place. Ensure that eye flushing systems located close to the working place Handle in accordance with good in practice. Avoid contact with eyes. 	and safety showers are e.	

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Colour Odour Odour Threshold	 gel clear, colourless, yellow alcohol-like, pleasant No data available
рН	: 6.5 - 8.5, (20 °C)
Melting point/freezing point Boiling point/boiling range	: Not applicable : 70 °C
Flash point	: 25.00 °C Method: Pensky-Martens closed cup
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Flammability (liquids)	: No data available
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Density	: 0.875 g/cm3
Solubility(ies) Water solubility	: soluble
Partition coefficient: n-	: Not applicable
octanol/water Auto-ignition temperature	: not determined
Thermal decomposition	: The substance or mixture is not classified self-reactive.
Viscosity Viscosity, kinematic	: 2500 - 23000 mm2/s (20 °C)
Explosive properties	: Not explosive
Oxidizing properties	: The substance or mixture is not classified as oxidizing.



Version 1.0

SDS Number: 40000005939

Revision Date: 02/10/2021

SECTION 10. STABILITY AND REACTIVITY

Reactivity Chemical stability Possibility of hazardous reactions	 Not classified as a reactivity hazard. Stable under normal conditions. Vapours may form explosive mixture with air.
Conditions to avoid Incompatible materials Hazardous decomposition products	 Heat, flames and sparks. Strong oxidizing agents No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes Inhalation Skin contact Eye contact	s of exposure
Acute toxicity Not classified based on avail	able information.
<u>Components:</u> Ethyl Alcohol: Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	: LC50 (Rat): 124.7 mg/l Exposure time: 4 h Test atmosphere: vapour

Isopropyl Alcohol: Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	: LC50 (Rat): 72.6 mg/l Exposure time: 4 h Test atmosphere: vapour
Acute dermal toxicity	: LD50 (Rat): > 5,000 mg/kg
Glycerin: Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

Ethyl Alcohol: Species: Rabbit Method: OECD Test Guideline 404 Result: No skin irritation

Isopropyl Alcohol:

Species: Rabbit Result: No skin irritation



Version 1.0

SDS Number: 40000005939

Revision Date: 02/10/2021

Glycerin: Result: No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

Ethyl Alcohol: Species: Rabbit Result: Irritation to eyes, reversing within 21 days Method: OECD Test Guideline 405

Isopropyl Alcohol:

Species: Rabbit Result: Irritation to eyes, reversing within 21 days

Glycerin: Result: No eye irritation

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information.

Components:

Ethyl Alcohol:

Test Type: Local lymph node assay (LLNA) Exposure routes: Skin contact Species: Mouse Result: negative

Isopropyl Alcohol:

Test Type: Buehler Test Exposure routes: Skin contact Species: Guinea pig Method: OECD Test Guideline 406 Result: negative

Germ cell mutagenicity

Not classified based on available information.

Components:

Ethyl Alcohol: Genotoxicity in vitro	: Test Type: In vitro mammalian cell gene mutation test Result: negative
Genotoxicity in vivo	 Test Type: Rodent dominant lethal test (germ cell) (in vivo) Test species: Mouse Application Route: Ingestion Result: negative
Isopropyl Alcohol: Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo



sion 1.0	SDS Number: 400000005939	Revision Date: 02/10/20
	cytogenetic assay) Test species: Mouse Application Route: Intraperiton Result: negative	eal injection
Glycerin: Genotoxicity in vitro	: Test Type: In vitro mammalian Method: OECD Test Guideline Result: negative	
Carcinogenicity Not classified based on avail	able information.	
Components: Isopropyl Alcohol: Species: Rat Application Route: inhalation Exposure time: 104 weeks Method: OECD Test Guidelin Result: negative		
Glycerin: Species: Rat Application Route: Ingestion Exposure time: 2 Years Result: negative		
IARC	No component of this product pre equal to 0.1% is identified as prol human carcinogen by IARC.	
OSHA	No component of this product pre equal to 0.1% is identified as a ca carcinogen by OSHA.	
NTP	No component of this product pre equal to 0.1% is identified as a kr by NTP.	
Reproductive toxicity Not classified based on avail	able information.	
<u>Components:</u> Ethyl Alcohol: Effects on fertility	: Test Type: Two-generation rep Species: Mouse Application Route: Ingestion Method: OECD Test Guideline Result: negative	
Isopropyl Alcohol: Effects on fertility	: Test Type: Two-generation rep Species: Rat Application Route: Ingestion	production toxicity study



DIDELL® Advanced Hand Senitizer Mainturizing 2in1

sion 1.0	SDS Number: 400000005939	Revision Date: 02/10/202
	Result: negative	
Effects on foetal development	: Test Type: Embryo-foetal deve Species: Rat Application Route: Ingestion Result: negative	elopment
Glycerin: Effects on fertility	: Test Type: Two-generation rep Species: Rat Application Route: Ingestion Result: negative	roduction toxicity study
Effects on foetal development	: Test Type: Embryo-foetal deve Species: Rabbit Application Route: Ingestion Result: negative	elopment
STOT - single exposu		
Not classified based on	available information.	
Components:		
Isopropyl Alcohol:		
Isopropyl Alcohol: Assessment: May cause STOT - repeated expos	sure available information.	
Isopropyl Alcohol: Assessment: May cause STOT - repeated expose Not classified based on	sure available information. y	
Isopropyl Alcohol: Assessment: May cause STOT - repeated expose Not classified based on Repeated dose toxicity <u>Components:</u> Ethyl Alcohol: Species: Rat NOAEL: 2,400 mg/kg Application Route: Inger	sure available information. y stion	

Aspiration toxicity

Not classified based on available information.



 Version 1.0
 SDS Number: 40000005939
 Revision Date: 02/10/2021

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity		
<u>Components:</u> Ethyl Alcohol: Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg Exposure time: 96 h	/I
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 48 h	
Toxicity to algae	: EC50 (Chlorella vulgaris (Fresh water algæ)): 275 mg/l Exposure time: 72 h Method: OECD Test Guideline 201	
aquatic invertebrates	: NOEC (Daphnia magna (Water flea)): 9.6 mg/l Exposure time: 9 d	
(Chronic toxicity) Toxicity to bacteria	: EC50 (Photobacterium phosphoreum): 32.1 mg/l Exposure time: 0.25 h	
Isopropyl Alcohol: Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): 10,000 mg/	1
	Exposure time: 96 h	
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 10,000 mg/l Exposure time: 24 h	
Toxicity to bacteria	: EC50 (Pseudomonas putida): > 1,050 mg/l Exposure time: 16 h	
Glycerin: Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 54,000 mg/l Exposure time: 96 h	
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 1,955 mg/l Exposure time: 48 h	
Toxicity to bacteria	: NOEC (Pseudomonas putida): > 10,000 mg/l Exposure time: 16 h	
Persistence and degradabili	y	
<u>Components:</u> Ethyl Alcohol: Biodegradability	: Result: Readily biodegradable. Biodegradation: 84 % Exposure time: 20 d	
Isopropyl Alcohol: Biodegradability	: Result: rapidly degradable	
Glycerin: Biodegradability	: Result: Readily biodegradable.	



rsion 1.0	SDS Number: 400000005939	Revision Date: 02/10/2021
	Biodegradation: 94 % Exposure time: 1 d	
Bioaccumulative potential		
Components:		
Ethyl Alcohol: Partition coefficient: n- octanol/water	: log Pow: -0.35	
Isopropyl Alcohol: Partition coefficient: n- octanol/water Glycerin:	: log Pow: 0.05	
Partition coefficient: n- octanol/water	: log Pow: -1.76	
Mobility in soil No data available		
Other adverse effects No data available		
Product:		
Regulation	40 CFR Protection of Environn Stratospheric Ozone - CAA Se	,
Remarks	This product neither contains, Class I or Class II ODS as defi Section 602 (40 CFR 82, Subp	ned by the U.S. Clean Air Act

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues Contaminated packaging	 Dispose of in accordance with local regulations. Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulation

IATA-DGR UN/ID No.	: UN 1987
Proper shipping name	: Alcohols, n.o.s.
	(Ethanol, Propan-2-ol)
Class	: 3
Packing group	: 111
Packing instruction (cargo	: 366
aircraft)	
Packing instruction	: 355
(passenger aircraft)	

IMDG-Code



Version 1.0	SDS Number: 400000005939	Revision Date: 02/10/2021
UN number	: UN 1987	
Proper shipping name	: ALCOHOLS, N.O.S. (Ethanol, Propan-2-ol)	
Class Packing group Labels EmS Code Marine pollutant National Regulations	: 3 : III : 3 : F-E, S-D : no	
49 CFR UN/ID/NA number Proper shipping name Class Packing group ERG Code Marine pollutant	: UN 1987 : Alcohols, n.o.s. : 3 : III : 127 : no	

SECTION 15. REGULATORY INFORMATION

SARA 311/312 Hazards	:	Fire Hazard Acute Health Hazard		
SARA 302	:	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.		
SARA 313	:	The following components are subject to reporting levels established by SARA Title III, Section 313:		ing levels
		Isopropyl Alcohol	67-63-0	3.4086 %

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61). This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F). The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489): Ethyl Alcohol 64-17-5 65.2821 % Isopropyl Alcohol 67-63-0 3.4086 % Glycerin 56-81-5 3.15 % This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450. **California Prop 65** This product does not require a warning label under California Proposition 65.

The components of this product are reported in the following inventories:			
TSCA	: On the inventory, or in compliance with the inventory		
AICS	: On the inventory, or in compliance with the inventory		




Version 1.0	SDS Number: 400000005939	Revision Date: 02/10/2021
DSL	: On the inventory, or in compliar	nce with the inventory
ENCS	: On the inventory, or in compliar	nce with the inventory
ISHL	: On the inventory, or in compliar	nce with the inventory
KECI	: On the inventory, or in compliar	nce with the inventory
PICCS	: On the inventory, or in compliar	nce with the inventory
IECSC	: On the inventory, or in compliar	nce with the inventory
NZIoC	: On the inventory, or in compliar	nce with the inventory

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

SECTION 16. OTHER INFORMATION

Further information



Revision Date : 02/10/2021

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.