



TWO PIECE CAP  
ASSEMBLED



6 Threads Per Inch



"T"	"E"	"H"	"A"	"B"
1.276	1.182	.395	1.545	.670
MATERIAL: POLYPROPYLENE				
WEIGHT: 6.2 GRAMS (+/- 1 gram)				

**DISCLAIMER**

THIS INFORMATION IS PROVIDED AS A GENERAL GUIDE, INCLUDING DIMENSIONS. IT IS THE CUSTOMER'S RESPONSIBILITIES TO SELECT THE PROPER CONTAINER FOR PRODUCT AND APPLICATION COMPATIBILITY.

DISTRIBUTED BY:



REF NO.:

DWG30383

DESCRIPTION:

33-400 PP Child Resistant Cap with 020 FSM-1 Liner

# FoilSeal™ Data Sheet

## .020" Pulp FSM-1

Revision: FSM1-06042010

<b>Product</b>	.020" Pulp FSM-1		
<b>Scope</b>	Two piece pulp backed heat induction foil innerseal that will provide a tamper-evident bond to PE containers.		
<b>Composition</b>	<b>Material</b>	<b>Standard</b>	<b>Metric</b>
	Backing	.020"	.508 mm
	Wax	-	-
	Foil	.001"	.0254mm
	PET	.0005"	.0127mm
	Heat Seal	.0015"	.0381mm

Composition does not include adhesive, resin or wax bonding layers (if any).

<b>FDA Status:</b> 21 CFR 177.1210	<b>Recommended Storage and Handling:</b> Refer to website	
<b>Drug Master File (DFM):</b> #4544	<b>EU / EP Reg.:</b>	
<b>GTR Oxygen:</b> Essentially Zero	<b>MVTR:</b> Essentially Zero	
<b>Print Location (if any):</b> Foil Layer and/or Heat Seal Layer		

Materials are compliant with current USFDA Food allergen Guidelines.  
 Materials are compliant with California Proposition 65 labeling requirements.  
 Materials are compliant with limitation of heavy metals in packaging per CONEG & EU 94/62/EC, article 11.

**DISCLAIMER**

THIS INFORMATION IS PROVIDED AS A GENERAL GUIDE, INCLUDING DIMENSIONS. IT IS THE CUSTOMER'S RESPONSIBILITIES TO SELECT THE PROPER CONTAINER FOR PRODUCT AND APPLICATION COMPATIBILITY.

DISTRIBUTED BY:



REF NO.:

DWG30383

DESCRIPTION:

33-400 PP Child Resistant Cap with 020 FSM-1 Liner