



PART DIMENSIONS			
WIDTH	6.00 [152,4]		
DEPTH	23.00 [584,2]		
HEIGHT 432FHL639	38.50 [977,9]		
HEIGHT 432FHL645	44.50 [1130,3]		

MIN CABINET OF	PENING
WIDTH	N/A
DEPTH	N / A
HEIGHT	N / A

PRODUCT MAX WEIGHT RATING
BMHA STANDARDS

SLIDE SPECIFICATIONS						
SLIDE TYPE	BALL BEARING	SLIDE EXTENSION	FULL	MAX WEIGHT		
SLIDE CLOSING	N / A	SLIDE LENGTH	560MM	RATING		
SLIDE MOUNTING	N / A	SLIDE FINISH	ZINC	150 LB		

NOTES:

- I. SEE 432 SERIES FILLER PULL-OUT INSTRUCTIONS FOR INSTALLATION.
- 2. RECOMMENDED DCREW SIZE FOR INSTALLATION #8 X | 1/4".

CUSTOMER DRAWING

	AMERICAN BY DATE PROJECTION DRAWN PFC 1/10/08	ISHELF, inc.
	MMI SIZE FULL HE	IGHT STAINLESS R LEFT HANDED
B 5/30/08 PFC ECN08-038	TOLERANCES MAT. DEC. WOOD) .XX ±.03 [.8mm] ±1/2° MATERIAL DRAWING NO. 434F HL 6 XX _ C US	SCALE
DESCRIPTION OF CHANGE	OTHER) .XX ±.02 [.5mm] (ALL) .XXX ±.005 [.13 mm] FRACTIONS ±1/32 [.8 mm] FINISH PART NO. 434FHL 6X	SHEET 2 OF 2

.......

This drawing is the property of Rev-A-Shelf (RAS) and is disclosed in confidence to the extent its subject matter is original to RAS. Any vendor receiving this drawing from RAS shall hold and use this drawing for the sole benefit of RAS and shall not disclose it to, or use or reproduce it for any third party, or perform any act adverse to the interest of RAS with respect to this drawing without the express written permission of RAS. Vendors shall not revise any physical, dimensional or performance characteristic unless authorized by Rev-A-Shelf Engineering.