



XOU24WDZGS_
UNDERCOUNTER WINE COOLER
DUAL ZONE



Zero clearance hinges
for a flush installation

Fully extending telescoping
racks cushion your bottles

Intuitive digital touch controls
for two temperature zones

24" UNDERCOUNTER WINE COOLER

Keep 16 bottles ready to serve in the upper zone at 41° to 50° while you store 30 bottles in the lower zone at 50° to 64°.


This elegant, efficient wine storage and serving center is the perfect choice for convenient entertaining. Both red and white wines are close at hand with this quiet, undercounter unit. The XO Dual Zone Wine Cooler gives you the best of both worlds.

When it is all about the wine - it is all about XO.

WORLD CLASS SERVICE | COMPREHENSIVE WARRANTIES
OUR LASTING COMMITMENT TO YOU



*Specify **R** for right hand hinge - or - **L** for left hand hinge



FEATURES

CAPACITY

Full extension smooth glide racks hold:
(16) 750ml bottles upper section at 41° to 50°F
(30) 750ml bottles lower section at 50° to 64°F

FEATURES

Zero clearance hinges for flush integration*

Secure door lock

Non- reversible door - specify right or left hinge

Library quiet 39 dBA operation

Elegant tri-color interior illumination

Intuitive digital touch controls

6-1/2' Power Cord with low profile 90° flat plug

Low E Glass blocks harmful UV light

Alarm Functions

Energy Saver and Sabbath Mode

* Note: zero clearance hinges are visible just above and below the door panel

XO the next level
in luxury appliances

xoappliance.com | 800.966.8300

SPECIFICATIONS

ELECTRICAL 120V 60HZ 4.35 AMP*

DIMENSIONS

H	34 1/8"
W	23 7/8"
D	23 1/4"

ROUGH IN


H	34 1/4" min
W	24"
D	24"

REFRIGERANT R600A



XO is exclusively distributed by
EASTERN MARKETING CORP.
24 Eisenhower Parkway
Roseland, NJ 07068



ROUGH IN DIMENSIONS



ALL XO UNDERCOUNTER
UNITS ARRIVE PRE-WIRED
WITH LOW PROFILE PLUGS
FOR EASY INSTALLATION



NEED MORE SPACE -
CUT INTO AN ADJOINING
CABINET TO REACH AN
OUTLET THERE



WHEN INSTALLING WITH
THE HINGE SIDE NEXT TO A WALL -
LEAVE 1-3/4" CLEARANCE GAP FOR
CABINET HANDLES

DOOR MUST BE ABLE TO OPEN
A MINIMUM OF 90°.

IF THE DOOR CANNOT OPEN FULLY
YOU CANNOT EXTEND THE RACKS.