

MINGLE HDP

High Definition Porcelain

GLAZED PORCELAIN FLOOR & WALL TILE



floridatile

MINGLE HDP

High Definition Porcelain

shown on front: **28430 12x24** Warm Winter Mix

Mingle^{HDP} distinguishes itself as a unique concept in the industry. Taking inspiration from visuals of travertine, breccia marble, and limestone, it depicts striking designs full of depth and interesting movement. This porcelain floor and wall tile collection works beautifully in any setting.

A pressed 12x24 and 25-piece mosaic are available in each of the four colors. Cool Summer Mix combines strong gray with hints of ivory, Warm Winter Mix is cream with undertones of gray, Soft Rock features neutral beige tones, and Dry Stream is a blue-gray with highlights of medium brown. A 3x12 bullnose completes the collection.

Manufactured using proprietary HDP—High Definition Porcelain® printing technology, Mingle^{HDP} is appropriate for most residential and commercial wall, countertop, backsplash, and floor applications. It is made in the USA in our Green Squared Certified®, Advanced Manufacturing Center in Lawrenceburg, KY and includes pre-consumer recycled content. It meets the DCOF AcuTest® requirements to be installed in wet areas and is GREENGUARD® and Porcelain Tile certified.



COOL SUMMER MIX



28412 12x24
Cool Summer Mix



28412/M12
Cool Summer Mix Mosaic

WARM WINTER MIX



28430 12x24
Warm Winter Mix



28430/M12
Warm Winter Mix Mosaic

SOFT ROCK



28434 12x24
Soft Rock



28434/M12
Soft Rock Mosaic

DRY STREAM



28460 12x24
Dry Stream



28460/M12
Dry Stream Mix Mosaic



above: 28430 12x24 Warm Winter Mix

Porcelain Technical Data	ASTM®	ANSI®	Results ¹
Properties (Floor)			
DCOF AcuTest® ²	A137.1	≥ 0.42	Pass
Surface Hardness	Mohs Scale	N/A	7 Mohs
Break Strength	C-648	≥ 250 lbf.	≥ 510 lbf. avg.
Water Absorption	C-373	≤ 0.5%	≤ 0.5% ³
Intended Use ⁴	N/A	N/A	Residential Light Commercial

¹ Values are offered in good faith as being accurate and typical of normal production. Due to the natural variation of raw materials and manufacturing processes, the values of the purchased product for any particular installation may vary.

² ANSI® A137.1 standard, ceramic tiles selected for level interior spaces expected to be walked upon when wet must have a minimum wet DCOF AcuTest® value of 0.42.

³ Average production value.

⁴ Please visit www.floridatile.com/intended-use for further details.

Typical Uses

Mingle^{HDP} glazed porcelain floor and wall tile is appropriate for most residential and commercial wall, countertop, backsplash, and floor applications.

Notice: Not all flooring products are suitable for wet areas, specialized applications, or commercial use. Please refer to the American National Standard Specifications for Ceramic Tile (ANSI® A137.1) for ceramic, stone, and glass installation for specific usage and installation information.

This Florida Tile product will contribute to USGBC LEED® points and the ANSI® approved NAHB® Green Building Points.

Color, texture, and finish variations may occur due to the nature of the product.

Color reproductions in this printed piece may vary from actual tile colors. Final selection should be made from actual tile samples.

note: Country of origin and other product features and characteristics are subject to change due to manufacturing efficiencies and other factors. See retailer or product packaging to verify country of origin and other product characteristics.

Field Tile Nominal Size (in) ¹	Metric (cm)	Pcs./Sq Ft ²	Thickness ³	Edge
12x24	30x60	.5	10mm	Pressed

¹ These values may vary from lot to lot.

² These values are based on actual sizes including the grout joint.

³ May not apply to textured surfaces or tiles with uneven back patterns such as mesh mounted mosaics.

Trim	Shape	SKU	Nominal Size (in) ¹	Metric (cm)
Bullnose		P43C9	3x12	7.5x30

¹ These values may vary from lot to lot.

Color Variation

V2 Slight Variation
Clearly distinguishable differences in texture and/or pattern with similar colors.

