

Product data sheet

Specifications

SQUARE D



Individual meter socket, ringless socket, horn bypass, 4 jaws no release, UG, 200 A, up to 600 VAC single phase 3W

UHTRS223A

Product availability: Stock - Normally stocked in distribution facility

Main

Product or Component Type	Meter Socket
Meter socket type	Ringless
Hub type	Solid top

Complementary

Meter socket rated current	200 A
Number of jaws	4 without jaw release
Bypass type	Horn bypass
Phase	1 phase
[Ue] rated operational voltage	600 V AC
Enclosure Material	Steel
Box number	2R
Electrical connection	Lugs 0.5" hex
Service feed location	UG
Wiring configuration	3-wire
Device mounting	Surface
AWG gauge	AWG 1/0...350 kcmil 1 aluminium/copper)line AWG 14...AWG 2 1 aluminium/copper)service ground
Height	13.00 in (330.20 mm)
Width	13.00 in (330.20 mm)
Depth	4.94 in (125.48 mm)

Environment

Product Certifications	UL Listed
Enclosure Rating	NEMA 3R

Ordering and shipping details

Category	US10DE400039
Discount Schedule	0DE4
GTIN	785901911685
Returnability	Yes
Country of origin	US

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	6.000 in (15.240 cm)
Package 1 Width	13.600 in (34.544 cm)
Package 1 Length	13.600 in (34.544 cm)
Package weight(Lbs)	14.231 lb(US) (6.455 kg)
Unit Type of Package 2	PAL
Number of Units in Package 2	63
Package 2 Height	40.000 in (101.600 cm)
Package 2 Width	40.000 in (101.600 cm)
Package 2 Length	48.000 in (121.920 cm)
Package 2 Weight	897.000 lb(US) (406.872 kg)

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Environmental Disclosure

[Product Environmental Profile](#)

Use Better



Materials and Substances

Packaging made with recycled cardboard

No

Packaging without single use plastic

No

EU RoHS Directive

[Compliant By Exemption](#)

REACH Regulation

[Reference contains Substances of Very High Concern above the threshold](#)

California proposition 65

WARNING: This product can expose you to chemicals including: Nickel (Metallic), which is known to the State of California to cause cancer, and Toluene, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Use Longer



Lifetime extension

Repair

No

Use Again



Repack and remanufacture

Circularity Profile

No need of specific recycling operations

Take-back

No