






ASSEMBLY INSTRUCTIONS

REMSEN COLLECTION

ITEM#: U5440-25LP2

DESCRIPTION : REMSEN LAF CONSOLE LOVESEAT
W/DUAL PWR HR & FR

Thank you for purchasing this quality product. Be sure to check all packing materials carefully for small parts, which may have come loose during shipment. Identify and count all items and compare with the parts list shown below. It is recommended to have two people during assembling and to remove the back and base of the furniture out from the box. **Please follow the drawings below to assemble the item**

PARTS LIST			
NO.	DESCRIPTION	SKETCH	QTY
A	Seat		1PC
B	Left Side Facing (LSF) Backrest		1PC
C	Console backrest		1PC
D	Right Side Facing (RSF) Backrest		1PC
E	Power Cable 29V		1PC

All images shown are for illustration purpose only.
Actual product may vary due to product enhancement.

ASSEMBLY INSTRUCTIONS


REMSEN COLLECTION

ITEM#: U5440-25LP2

DESCRIPTION : REMSEN LAF CONSOLE LOVESEAT
W/DUAL PWR HR & FR


Step 1:

Open the zipper at the center back of the seat (A).



Step 2:

Place the console Backrest (C) in the correct position and then attach to the seat (A) by turning the knob screws from inside the zipper counterclockwise.



All images shown are for illustration purpose only.
Actual product may vary due to product enhancement.

ASSEMBLY INSTRUCTIONS


REMSEN COLLECTION

ITEM#: U5440-25LP2

DESCRIPTION : REMSEN LAF CONSOLE LOVESEAT
W/DUAL PWR HR & FR


Step 3 :

Insert the LSF backrest (B) and the RSF backrest (D) to the seat (A). Make sure the backrests are secured in position.



Step 4 :

Connect the cable on the backrests (B & D) to the cables on the seat (A).



All images shown are for illustration purpose only.
Actual product may vary due to product enhancement.

ASSEMBLY INSTRUCTIONS


REMSEN COLLECTION

ITEM#: U5440-25LP2

DESCRIPTION : REMSEN LAF CONSOLE LOVESEAT
W/DUAL PWR HR & FR


Step 5:

Connect the Power Cable 29V (E) to the power socket on seat (A).



Step 6:

Connect the power and open/close the footrest and headrest by pressing the buttons.



All images shown are for illustration purpose only.
Actual product may vary due to product enhancement.