
Product data sheet

Specifications



[TAA] D-Frame ATS, ASCO Series 300, open transition, 2 pole, 200A, 240V, open type

PPATS_1005078-016

Main

Switch Series	ASCO 300 Series
Product Type	Transfer switch
Rated Current	200 A
Number of Phases	1 phase
Number of Poles	2P
Rated Voltage	240 V

Complementary

Neutral Configurations	Solid neutral
Transition Mode	Open
Operation Mode	Automatic
Hot to Hot Transfer Time	< 80 ms
Controller	Group G
Communication Capability (with accessory P/N 72EE)	Modbus TCP RS485
Service Entrance Rated	Not service entrance rated
Transfer Switch Position	2 positions
Switch Frame	D-Frame

Ordering and shipping details

GTIN	3606486821701

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	31.02 in (78.8 cm)
Package 1 Width	11.61 in (29.5 cm)
Package 1 Length	11.61 in (29.5 cm)
Package 1 Weight	17.6 lb(US) (8 kg)

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Environmental footprint

Carbon footprint (kg CO2 eq, Total Life cycle)	**295**
Environmental Disclosure	**Product Environmental Profile**

Use Better

Materials and Substances

Packaging made with recycled cardboard	**No**
Packaging without single use plastic	**No**
EU RoHS Directive	**Compliant with Exemptions**
China RoHS Regulation	**China RoHS declaration**
California proposition 65	**"WARNING: This product can expose you to chemicals including: Lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov"**

Use Again

Repack and remanufacture

Circularity Profile	**End of Life Information**
Take-back	**No**

Image of product / Alternate images

Alternative



