

# SUMMER

CATALOG

2025 ESSENTIALS

Razorback 63125 Heavy Duty Asphalt Rake (.26708)

Razorback 44124 Square Point Shovel (.785541)

Razorback 45520 Round Point Shovel (.786033)

Razorback 83148 Concrete Rake (.767642)

HUNDREDS OF  
YOUR FAVORITE  
TOP-RATED  
BRANDS INSIDE!

Jackson M6FFBB 6CU FT Steel Contractor Wheelbarrow w/ Flat Free Tire (.786581)



Valid July - September 2025

# TABLE OF CONTENTS

## TABLE OF CONTENTS

● 3M Tapes & Adhesives	1
● Abrasives	2-3
● Communications	4-5
● Concrete Supplies	6-7
● Construction Supplies	8-11
● Cutting Tools	12-16
● Electrician's Tools	17-19
● Fall Protection	20-21
● Hand Tools	22-25
● Janitorial	26-28
● Jobsite Storage	29
● Ladders	30
● Lifting & Rigging	31-32
● Lighting & Electrical	33-35
● Pipe Working Tools	36
● Power Tools	37-42
● Safety & PPE	43-46
● Closeouts	47
● Other Services	48


\*\*\* Prices effective through 09/30/2025. Subject to availability. Prices subject to change without notice. Freight charges may apply. American Producers Supply is not responsible for errors or omissions. \*\*\*



# FIND YOUR TOOL. UNLOCK YOUR POTENTIAL.

At American Producers Supply, we're dedicated to helping you discover the perfect tools for every job. Our comprehensive range of tools ensure you can tackle any project with confidence. From precision instruments to heavy-duty equipment, each item is carefully selected to meet your highest standards.

Explore our catalog today and empower yourself with the tools you need to succeed.



Visit our website at [www.americanproducers.com](http://www.americanproducers.com)

## WE ARE AN AUTHORIZED SERVICE CENTER FOR:



\*\*\* All items in this catalog are WHILE SUPPLIES LAST! \*\*\*



## 2x60 Masking Tape

2307 (.69340)

- Ideal for woodworking and general paint masking
- Offers broad tack and moderate adhesion
- Retains clean removal on most surfaces after baking for 30 minutes up to 200 °F (93 °C)



## All Purpose Duct Tape Silver

DT8 (.881123)

- Aggressive natural and synthetic rubber blend of adhesives provides instant adhesion to a wide variety of surfaces, including metal, glass, plastic and sealed concrete
- Great for patching, light duty bundling, reinforcing, metal splicing, labeling, and more



## Super Duty Duct Tape Black

DT17 (.906512)

- Black duct tape with ultra-thick backing for the high-tensile strength to tackle aggressive, demanding jobs
- Water-resistant backing resists abrasion and wear while offering an easy tear and good comfortability
- Natural rubber adhesive grips instantly to a wide variety of surfaces, including metal, glass, plastic and sealed concrete



## Super 77 Spray Adhesive

97956 (.834731)

- Offers a fast, medium-strength initial grab for a quick bond
- Features sufficient open time to properly position and bond materials
- Bonds paper, corrugated board, fabric, foam, wood, and more
- Supports low soak-in to help provide high coverage and soft, non-dimpling adhesive lines



## Multi-Purpose 27 Spray Adhesive

7832 (.761475)

- This product is designed exclusively for industrial applications
- Offers 30 seconds to 15 minutes of working time
- Provides industrial-strength bonding at an economical price
- Offers a fast, aggressive tack for a quick bond
- Bonds a wide range of lightweight materials, including paper, corrugated board, fabric, insulation, plastic, metal, and more



## Clear Box Sealing Tape

371 (.52210)

- BOPP film carton sealing industrial packaging tape used for box sealing, splicing, recoupage, and other packaging applications
- The adhesive provides a high strength, tamper-proof seal to keep the tape in tact even during rough weather



## Heavy Duty Duct Tape Silver

DT11 (.886323)

- Resists curling, tears cleanly off the roll and has strong holding power for hard-to-bond surfaces
- Sticks immediately and stays on irregular surfaces without lifting, even plastics
- Water-resistant polyethylene film backing resists wear and light abrasion



## Heavy Duty Duct Tape Silver

3939 (.712999)

- Designed for use in heavy-duty maintenance, repair, and construction applications
- Cleanly peels off of opaque, non-glass, indoor surfaces for up to one month
- The adhesive bonds immediately and holds for up to one year indoors without deterioration



3939 (.712999)

## Super 33+ Vinyl Black Electrical Tape

29035 (.10944)

- The combination of the pressure-sensitive, rubber-resin adhesive and the PVC backing offers electrical and mechanical protection
- Resists UV rays, abrasion, moisture, alkalis, solvents and acids
- Flame-retardant and inhibits the corrosion of electrical conductors





## Cubitron III T27 Depression Center Grinding Wheel



Catalog/Part #	Diameter	Max RPM	Qty/Box
90002 (.810305)	4½" x ¼" x 5/8"	13,300	10
90005 (.810348)	6" x ¼" x 5/8"	10,200	10



## Depressed Center Grinding Wheel

- Fast cutting, long lasting wheels that are ideal for heavy weld removal and other heavy-duty grinding applications
- Contain 3M's newly engineered precision-shaped grain designed to deliver an unbeatable combination of performance and value



Catalog/Part #	Diameter	RPM	Qty/Box
87453 (.940534)	4½" x ¼" x 7/8"	13,300	10
87450 (.940543)	6" x ¼" x 7/8"	10,200	10
87451 (.940549)	7" x ¼" x 7/8"	8,500	10

## 4½" Type 29 Cubitron II Flap Disc

- 3M™ precision shaped grain maintains sharp points that cut exceptionally fast with less pressure
- Engineered to run cooler, reducing metal discoloration/oxidation and the chance of heat related stress cracks
- Durable Y-weight poly cotton backing delivers controlled, even wear for full use of the disc on low to medium high pressure applications



Catalog/Part #	Type	Grit	RPM
55623 (.826375)	29	40	13,300
55625 (.825982)	29	80	13,300

## Cubitron III T1 Cut-Off Wheels

Catalog/Part #	Diameter	RPM
90036 (.810631)	4½" x ¼" x 7/8"	13,300
90038 (.810360)	6" x ¼" x 7/8"	10,200



## Silver Cut-Off Wheel

- Composed of fiberglass-reinforced ceramic abrasive
- High-density grain that prevent loadings and keeps surface temperatures down when working with heat-sensitive materials such as stainless steel and aluminum



Catalog/Part #	Diameter	RPM	Qty/Box
87465 (.940553)	4½" x .045" x 7/8"	13,300	25
87469 (.940555)	6" x .045" x 7/8"	10,200	25

## 4½" Type 27 Cubitron II Flap Disc

- 3M™ precision shaped grain maintains sharp points that cut exceptionally fast with less pressure
- Engineered to run cooler, reducing metal discoloration/oxidation and the chance of heat related stress cracks
- Durable Y-weight poly cotton backing delivers controlled, even wear for full use of the disc on low to medium high pressure applications



Catalog/Part #	Type	Grit	RPM
55605 (.823074)	27	40	13,300
55606 (.823452)	27	60	13,300





## SAIT Pro Metal Portable Saw Wheel

24140 (.780154) 14 x 1/8 x 20mm

- Aluminum oxide grain
- Type 1/Type 41 shape for square, burr-free cutting
- Constructed with the highest quality fiberglass to withstand the toughest applications



## A36T Type 1 Thin High Speed Cut-Off Wheel

- Aluminium oxide grain
- Hard bond for smooth, burr free cutting



Catalog/Part #	Diameter	Arbor	Thickness	RPM
23040 (.54885)	3"	3/8"	1/16"	25,000
23050 (.54986)	3"	3/8"	.035"	25,000
23069 (.56059)	4"	3/8"	.035"	19,000

## A24R Long Life Grinding Wheel

- Type 27 aluminium oxide grain
- Longer life for fewer wheel changes



Catalog/Part #	Diameter	Arbor	Thickness	Max RPM
20063 (.9056)	4 1/2"	7/8"	1/4"	13,300
20079 (.110075)	6"	7/8"	1/4"	10,200
20090 (.55634)	9"	7/8"	1/4"	6,600



## Aluminum Oxide Fiber Disc

- High-quality aluminum oxide grain, open coat
- Economical choice for general grinding



Catalog/Part #	Diameter	Arbor	Grit	Max RPM
52460 (.49478)	4 1/2"	7/8"	60	13,300
52716 (.50130)	7"	7/8"	16	8,500
52724 (.51047)	7"	7/8"	24	8,500

## A24R Pipeline Grinding General Purpose Wheel

- Aluminium oxide grain
- Designed and manufactured to perform both cutting and light grinding



Catalog/Part #	Diameter	Arbor	Thickness	RPM
22030 (.54884)	4 1/2"	7/8"	1/8"	13,300
22042 (.130589)	6"	7/8"	1/8"	10,200
22065 (.324803)	9"	7/8"	1/8"	6,600

## A60S General Purpose Cut-Off Wheel

- Special aluminium oxide grain
- Exceptional performance
- Extremely fast burr-free cutting with long life



Catalog/Part #	Diameter	Arbor	Thickness	Type	RPM
22021 (.69356)	4 1/2"	7/8"	.045"	27	13,300
22047 (.137392)	6"	7/8"	.045"	27	10,200
23101 (.100008)	4 1/2"	7/8"	.045"	1	13,300
23106 (.130590)	6"	7/8"	.045"	1	10,200

## A24N Grinding Wheel

- Aluminum oxide grain
- Soft bond for fast stock removal



Catalog/Part #	Diameter	Arbor	Thickness	Max RPM
20060 (.55376)	4 1/2"	7/8"	1/4"	13,300
20070 (.55475)	5"	7/8"	1/4"	12,200
20078 (.698386)	6"	7/8"	1/4"	10,200

# KENWOOD PROTALK RADIO TRADE-IN PROGRAM


JVCKENWOOD USA Corp. now offers a minimum of

**\$40 OR MORE**

per working radio turned in  
for trade-in



**CASH  
FOR YOUR  
TRADE-IN  
RADIOS**

- +** Two-way radios must be in **working condition** and include the battery, antenna, charger and cables.
- 8** The minimum number of working two-way radios that can be sent in for trade is **eight (8) radios**.
-  To qualify for a trade-in, **proof of purchase** of the equivalent number of new KENWOOD LMR and/or BRS two-way radios must accompany your trade-in.
- \$** The **\$40 trade-in** payment is sent to you in the form of a check.
- ∞** There is **no limit** on the number of trade-in radios that you can submit, if they meet the trade-in criteria.



**LIMITED TIME OFFER** EXPIRES SEPTEMBER 30, 2025

Visit the web site for more information and trade in your radios for cash today! [www.protalktradein.com](http://www.protalktradein.com)

American Producers has access to Motorola Business Radios, Commercial Radios, and all accessories. Contact your rep for a quote today!



## MOTOROLA RADIOS

BPR50Dx



- High Powered 4/5 watt Analog
- 64 Channels
- 350,000 Sq Ft or 30 Floors
- Mil Spec C, D, E, F - IP54
- 23 Hr Battery

RM Series



- 2 watt Analog
- 4 or 8 Channels
- 250,000 Sq Ft or 20 Floors
- Mil Spec C, D, E, F, G - IP54
- 15 Hr Battery Life

DTR700



- 1 Watt Digital
- 30 Channels
- 350,000 Sq. Ft. or 30 Floors
- Mil Spec C, D, E, F, G - IP54
- Private Calling
- 16.5 Hr Battery

R2 Series



- 4/5 Watt Analog/Digital
- 64 Channels
- Mil Spec C, D, E, F, G - IP55
- Up to 18.5 Hour Battery Life in Digital Mode

CP100d SERIES



- 4/5 Watt Analog/Digital
- 16 Channels
- Mil Spec C, D, E, F, G - IP54
- Up to 20 Hour Battery Life in Digital Mode

SL300 SERIES



- 3 Watt Analog/Digital
- 2-99 Channels
- Mil Spec C, D, E, F, G - IP54
- Up to 15 Hour Battery Life in Digital Mode

## MOTOROLA RADIO ACCESSORIES



HKLN4606



HKLN4604



PMLN6384



PMLN6588



PMLN4173



CB300

Speaker mics, batteries, earpieces, multi-unit chargers, single unit chargers, call boxes and more available for Motorola Two Way Radios!

Optimize your communications with Motorola Radio Accessories.



## Standard Gold Diamond Blade

- Better quality diamond and better cutting value
- Diamond depth of .394" (10mm)
- Segment height of .470" (12mm)



Catalog/Part #	Size
57706 (.859897)	12X.110XUNV
57719 (.457214)	14X.125XUNV
91674 (.846510)	16X.125XUNV
16868 (.1124292)	18X.125X1


**SPECIAL ORDER ONLY!**

## M1 Core Rig w/ CB733 Motor

4245113 (.972218)

- Combination Base: Mechanically anchor OR vacuum down with same base
- Slide handle allows for drilling in tight areas
- Amps: 20A / 115V
- Speeds: Three
- RPM: 34%3%000
- Bit Capacity: 10" Standard Bit Capacity
- Column: 42" x 2-1/2" Unplated Column
- Base: 13-1/2"W x 19"L Base Only (23-1/4"L Base + Wheels)
- Weight: 129 lb.





**Wet & Dry Core Bits**  
Call for sizes and pricing.

## Imperial Purple High Speed Diamond Blade

- Diamond depth of .394" (10mm)
- Segment height of .494" (13mm)



Catalog/Part #	Size
85149 (.961417)	12" x .110 x UNV
78976 (.815348)	14" x .125 x UNV
96480 (.913669)	16" x .125 x UNV
34504 (.961416)	18" x .125 x 1"

**SPECIAL ORDER ONLY!**

## Heavy Duty Orange MAXX Diamond Blade

- Very high quality diamond and longer cutting life
- Diamond depth of .295" (7mm)
- Segment height of .395" (10mm)
- Heat isolation slots in segment for better cooling and faster cut



Catalog/Part #	Size
53734 (.131811)	12 x .125 x UNV
53742 (.87377)	14" x .125 x UNV
90185 (.766008)	16" x .125 x UNV

## Core Bore CB215 Hand-Held Motor

4244142 (.1080565)

- 3-Speed gear box (100%60%450 RPM)
- D-handle for comfortable drilling
- Side handle for stability (removable)
- LED load indicator in visible location
- Light-weight for easy coring - 13 lbs.
- Can be mounted to the M-3 and M-4 core rig stands
- Integrated convertible port allows quick change from water feed for wet drilling to through-the-spindle dust collection for dry drilling



## M-4 Core Rig w/DK12 Weka Motor

4240046 (.959606)

- Reversible slide handle (for use on left or right side)
- Combo bases have angle braces for drilling up to 45 degrees
- 4 adjustable slide bearings provide superior carriage rigidity
- Great for the general contractor (basic drilling) or plumber (hand-held drilling), electrical or mechanical contractor
- Quick change over from vacuum to anchor base
- High strength, hard anodized 1 1/2" x 2" aluminum column



## 14" High Speed American Producers / Diamond Logo Blades

70499LOGO (.855942)

For use on high speed masonry and low HP walk behind saws.



# DIFFERENT APPLICATIONS CONSISTENT HIGH-PERFORMANCE

**Kodi Klip<sup>®</sup> and Top-Cast<sup>®</sup> uniquely engineered, universally trusted**



**KODI KLIP<sup>™</sup>**  
By Dayton Superior  
*Goes Cord-Free*

Check out the new, cordless,  
battery-powered Kodi Klip Klipper Tool

- Efficient, unhindered movement
- Makes a quick, strong connection in milliseconds
- One cord-free tool can connect two K-Klip<sup>™</sup> sizes



## TOP-CAST<sup>™</sup>

*Beautiful Etched Concrete  
That Anyone Can Achieve*

Top-Cast creates finishes from  
micro etch to fully exposed aggregate

- Uniform, high-quality finish
- Available in 12 different grade options
- Easy application offers unmatched reliability



To purchase Kodi Klip and Top-Cast, contact American Producers Supply at 1-800-482-0310 to find a location near you!



## Ram Board Multi-Cutter

MULTI-CUTTER-CS (.951017)

- The handle can store up to 4 extra blades
- Cuts a number of materials, including Ram Board, rosin paper, plastics, roofing felt, cable ties, and cardboard
- Dual Edge-Guard System™ protects both corners of the utility razor from toughing the floor surface



## Waterproof Shoe Covers 100/Box

SC300 (.769644)

- Available in PE Coated Cloth and Plastic options
- Reusable and disposable
- The non-woven fiber shoe covers provide excellent protection for outside jobs
- The polyethylene coated option features a skid resistant bottom and is leak resistant



## 2"x180' All-Purpose Blue Painter's Tape

BT2180C (.786404)

- A multi-surface tape made with medium adhesion that won't leave a residue
- uv-resistant when exposed to indirect and direct sunlight
- Made with an extra heavy duty paper, it's the toughest all purpose painter's tape on the market



CS36500 (.769359)

## 36"x500' Carpet Shield

CS36500 (.769359)

- Self-adhering film designed to protect carpeting
- Highly resistant to tears and punctures
- Protects all kinds of carpeting for up to 45 days
- Will not leave any adhesive residue



## Builder Board

BLD38100 (.769360)

- 38 in. x 100 ft. roll
- Installs fast and flat and is non-staining
- Allows moisture and vapors to escape
- Protects granite, travertine, marble, wood, etc.
- Heavy duty surface protection - 100% recyclable



## Builder Board Tape

BLD048 (.1001877)

- Breathable seam tape comes in both 2" and 3"
- Strong, flexible and lays flat
- Liquid resistant
- Quickly and efficiently covers Builder Board temporary floor protection seams




BLD048 (.1001877)

## Ram Board Pro Sheets Floor Protection

RBPS48968X (.1028321)

- 8X thicker than standard Builder's Paper
- Made with our exclusive Spill Guard® technology for extreme liquid holdout
- Similar to corrugated plastic or plywood
- Easy to use, lay down flat, and are easy to seam together with Ram Board's Seam Tape.



RBPS48968X (.1028321)



## 42" Looper Cone w/ Reflective Bands & 12lb Base

46133-TR412HIP-KIT (.1102106)

- Made of flexible low density fluorescent polyethylene
- Excellent for creating pedestrian barriers and parking lot traffic control



## 39" Roof Edge Delineator w/ 30lb Base

47039-Y-CRU-30 (.1102107)

- Quick set-up and removal
- Durable low density plastic cones
- Bases stack for easy transport
- Meets OSHA regulations 16lb. pull test



## 28" Orange Enviro-Cone

16028-HIWB-7 (.837089)

- No more soft and droopy cones in hot weather. The Enviro-Cone stands tall and vertical in the hottest road conditions
- Manufactured from low density polyethylene, the Enviro-Cone provides superior cold weather performance.
- No cracking or breaking down to -45F



## Orange Flag w/ Handle

3001743 (.69614)

- Made from strong, non-corrosive material without any sharp edges
- Flag measures 18" x 18"
- Handle measures 1 1/4" diameter



## Trafix Portable Sign Stand

22000 (.821260)

- Tip resistant design effectively spills wind
- Holds a 36" x 36" or 48" x 48"
- Roll up sign securely w/ no heavy springs



Assorted Construction Signs Available  
CALL FOR PRICING AND AVAILABILITY!



# HARDWORKING FILTERS FOR ALL OF YOUR EQUIPMENT.

## END-TO-END FILTRATION FOR THE MOST DEMANDING REQUIREMENTS.

Donaldson delivers *complete filter coverage* for a wide range of equipment used in construction, mining, manufacturing, energy, power generation, and much more...



donaldson.com  
shop.donaldson.com  
800.374.1374

© 2018 Donaldson Company, Inc.





## ½cu yd Dump Cart

DUC12T (.996561) ½ cu. yd.

DUC100-R (.971118) 1 cu. yd.

- Premium grade injection molded leak proof polyethylene dump cart provides a smooth rolling trash cart with easy to clean surface, resistant to dents
- Unlike other 850 pound capacity dump carts, this slim dump cart measures only 24" wide, allowing it to easily fit through standard doorways and maneuver with ease down hallways and elevators



## Grey Trash Can

CMTC-C-44G (.1077413) 44 Gal

CMTC-C-55G (.1077386) 55 Gal

- Air channels reduce suction and make bag removal a breeze
- Built-in bag cinches to secure liner
- Massively reinforced, jobsite ready trash cans
- Ergonomic built-in handles for comfort and easy handling
- Lids and dollies available as optional accessories



## Universal Trash Can Dolly

CATC-DG-HD (.1077391)

- One size fits all Pro-Series Trash Cans and most major brand trash cans
- Designed with massive structural reinforcements for improved longevity and transportation of heavy refuse
- Fits all Magnum Trash Cans, and most major brands



## Pro Series Service Cart

CART4426-PRO-A5S (.1050387) 44"x25"

CART4117-PRO-A5S (.1077476) 41"x17"

- Patent pending design allows easy installation in minutes
- Adaptable handle can be installed flat or ergonomically
- Mounting points for hooks, poles and other accessories
- "V" cut on tray for pipe measuring and cutting



## 34" Portable Fire Extinguisher Stand & Safety Station

SAFE-ST (.1058676)

- Durable polypropylene plastic
- Easy disassembly for efficient shipping and storage
- Mount First Aid Kits and other safety supplies directly to the Firebox to create a highly visible centralized location for dealing with emergencies on the job site
- OSHA Compliant: 1926.150 (A) (1,2,3,4) & (C) (1) (I), 1926.24, 1910.144 & 1910.157 (C)





## Pneumatic Digger

93LA1 (.954670)

- 7/8" x 3-1/4" hex shank
- 2,350 BPM lightweight, latch retainer
- Features a tease throttle for maximum precision, coupled with a D-shape handle to allow access to tighter spaces



## Chipping Hammer

2A2SA (.135969)

Catalog/Part #	Stroke	BPM
2A2SA (.135969)	2"	2,300
3A2SA (.721354)	3"	1,725



## Pavement Breaker

PB35AL8 (.711182)

- One-piece housing eliminates costly side rods and springs
- Power-stroke piston delivers more energy to the work surface and eliminates another costly wear item

Catalog/Part #	Hex Shank	Stroke	BPM
PB35AL8 (.711182)	1x4-1/4"	6-1/4"	1,250
MX60A (.711179)	1-1/8 x 6"	5-3/4"	1,200-1,400



## Reversible Pawl Jack Hammer

JH40C1 (.140196) 7/8" x 3 1/4"

JH40C2 (.1077544) 7/8" x 4 1/4"

JH40C3 (.922414) 1/4" x 1/4"

- Can drill holes up to 18 inches deep and 2 inches wide
- Engineered to tackle hard rock with ease
- Designed to perform reliably in wet or dry conditions

**SPECIAL ORDER ONLY!**




# WE'VE GOT FASTENERS

- ✓ Self-Drilling Screws
- ✓ Coarse Thread Screws
- ✓ Sharp Point Screws
- ✓ Clip Thread Screws
- ✓ Fine Thread Screws
- ✓ And More...



**Talk to your sales representative about Vendor Managed Inventory!**



## HMD130 Ultra Low Profile Mag Drill

130101 (.906508)

- Lightweight at only 23.8 lbs (10.8kg)
- Patented quill feed arbor for smooth cuts and minimal maintenance
- Rear mounted controls
- Uses RotaLoc Plus™ annular cutters which requires no tools for installation or removal



130101 (.906508)

## HMD904 Portable Mag Drill

HMD904 (.743217)

- Large 1-1/2" x 2" capacity
- Hidden motor cord
- Ergonomic housing
- Increased safety with less maintenance
- Two stage magnet - 30% power increase when motor is turned on



HMD904 (.743217)

## 12,000 Series Cutter Kits

- For use with Hougen Portable Magnetic Drills and machine tools operations on materials up to 350 BHN
- Made of hardened, high speed tool steel and precision ground



**CALL FOR SIZES & PRICING**

## Copperhead Series Cutter Kits

- Feature a durable grade carbide insert for extended tool life when used with Hougen Mag Drills on abrasive and tough-to-cut materials



**CALL FOR SIZES & PRICING**

## 12oz RotaFoil Cutting Fluid

11747-12 (.985812)

- Extremely heavy-duty, high performance foamy lubricant for all types of metals and metal working applications
- "Super Sticky" properties make the foam adhere to the metal and stay on longer
- Environmentally friendly lubricant for all types of metals and metal working applications



## Rotamagic Cutting Fluid 1g

11742-4 (.785723)

- RotaMagic Super Concentrated Coolant extends the life of cutting tools & annular cutters
- Water soluble and yields a 10:1 ratio when mixed with water
- Biodegradable & Non-toxic
- Four 1 gallon containers of concentrate make 44 gallons of coolant
- Preferred lubricant for Hougen magnetic drills & annular cutters



## NORSEMAN DRILL & TOOL

### BR-10SQX Screw & Bolt Extractor Set 10pc

35491 (.1020865)

- Square Extractor Sizes: #1, #2, #3, #4, #5
- Drill Bits: 3/32", 1/8", 3/16", 1/4", 5/16"
- 135 Degree Split Point Prevents Walking
- M7 Steel, Machine Length, Left Handed Bits



### Vortex 175-VT 29pc Bit Set

22903 (.1025505)

- Drill sizes 1/16" - 1/2" by 64ths
- Reliable high-density plastic
- Self-centering; 3-flats on shank
- Enlarge existing holes
- Weatherproof, watertight & unbreakable
- Drill through sheet metal, hard steel, acrylics and brass



### 29 Pc Ultra Cut Drill Bit Set Orange Case

46962 (.871299)

- 3/8" with flats on Shank
- Heavy-duty 135° split point drills
- Orange Ultra-dex bit case
- 29 Piece Jobber Length Drill Bit Set
- Three Flats Shank in Orange Case
- High Molybdenum Steel, Gold and Black Oxide. Made in the USA
- Norseman Drill & Tool 46962 Type 190-AQF Premium Ultra-Dex Bully
- Ideal for use with hand held drills with keyless chucks,



### 29pc Ultra Cut Drill Bit Set

46952 (.748444)

- 135 degree split point
- Ultra-dex bit case
- Jobber length type bits
- The flats on the shank give positive chuck grip
- Ideal for use with hand held drills with keyless chucks



## Ask us about our Fasteners!

Large inventory of High Quality Fasteners!

PRIME SOURCE

POWERS FASTENERS

AMPRO FASTENERS

DAVEY

DEWALT



Talk to your sales representative about Vendor Managed Inventory!




# CIRCULAR SAW BLADES

THIN KERF | METAL CUTTING



*The next generation is here.*



## Longer life. Faster cuts.

The fourth generation of Morse Metal Devil circular saw blades sets a new precedent for performance. Delivering unrivaled blade life and cutting speed, the new Metal Devil line features a versatile family of blades that can tackle any cutting challenge. Steel, stainless steel, and aluminum cutting blades partner with any tool, from handfed to chop saws, to make faster, cooler, cleaner cuts with a smooth finish that needs virtually no rework. Achieve the fastest and highest quality results - every time.



## FEATURES

**Longer** - Premium grade materials improve durability and maximize blade life

**Faster** - A thin kerf blade creates less heat for a faster cut

**Smoother** - Optimized tooth geometry reduces vibration for improved surface finish and virtually no rework





# POWER TOOL ACCESSORIES

## ELECTRICAL

### BI-METAL - MHS HOLE SAW

- Optimized to remove material faster
- Solid cap reduces runout and vibration
- Premium high speed steel
- 1<sup>5</sup>/<sub>16</sub> (49mm) cutting depth
- Faster, easier slug removal



### IMPACT HOLE SAW - BI-METAL

- 1/4" quick-change impact shank
- Spring for quick slug removal
- Faster hole cutting



### CARBIDE TIPPED - HOLE CUTTERS

- Make clean, fast cuts in sheet metal, stainless steel, pipe, conduit, aluminum, and composites.
- Ejector spring for quick slug removal
- Flat shank fits 3/8" and larger drill chucks
- Reduced "break through" impact
- Smoother cutting



### SWITCHBACK - STEP DRILLS

- Precision hole cutting in a range of materials including metals, plexiglass, plasterboard, and plastics
- Reduced secondary operations
- Increased drilling accuracy
- Faster penetration for self-starting drills
- Longer tool life



### PROFESSIONAL (PRO) THIN METAL RECIP BLADE

- Designed for cutting metal between 1/8" and 3/8"
- High impact, heat, and wear resistance
- High impact, heat, and wear resistance
- Faster cutting, smoother finish



### 811 & 1216

#### BI-METAL - PORTABLE BANDS

##### 811

- For materials 1/4" and thicker
- Fast cutting and long blade life

##### 1216

- For materials materials 3/16" and thinner
- Fast cutting and long blade life



### THE MORSE DIFFERENCE

- American owned and operated since 1963
- Committed to quality products and dependable quick shipment
- US-based customer support at (800) 733-3377





## SuperBrute Mag Drill

AC120 (.1102613)



- Extreme Steel Fabrication Needs
- Super Powerful - Extra Large Cutter Capacity
- Drill Large And Deep Holes In Steel Plate, Structural Steel, Pipe
- Drill Up To 4-3/4" Dia, Up to 4" Depth
- Includes Two Arbors
- Standard 3/4" Weldon Shank Arbor - For Cutters 7/16 to 2-1/4" Dia, Up to 4" Depth
- Large 1-1/4" Shank Arbor - For Cutters 2-3/8 to 4-3/4" Dia, Up to 2" Depth
- Includes Drill Chuck - Use With Twist Drills, Reamers, Countersinks (Up to 1-1/4" Dia)

## 18pc Tap & Drill Set

TD18-XL (.882304)



- Includes Brute Drills (XL5): 5/16, 27/64, F, U, #7, #21, #25, #29, #36
- Includes Brute Spiral Point Taps (XL22): 6-32, 8-32, 10-24, 1/4-20, 5/16-18, 3/8-16, 7/16-14, 1/2-13, 10-32

## CT7 Series Carbide Tipped Hole Cutters

CT7 - Multiple Sizes

- Drill fast, accurate holes through steel up to 1" inch depth
- Ultra-sharp tungsten carbide teeth cut quick, smooth, perfectly round holes
- Flatted shank for use in power drills and drill presses
- Sizes available: 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1 1/16", 1 1/8", 1 1/4", 1 1/2", 1 5/8", 1 3/4", 1 7/8", 1 5/16", 2", 2 1/8", 2 1/4", 2 3/8", 2 1/2", 2 5/8", 2 3/4", 2 7/8", 3", 3 1/4", 3 1/2", 3 3/8", 3 3/4", 4", 4 1/8", 4 1/4", 4 1/2"



## 29pc Heavy Duty Mechanics Length Twister Drill Set

TWISTER-XL28 (.857854)

- Drill 3x Longer (than competitors drills), Drill 2x Faster (than cobalt), Drill Accurate (135 deg split point, tapered web geometry)
- Better than cobalt-XL28 is able to flex when cobalt drills chip or snap



## 8pc Titanium Bur Kit

BK8P (.863746)

- Includes Sizes: SA5, SC3, SC5, SD5, SF3, SF5, SG3, SL4
- De-Bur Ferrous Metals - Steel, Stainless Steel, Titanium, Cast Iron



## 4pc Tile & Stone Carbide Drill Bit Set

DMANS1070-S4 (.999541)


- The carbide tip withstands impact and high heat applications for superior life versus standard Tile and Stone drill bits
- This delivers stability and accuracy required for fast starts and precise holes



## 9pc Concrete Anchor Installation Set

DMAPL9910-S9 (.1081602)

- 9-Piece set for up to 25% savings
- Diablo made carbide hammer bits withstand impact and high heat applications, dramatically extending life versus standard hammer bits
- Phillips drive bits provide extreme durability and impact resistance for up to 50X longer life versus standard bits



## SDS+ & SDS Max Rebar Demon Series Hammer Drill Bits

- Up to 7X longer life versus standard 2-cutter hammer drill bits




**CALL FOR SIZES & PRICING!**

## 10pc Wood & Metal Jig Saw Set

DJT10S (.998876)

- 10-Piece Wood and Metal Set provides up to 25% in savings
- Optimized body designs for fast, clean cuts in wood and longer cutting life in metals



## 45pc Screwdriving Bit Set

DSC-S45 (.1000900)

- Extreme durability and impact resistance for up to 50X longer life versus standard drive bits
- Optimized bit tip design reduces wear, minimizes breakage and prevents slippage



## KLEIN TOOLS

### 400A AC/DC Duel-Display Auto-Ranging Digital Clamp Meter

CL490 (.1120853)

NEW PRODUCT



- Dual Display digital clamp meter allows users to see readings in tight space areas
- AC/DC clamp meter with True RMS provides accurate and reliable measurements across various applications
- Measures AC/DC current and NCVT via clamp; AC/DC voltage, resistance, continuity, frequency/duty cycle, DC microamps, diode test and capacitance via test leads; temperature via thermocouple

### 4-in-1 Ratcheting Wrench Set SAE 2pc

68216 (.1098620)

NEW PRODUCT



- Two 4-in-1 box wrenches with 12-Point socket sizes  $\frac{1}{4} \times \frac{3}{8}$ ,  $\frac{5}{16} \times \frac{7}{16}$ ,  $\frac{1}{2} \times \frac{5}{8}$ ,  $\frac{9}{16} \times \frac{3}{4}$ -Inch in just two tools
- 90-tooth ratchet mechanism to minimize the return angle for maximum access with 20-Percent improvement on 72-tooth ratchets

### 6pc PV Connection Solar Tool Kit

92919S (.1105067)

NEW PRODUCT



- PV Connection Solar Tool Set designed to easily install and maintain solar panels
- Automatic wire stripper strips 6 to 12 AWG solid and 8 to 14 AWG stranded PV wire

### Circuit Breaker Finder Kit

ET310KIT (.1120856)

NEW PRODUCT



- This circuit breaker finder quickly and accurately identifies the breaker corresponding to an electrical outlet or fixture on 90-120V AC circuits
- The 3-prong to 2-prong adapter increases the amount of compatible outlets

### Utility Borescope

ET17 (.1103581)



- Borescope features compact 5.5mm water resistant camera (IP67 for camera head and cat with 720p resolution
- 4.3-Inch color LCD screen for clear viewing
- 10-Foot nylon snake navigates through twists, turns, and bends

### 3pc Premium Electricians $\frac{3}{8}$ " Hex Step Bit Set

KTSBSPRO (.1103584)

NEW PRODUCT



- Step bits are coated with aluminum titanium nitride and are 10 times more durable than steamed black oxide coating for longer bit life
- Double, straight flute removes chips for clean cuts and drilling
- Durable,  $\frac{3}{8}$ -Inch hex shank provides a firm, positive grip and won't spin out in the drill
- Laser markings are easy to read for quick size identification

## BURNDY®

### Patriot 15 Ton C-Head 18v Battery Crimping Tool Kit


PAT46LWSLI (.931132)



- 2" jaw opening
- Used with P dies
- U dies with PUADP1 adapter (sold separately)
- Has a 355° head rotation
- Compliant connections when used with the BURNDY® Engineered System
- Overmolded, ergonomic handle ensures improved balance during operation.

### PATRIOT® 11 Ton Dieless Latch Head 18V Battery Crimping Tool Kit

PAT644LI (.911902)



- Dieless System with range taking capability
- #4 AWG -1000 kcmil Copper and Aluminium, #4 AWG - 556.5 kcmil ACSR, AAC, AAAC, ACAR
- 355° Rotatable latch head

### PATRIOT® 12 Ton C-Head 18V Battery Crimping Tool Kit

PAT750LI (.781808)



- 1.65" jaw opening
- 355° head rotation
- Uses U dies
- Accepts 2.0Ah-6.0Ah Makita Lithium-ion Batteries
- Ergonomic design and overmolded handle for comfort grip
- Patented T-Track alignment guide for HYGROUND® as well as other asymmetrical connectors



## 50' 1 1/2" Retractable Electric Cord Reel

48208802SW (.761571)

- NEMA 5-15P plug configuration with integrated circuit breaker
- Suitable for indoor dry locations; commercial duty cord reel NEMA 5-15P plug configuration with integrated circuit breaker
- Suitable for indoor dry locations; commercial duty cord reel



## 200 Lumen Rechargeable LED Work Light

AL20RSW (.989740)

- High (120 Lumens) and low (60 Lumens) allowing you to adjust to your desired needs
- 120 DEGREE WIDE BEAM angle perfect for illuminating your work spaces
- Twist-Lock head with magnetic mount allows you to remove lamp and place on any magnetic surface



## Stor-Mac 60 Security Storage Cabinet

784920 (.1030195)

- Steel wire mesh
- Four 6" heavy duty casters (standard)
- For high visibility storage
- Removable shelves for adjustable storage
- Lockable doors
- Made in America
- Load capacity 1,500 lbs



## 12/3 SJTW 100' Cool Pink Outdoor Extension Cord

2579SW000A (.964852)

- All purpose extension cord for Indoor and Outdoor use suitable for jobsites; workshops; warehouses; and more
- Highly visible florescent pink and green striped jacket provides extra safety as well as preventing loss and theft on job sites



2579SW000A (.964852)



## Pro Continuity Tester

59724840 (.923321)

- Bright flashing LEDs and loud pulsating beeper provide a positive indication of continuity
- Includes detachable remote indicator for tracing multiple cable runs
- Wiring legend on tester provides simple operation
- Bi-color LEDs determine polarity



## Mac-Rack Storage Cart

783317 (.888346)

- Job site tough
- Durable powder coat finish
- Patented stacking feature: stack similar carts together or with other Stacking Mac Rack products
- Fold down arms, no tools required





## V-Watch Personal Voltage Detector

VWS-20 (.952930)

- Rugged design protects against environmental extremes
- Automatic self test when the unit is activated for detection of voltage
- 2400Vac and above will only detect AC voltage. Do not use below 2400 volts line-to-ground



## 7pc Drill/Tap Kit for Stainless Steel

DTAPSSKIT (.1020048)

- Split-point tip resists walking and penetrates material faster
- Strong, high-speed steel provides superior resistance to heat and abrasion
- Titanium nitride coating ensures that the bits run cooler, drill faster, and last longer
- Optimized core for significantly reduced torque on the user and extended tool life



FTXF-100 (.1020027)

## Circuit GFI Tester

GT-10GFI (.760080)

- Makes it quick and easy to troubleshoot 20 VAC grounded outlets and test GFCI receptacles to identify any wiring faults
- Reliable tool that helps you ensure your outlets are grounded and wired correctly, and it's made for use with 3-wire receptacles
- Features 7 easy-to-read LED light indicators to allow for easy identification of the state of the socket



GT-10GFI (.760080)

## 3pc Step-Drill Bit Set

GSBSET3 (.1016559)

- Progressive cutting edges provide balanced aggression to maximize torque efficiency and minimize stalling
- Patented split-step design optimizes chip load for fast, smooth cutting, and more holes per charge
- Durable split-point tip for fast, accurate material penetration
- Improved double flute design for superior chip evacuation, cutting speeds and tool life



## Reel-X 100' Fiberglass Fish Tape

FTXF-100 (.1020027)

- Free-spinning interior reel for faster fishing
- Utilize secondary exit and set case on the ground to free-up both hands for fishing
- Anti-Bind Design
- Quick-Change replacement reels
- Fatigue/Strain reducing ergonomic case design





## Construction Style Positioning Harness

- 1161308 (.820217) **Small**
- 1161309 (.937001) **Medium / Large**
- 1161310 (.937002) **Extra Large**

- Equipped with a fixed dorsal D-ring to help reduce the need for readjustment throughout the workday
- Available in a variety of standard, comfort, and hot works configurations
- Integrated suspension trauma straps included on most models



## ExoFit X300 Comfort Tower Climbing / Positioning / Suspension Harness

- 1113191 (.841274) **Medium**
- 1113192 (.810817) **Large**
- 1113193 (.943574) **Extra Large**
- 1113194 (.943628) **2XL**

- Equipped with a fixed dorsal D-ring to help reduce the need for readjustment throughout the workday
- Available in a variety of standard, comfort, and hot works configurations
- Integrated suspension trauma straps included on most models



**SPECIAL ORDER ONLY!**

## Leading Edge Self-Retracting Lifeline

- 3590046 (.921459) **20'**
- 3590543 (.925092) **33'**
- 3590048 (.925093) **50'**

- Swivelling anchorage connector loop and carabiner
- Aluminium or thermoplastic housing design
- Quick activating speed-sensing locking system



1113192 (.810817)



## Blue Armor H1120 Series Standard Harness

- H112002 (.887564) **Medium / Large**
- H112004 (.887567) **Extra Large**
- H112005 (.887568) **XXL**

- Built in Relief Handles provide immediate relief after a fall arrest allowing you to reach a gravity override seated position
- Quick Connect buckles on chest
- Tongue buckle leg straps are ideal when multiple workers use the same harness



## Max Patrol Leading Edge SRL

- R410010LE (.1089981) **10'**
- R410020LE (.948379) **20'**
- R410030LE (.956221) **30'**
- R410065LE (.956223) **65'**

- Impact Resistant Polymer Housing with swivel top
- Meets ANSI z359.14, Class A and OSHA Standards
- Max Patrol leading edge is approved for use over steel beam, precast concrete and b-deck
- Minimizes Fall Arrest Distance to less than 24 inches when used overhead



## Roofing Bucket Kit

**K112201 (.831043)**

This kit includes...

- Reusable roof anchor
- 50ft poly-dac rope
- BaseWare harness w/ tongue buckle leg straps
- Manual rope grab w/ an integrated 3ft shock absorbing lanyard



R410010LE (.1089981)



## American Producers is a FallTech Authorized Repair Center for Self-Retracting Devices (SRD's)

We inspect, repair and certify all FallTech cable SRDs.

### 6,000lb Removable Concrete Anchor

7446 (.1071005)

- Features forged O-ring connection point and 360 degree swiveling orientation
- Requires 4-½" min. hole depth and 1" max. hole diameter
- Assembled with galvanized and stainless steel components
- For temporary use in cured concrete walls and ceilings
- Suitable for use with horizontal lifeline (HLL) systems, including all FallTech HLLs



7446 (.1071005)

### 8ft FT-X Cable Class 2 LE SRL-P Twin Leg w/ Steel Snap Hooks

82808TP1 (.1066173)

- Lightest SRL in its class with less than 5 lbs. of effective weight on the back while device is in use
- Compact design elevates the SRDs to align optimally with worker motion, increasing both comfort and productivity
- Features comprehensive fall clearance charts and tables inside the energy absorber cover
- Internal mechanism design minimizes unintentional lockups to keep you moving freely and productively
- Suitable for below D-ring tie-off up to five feet and leading edge exposures and hazards, including steel and precast concrete



### FT-Iron® 1D Climbing Non-Belted Full Body Harness

8143BSM (.1079620) **Small/Medium**

8143BLXL (.1066343) **Large/XL**

8143B2X3X (.1079619) **2XL/3XL**

- Comfort Legs® lateral leg strap construction greatly improves mobility and comfort
- Reinforced sub-pelvic strap features durable wear pad for extended product service life
- Features integral tri-layer padded shoulder yoke to provide breathable user comfort
- Updated SRL connection point allows for fast, hassle-free attachment of all types of single and twin SRLs
- Includes fully adjustable suspension trauma relief system



**SPECIAL ORDER ONLY!**



## Magnetic I-Beam Level

500M.24 (.976254) 24"

500M.48 (.976255) 48"



- Continuous Magnetic Edge
- 0.0005 in. per in. accuracy in all working positions
- Impact resistant acrylic mono vials offer superior durability
- All metal I-beam frame offers superior durability and protects long-life accuracy
- High contrast vial surrounds improve vial visibility
- Top read window provides clear overhead viewing

## 12" Steel Combination Square


E250 (.49854)



- Rational head dimensions
- Cast Zinc head
- Stainless steel blade
- BLADE-LOCK for fast adjustment and secure hold
- Precision machined working surfaces
- DUAL-PITCH Vial for checking 1 and 2 degree slope

## Magnetic Clean Club

27058 (.820010)



- Powerful magnetic head
- Aluminum shaft extends to 40-Inch
- Lifts nails, screws, nuts, bolts, small machined parts

## 3" x 1000' Red Danger Tape

77-1004 (.895997)

- Giant 1000-foot roll, designed for general purpose roping off of construction areas, scenes and road work
- Plastic remains pliant in cold weather
- Bright red color alerts to danger or off limits
- Bold black ink caution stands out from yellow background making message highly visible



## 3" x 1000' Yellow Caution Tape

77-1001 (.865721)

- Giant 1000-foot roll, designed for general purpose roping off of construction areas, crime scenes and road work
- Plastic remains pliant in cold weather
- Bright yellow color alerts to danger or off limits
- Bold black ink caution stands out from yellow background making message highly visible



## 9' Aluminum Torpedo Level

EM81.9 (.54136)



- Overhead viewing slot built into the top of this level lets you see what you're doing even when looking from above
- Magnetic edge lets you mount this on metal or on piping, keeping it hands-free if you need to work with other tools
- Pipe groove built into the edges allow you to slide this neatly underneath or on top of piping so you can get more accurate measurements

## 7" Heavy Duty Rafter Square


2990 (.423078)



- Made from proprietary steel and heat-treated to control hardness
- The forged tip allows for a secure grip and maximum contact eliminating stripping
- The Shockwave Impact Duty accessory line is not only ideal for heavy-duty impact applications
- Solid aluminum extruded square will not bend or break

## 16" x 24" Blue Hi-Viz Aluminum Framing Square

1190 (.785701)



- Made in the USA
- High visibility, deep stamped, long lasting graduations
- Anodized aluminum construction will not rust
- 24-inch by 12-inch body, 16-inch by 1/2-inch tongue, 1/8-inch thick, includes 1/8, 1/10, 1/4 and 1/6-inch stamped graduations and conversion tables
- Square comes in blue or black, color randomly picked at time of shipment



1190 (.785701)



## 7pc SAE 12pt Ratcheting Combo Wrench Set

9317 (.799840)

- Size : 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 3/4"
- Ratcheting Box End Needs As Little As 5° to Move Fasteners vs. 30° for Standard Wrenches
- Off-Corner Loading Design on Box End for Better Grip and Reduced Fastener Rounding
- Extremely Strong, GEARWRENCH Meets or Exceeds ANSI, ASME, DIN, and Federal Torque Specifications for Standard Professional Combination Wrenches



## 7pc Metric 12pt Ratcheting Combo Wrench Set

9417 (.851436)

- Size : 8mm, 10mm, 12mm, 13mm, 14mm, 15mm, 18mm
- 72-tooth ratcheting box end needs a minimal 5° to move fasteners vs. 30° for standard wrenches
- Off-corner loading design on box end provides better grip and reduces fastener rounding
- Thin head and beam provide greater access in confined work areas



9417 (.851436)

## 2pc 3/8"dr 90T Compact Head Ratchet Set

81253T (.1019546)

- 90-tooth gear delivers a 4° swing arc to turn a fastener in tight confines
- Compact head design is 20% narrower than standard 3/8" drive ratchets for access
- Precision engineered high strength pawl for increased durability
- Highly visible on/off markings on the head
- Teardrop, low-profile head and flush-mounted on/off switch allow better access in tight spaces
- Enclosed head design for extreme resistance to dirt infiltration



## 118pc Standard/Deep SAE/Metric Mechanics Tool set

83001D (.894659)

- 90-tooth gear delivers a 4° swing arc to turn a fastener in tight confines
- Contains 12 point full polish long pattern combination wrenches and sockets
- Sockets feature off-corner loading design to reduce fastener rounding
- Extension bars feature a chamfered female end with angled entry to guide smoothly and quickly onto drive tools
- Spinner handle design delivers ultra-fast action



## 1268pc Master Mechanic Tool Set w/Custom Trays & Storage

MEGAMOD1268 (.1087688)

- Comprehensive 1268 piece set mix of mechanics hand tools including drive tools, sockets, bit sockets, impact sockets, ratcheting wrenches, combination wrenches, pliers, screwdriver, Bolt Biter™ extraction tools, and more
- 90-tooth ratchet gear delivers a 4° swing arc to turn a fastener in tight confines
- 72-tooth ratcheting wrenches with a 5° swing arc with off-corner loading design on box end provides better grip and reduces fastener rounding
- Bolt Biter™ extraction products offer a bi-directional design and for removing or tightening rounded and damaged fasteners
- Chrome and impact sockets and drive tools in 1/4", 3/8", & 1/2" drive in commonly used SAE and metric sizes
- Dual material handle Phillips®, slotted, and Torx® standard and precision screwdrivers included





## Vise Grip 4pc Pro Pliers Set

2078707 (.845080)

- Constructed from durable nickel chromium steel
- Machined jaws for maximum gripping strength
- Anti-pinch, non-slip ProTouch Grips provide comfort, control, and less hand fatigue
- Includes 6-inch diagonal and slip-joint, 8-inch long nose, and 10-inch groove joint pliers



## Vise-Grip Strait-Jaw locking Plier

302L3 (.51421) 7"

102L3 (.53179) 10"

- Hex key adjusting screw
- Ideal for tightening, clamping, twisting and turning; Classic trigger release provides maximum locking force
- Constructed of high-grade heat-treated alloy steel for maximum toughness and durability
- Adjust pressure and work fit with turn screw that stays adjusted for repetitive use



302L3 (.51421)

## Carbon Utility Knife Blade 100pk

2083200 (.785628)

- Package Dimensions: 0.51 H x 20.32 L x 9.65 W (centimeters)
- Replacement Blades
- Package Weight: 430.92 grams



## Strait-Line Speedline Chalk Reel

48442 (.22368)

- 100 ft. abrasion-resistant poly line provides 5-6 strikes per pull
- 3:1 gear ratio rewinds the line 3X faster than traditional 1:1 chalk reels
- Slim design for improved grip and comfort



## Vise-Grip Curved-Jaw locking Plier

7CR (.51500) 7"

10CR (.53259) 10"

- Self-energizing lower jaw provides 3X more gripping power than traditional locking pliers, with no slipping or stripping.
- Provides maximum torque without requiring heavy input pressure jaw mechanism naturally grips tighter as more torque is applied to the tool.
- Classic trigger release provides maximum locking force.




## Magnetic I-Beam Level

1801091 (.795940) 24"

1801095 (.795942) 48"

- Rigid aluminium I-Beam construction
- Rotating angle vial
- Large, easy to read vials
- Large handle for easy gripping and holding with or without gloves



## Retractable Safety Knife

2088600 (.810679)

- Self-retracting spring action returns blade safely into the housing when not in use
- Interlocking nose reduces blade wobble
- Ergonomic grip fits comfortably in the hand
- Tool-free blade changes



2088600 (.810679)



## Classic C-Clamp

14214 (.832368) **2"**    14256 (.801432) **6"**  
 14228 (.832369) **3"**    14270 (.801434) **8"**  
 14242 (.832370) **4"**



- Drop-forged frame is manufactured for greater strength in standard applications
- ACME-rolled spindle provides continuous smooth operation for faster clamping action and maximum strength
- V-grooved anvil allows secure holding of all materials including rounds, squares, and flats
- Black oxide coated spindles and Perma-pads resist corrosion, and are replaceable

## F-Clamp

86210 (.832503) **12"**  
 86220 (.829101) **18"**



- A simple, no-frills construction means it simply gets the job done
- Regular-Duty F-Clamps feature a clamping force of 1800 lbs
- Black Oxide spindle resists wear and tear while impeding rust
- Drop forged arm provides minimal flex under heavy work loads
- Swivel pad centers on workpiece for a sturdy hold
- Sturdy tommy bar is engineered for durability and comfort
- Features an exclusive, ergonomic Wilton-Grip that ensures comfort, visibility, and speed
- Has a new hex nut design that enables you to easily replace pads and spindles

## Pallet Jack

161009 (.809244)

- Turning Radius: 180 degrees
- Capacity: 5,000 pounds
- 2-1/2 inch low profile allows for easy engagement of pallets
- Welded all-steel frame and powder coat finish provide maximum durability and protection
- Easy-to-use fingertip controls permit single handed operation
- Pumps designed for any industrial environment
- Lower material in a controlled decent with either hand or foot control for operator convenience
- Overload Protection prevents lifting loads past maximum capacity
- Polyurethane 6-1/4 x 2 inch steer wheels for non marking of floors and quieter rolling



## 5" Utility Bench Vice

WL9-28819 (.117632)



- Features a 30,000 PSI gray cast iron body
- Equipped with a movable jaw with a 60,000 PSI ductile iron base
- Includes a large anvil, built-in pipe jaws and a 360 degree locking swivel base
- Dual lock-downs and 4 mounting posts ensure maximum stability while in use



## BASH Sledge Hammer

WL9-20212 (.837117) **2 1/2 lb**    WL9-21036 (.797165) **10 lb**  
 WL9-20416 (.806152) **4 lb**    WL9-21236 (.797169) **12 lb**  
 WL9-20624 (.777386) **6 lb**    WL9-21436 (.818590) **14 lb**  
 WL9-20830 (.777387) **8 lb**



- Duty rating of 375lb
- Features a LOCKTOP® which provides maximum storage capacity for most frequently used tools
- The LOCKTOP® features an impact driver slot to safely hold the most used tools
- Steel plate on the side helps expand storage on the ladder top by allowing the use of magnetic accessories




WL9-20624 (.777386)



**Metal Threaded Wood Broom Handle**

B60 (.781202)

- Selected hardwood with clear lacquered finish
- One end rounded and other end equipped with crimped-on metal thread to fit standard floor brush blocks



**36" Prime Stiff Palmyra Garage Brush**

1436 (.786361)

- Recommended Use: For wet or dry sweeping under rough conditions such as wet and greasy concrete floors in service stations, packing houses, creameries, etc.



**Heavy Duty Broom Handle Brace**

99 (.781207)

- Fits all floor and garage brushes (does not fit 38, 39 and 22-SL Lines)



**24" Silver Flagged Tip Plastic Floor Brush**

3724 (.781199)

- Recommended Use: For sweeping smooth, highly polished floors, varnished wood or smooth concrete
- Will sweep finest dust or grit



**Warehouse Corn Broom**

5032 (.785991)

- Corn fiber bistle material
- 28" handle size
- 57" length
- Heavy-duty handle



**FEDPRO**

**Tub O' Towels Heavy Duty Cleaning Wipes**

TW90 (.981367)

- 10" x 12" oversized wipe is bigger, stronger and tougher to ensure maximum durability and performance
- 100% solution soaked wipes, from the first to the last, come out of the container saturated and ready to work



**KROIL**  
UNSEIZE THE DAY.

**AreoKroil 10oz Penetrating Oil**

KS102 (.52268)

- Displaces water, provides lubrication and prevents rust.
- Removes grease, grime, gunk, gum, tar, sap, sticky residue, sticker residue, and other sticky stuff from multiple surfaces



**Spray Nine**

**32oz Degreaser w/ Disinfectant Cleaner**

26832 (.139848)

- Professional-strength cleaner, degreaser, and disinfectant in one
- Get surfaces sanitized in just 10 seconds
- Perfect for high-touch areas like sinks, showers, bathtubs, and more



WORK IT LIKE A PRO  
**BLASTER**

**PB Blaster Penetrating Oil 11oz**

16-PB-DS (.101514)

- Breaks free rusted or frozen parts
- Protects against further rust and weathering
- Use on Automotive, Industrial, Marine & Plumbing Equipment





## Scrubbing Wipes 72/TB

6396-06 (.860700)

- These premoistened wipes work hard to remove heavy soils and dirt. Plus, they stay saturated and won't dry out in the bucket
- Innovative SIMPUL Nozzle virtually eliminates roping by providing one wipe every time
- Dual-purpose wipes feature a textured scrubbing side that can be used to remove tough grime, oil, and grease. Flip the wipe over to the smooth side to absorb dirt and clean



## 5oz Hand Medic Skin Conditioner

8150-12 (.836654)

- Fragrance free and silicone free skin conditioner, specially formulated for industrial environments
- Absorbs quickly and nourishes skin, with no greasy residue
- Specially formulated for professional technicians and workers in tough soil environments, proven under actual workplace conditions



## Natural Orange Pumice Hand Cleaner - 1 Gal w/ Pump

0955-04 (.138764)

- Quick-acting lotion formula
- Cleans without harsh solvents
- Contains pumice scrubbing particles
- Effective on dirt, oil and grease
- No petroleum distillates



6396-06 (.860700)

## 14oz Natural Orange Smooth Hand Cleaner

0947-12 (.700554)

- Quick-acting lotion formula cleanses hands with ease
- Smooth hand cleaner cleanses a broad range of industrial soils, dirt, and grease
- Appealing orange citrus scent
- USDA Certified Biobased Product contains renewable biological ingredients



## 8oz Smart-Straw Spray can

490026 (.761261)

- Drives out moisture and quickly dries out electrical systems to eliminate moisture-induced short circuits
- Acts as a corrosion inhibitor to shield against moisture and other corrosive elements to prevent rust
- Frees sticky mechanisms, loosens rust-to-metal bonds and helps release stuck, frozen or rusted metal parts



## 12oz Smart-Straw Spray can

490057 (.822228)

- Drives out moisture and quickly dries out electrical systems to eliminate moisture-induced short circuits
- Acts as a corrosion inhibitor to shield against moisture and other corrosive elements to prevent rust



## 1 Gallon WD-40

490118 (.48592)

- Thousands of uses
- Loosens parts and displaces moisture
- Cleans surfaces and removes adhesives



# Crocodile CLOTH

# POWER SCRUB

Power SCRUB is our roughest, toughest cleaning cloth yet, for your stickiest gunkiest, greasiest messes. One side is smooth to polish and absorb, and the other side has teeth to scour and scrub.

The scrubbing side is textured to scour through dried-on, baked-on or caked-on grease and grime on hands, tools and surfaces. Follow up with the smooth side to wipe the gunk away. These cloths also have an extra-tough cleaning formulation to power through greasy messes. Non-scratch for most surfaces.

OUR MEANEST  
CLEAN YET

THIS SIDE HAS TEETH  
to scour and scrub.

THIS SIDE IS SMOOTH  
to polish and absorb.



### Ideal for:

OIL/GREASE	TOOLS	HOME/GARAGE	PAINT/INK
CAULK/GLUE	HANDS		
PATIO/GRILL	CAR/TRUCK		

### Product Specifications:

- Part # 6500-080, 80-count
- 15.0" x 10.0" (38.1 cm x 25.4 cm)



**CROCODILECLOTH.COM | 855.55.CLOTH**

## JOBBOX

### 30" Deep Heavy-Duty Two Door Cabinet

1-698990 (.772438)

- Nearly 17 linear feet of door shelf storage
- Three 5/8" steel locking pins per door
- Welded corner gussets
- Three heavy-duty lock hooks per door
- EZ-Loader® skid bolsters
- Access holes for electrical cables
- Staked and welded hinge
- Stainless steel door hinges resist rust



### Original Field Office

1-674990 (.768771)

- 63" x 42" x 80"
- Steel pegboard
- 30 cu. ft. storage locker
- Rain gutters
- Stainless steel door hinges resist rust with upper door safety bar support with locking pin
- Beveled sidewalls for enhanced weather resistance and security with storage area for plans and binders



### Site-Vault Chest

2-652990 (.1001958) **36x20**      2-656990 (.993332) **48 x 30**  
 2-653990 (.1000725) **42 x 20**      2-655990 (.1000722) **60 x 24**  
 2-654990 (.993330) **48 x 24**

- Site-Vault security system is a patented system with 3 locking points and a reflective orange lock indicator that shows when the box is locked or unlocked
- Heavy-duty beveled edge lid eliminates sharp front lid corners and enhances lid strength



1-674990 (.768771)

## KNAACK

### Field Station 2.0

119-02 (.986865)

- Full, oversized, gutter system w/ automotive grade weather stripping to keep the content dry from elements
- Patented Watchman IV lock system with recessed lock housing for protection against theft



### STORAGEMASTER® Piano Box

69 (.55136) **60" x 30" x 37"**      35.3 cu ft Usable Capacity  
 89 (.55334) **60" x 30" x 49"**      47.8 cu ft Usable Capacity  
 90 (.116061) **72" x 30" x 49"**      57.5 cu ft Usable Capacity

- Gang box features patented WATCHMAN® IV Lock System with 3-point latch and 7-gauge reinforced lock housing for best-in-class theft prevention
- KNAACK Padlocks fit perfectly in the lock box providing additional security by minimizing potential tampering points



89 (.55334)

### JOBMASTER® Chest

32 (.54528) **32" x 19" x 18½"**      5 cu ft Usable Capacity  
 36 (.54635) **36" x 19" x 21½"**      7 cu ft Usable Capacity  
 4824 (.54835) **48" x 24" x 28¼"**      16 cu ft Usable Capacity  
 4830 (.54948) **48" x 30" x 34¼"**      25.25 cu ft Usable Capacity  
 60 (.55042) **60" x 24" x 28¼"**      35.3 cu ft Usable Capacity

- Patented WATCHMAN® IV Lock System with 2-point latch and 7-gauge reinforced lock housing for best-in-class theft prevention in a tool storage chest



## Extension Ladder Walkthru

X300000 (.1030330)

- Designed to fit properly
- Dual clamping system lock rail extensions onto ladder rails
- Designed for use with Werner Type III, II, I, IA, and IAA extension ladders
- Meets compliance standards OSHA 1910 & 1926 and ANSI A14.8-2020
- Wide base which provides additional contact area on the work surface while transitioning



## 300# Rating Type 1A Aluminum Extension Ladder

D1524-2 (.55087) **24'**    D1532-2 (.55279) **32'**  
 D1528-2 (.50535) **28'**    D1540-2 (.50699) **40'**

- Exclusive Alflo® rung joint means Twist-Proof® performance
- 1.75-inch slip-resistant Traction-Tred® D-rungs
- Heavy-duty extruded rung locks are spring loaded to operate smoothly
- Base and fly separate easily for use as an extension or two single sections
- Smooth operating pulley design with an enclosed shape to protect the pulley



## Fiberglass Step Ladder Type 1A 300lbs

6204 (.49656) **4'**                      6210 (.49569) **10'**  
 6206 (.54988) **6'**                      6212 (.48679) **12'**  
 6208 (.50438) **8'**

- Double riveted slip-resistant steps
- Werner Type ia Pro Grade fiberglass step ladder, 6 ft
- The country of origin is MEXICO
- 6-foot 300 pound rated stepladder
- Holster Top with Lock-In Accessory System secures tools from falling with sturdy paint can hanger on back side of top



## Fiberglass Step Ladder Type 1AA

6304 (.791364) **4'**                      6310 (.791367) **10'**  
 6306 (.791365) **6'**                      6312 (.791368) **12'**  
 6308 (.791366) **8'**

- Full set of rear horizontals spaced one per foot
- Double riveted slip-resistant TRACTION-TRED® steps
- Back-up plates reinforce all top connectors
- Plastic railshield
- 4 rivets attach top to each front rail
- All steps and top rear horizontal are knee-braced
- Optional manual pail shelf kit, model no. PK76-9 or automatic closing pail shelf kit model no. 76-2



6204 (.49656)

## Fiberglass Extension Ladder

D6216-2 (.55084) **16'**                      D6228-2 (.50612) **28'**  
 D6220-2 (.50530) **20'**                      D6232-2 (.50698) **32'**  
 D6224-2 (.55172) **24'**                      D6240-2 (.50794) **40'**

- 300 lb. load capacity extension ladder for PRO or DIY projects
- Twist-proof climb by exclusive Werner ALFLO rung joint for safety
- Slip-resistant TRACTION-TRED D-rung steps for safety
- Fiberglass construction offers safety around electricity
- 19 steps provide easy reach to areas around the home
- 1-5/8 in. slip-resistant, traction-tred D-rungs provide secure footing as you climb or stand on ladder
- ALFLO twist proof performance for stability





## TCL Series Lube Free Air Hoists

TCL Series lube free air hoists are able to operate without air supply lubrication which leaves the surrounding environment free of oil mist from the air exhaust. Our TCL series hoists are recommended for use in any area where oil mist cannot be tolerated such as in food, chemical or pharmaceutical industries. These hoists feature precise load positioning with either pendant or cord control.



## TCE Spark Resistant Air Hoists

TCE-IIB Series air hoists are built with components that will reduce or eliminate risk of spark produced by impact or friction in heavy-duty industrial applications. Our TCE-IIB are Ex certified spark resistant to level II 2G Ex h IIB T4 Gb for gas and II 2D Ex h IIB 130 °C Db for dust and are in compliance with the ATEX Directive 2014 / 34 / EU.



## LB Series Lever Hoist

The LB Series of lever hoists offers a low headroom, compact design that is perfect for use in tight quarters.

- Rugged, all-steel construction that actually weighs less than comparable aluminium models
- Grade 100 heat-treated load chain is nickel plated
- Test certificate verifies that every hoist has been factory load tested to 125% of rated capacity, in accordance with ASME B30.21 requirements
- Patented spring-loaded freewheel mechanism
- Weston-style load brake
- Top and bottom hooks rotate 360°
- Forged and heat-treated alloy steel hooks.
- Rubber grip for non-slip operation



Catalog/Part #	Description
LB008-5 (.802790)	¾ Ton, 5' Lift
LB008-10 (.731535)	¾ Ton, 10' Lift
LB008-15 (.761836)	¾ Ton, 15' Lift
LB010-10 (.754830)	1 Ton, 10' Lift
LB010-15 (.835277)	1 Ton, 15' Lift
LB015-5 (.761838)	1½ Ton, 5' Lift
LB015-10 (.731536)	1½ Ton, 10' Lift
LB015-15 (.766661)	1½ Ton, 15' Lift
LB015-20 (.722696)	1½ Ton, 20' Lift
LB020-5-LWH* (.802795)	2 Ton, 5' Lift
LB020-10 (.784146)	2 Ton, 10' Lift
LB020-15 (.849382)	2 Ton, 15' Lift
LB028-10 (.749632)	2¾ Ton, 10' Lift
LB030-10 (.684020)	3 Ton, 10' Lift
LB030-15 (.583245)	3 Ton, 15' Lift

\*with Load Limit Warning Handle



## Series 602-603 Mini Ratchet Lever Hoist

- Weston type braking system.
- Simple one-handed operation.
- Forged upper and lower hooks with latches standard.
- Impact resistant, all-steel frame, gear case and cover
- Metric rated.
- Hardened link-type alloy steel load chain for strength.
- Free wheeling feature serves to quickly attach the load.

Cat./Item #	Capacity	Lift
0210 (.349630)	550 lbs.	5 ft.
0214 (.700879)	550 lbs.	10 ft.
0215 (.702785)	1100 lbs.	5 ft.
0216 (.737386)	1100 lbs.	10 ft.



## Series 653 Lever Operated Hoist

- Weston type braking system.
- Simple one-handed free chaining.
- Forged upper and lower hooks with heavy cast steel latches.
- 5-year warranty against defects in material and workmanship.
- Metric rated.
- Meets ASME B30.21 - Manually Lever Operated Hoist Standard and European CE Standard.

Item #	Capacity	Lift
5311 (.614595)	¾ ton	10 ft.
5312 (.706327)	¾ ton	15 ft.
5328 (.676277)	1 ton	5 ft.
5315 (.209979)	1½ ton	5 ft.
5316 (.138560)	1½ ton	10 ft.
5317 (.138869)	1½ ton	15 ft.
5321 (.767953)	3 ton	10 ft.



## Series 622A Chain Hoist Series

- Durable steel frame with heat-treated, load-bearing components.
- Forged hooks swivel 360.
- Hand wheel cover with guide slots.
- Weston-type brake stays clean and dry.
- Hardened load chain for flexibility.
- Easy to operate, units feature pull forces as low as 50 lbs.

Item #	Capacity	Lift
2255A (.60798)	½ ton	10 ft.
2208A (.107970)	½ ton	15 ft.
2256A (.773056)	1 ton	10 ft.
2210A (.113926)	1 ton	15 ft.
2262A (.109459)	1 ton	20 ft.
2264A (.105786)	1 ton	30 ft.
2258A (.766566)	2 ton	10 ft.
2213A (.680642)	2 ton	15 ft.
2233A (.114469)	2 ton	20 ft.
2259A (.766567)	3 ton	10 ft.



## Super Strong Anchor Shackles

CM Super Strong Shackles are carbon-type shackles with strength ratings that are up to 50% stronger than comparable-sized carbon shackles. These shackles are designed with a 6:1 safety factor. Anchor shackles can be side loaded or used for multiple connections.

- Shackles show major deformation before failure
- Manufactured from micro alloy steel for optimal strength
- Available in sizes 3/16" to 2 1/2"
- Permanent markings on body indicate working load limit
- Other styles available now by special order



Bolt, Nut & Cotter



Round Pin



Screw Pin

**CALL FOR SIZES!**

## NEBO®

### Mycro 550+ Headlamp Gray

NEB-HLP-0024 (.1123755)

- Water (IPX4) and impact-resistant
- Detachable cap light clip with 130 deg. adjustable tilt
- Provides 7 light modes with 2 different light sources-an LED spot light and a COB flood light
- The PowerSave lockout prevents accidental activation and the 130 deg. integrated tilt allows you to position the beam exactly where you need it



**SPECIAL ORDER ONLY!**

### Edge 2K EDC Tactical Flashlight

NEB-POC-0014 (.1123752)

- Compact tactical flashlight with 2,000 lumens
- Dual high-power LEDs, rear power button and Dynamic Dial
- One handed control of 5 light modes



**SPECIAL ORDER ONLY!**

NEB-POC-0014 (.1123752)



### SLYDE + LED Flashlight / Work Light

NEB-WLT-0006 (.881499)

- Body Color: Storm Gray
- Body Diameter: 1 3/8"
- Flashlight Battery Size: AAA (2 included)
- Maximum Lumens Output: 300 (LED, 200 (COB LED))



### Davinci® 3200L Rechargeable Flashlight

NEB-FLT-1026 (.959533)

- LED technology and Direct-to-Low Startup
- 3200 lumens and 4 light modes
- Push button mode allows you to easily select light modes



## STREAMLIGHT®

### Enduro Por Haz-Lo Intrinsicly Safe Headlamp

61424 (.974150)

- IP67 rated design
- Three modes: spot/flood combo for increased light output, spot for distance, flood for area illumination



### 3AA Haz-Lo headlamp

61200 (.773912)

- 120 Lumens 50,000 Hour Lifetime
- Impact Resistant Engineering Offering Exceptional Durability and Weather Resistance; All Openings Are O-Ring Sealed



### Megastream HP USB Rechargeable EDC Flashlight

66211 (.1123739)

- High, medium, and low modes
- Uses (1) 3,500 mAh Streamlight SL-B34® lithium-ion cell with on-board safety circuit



**SPECIAL ORDER ONLY!**

### Nano Light II Ultra-Compact Keychain Light

73020 (.1123741)

- Mini 2.2 inch super-bright light featuring 20 lumens, 120 candela with a 22-meter beam distance
- Includes a non-rotating snap hook for easy operations



**SPECIAL ORDER ONLY!**



# ILLUMAGEAR HALO™

## Halo SL White

S100010-101 (.998237)

Lightweight, cordless and powerful flood task lighting system that connects securely to any hard hat

- Providing a 360° ring of light around the wearer, the Halo provides visibility up to a ¼ mile away in all directions
- Includes a 50-foot spotlight and is water-resistant for submersion of up to 1 meter for a length of 30 minutes
- Includes a Spot Light and Task Lights that can provide 20 different lighting combinations
- Battery and charger included



S100010-101



S100011-101

## Halo SL with Amber Brake Light

S100011\_101 (.998240)

## Halo SL with Red Brake Light

S100012\_101 (.998241)



S100012-101

## 8 Bay Battery Charger

KLGC-01B-01 (.998243)

- Battery recharge time: Up to 7 hours
- Compatible with: Li-ion:26650, 22650, 18650, 18490, 17670, 17500, 16340, 14500, 10440
- Ni-MH, Ni-Cd:AA AAA AAAA C



## 2 Bay Battery Charger

HABC-01A-US (.998242)

- A universal charger for charging up to 2 rechargeable 18650 Lithium-Ion batteries
- Supports 100-240V
- Swappable plug supports various countries
- Batteries sold separately



## 2 Pack Lithium Ion Battery

HARB-01A-X2 (.998244)

- Battery Life: 5.5 hrs min at 20°C
- Battery recharge time: up to 5.5 hours with Halo charge
- Safety standard: IEC/UL 62133
- Certified by TUV



## HALO IS Specifications:

<b>Model:</b> .....	Halo IS (Includes Halo IS, rechargeable battery & charger)
<b>Dimensions:</b> .....	262 x 332 x 28.5 mm
<b>Max Light:</b> .....	360° mode: 276 lumens
<b>Spot Light:</b> .....	406 lumens
<b>Task Light:</b> .....	262 lumens
<b>Halo IS Weight:</b> .....	11 ounces
<b>Battery Weight:</b> .....	2.5 ounces
<b>Battery Type:</b> .....	Single Lithium Ion cell; 3.5Ah
<b>Battery Life:</b> .....	3.5 - 52 hours
<b>Water Resistance:</b> .....	Submersion up to 1 meter for 30 minutes
<b>Dielectric Strength:</b> .....	30,000V (min)
<b>IP67 - Dust-proof &amp; Water Resistant</b>	

## HALO IS Features:

- Class I Div 1
- Intrinsically Safe
- Lightweight and cord-free
- 360° visibility for a quarter-mile
- 50-foot spotlight
- Powerful flood task lighting
- Compatible with any standard hard hat
- Battery life indicator
- Charger included
- On Halo Charger Port
- Removeable & Rechargeable Battery
- Matte Black
- Water resistant

SKUs:  
Halo IS - 5100020-101





## RT0600 6gal NXT Vac

62698 (.998294)

- 6 gallon wet dry vacuume delivers superior power with its 4.25 Peak Horsepower motor and is designed with patented Scroll Noise Reduction technology to control airflow for minimal operating noise
- Flexible 1-78" x 8' locking hose won't pull lose during use
- Features 360-degree caster wheels for increased maneuverability, an ergonomic large handle for easy portability, and convenient close-by accessory storage



62698 (.998294)

## RT1400 14gl Wet/Dry Vac

62718 (.1014727)

- Powerful 6.0 peak horsepower - high performance wet dry vacuume
- 2 stage motor creates powerful high-lift suction and more efficient air flow
- The ultra-flexible hose won't pull loose during use
- Quick Lock filter fastening system - install or remove your filter quickly, easily and secure without tools or fasteners



## 1224 Threading Machine

26092 (.20296)

- Efficiently produces threaded ends on pipes, making it easy to create secure connections and fittings for a broad range of applications; designed to handle various pipe sizes
- Capable of threading a diverse range of pipe materials
- Advanced induction motor ensures a consistent speed and optimal torque while operating quietly, reducing noise levels while maintaining high efficiency and smooth operation



## Aluminium Pipe Wrench

31090 (.6021) **10"**    31100 (.8992) **18"**  
 47057 (.81732) **12"**    31105 (.10412) **24"**  
 31095 (.7535) **14"**    31115 (.13229) **48"**



- Easy lightweight design with same benefits of heavy-duty models
- Accommodates all forms of pipe work with strength and accuracy
- Features convenient self-cleaning threads

## Low Pipe Stand

56657 (.256110)

- Locking Ring Allows for Quick Vertical Height Adjustments
- The Legs Fold on the New VF-99 Folding Pipe Stand Making it Easy to Transport
- Folding Legs Require 70% Less Storage Area
- 2500 Pound Max Weight
- 12" Pipe Capacit



## High Pipe Stand

56662 (.117310)

- Designed to support pipe for a variety of uses on the jobsite. Locking ring allows for quick vertical height adjustments. The legs fold on the VF-99 Folding Pipe Stand (Cat No 22168) making it easy to transport and require 70% less area to store
- Locking ring allows for quick vertical height adjustments
- Maximum weight capacity is 2500 pounds (1134 kg)
- Retains the V Head to the tube for quick adjustments



26092 (.20296)



## 1/2" DXS Air Impact Wrench w/ Friction Ring Anvil

2236QTIMAX (.1087476)

- Features our patented Drive Xchange System (DXS) for enhanced versatility, torque, and control
- Offers a 1/2" standard anvil length and interchangeable drive options in 3/8", 1/2", and 3/4" (sold separately) to give you everything you need to tackle different projects efficiently
- Built to last, this air power tool features a durable construction that withstands rigorous use and harsh work environments, ensuring reliable performance and superior tool longevity



W7153 (.1123622)

## 1/2" DXS Cordless Impact Wrench

W7153 (.1123622)



- Features torque that works smarter, not harder. Tight-fitting DXS attachments deliver up to 15% more motor torque to fasteners\*, making the tools more effective – so you never lose power
- Fast-swapping DXS accessories let you perform multiple jobs with one tool, decreasing downtime and saving space in your toolkit
- Maneuver more easily with a compact design that provides greater access to tight spaces.



2236QTIMAX (.1087476)

**SPECIAL ORDER ONLY!**

## SOCKET SETS

**DXSK2M15L** - DXS2™ Drive Deep Metric Impact Socket Set, 15-Piece



Includes 15 deep sockets (MM): 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32, 33, and foam shadow board organizer.

**DXSK2M15** - DXS2™ Drive Standard Metric Impact Socket Set, 15-Piece



Includes 15 sockets (MM): 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32, 33, and foam shadow board organizer.

**DXSK2H14L** - DXS2™ Drive Hex Deep SAE (Imperial) Impact Socket Set, 14-Piece



Includes 14 deep sockets (Inches): 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-3/16, 1-1/4, and foam shadow board organizer.

**DXSK2H14** - DXS2™ Drive Standard SAE (Imperial) Impact Socket Set, 14-Piece



Includes 14 sockets (Inches): 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-3/16, 1-1/4, and foam shadow board organizer.

## METRIC DEEP & STANDARD SOCKETS

### Deep Single Sockets

DXS2SM12L	12 MM
DXS2SM13L	13 MM
DXS2SM14L	14 MM
DXS2SM15L	15 MM
DXS2SM16L	16 MM
DXS2SM17L	17 MM
DXS2SM18L	18 MM
DXS2SM19L	19 MM

DXS2SM21L	21 MM
DXS2SM22L	22 MM
DXS2SM24L	24 MM
DXS2SM27L	27 MM
DXS2SM30L	30 MM
DXS2SM32L	32 MM
DXS2SM33L	33 MM



### Standard Single Sockets

DXS2SM12	12 MM
DXS2SM13	13 MM
DXS2SM14	14 MM
DXS2SM15	15 MM
DXS2SM16	16 MM
DXS2SM17	17 MM
DXS2SM18	18 MM
DXS2SM19	19 MM

DXS2SM21	21 MM
DXS2SM22	22 MM
DXS2SM24	24 MM
DXS2SM27	27 MM
DXS2SM30	30 MM
DXS2SM32	32 MM
DXS2SM33	33 MM



## SAE (IMPERIAL) DEEP & STANDARD SOCKETS

### Deep Single Sockets

DXS2SH716L	7/16"
DXS2SH12L	1/2"
DXS2SH916L	9/16"
DXS2SH58L	5/8"
DXS2SH1116L	11/16"
DXS2SH34L	3/4"
DXS2SH1316L	13/16"

DXS2SH78L	7/8"
DXS2SH1516L	15/16"
DXS2SH1L	1"
DXS2SH1-116L	1-1/16"
DXS2SH1-18L	1-1/8"
DXS2SH1-316L	1-3/16"
DXS2SH1-14L	1-1/4"



### Standard Single Sockets

DXS2SH716	7/16"
DXS2SH12	1/2"
DXS2SH916	9/16"
DXS2SH58	5/8"
DXS2SH1116	11/16"
DXS2SH34	3/4"
DXS2SH1316	13/16"

DXS2SH78	7/8"
DXS2SH1516	15/16"
DXS2SH1	1"
DXS2SH1-116	1-1/16"
DXS2SH1-18	1-1/8"
DXS2SH1-316	1-3/16"
DXS2SH1-14	1-1/4"





## Packout Tool Box

48-22-8424 (.922845)

- IP65 Rated Weather Seal
- Metal Reinforced Locking Point
- Mounting Location for the ONE-KEY™ TICK™
- Interior Dimensions - 19.7" W x 13.2" D x 4.5" H
- Constructed with impact resistant polymers and metal reinforced corners to provide up to 75lbs of weight capacity and ultimate durability in harsh jobsite conditions



## Packout Large Tool Box

48-22-8425 (.922847)

- IP65 Rated Weather Seal
- Metal Reinforced Locking Point
- Heavy Duty Latches
- Mounting Location for the ONE-KEY™ TICK™
- Exterior Dimensions - 22.1" W x 16.2" D x 11.1" H
- Interior Dimensions - 19.7" W x 13.2" D x 8.5" H



## Packout Rolling Tool Box

48-22-8426 (.922848)

- Industrial Grade Extension Handle
- IP65 Rated Weather Seal
- Mounting Location for the ONE-KEY™ TICK™
- Metal Reinforced Locking Point
- Modular Connectivity with ALL PACKOUT™ Components
- 9" All-Terrain Wheels



## Packout Crate

48-22-8440 (.1003184)

- Stack or Hang
- 50lbs Weight Capacity
- Top Attachment points for stacking full width PACKOUT™ component
- Multiple mounting points for ultimate jobsite organization
- Carry tools, materials, & other jobsite needs
- Delivers increased durability in harsh jobsite conditions



## Packout 2-Wheel Cart

48-22-8415 (.1011469)

- 10" Flat-Free Wheels
- Integrated Long Tool Storage
- 400lbs Weight Capacity
- Carry tools, materials, & other jobsite needs
- Multiple mounting points for ultimate jobsite organization
- Quickly maneuver PACKOUT™ on & off the jobsite



48-22-8045 (.1042908)



## Packout Tool Tray

48-22-8045 (.1042908)

- Store or Stack
- 25lbs Capacity
- Impact Resistant Body
- Easily transport materials around the jobsite
- Customize internal layout to create up to 6 separate storage compartments



## M18 Fuel 1" SDS+ Rotary Hammer Kit

2912-22 (.1018631)

This kit includes:

- (1) M18 FUEL™ 1" SDS Plus Rotary Hammer (2912-20)
- (2) M18™ REDLITHIUM™ HIGH OUTPUT™ XC6.0 Battery Pack(48-11-1865)
- (1) M18™ & M12™ Rapid Charger(48-59-1808)





### M18™ Cordless Grease Gun Kit

2646-21CT (.818552)

This kit includes:

- (1) 48" flex hose w/ spring guard
- (1) High pressure grease coupler
- (1) Carrying case
- (1) Shoulder strap
- (1) M18™ cordless 2-speed grease gun (tool only) (2646-20)
- (1) M18™ & M12™ multi-voltage charger (48-59-1812)
- (1) M18™ compact REDLITHIUM™ battery (48-11-1815)



### M18 FUEL™ SAWZALL® Reciprocating Saw Kit

2821-22 (.1011146)

This kit includes:

- (1) M18 FUEL™ SAWZALL® recip saw (2821-20)
- (2) M18™ REDLITHIUM™ XC5.0 extended capacity battery pack (48-11-1850)
- (1) M18™ & M12™ multi-voltage charger (48-59-1812)



### M18 Fuel 9" Cut Off Saw Kit

2786-22 (.986864)

This kit includes:

- (1) Wrench
- (1) Hex Wrench
- (1) M18 FUEL™ 9" Cut-Off Saw w/ ONE-KEY™ (2786-20)
- (2) M18™ REDLITHIUM™ HIGH OUTPUT™ HD12.0 Battery Pack (48-11-1812)
- (1) M18™ & M12™ Rapid Charger (48-59-1808)
- (1) 9" x 3/32" x 7/8" Cut-Off Wheel (Type 1) (49-94-9000)



### M18 Fuel 2-Tool Combo Kit

3697-22 (.1050036)

This kit includes:

- (1) Side Handle
- (2) Belt Clip
- (1) Blow Molded Case
- (1) M18 FUEL™ 1/2" Hammer Drill/Driver (2904-20)
- (1) M18 FUEL™ 1/4" Hex Impact Driver (2953-20)
- (2) M18™ REDLITHIUM™ XC5.0 Extended Capacity Battery Pack (48-11-1850)
- (1) M18™ & M12™ Multi-Voltage Charger (48-59-1812)



## NEW PRODUCTS

### Anti-Vibration Work Glove

48-73-8771 (.1123575) **Medium**  
 48-73-8772 (.1123574) **Large**  
 48-73-8773 (.1123576) **XL**  
 48-73-8774 (.1123577) **2XL**



- Provides users with the best full hand vibration reduction
- Reinforced in high-wear areas to provide durability
- Breathable Lining
- ISO 10819 TRM=0.71 : TRH = 0.59

**SPECIAL ORDER ONLY!**

48-73-8772 (.1123574)



### Stabilizer Knee Pad

48-73-6075 (.1123579)

- Built with a pressure-reducing foam that retains its shape for lasting comfort
- Lightweight Foam Contours to Knee



**SPECIAL ORDER ONLY!**

### M18 4-1/2"-5" Braking Grinder Paddle switch No-Lock Kit

2880-22 (.1018686)

This kit includes:

- (1) M18 FUEL™ 4-1/2" / 5" Braking Grinder Paddle Switch, No-Lock (2880-20)
- (2) M18™ REDLITHIUM™ HIGH OUTPUT™ XC6.0 Battery Pack (48-11-1865)
- (1) M18™ & M12™ Rapid Charger (48-59-1808)
- (1) T27 Guard
- (1) T1 Clip-On Guard
- (1) Side Handle
- (1) Wrench
- (1) Back Flange
- (1) Flange Nut
- (1) Contractor Bag





## ToughSystem DS400 XL Case

DWST08204 (.807277)



- Durable structural foam box walls give it stand alone units
- Metal carrier with adjustable foldable back configuration
- IP65 rating - water and debris resistant
- Integrated water seal in every unit for protection of contents and long life for your equipment

## ToughSystem 2.0 Compact Tool Bag

DWST08025 (.1052999)



- Convenient double-sided accessibility
- Compatible with all TOUGHSYSTEM® 2.0 products
- Roomy vertical storage with over 25 Pockets and a front bungee cord
- Easy access to important items with vertical storage pockets

## ToughSystem 2.0 Rolling Tower

DWST60436 (.1010657)



- 2-piece metal front latches for added durability
- Attach easily: Patented auto-connect side latches
- Includes toolbox, extra large toolbox, and rolling toolbox
- Dust and water resistance with a ip65 rating
- Metal reinforced padlock eye for added security

## ToughSystem 2.0 Toolbox

DWST08165 (.1018161)



- Patented auto-connect side latches
- 20% larger storage capacity
- 2-piece metal front latches for added durability
- IP65 rated for dust and water resistance

## ToughSystem DS130 Tool Storage Case

DWST08130 (.963247)



- Structural foam material gives robust structure to the case of the portable tool box
- The mechanic tool box includes screwdrivers and drills storage pockets and 4 deep large cups
- Tool box organisers and storage feature integrated IP65 water seal for protection of contents from weather condition

## NEW PRODUCT

### All-Purpose Synthetic Leather Performance Glove

DPG20M (.1123596) **Medium**  
 DPG20L (.1123597) **Large**  
 DPG20XL (.1123598) **XL**



- ToughThread™ Souble Stitching for greater durable
- Neoprene Gaurd in Wrist System for extra debris protection
- Reinforced ToughGrip™ Thumb Saddle for greater protection and toughness

**SPECIAL ORDER ONLY!**



DPG20L (.1123597)

### ToughSystem 2.0 20V Max Dual Port Charger

DWST08050 (.1064993)

- Charge up to (2) DEWALT® 20V MAX\* or DEWALT® 20V/60V MAX\* FLEXVOLT® batteries\*\* at the same time in a durable, weather-resistant box
- Store and transport up to 12 batteries
- Withstand rough jobsite conditions with ip55\*\*\* protection against dust and water



DWST09060 (.1064993)



### ToughSeries Construction Jack

DWHT83550 (.1096293)

- Hands-Free Lifting – Promote ease-of-use with the step-to-lift function enabled by the reinforced-handle
- Heavy Duty Lift Capacity – Complete a wide range of applications with a lift capacity of up to 340 lbs.\* and a lift height of 8-3/4 in
- Precision Adjustments - Lower with control and make fine-tune adjustments when leveling with the precision controlled lowering tab



### Flexvolt 20V/60V Max 12AH Battery

DCB612 (.955790)

- Take on tough applications and help maximize productivity with a 12Ah capacity
- Get quick visibility to your battery's state of charge with the LED indicator to help avoid interruptions
- Maximize the performance of your 20V MAX\* and 60V MAX\* tools with this battery that automatically switches voltage when you change your tools



### Flexvolt 60V Max 7-1/4" Circular Saw Kit

DCS578X2 (.1001424)

This kit includes:

- (1) Blade
- (1) Blade wrench
- (1) Charger
- (1) Kit bag
- (2) DCB609 FLEXVOLT® 9.0Ah Battery
- (1) DCS578 60V MAX\* Brushless 7-1/2 in. cordless circular saw



DCS578X2 (.1001424)

### Flexvolt 60V Max 9" Cut-Off Saw Kit

DCS692X2 (.1053959)

- 2-Stage trigger helps prevent accidental activation
- Wireless tool control for use with future products
- Enlarged battery box allows use of the DCB615 15Ah battery for enhanced run time



### Flexvolt 60V Max 4-1/2"-6" Grinder w/No-Lock Kit

DCG418X2 (.1000301)

This kit includes:

- (1) Wrench
- (2) Flanges
- (1) Side Handle
- (1) DCG418 60V MAX\* Brushless 4-1/2 in. - 6 in. Cordless Grinder
- (1) 4-1/2 in. (.115mm) Type 27 Guard
- (1) 6 in. (.150mm) Type 27 Guard
- (2) DCB609 FLEXVOLT® 9.0Ah Battery; (1) Charger; (1) Kit Bag



DCG418X2 (.1000301)

### Flexvolt 60V Max 1-9/16" SDS Max Combo Rotary Hammer Kit

DCH481X2 (.907019)

This kit includes:

- (1) Kit box
- (1) Heavy duty kitbox
- (1) Multi-voltage charger
- (1) Multi-position side handle
- (2) 9.0Ah XR FLEXVOLT battery packs with state of charge indicator



### Flexvolt 60V Max Recip. Saw Kit

DCS389X1 (.1007459)

This kit includes:

- (1) Blade
- (1) Charger
- (1) Kit bag
- (1) DCS389 60V MAX\* Brushless reciprocating saw
- (1) DCB609 FLEXVOLT® 9.0Ah Battery





## SV3B Orange Economy Safety Vest

SV3B-2ZOM-M (.1021901) **Medium**  
 SV3B-2ZOM-L (.1021898) **Large**  
 SV3B-2ZOM-XL (.1021899) **Extra Large**  
 SV3B-2ZOM-2XL (.1021900) **2XL**

- Color-Blocked bottom with black trim
- 2" Silver Tape Reflective Material
- 100% Polyester Mesh



SV3B-2ZOM-L (.1021898)

## Short Sleeve Cooling T-Shirt

ST31-2PGS-L (.1021906) **Large**  
 ST31-2PGS-XL (.1021908) **Extra Large**  
 ST31-2PGS-2XL (.1021909) **2XL**

- 25 wash max
- Max-Dri™ moisture wicking polyester mesh with RadCool® technology
- 2" heat transfer, segmented reflective tape
- Moves moisture away from the skin and circulates it through the fabric keeping you cooler longer



## Mirage Safety Glasses

MR0110ID (.723338) **Clear**  
 MR0120ID (723792) **Smoke**

- Sleek, lightweight design offers a comfortable fit
- Optically correct and distortion free lenses
- 9.75 base lens provides near perfect orbital seal
- Safety Glass meets ANSI Z87.1+ standards and provides 99.9% UV protection



## Lens Wipe Anti-Fog/Anti-Static

LCD100 (.995883)

- Disposable lens cleaning towelettes
- Prevents fogging and reduces static
- Excellent for cleaning glass, plastic, and polycarbonate



## Detour Disposable Foam earplugs Uncorded 200/bx

FP30 (.1055003)


- Comfortable Wing Shape
- Meets ANSI S3.19-1974 standards
- Extremely Soft Foam Plug
- Provides a comfortable, low-pressure fit
- Made in USA
- Offers a comfortable fit for virtually any ear canal



## Deterrent Disposable Foam earplugs Uncorded 200/bx

FP34 (.1055004)

- Meets ANSI S3.19 standards
- Made in USA
- Comfortable Wing Shape
- Dual Color – Yellow and Green
- Extremely Soft Foam Plug
- Offers a comfortable fit for virtually any ear canal
- Provides a comfortable, low-pressure fit



## Class 2 High Visibility Safety T-Shirt with Max-Dri™

ST11-2PGS-M (.1021920) **Medium**  
 ST11-2PGS-L (.1021904) **Large**  
 ST11-2PGS-XL (.994759) **Extra Large**

- 25 wash max
- 100% wicking polyester mesh
- Max-Dri™ moisture wicking mesh technology
- Made with an arid Birdseye Mesh allowing for maximum breathability
- 2" Silver reflective tape applied as one horizontal and two vertical



## Radwear Silver Series Hi-Viz Knit Dip Glove

RWG10M (.1046632) **Medium**  
 RWG10L (.1046635) **Large**  
 RWG10XL (.1046636) **Extra Large**

- 5 gauge hi-vis nylon shell
- Micro-foam dipped latex palm
- Elastic slip-on cuff
- Meets EN 388:2003 standards for abrasion, cuts, tear and puncture (2 1 3 1)
- Meets ANSI/ISEA 105: 2016 - Abrasion 3



## Rad-Sequel Safety Glasses

RS1-10 (.802138) **Clear**  
 RS1-20 (.889259) **Smoke**  
 RS1-90 (.914099) **Indoor/Outdoor**

- Rubber tipped temples provide a secure fit
- Soft, rubber nose piece provides all day comfort
- Polycarbonate lens provides impact resistance
- Protective lens provide 99.9% UV protection
- Safety Glasses meet ANSI Z87.1+ standards





## Chill-Its Evaporative Cooling Hat

12627 (.948777) **Blue**  
 12621 (.945034) **Lime Green**

- Soak in water 2-5 minutes to activate
- Remains hydrated for up to 4 hours
- Re-usable, just re-wet
- Fabric meets ASTM F1506 performance requirements (ATPV rating of 7.1 cal/cm<sup>2</sup>); classified CAT1 per NFPA 70E
- Meets ASTM F2302 for flame resistance
- Modacrylic cotton blend fabric



12640 (.908911)

## Chill-Its Evaporative Cooling Towel

12420 (.822948)

- Hyper-evaporative PVA easily activates with water for up to four hours of cooling
- When wet, towel remains soft and bulk-free for wear around the neck or head
- Also great for outdoor recreation such as running, hiking or other activities



## Chill-Its Hard Hat Brim and Neck Shade

12641 (.979328) **Orange**  
 12640 (.908911) **Lime Green**

- Shades face and neck for protection against sun damage
- 100% polyester does not weigh down hard hats
- Elastic rim plus hook & loop attaches securely to most hard hats



12420 (.822949)

## Chill-Its Cooling Multi Band Hi-Viz

42127 (.998036)

- Wide variety of style and usage configurations
- Can be worn by itself or under a hard hat
- Soft, stretchable and seam-free performance knit fab
- When wet, cooling is immediate and can last for hours



## Chill-Its Hard Hat Cooling Insert

12337 (.823994)

- Lightweight, cooling acrylic polymers
- Hook & loop closures
- Soak in water 2-5 minutes to activate
- Remains hydrated for up to 4 hours
- Conveniently attaches to hard hat suspension headband





## SecureFit Safety Glasses

SF201AF (.816729) **Clear**  
 SF202AF (.816786) **Gray**  
 SF203AF (.825719) **Amber**



- 3M Pressure Diffusion Technology allows temples to naturally adjust to individual head sizes eliminating the need to stock multiple frame sizes at worksites
- At a weight of less than 1 oz., provides comfortable, durable, lightweight eye protection

## Virtua AF Protective Eyewear

11329 (.736869) **Clear**  
 11330 (.736873) **Gray**  
 11328 (.736871) **I/O**



- Anti-scratch and anti-fog
- Has a wraparound design provides extended eye protection and unobstructed viewing
- Combines style, protection and affordability to help safeguard workers on jobsites

## E-A-Rsoft Yellow Neon Blast Earplug Corded

311-1252 (.713574)

- 200 per box
- Have an advanced foam with a smooth texture - offering in-ear comfort for wearing over an extended time
- Poly bag keeps ear plugs clean before use



## H-800 Series Full Brim Hard Hat

- Suspension system incorporates exclusive patented Pressure Diffusion Technology
- Works with a variety of 3M faceshields, earmuffs, and other accessories.
- A smooth, easy turning ratchet suspension system sits low on the head to reduce pressure, helping to make 3M™ SecureFit™ Full Brim Hard Hat H-800 series a comfortable and secure hard hat option



## N95 Particulate Respirator

8210 (.55253)

- For at least 95 percent filtration efficiency against certain non-oil based particles
- With a variety of protective eyewear and hearing protection
- Reduces potential for eyewear fogging and helps provide a custom and secure seal



## N95 Particulate Respirator w/Cool Flo Valve

8210V (803435)

- Adjustable nose clip helps provide a secure seal Cushioning foam for added comfort on the nose
- Two-strap design with dual point attachment helps provide a secure seal
- Incorporates proprietary technology with advanced electrostatically charged microfiber filter media, designed for easy breathing



## E-A-Rsoft UltraFit Earplug Corded

340-4002 (.141770)

- Stem helps users insert earplug into their ear canals
- Soft polymer is washable and reusable
- No need to touch the ear tips during earplug insertion, helping to keep ear tips clean longer
- Compatible with the 3M E-A-Rfit Validation System
- Noise reduction rating (NRR)\*: 25 dB for standard Ultrafit and 27 dB for Ultrafit 27.





## Blue 11mil SensaTouch Med-tech Latex Disposable Glove

5049M (.933051) **Medium**  
 5049L (.711166) **Large**  
 5049XL (.850973) **Extra Large**



- Biodegradable, inherently antimicrobial, and antibacterial
- 11 mils thick, 12-inches long, and is a medical grade glove. (Class 1 medical device)
- Passes ASTM D6978 to handle Fentanyl substances

## Black 11mil SensaTouch Med-tech Latex Disposable Glove

6062M (.859394) **Medium**  
 6062L (.872709) **Large**  
 6062XL (.790586) **Extra Large**



- NitrShield gloves
- 6 mil powder free disposable nitrile
- Industrial food service grade
- Textured grip
- 12 Inch length



6062L (.872709)

## Lens Cleaning Towelettes

LCT (.109198)

- Assist in the care and maintenance of your safety eyewear
- Lens cleaning station
- 10 boxes per case, 100 wipes per box
- 100 towelettes per box wrapped in individual packets



## Blue Beast Leather Welding Work Glove

4600 (.111374)

- Premium A grade side split leather
- Cotton drill cuff lining
- One piece back
- Reinforced palm and thumb strap
- Sewn with DuPont™ Kevlar® for durability
- Soft jersey lining



## Brown Jersey Work Glove

7100P (.457091)

- Cotton polyester blend
- Breathable brown jersey
- Absorbent
- Clute pattern
- Comfortable knit wrist
- Straight thumb



BK110 (.730467)

## Bear Kat Safety Glasses

BK110 (.730467) **Clear**  
 BK110AF (.706264) **Clear Anti-Fog**  
 BK112 (.725400) **Gray**  
 BK119 (.725484) **Indoor / Outdoor**



- Lightweight frames (25 grams) are comfortable and easy to wear
- Non-slip soft temple material
- Rugged polycarbonate lens filters 99.9% of harmful U.V. rays
- Single lens design with integral side shields provides an unobstructed view

# CLOSEOUT SALE

## UP TO 60% DISCOUNT ON SELECT PRODUCTS

### SAVE BIG ON THESE PRODUCTS

**BETCO**

#### 1GL CLEAR IMAGE GLASS CLEANER

19204-00 (.1080137)



- Cuts through grease, smudges, finger prints, and soil.

**\$9.99 EACH**

**LENOX**

#### RETRACTABLE UTILITY GOLD KNIFE

20353SSRK1 (.691725)



- Extremely durable stainless steel nose
- 3 LENOX blades included

**\$10.99 EACH**

**DEWALT**

#### 23PC 1/2" DRIVE COMBINATION SOCKET SET

DWMT73813 (.900662)



- 72 Tooth Quick Release Ratchet

**\$49.99 EACH**

**IRWIN**

#### 12PC BLACK OXIDE HEX SHANK DRILL BIT SET

4935643 (.1052565)



- Uses a 135° split point tip to start drilling

**\$22.99 EACH**

**CRESCENT**

#### 55PC VORTEX BIT FASTENING SET

CAVBHSET-55 (.1047720)



- Dual Impact Torsion Zone™ absorbs shock

**\$24.99 EACH**

**3M**

#### 24' ALUMINUM 3-SECTION EXTENTION LADDER

D1224-3 (.838498)



- Has a duty rating of 225 lbs

**\$199.99 EACH**

### ALL CLOSEOUTS ARE WHILE SUPPLIES LAST!

# Our added value SERVICES



## LIFTING & RIGGING

American Producers custom builds chain and wire rope slings, and provides inspection, repair and certification of chain, web and wire slings.

### Rigging Services offered, by Huntington Branch:

- Custom made wire rope and chain slings
- Custom lifting device and wire rope inspection
- Nylon / Polyester inspection
- Chain and wire mesh sling inspection
- Educational seminars on the care, use and inspection of chain slings, wire rope, wire mesh slings and round slings
- Visual inspection of under hook lifting devices
- Load testing of chain, wire rope, and Nylon / Polyester slings
- Particle die testing series
- Visual inspection of hoist and pullers load testing of hoist and pullers

## PROFESSIONAL TOOL REPAIR

American Producers Supply offers repair services for a variety of tools and equipment at our locations in Marietta, Huntington, Wixom, and Toledo. We can repair most professional brands of power tools. We also do warranty work on tools for which we are an authorized repair center for. **Our capabilities include:**

## HYDRAULIC & PNEUMATIC TOOLS

At American Producers, **we are an authorized Enerpac Service Center.** We repair hydraulic and pneumatic tools from a range of different brands, including, Enerpac, Ingersoll Rand, Chicago Pneumatic, and Power Team.

## HOISTS & PULLERS

We are capable of repairing, load testing, and certifying electric hoists, chain hoists, and pullers

### WE ARE AN AUTHORIZED REPAIR CENTER FOR:

- DeWalt
- Milwaukee
- Stihl
- CM Hoists
- Enerpac
- Metabo
- Champion Mag Drills
- Honda Power Equipment
- Husqvarna Construction Products
- And more...



**\*\* These Services are only offered in our Marietta, Huntington, Wixom, and Toledo Branches \*\***

# GENERAC®



**Generac Automatic Standby Generator**

**Revolutionizing the 21st century  
electrical grid.**



**Generac Portable Generator**



Improve energy  
resilience and  
independence



Optimize energy  
efficiency and  
consumption



Protect and build  
critical  
infrastructure

**Generac Portable Generator**

**Marietta, OH**  
119 Second St  
(740) 373-5050

**Cincinnati, OH**  
10770 Kenwood Rd  
(513) 791-4252

**Columbus, OH**  
590 N. Hague Ave  
(614) 272-1113

**Lancaster, OH**  
1806 Victor Rd  
(740) 654-3711

**Portsmouth, OH**  
1763 10th St  
(740) 354-3479

**Sunbury, OH**  
6914 St. Rt. 37E  
(740) 362-7249

**Toledo, OH**  
1625 Tracy St  
(419) 666-7220

**Ferdinand, IN**  
2130 Industrial Park Rd  
(812) 998-2130

**Glasgow, KY**  
129 Beaver Trail  
(270) 861-0060

**Louisville, KY**  
520 South 15th St  
(502) 583-3875

**Pittsburgh, PA**  
7724 Edgewood Ave  
(412) 220-2370

**Wixom, MI**  
30270 Beck Rd  
(248) 669-4040

**Huntington, WV**  
333 Washington Ave  
(304) 525-3545

**Martinsburg, WV**  
36 Variiform Dr  
(304) 263-3364

**St. Albans, WV**  
2822 Winfield Rd  
(304) 755-0009