


Attenzia

Lighting – more space system





# LEDs DESIGN WORKSPACE

Attenzia directs light

Every design detail is focused on providing the best quality and brightness of light for your personal workspace. Attenzia offers an impressively thin rotating light head with easily adjustable joints. These high-quality aluminium arms ensure that the perfect beam of light illuminates exactly where you want.





# Attenzia task catches the eye

Attenzia LEDs generate a light you don't want to miss. The combination of high luminous flux, powerful illuminance, and authentic color rendering produce a perfect beam of light. Infinite dimming enables you to choose your individual brightness level. Each design detail is focused on the goal of creating the best possible light to illuminate Your Space.

Attenzia task




red<mark>dot</mark> design award winner 2018






# Attenzia lights the way

Wherever you want to focus, the rotating head and height-adjustable arm offers the flexibility to perfectly illuminate Your Space. Attenzia can be positioned securely on your desk using a variety of mounting options. In addition, internal cable routing always ensures a clean, organized appearance.





#### An overview of the options



Attenzia task
Dimmable 7 x 7 LED desk light with aluminum arm. Available in black, white and silver.



**Attenzia complete**Dimmable 9 x 12 LED workspace light.



Safely mounted on the table with the Attenzia clamp (available in two clamp lengths).



Flexible positioning thanks to continuously adjustable joints (Attenzia task).



Mobile positioning with the elegant Attenzia base.



The built in LED unit has a lifetime of more than 50,000 hours. It is infinitely dimmable and switches off automatically.



Simply attach the Attenzia to one of our MY columns.



Elegant insert sleeve for invisible cable management.







	luminaire luminous flux	luminaire light efficiency	color rendering index	white	black	silver
Attenzia task						
Attenzia task, with clamp 1 7 x 7 LED desk light with slim-line 2-part aluminium support arm- with clamp 1	742 lm	82,7 lm/W	86	740+1211+002	740+1218+002	740+1219+002
Attenzia task, with base plate 7 x 7 LED desk light with slim-line 2-part aluminium support arm- with base plate	742 lm	82,7 lm/W	86	740+1291+002	740+1298+002	740+1299+002
Attenzia task, without mount 7 x 7 LED desk light with slim-line 2-part aluminium support arm- with 13 mm bolt	742 lm	82,7 lm/W	86	740+1201+002	740+1208+002	740+1209+002
Attenzia task, for TSS columns 7 x 7 LED desk light with slim 2-piece aluminium support arm to be mounted on Novus TSS columns- with 16 mm bolt	742 lm	82.7 lm/W	86			740+1209+004

### Attenzia complete

Attenzia complete, without mount 9 x 12 LED light with slim aluminium support arm for illuminating the entire workspace- with 13 mm bolt	1708 lm	83.3 lm/W	86		740+2109+002
Attenzia complete, for TSS columns 9 x 12 LED light with slim aluminium support arm for illuminating the entire workspace- with 16 mm bolt	1708 lm	83.3 lm/W	86		740+2109+004

#### **Mounting Options**

Mounting Options						
Description	For Attenzia task	For Attenzia complete	White	Black	Silver	
Attenzia clamp 1 For edge mounting on desktops- 10-50 mm clamp length	•		798+0011+000	798+0018+000	798+0019+000	
Attenzia clamp 2 For edge mounting on thicker desktops- 45-85 mm clamp length	•		798+0021+000	798+0028+000	798+0029+000	
Attenzia base plate Stable base for the desk- 200 mm(l) x 175 mm(w) x 19 mm(h)	•	•	798+0031+000	798+0038+000	798+0039+000	
Attenzia bushing Insert sleeve for invisible cable management- 5-45 mm thickness   35 mm diameter	•	•		798+0008+000		
Attenzia system rail mount Simple attachment to horizontal railing systems- 35 mm diameter   13 mm bolt	•	•			798+0006+000	
Attenzia cable port plastic For Attenzia on TSS- 80 mm grommets with 16 mm bolts adaptor	•	•	796+0421+002	796+0428+002		
Slatwall Adapter- For Attenzia lights	•	•	798+0071+000	798+0078+000	798+0079+000	
MY base C- 350 mm column with 14-40 mm clamp		•			911+0019+000	
MY base C1- 350 mm column with 13-25 mm clamp		•			911+0029+000	
MY base D- 350 mm column with drilling screw		•			911+0049+000	
MY base G- 350 mm column with cable port		•			911+0059+000	
MY base S- 350 mm column with system rail		•			911+0069+000	







Dahle North America, Inc. 49 Vose Farm Road Peterborough, NH 03458 (800) 995.1379 www.NovusMoreSpace.com







