


SEREN INSTALLATION GUIDE




BOM

Hardware	Picture	Qty	Material	Remark
Sliding Roller		1	Stainless Steel	Pre-assembly
Soft Closer		1	Stainless Steel	Pre-assembly
Glass Bracket		2	Stainless Steel	Pre-assembly
Track		1	Aluminum	
Valance		1	Aluminum	
Soft Closer Trigger		2	Stainless Steel	Pre-assembly
Track Cover Plate		2	Plastic	
Finger Knob		1	Stainless Steel	
Floor Guide		1	Stainless Steel	
Glass Panel		1	Safety Tempered Glass	
ST4*30		4	Stainless Steel	
ST4*20		2	Stainless Steel	
Wall Anchor		6	Plastic	

Barn Door Installation Manual


Tooling List

1 Electric Drill 	2 Marker 	3 Level 	4 Tape Measure 	5 Knife 
6 Screwdriver 	7 Hammer 	8 Wrench 	9 Drill Bit 	

Installation Procedure


1、Track Positioning

Position the track height based on the door size and mark it with a marker




2、Hole Positioning of the Track

Mark the hole locations based on the pre-drilled holes in the track




3、Drill the holes

Drill the holes according to the marks




4、Wall anchor installation

Use a hammer to insert the anchors, and use a knife to remove any excess material




5、Track hardware assembly

The glass bracket and sliding roller should be assembled as one unit, which will slide inside the track, then lock the soft closer trigger (Pre-assembly)




6、Track Installation

Mount track with ST 5 X 40 self-tapping screws. Ensure the track is level




7、Floor guide installation



8、Glass panel installation

1. Remove the cover plate from the glass bracket
2. Attach the glass panel to the glass bracket
3. Fasten the glass bracket tightly
4. Adjust the glass position to ensure it is level




Important

5. Securely tighten the set screws on the threaded rods to prevent loosening and glass sagging.

Important: Make sure the screws are fully tightened.

9、Soft closer trigger adjustment

After the soft closer completes its function, lock the trigger



10、Install the Finger Knob

Install it on the door panel

