



INSTRUCTION MANUAL

Cottage Kitchen Playset



Please retain these instructions for future reference.

- This product requires adult assembly and supervision when in use.
- · This product is intended for indoor use only.
- Do not stand on or use any part of this item as a step ladder.
- Firmly secure all bolts, screws and knobs before use.
- · Reconfirm that all bolts, screws, and knobs are secure every 90 days.
- Do not use or store this item in the proximity of open flame or flammable/combustible chemicals.
- If any parts are missing, broken, damaged, or worn, stop using this item until repairs are made and/or factory replacement parts are installed.
- Do not use this item in a way inconsistent with the manufacturer's instructions as this could void the product warranty.
- To clean this item, use a damp cloth. Then, wipe it down once more with a dry cloth.
- This product is intended for residential use only.





CHOKING HAZARD - Small parts. Not for children under 3 years old.



This item is intended to be mounted to a wall following assembly.

Do not attempt to use this item otherwise as it may result in personal injury and property damage.

bestchoiceproducts.com

TOOLS REQUIRED














HARDWARE














































PARTS



PARTS





PARTS





















PRE-ASSEMBLY



NOTE: The following steps are essential to later assembly as certain parts may no longer be accessible in later assembly.

Attach two part M hinge receivers/guides to the part 1 base with four part E screws, two screws per receiver.


Attach one part J door catch to the part 14 upper side panel II with two part E screws.

Insert two part F cam bolts into both part 23 front legs, two bolts per leg.

Insert one part F cam bolt each into the part 24 and part 25 back legs.

Attach two part K holding pegs to the part 10 control panel with four part E screws, two screws per holding peg.

Place the **part 18 hood** and the **part 19 hood strip** side by side then connect them by attaching one **part A hood hinge** with four **part E screws**.



PRE-ASSEMBLY

2

Attach one part 26 door handle to the part 9 cupboard door with two part C screws.

Attach one part I door insert to the part 9 cupboard door with two part E screws.

Attach two part L hinge pegs to the part 9 cupboard door with four part E screws, two screws per hinge peg.

Attach one part 26 door handle to the part 8 oven door with two part C screws.


Attach one part I door insert to the part 8 oven door with two part E screws.

Attach two part L hinge pegs to the part 8 oven door with four part E screws, two screws per hinge peg.

Attach one part 27 microwave handle to the part 2 microwave door with two part C screws.

Attach one part I door insert to the part 2 microwave door with two part E screws.

Attach two part L hinge pegs to the part 2 microwave door with four part E screws, two screws per hinge peg.



PRE-ASSEMBLY




Use a hammer to attach five **part N plastic counter** supports to the bottom of the **part 12 countertop**, then secure each support with one **part E screw**, five screws total.

NOTE: Hammer is not included but highly recommended.

Flip the part 12 countertop upright, then attach two part 28 burners with four part C screws, two screws per burner.

Attach the part 29 faucet to the part 12 countertop with two part C screws.






Insert one part H dowel into the part 24 back leg I, then insert one part G cam lock into the part 3 side scallop, connect the two pieces, turn the cam locks to secure, then set aside.

Insert one part H dowel into the part 25 back leg II, then insert one part G cam lock into the part 3 side scallop, connect the two pieces, turn the cam locks to secure, then set aside.

Insert two part G cam locks and two part H dowels into the part 4 front scallop.

Connect the two **part 23 front legs** to each side of the front scallop, then turn the cam locks to secure.


Insert one part H dowel and one part G cam lock into each part 3 side scallop, then connect them to the part 23 front legs, turn the cam locks to secure.



2

Insert two part H dowels into the top of the part 4 front scallop.


Attach the part 1 base to the part 23, part 24, and part 25 legs with four part B screws.



3


Insert two dowels each into the part 5 side panel I, part 6 middle panel, and part 7 side panel II, then attach the three panels to the part 1 base.

Secure each panel with two part B screws, six screws total.




4

Slide the part 8 oven door assembly into its designated part M hinge receiver. Slide the part 9 cupboard assembly into its designated part M hinge receiver.






Insert two part H dowels into the sides of the part 10 control panel, then attach the panel to the part 5 and part 7 side panels with two part B screws.



6

Slide two part 11 lower cupboard backings into their designated spaces between the part 5 side panel I, part 6 middle panel, and part 7 side panel II.




7

Insert two part H dowels into the part 17 upper shelf scallop.


Insert two part H dowels into the part 14 upper side panel II.

Attach the part 17 upper shelf scallop to the part 16 upper shelf with two part B screws. Attach the part 14 upper side panel II to the part 16 upper shelf with two part B screws.




8

Insert two part H dowels into the part 15 upper mid panel, then attach it to the part 16 upper shelf with one part B screw.




9

Insert two part H dowels into the part 18 hood, then attach the hood to the part 15 upper mid, secure by inserting one part B screw to the part 19 hood strip.




Insert two part H dowels into the part 13 side panel I, then attach it to the part 16 upper shelf with two part B screws.




11

Slide the part 20 upper shelf back panel between the part 13 and part 14 upper side panels. Insert the part 2 microwave door assembly's hinge peg into the part 16 upper shelf.




12

Insert four part H dowels into the part 22 top board, then attach the board to the part 13, part 14, and part 15 panels with three part B screws.




13

Slide the part 21 back splash between the part 13 and part 14 upper side panels.



14

Attach the part 12 countertop assembly to the part 13 and part 14 upper side panels with four part B screws.






Insert two part H dowels each into the top of the part 5 and part 7 side panels.

Insert two part H dowels each into the top of the part 6 middle panel and part 10 control panel.


Place the **part 12 countertop assembly** on top of the lower cabinet assembly, then secure with five **part C screws.**

NOTE: To secure the **part 6 middle panel**, open the **part 9 cupboard door** to access the remaining countertop fastener.






Attach three part O accessory pegs to the part 21 backsplash with three part D screws. Insert the part 30 sink into the designated opening.



WALL MOUNTING

- Select an appropriate location, then place the product against the wall. Open the part 2 microwave door and mark the wall through the hole in the part 20 upper shelf back panel. Move the product aside.
- 2. Drill a hole in the indicated spot on the wall, then insert the part R wall anchor. Insert one part P screw through the hole in the part 20 upper shelf back panel and place the part Q wall washer onto the screw's end.
- **3.** Return the product to overlap the wall, insert the screw end into the wall anchor, then tighten the **part P screw** to secure the product to the wall.





Question about your product? We're here to help. Visit us at:

help.bestchoiceproducts.com













Product Assembly Returns & Refunds

PRODUCT WARRANTY INFORMATION

All items can be returned for any reason within 60 days of the receipt and will receive a full refund as long as the item is returned in its original product packaging and all accessories from its original shipment are included. All returned items will receive a full refund back to the original payment method. All returned items will not be charged a re-stocking fee.

All returned items require an RA (Return Authorization) number, which can only be provided by a Best Choice Products Customer Service Representative when the return request is submitted. Items received without an RA may not be accepted or may increase your return processing time. Once an item has been received by Best Choice Products, refunds or replacements will be processed within 5 business days.

All returns must be shipped back to the Best Choice Products Return Center at the customer's expense. If the reason for return is a result of an error by Best Choice Products then Best Choice Products will provide a pre-paid shipping label via email. Boxes for return shipping will not be provided by Best Choice Products, and is the customer's responsibility to either use the original shipping boxes or purchase new boxes.

Pictures may be required for some returns to ensure an item is not damaged prior to its return. Items returned are not considered undamaged until they are received by Best Choice Products and verified as such. All damages to items are the customer's responsibility until the item has been received by and acknowledge by Best Choice Products as undamaged.

© Best Choice Products, Inc. All rights reserved, Distributed by Best Choice Products, Inc. Tustin, CA 92780

∕NWARNING

Manufacturer and seller expressly disclaim any and all liability for personal injury, property damage or loss, whether direct, indirect, or incidental, resulting from the incorrect attachment, improper use, inadequate maintenance, unapproved modification, or neglect of this product.