# Product data sheet

Specifications



## [TAA] J-Frame ATS, ASCO Series 300, open transition, 3 pole, 400A, 240V, Type 1, with 11BE

PPATS_1196893

## Main

| | |
|---|---|
| **Switch Series** | ASCO 300 Series |
| **Product Type** | Transfer switch |
| **Rated Current** | 400 A |
| **Number of Phases** | 3 phase |
| **Number of Poles** | 3P |
| **Rated Voltage** | 240 V |

## Complementary

| | |
|---|---|
| **Neutral Configurations** | Solid neutral |
| **Transition Mode** | Open |
| **Operation Mode** | Automatic |
| **Hot to Hot Transfer Time** | < 80 ms |
| **Controller** | Group G |
| **Communication Capability (with accessory P/N 72EE)** | Modbus TCP<br>RS485 |
| **Service Entrance Rated** | Not service entrance rated |
| **Transfer Switch Position** | 2 positions |
| **Enclosure Options** | UL Type 1 |
| **Switch Frame** | J-Frame |

## Ordering and shipping details

| | |
|---|---|
| **GTIN** | 3606487236580 |

## Packing Units

| | |
|---|---|
| **Unit Type of Package 1** | PCE |
| **Number of Units in Package 1** | 1 |
| **Package 1 Height** | 55.98 in (142.2 cm) |
| **Package 1 Width** | 14.02 in (35.6 cm) |
| **Package 1 Length** | 14.02 in (35.6 cm) |
| **Package 1 Weight** | 260.1 lb(US) (118 kg) |

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

# Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

How this information helps you

### Environmental footprint

| | |
|---|---|
| Environmental Disclosure | Product Environmental Profile |

## Use Better

### Materials and Substances

| | |
|---|---|
| Packaging made with recycled cardboard | No |
| Packaging without single use plastic | No |
| EU RoHS Directive | Compliant with Exemptions |
| REACh Regulation | REACh Declaration |
| China RoHS Regulation | China RoHS declaration |
| California proposition 65 | WARNING: This product can expose you to chemicals including: Lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov |

## Use Again

### Repack and remanufacture

| | |
|---|---|
| Circularity Profile | End of Life Information |

| | |
|---|---|
| Take-back | **No** |